

SPECIFICATION NO. 4.2 ATV-UTV PRESSURE WASHERS □	
Manufacturer	Manufacturer Model Number
Landa	ATV4.0-40
SPECIFICATION NO. 4.4 SKID-TYPE PRESSURE WASHERS□	
Manufacturer	Manufacturer Model Number
API	225-PGDC5-353E-12V
API	225-PGDC5-352E-12V
API	225-PGDC4-353E-12V
API	225-PGHW5-353E-120V
API	225-PGHW4-303E-120V
API	225-PGHW5-302E-120V
API	225-PGHW4-403E-120V
API	225-PDHW5-356E-12V
API	225-PDHW5-356E-120V
API	225-5355J-12V
API	225-4405GAA-12V
API	225-4405EAA-12V
SPECIFICATION NO. 4.6 TRAILER-TYPE PRESSURE WASHERS	
Manufacturer	Manufacturer Model Number
Landa	TRV-PGHW5-353E-120V
Landa	TRV-PGDC5-353E-12V
Landa	TRV-PGDC5-352E-12V
Alkota	20151-5355JB-120V
Alkota	20151-5305A-120V
Alkota	20151-4405GAA-12V
Alkota	20151-5355J-12V
Alkota	20151-4405EAA-12V
Alkota	20151-5357-120V
Alkota	20152-5355JB-120V
Alkota	20152-5305A-120V
Alkota	20152-4405GAA-12V
Alkota	20152-5355J-12V
Alkota	20152-4405EAA-12V
Alkota	20152-5357-120V
Alkota	20152C-5355JB-120V
Alkota	20152C-5305A-120V
Alkota	20152C-4405GAA-12V
Alkota	20152C-5355J-12V
Alkota	20152C-4405EAA-12V
Alkota	20152C-5357-120V
API	ENC-PGHW5-353E-120V
Landa	ECOS-DX

SPECIFICATION NO. 4.4 SKID-TYPE PRESSURE WASHERS□	
Manufacturer	Manufacturer Model Number
Tuffy	Tuf-CS64B24
Tuffy	Tuf-CS64B36
Tuffy	Tuf-CS64B36

Pages 565-573

SPECIFICATION NO. 4.6 TRAILER-TYPE PRESSURE WASHERS	
Manufacturer	Manufacturer Model Number
Tuffy	Tuf-CT150B24
Tuffy	Tuf-CT150B36
Tuffy	Tuf-CT150B48

Pages 574-585

SPECIFICATION NO. 4.8 - CLASS 5 SKID-TYPE PRESSURE WASHERS □	
Manufacturer	Manufacturer Model Number
API	225-PGDC5-353E-12V
API	225-PGDC5-352E-12V
API	225-PGDC4-353E-12V
API	225-PGHW5-353E-120V
API	225-PGHW4-303E-120V
API	225-PGHW5-302E-120V
API	225-PGHW4-403E-120V
API	225-PDHW5-356E-12V
API	225-PDHW5-356E-120V
API	225-5355J-12V
API	225-4405GAA-12V
API	225-4405EAA-12V
SPECIFICATION NO. 4.10 CLASS 5 TRAILER PRESSURE WASHERS	
Manufacturer	Manufacturer Model Number
Landa	TRV-PGHW5-353E-120V
Landa	TRV-PGDC5-353E-12V
Landa	TRV-PGDC5-352E-12V
Alkota	20151-5355JB-120V
Alkota	20151-5305A-120V
Alkota	20151-4405GAA-12V
Alkota	20151-5355J-12V
Alkota	20151-4405EAA-12V
Alkota	20151-5357-120V
Alkota	20152-5355JB-120V
Alkota	20152-5305A-120V
Alkota	20152-4405GAA-12V
Alkota	20152-5355J-12V
Alkota	20152-4405EAA-12V
Alkota	20152-5357-120V
Alkota	20152C-5355JB-120V
Alkota	20152C-5305A-120V
Alkota	20152C-4405GAA-12V
Alkota	20152C-5355J-12V
Alkota	20152C-4405EAA-12V
Alkota	20152C-5357-120V
API	ENC-PGHW5-353E-120V
Landa	ECOS-DX
4.12 SKID-TYPE PRESSURE WASHERS – BASE UNIT	
Manufacturer	Manufacturer Model Number
Landa	MHC4-353E-BD-12V
Landa	MHC3-303-12V
Landa	MHC4-303E-12V
Landa	MHC4-353E-12V
Landa	PGDC4-353E-12V
Landa	PGDC5-352E-12V
Landa	PGDC5-353E-12V

SPECIFICATION NO. 4.8 - CLASS 5 SKID-TYPE PRESSURE WASHERS □	
Manufacturer	Manufacturer Model Number
Tuffy	Tuf-CS64B24
Tuffy	Tuf-CS64B36
Tuffy	Tuf-CS64B36

Pages 586-594

SPECIFICATION NO. 4.10 CLASS 5 TRAILER PRESSURE WASHERS	
Manufacturer	Manufacturer Model Number
Tuffy	Tuf-CT150B24
Tuffy	Tuf-CT150B36
Tuffy	Tuf-CT150B48

Pages 595-603

SPECIFICATION NO. 4.12 STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS □	
Manufacturer	Manufacturer Model Number
BE	API-HW4013HC
BE	API-HW4013HB

Pages 604-609

Landa	PGDC8-303E-12V
Landa	PGHW4-303E-120V
Landa	PGHW4-403E-120V
Landa	PGHW5-302E-120V
Landa	PGHW5-353E-120V
Landa	PGHW5-505E-120V
Landa	PGHW8-303E-120V
Landa	PDHW5-356E-12V
Landa	PDHW5-356E-120V
Landa	PDHW5-356E-SS-12V
Landa	PDHW5-356E-SS-120V
Landa	SLT6-323E-120V
Landa	SLT8-303E-120V
Landa	SLT6-326E-120V
Landa	SLT8-326E-120V
Landa	SLX10-253E-120V
Landa	SLX10-326E-120V
Alkota	5355J-12V
Alkota	4405GAA-12V
Alkota	4405EAA-12V
Alkota	5355JB-120V
Alkota	5357-120V
Alkota	5181
Alkota	4301
Alkota	5301
Alkota	7301
Alkota	8251
Alkota	8351
Alkota	10201
Alkota	10301
Landa	VHG4-22
Landa	VHG4-30
Landa	VHG5-30
Landa	PHW3-11
Landa	PHW4-22
Landa	PHW4-30
Landa	PHW5-30
Landa	HOT2-15
Landa	HOT3-11
Landa	HOT4-20
Landa	VHP2-15
Landa	VHP3-20
Landa	EHW4-20
Landa	EHW4-30
Alkota	5355HNL-12V
Steamerica	OPTI-XD-120V

Date & Title/I.D. of Price List: 11.10.19 API Price  
Warranty Information

**ATV-UTV PRESSURE WASHERS**  
**BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.2**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	<b>American Pressure Inc</b>
Contact Person:	<b>Ben Hagemann</b>
Street Address:	<b>3810 W Broadway</b>
P.O. Box:	
City, State, Zip	<b>Robbinsdale, MN 55422</b>
Phone #:	<b>763-521-4442</b>
Toll Free #:	<b>800-544-0836</b>
Fax #:	<b>763-521-4447</b>
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

<b>4.2</b>	<b>Information Requested</b>	<b>Answer</b>
	Make & Model Number	API ATV4.0-40
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Water Tank Capacity (In gallons)	50 Gallons
	Water Tank Construction (Plastic, Stainless, etc)	Plastic
	Water Volume (GPM - Gallons per Minute)	4.0 GPM
	Pressure (In PSI)	4000 PSI
	Hot Water Capable? (Yes/No)	No
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	NA
	Approx. Temperature Rise (In Fahrenheit, range)	NA
	Steam Capable? (Yes/No)	No
	Drive Type (Belt or Direct)	Direct
	Engine Make and Model	Honda GX390
	Engine Fuel Type and Capacity (In gallons)	Gasoline 1.6 Gallons

Engine Displacement	389 cm3
Engine Air or Water Cooled	Air Cooled
Engine Location	Back Passenger
Control Panel (Yes/No)	No
What does the Control Panel control?	NA
Number of Nozzles	5
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire Black
Hose Length (In feet)	50'
High Pressure Hose Reel Included? (Yes/No)	Yes
Fill Hose Reel Included? (Yes/No)	No
Wand Type	Straight Lance
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	40"L x 48"W x 35"H
How is Skid attached to ATV-UTV?	Customer Decision
What is the estimated weight of the unit with the tanks full and ready to spray?	760 LBS
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"
<b>BASE UNIT PRICE:</b>	<b>\$3,023.00</b>

# ATV-UTV PRESSURE WASHERS

## OPTIONS - SPECIFICATION NO. 4.3

**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

**Base Unit Price:** \$ 3,023.00

Spec No.	Description	Price
4.3.1	Date & Title/I.D. of Price List	10.14.21 API Price List
4.3.2	Discount to be applied to Price List <b>*Note:</b> The "Discount to be Applied to Price List" must be a numeric percentage,	0%
4.3.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 56.00
4.3.4	<b><u>EXTENDED WARRANTY OPTIONS</u></b>	NA
4.3.5	<b><u>DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS</u></b>	<b><u>NO FLAT RATE ALLOWED</u></b>
	<b><u>DELIVERY STARTING POINT - City, State, Zip</u></b>	Robbinsdale, MN 55422
	<b>PRICE PER LOADED MILE:</b>	\$2.75
	<b>MINIMUM DELIVERY CHARGE (if applicable)</b>	\$45.00
4.3.6	<b><u>EQUIPMENT INSPECTION &amp; REPAIR RATES</u></b>	
	Hourly Rate for Initial Inspection/Diagnostic :	\$129.00
	Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$129.00
	Hourly Rate for Body Work (including paint or welding labor) :	\$179.00
4.3.7	<b><u>NEW EQUIPMENT RENTAL PROGRAM</u></b>	
	Daily Rental Rate:	NA
	Weekly Rental Rate:	\$544.00
	Monthly Rental Rate:	\$1,088.00
	Percent (%) of Rental Fee applied to purchase price:	50%

**If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_**

**SKID-TYPE PRESSURE WASHERS**  
**BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.4**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	<b>American Pressure Inc</b>
Contact Person:	<b>Ben Hagemann</b>
Street Address:	<b>3810 W Broadway</b>
P.O. Box:	
City, State, Zip	<b>Robbinsdale, MN 55422</b>
Phone #:	<b>763-521-4442</b>
Toll Free #:	<b>800-544-0836</b>
Fax #:	<b>763-521-4447</b>
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

<b>4.4</b>	<b>Information Requested</b>	<b>Answer</b>
	Make & Model Number	API 225-PGDC5-353E-12V
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Skid Type (Pickup Truck, Ag/Farm Tractor, 3-Point, Class 2/3/4, etc)	Pickup Truck Class 2B,3,4
	Water Tank Capacity (In gallons)	225 Gallons
	Water Tank Construction (Plastic, Stainless, etc)	Plastic
	Water Volume (GPM - Gallons per Minute)	4.7 GPM
	Pressure (In PSI)	3500 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	135° F +/- 5°
	Steam Capable? (Yes/No)	Optional
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Honda GX630
	Engine Fuel Type and Capacity (In gallons)	Gasoline 4.75 Gallons

Engine Displacement	688 cm3
Engine Air or Water Cooled	Air
Engine Location	Back Driver's Side
Generator (to power burner)	No
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Burner Control and Thermostat Adjustment
Number of Nozzles	5
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire Black
Hose Length (In feet)	50'
High Pressure Hose Reel Included? (Yes/No)	No
Fill Hose Reel Included? (Yes/No)	No
Wand Type	Variable Pressure Wand
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	76 x 48
How is Skid attached to Vehicle/Trailer?	Customer Decision
What is the estimated weight of the unit with the tanks full and ready to spray?	2700 LBS
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"
<b>BASE UNIT PRICE:</b>	<b>\$13,420</b>

**SKID-TYPE PRESSURE WASHERS  
OPTIONS - SPECIFICATION NO. 4.5  
Contract No. 203215 - Effective December 1, 2021**

Customer should contact Contract Vendor for questions & assistance with quote

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

Base Unit Price: \$13,420

Spec No.	Description	Price
4.5.1	Date & Title/I.D. of Price List	10.14.21 API Price List
4.5.2	Discount to be applied to Price List <b>*Note:</b> The "Discount to be Applied to Price List" must be a numeric percentage,	0%
4.5.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 100.00
4.5.4	<b><u>EXTENDED WARRANTY OPTIONS</u></b>	NA
4.5.5	<b><u>DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS</u></b>	<b><u>NO FLAT RATE ALLOWED</u></b>
<b><u>DELIVERY STARTING POINT - City, State, Zip</u></b>		Robbinsdale, MN 55422
<b>PRICE PER LOADED MILE:</b>		\$2.75
<b>MINIMUM DELIVERY CHARGE (if applicable)</b>		\$45.00
4.5.6	<b><u>EQUIPMENT INSPECTION &amp; REPAIR RATES</u></b>	
	Hourly Rate for Initial Inspection/Diagnostic :	\$ 129.00
	Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$ 129.00
	Hourly Rate for Body Work (including paint or welding labor) :	\$ 179.00
4.5.7	<b><u>NEW EQUIPMENT RENTAL PROGRAM</u></b>	
	Daily Rental Rate:	NA
	Weekly Rental Rate:	\$2,684.00
	Monthly Rental Rate:	\$5,368.00
	Percent (%) of Rental Fee applied to purchase price:	0%

If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_

**SKID-TYPE PRESSURE WASHERS**  
**BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.4**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	<b>American Pressure Inc</b>
Contact Person:	<b>Ben Hagemann</b>
Street Address:	<b>3810 W Broadway</b>
P.O. Box:	
City, State, Zip	<b>Robbinsdale, MN 55422</b>
Phone #:	<b>763-521-4442</b>
Toll Free #:	<b>800-544-0836</b>
Fax #:	<b>763-521-4447</b>
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

<b>4.4</b>	<b>Information Requested</b>	<b>Answer</b>
	Make & Model Number	API 225-PGDC5-352E-12V
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Skid Type (Pickup Truck, Ag/Farm Tractor, 3-Point, Class 2/3/4, etc)	Pickup Truck Class 2B,3,4
	Water Tank Capacity (In gallons)	225 Gallons
	Water Tank Construction (Plastic, Stainless, etc)	Plastic
	Water Volume (GPM - Gallons per Minute)	4.7 GPM
	Pressure (In PSI)	3500 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	135° F +/- 5°
	Steam Capable? (Yes/No)	Optional
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Briggs Vanguard 18
	Engine Fuel Type and Capacity (In gallons)	Gasoline 4.75 Gallons

Engine Displacement	570 cm3
Engine Air or Water Cooled	Air
Engine Location	Back Driver's Side
Generator (to power burner)	No
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Burner Control and Thermostat Adjustment
Number of Nozzles	5
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire Black
Hose Length (In feet)	50'
High Pressure Hose Reel Included? (Yes/No)	No
Fill Hose Reel Included? (Yes/No)	No
Wand Type	Variable Pressure Wand
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	76 x 48
How is Skid attached to Vehicle/Trailer?	Customer Decision
What is the estimated weight of the unit with the tanks full and ready to spray?	2700 LBS
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"
<b>BASE UNIT PRICE:</b>	<b>\$12,450</b>

**SKID-TYPE PRESSURE WASHERS  
OPTIONS - SPECIFICATION NO. 4.5  
Contract No. 203215 - Effective December 1, 2021**

Customer should contact Contract Vendor for questions & assistance with quote

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

Base Unit Price: \$12,450

Spec No.	Description	Price
4.5.1	Date & Title/I.D. of Price List	10.14.21 API Price List
4.5.2	Discount to be applied to Price List <b>*Note:</b> The "Discount to be Applied to Price List" must be a numeric percentage,	0%
4.5.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 100.00
4.5.4	<b><u>EXTENDED WARRANTY OPTIONS</u></b>	NA
4.5.5	<b><u>DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS</u></b>	<b><u>NO FLAT RATE ALLOWED</u></b>
<b><u>DELIVERY STARTING POINT - City, State, Zip</u></b>		Robbinsdale, MN 55422
<b>PRICE PER LOADED MILE:</b>		\$2.75
<b>MINIMUM DELIVERY CHARGE (if applicable)</b>		\$45.00
4.5.6	<b><u>EQUIPMENT INSPECTION &amp; REPAIR RATES</u></b>	
	Hourly Rate for Initial Inspection/Diagnostic :	\$ 129.00
	Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$ 129.00
	Hourly Rate for Body Work (including paint or welding labor) :	\$ 179.00
4.5.7	<b><u>NEW EQUIPMENT RENTAL PROGRAM</u></b>	
	Daily Rental Rate:	NA
	Weekly Rental Rate:	\$2,490.00
	Monthly Rental Rate:	\$4,980.00
	Percent (%) of Rental Fee applied to purchase price:	0%

If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_

**SKID-TYPE PRESSURE WASHERS**  
**BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.4**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	<b>American Pressure Inc</b>
Contact Person:	<b>Ben Hagemann</b>
Street Address:	<b>3810 W Broadway</b>
P.O. Box:	
City, State, Zip	<b>Robbinsdale, MN 55422</b>
Phone #:	<b>763-521-4442</b>
Toll Free #:	<b>800-544-0836</b>
Fax #:	<b>763-521-4447</b>
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

<b>4.4</b>	<b>Information Requested</b>	<b>Answer</b>
	Make & Model Number	API 225-PGDC4-353E-12V
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Skid Type (Pickup Truck, Ag/Farm Tractor, 3-Point, Class 2/3/4, etc)	Pickup Truck Class 2B,3,4
	Water Tank Capacity (In gallons)	225 Gallons
	Water Tank Construction (Plastic, Stainless, etc)	Plastic
	Water Volume (GPM - Gallons per Minute)	3.8 GPM
	Pressure (In PSI)	3500 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	135° F +/- 5°
	Steam Capable? (Yes/No)	Optional
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Honda GX390
	Engine Fuel Type and Capacity (In gallons)	Gasoline 1.6 Gallons

Engine Displacement	389 cm3
Engine Air or Water Cooled	Air
Engine Location	Back Driver's Side
Generator (to power burner)	No
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Burner Control and Thermostat Adjustment
Number of Nozzles	5
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire Black
Hose Length (In feet)	50'
High Pressure Hose Reel Included? (Yes/No)	No
Fill Hose Reel Included? (Yes/No)	No
Wand Type	Variable Pressure Wand
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	76 x 48
How is Skid attached to Vehicle/Trailer?	Customer Decision
What is the estimated weight of the unit with the tanks full and ready to spray?	2700 LBS
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"
<b>BASE UNIT PRICE:</b>	<b>\$12,425</b>

**SKID-TYPE PRESSURE WASHERS  
OPTIONS - SPECIFICATION NO. 4.5  
Contract No. 203215 - Effective December 1, 2021**

Customer should contact Contract Vendor for questions & assistance with quote

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

Base Unit Price: \$12,425

Spec No.	Description	Price
4.5.1	Date & Title/I.D. of Price List	10.14.21 API Price List
4.5.2	Discount to be applied to Price List <b>*Note:</b> The "Discount to be Applied to Price List" must be a numeric percentage,	0%
4.5.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 100.00
4.5.4	<b><u>EXTENDED WARRANTY OPTIONS</u></b>	
		NA
4.5.5	<b><u>DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS</u></b>	
		<b><u>NO FLAT RATE ALLOWED</u></b>
	<b><u>DELIVERY STARTING POINT - City, State, Zip</u></b>	
		Robbinsdale, MN 55422
	<b>PRICE PER LOADED MILE:</b>	\$2.75
	<b>MINIMUM DELIVERY CHARGE (if applicable)</b>	\$45.00
4.5.6	<b><u>EQUIPMENT INSPECTION &amp; REPAIR RATES</u></b>	
	Hourly Rate for Initial Inspection/Diagnostic :	\$ 129.00
	Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$ 129.00
	Hourly Rate for Body Work (including paint or welding labor) :	\$ 179.00
4.5.7	<b><u>NEW EQUIPMENT RENTAL PROGRAM</u></b>	
	Daily Rental Rate:	NA
	Weekly Rental Rate:	\$2,485.00
	Monthly Rental Rate:	\$4,970.00
	Percent (%) of Rental Fee applied to purchase price:	0%

If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_

**SKID-TYPE PRESSURE WASHERS**  
**BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.4**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	<b>American Pressure Inc</b>
Contact Person:	<b>Ben Hagemann</b>
Street Address:	<b>3810 W Broadway</b>
P.O. Box:	
City, State, Zip	<b>Robbinsdale, MN 55422</b>
Phone #:	<b>763-521-4442</b>
Toll Free #:	<b>800-544-0836</b>
Fax #:	<b>763-521-4447</b>
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

<b>4.4</b>	<b>Information Requested</b>	<b>Answer</b>
	Make & Model Number	API 225-PGHW5-353E-120V
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Skid Type (Pickup Truck, Ag/Farm Tractor, 3-Point, Class 2/3/4, etc)	Pickup Truck Class 2B,3,4
	Water Tank Capacity (In gallons)	225 Gallons
	Water Tank Construction (Plastic, Stainless, etc)	Plastic
	Water Volume (GPM - Gallons per Minute)	4.7 GPM
	Pressure (In PSI)	3500 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	135° F +/- 5°
	Steam Capable? (Yes/No)	Optional
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Honda GX630
	Engine Fuel Type and Capacity (In gallons)	Gasoline 4.75 Gallons

Engine Displacement	688 cm3
Engine Air or Water Cooled	Air
Engine Location	Back Driver's Side
Generator (to power burner)	Yes
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Burner Control and Thermostat Adjustment
Number of Nozzles	5
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire Black
Hose Length (In feet)	50'
High Pressure Hose Reel Included? (Yes/No)	No
Fill Hose Reel Included? (Yes/No)	No
Wand Type	Variable Pressure Wand
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	76 x 48
How is Skid attached to Vehicle/Trailer?	Customer Decision
What is the estimated weight of the unit with the tanks full and ready to spray?	2700 LBS
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"
<b>BASE UNIT PRICE:</b>	<b>\$14,400</b>

**SKID-TYPE PRESSURE WASHERS  
OPTIONS - SPECIFICATION NO. 4.5  
Contract No. 203215 - Effective December 1, 2021**

Customer should contact Contract Vendor for questions & assistance with quote

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

Base Unit Price: \$14,400

Spec No.	Description	Price
----------	-------------	-------

4.5.1	Date & Title/I.D. of Price List	10.14.21 API Price List
-------	---------------------------------	-------------------------

4.5.2	Discount to be applied to Price List	0%
-------	--------------------------------------	----

\*Note: The "Discount to be Applied to Price List" must be a numeric percentage,

4.5.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 100.00
-------	--	-----------

**4.5.4 EXTENDED WARRANTY OPTIONS**

NA

**4.5.5 DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS**

**NO FLAT RATE ALLOWED**

**DELIVERY STARTING POINT - City, State, Zip** Robbinsdale, MN 55422

PRICE PER LOADED MILE: \$2.75

MINIMUM DELIVERY CHARGE (if applicable) \$45.00

**4.5.6 EQUIPMENT INSPECTION & REPAIR RATES**

Hourly Rate for Initial Inspection/Diagnostic :	\$	129.00
Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$	129.00
Hourly Rate for Body Work (including paint or welding labor) :	\$	179.00

**4.5.7 NEW EQUIPMENT RENTAL PROGRAM**

Daily Rental Rate:	NA
Weekly Rental Rate:	\$2,880.00
Monthly Rental Rate:	\$5,760.00
Percent (%) of Rental Fee applied to purchase price:	0%

If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_

**SKID-TYPE PRESSURE WASHERS**  
**BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.4**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	<b>American Pressure Inc</b>
Contact Person:	<b>Ben Hagemann</b>
Street Address:	<b>3810 W Broadway</b>
P.O. Box:	
City, State, Zip	<b>Robbinsdale, MN 55422</b>
Phone #:	<b>763-521-4442</b>
Toll Free #:	<b>800-544-0836</b>
Fax #:	<b>763-521-4447</b>
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

<b>4.4</b>	<b>Information Requested</b>	<b>Answer</b>
	Make & Model Number	API 225-PGHW4-303E-120V
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Skid Type (Pickup Truck, Ag/Farm Tractor, 3-Point, Class 2/3/4, etc)	Pickup Truck Class 2B,3,4
	Water Tank Capacity (In gallons)	225 Gallons
	Water Tank Construction (Plastic, Stainless, etc)	Plastic
	Water Volume (GPM - Gallons per Minute)	3.5 GPM
	Pressure (In PSI)	3000 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	135° F +/- 5°
	Steam Capable? (Yes/No)	Optional
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Honda GX390
	Engine Fuel Type and Capacity (In gallons)	Gasoline 1.6 Gallons

Engine Displacement	389 cm3
Engine Air or Water Cooled	Air
Engine Location	Back Driver's Side
Generator (to power burner)	Yes
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Burner Control and Thermostat Adjustment
Number of Nozzles	5
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire Black
Hose Length (In feet)	50'
High Pressure Hose Reel Included? (Yes/No)	No
Fill Hose Reel Included? (Yes/No)	No
Wand Type	Variable Pressure Wand
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	76 x 48
How is Skid attached to Vehicle/Trailer?	Customer Decision
What is the estimated weight of the unit with the tanks full and ready to spray?	2700 LBS
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"
<b>BASE UNIT PRICE:</b>	<b>\$13,350</b>

**SKID-TYPE PRESSURE WASHERS  
OPTIONS - SPECIFICATION NO. 4.5  
Contract No. 203215 - Effective December 1, 2021**

Customer should contact Contract Vendor for questions & assistance with quote

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

Base Unit Price: \$13,350

Spec No.	Description	Price
4.5.1	Date & Title/I.D. of Price List	10.14.21 API Price List
4.5.2	Discount to be applied to Price List <b>*Note:</b> The "Discount to be Applied to Price List" must be a numeric percentage,	0%
4.5.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 100.00
4.5.4	<b><u>EXTENDED WARRANTY OPTIONS</u></b>	NA
4.5.5	<b><u>DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS</u></b>	<b><u>NO FLAT RATE ALLOWED</u></b>
<b><u>DELIVERY STARTING POINT - City, State, Zip</u></b> Robbinsdale, MN 55422		
<b>PRICE PER LOADED MILE:</b>		\$2.75
<b>MINIMUM DELIVERY CHARGE (if applicable)</b>		\$45.00
4.5.6	<b><u>EQUIPMENT INSPECTION &amp; REPAIR RATES</u></b>	
	Hourly Rate for Initial Inspection/Diagnostic :	\$ 129.00
	Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$ 129.00
	Hourly Rate for Body Work (including paint or welding labor) :	\$ 179.00
4.5.7	<b><u>NEW EQUIPMENT RENTAL PROGRAM</u></b>	
	Daily Rental Rate:	NA
	Weekly Rental Rate:	\$2,670.00
	Monthly Rental Rate:	\$5,340.00
	Percent (%) of Rental Fee applied to purchase price:	0%

If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_

**SKID-TYPE PRESSURE WASHERS**  
**BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.4**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	<b>American Pressure Inc</b>
Contact Person:	<b>Ben Hagemann</b>
Street Address:	<b>3810 W Broadway</b>
P.O. Box:	
City, State, Zip	<b>Robbinsdale, MN 55422</b>
Phone #:	<b>763-521-4442</b>
Toll Free #:	<b>800-544-0836</b>
Fax #:	<b>763-521-4447</b>
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

<b>4.4</b>	<b>Information Requested</b>	<b>Answer</b>
	Make & Model Number	API 225-PGHW5-302E-120V
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Skid Type (Pickup Truck, Ag/Farm Tractor, 3-Point, Class 2/3/4, etc)	Pickup Truck Class 2B,3,4
	Water Tank Capacity (In gallons)	225 Gallons
	Water Tank Construction (Plastic, Stainless, etc)	Plastic
	Water Volume (GPM - Gallons per Minute)	4.8 GPM
	Pressure (In PSI)	3000 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	135° F +/- 5°
	Steam Capable? (Yes/No)	Optional
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Briggs Vanguard 18
	Engine Fuel Type and Capacity (In gallons)	Gasoline 4.75 Gallons

Engine Displacement	570 cm3
Engine Air or Water Cooled	Air
Engine Location	Back Driver's Side
Generator (to power burner)	Yes
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Burner Control and Thermostat Adjustment
Number of Nozzles	5
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire Black
Hose Length (In feet)	50'
High Pressure Hose Reel Included? (Yes/No)	No
Fill Hose Reel Included? (Yes/No)	No
Wand Type	Variable Pressure Wand
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	76 x 48
How is Skid attached to Vehicle/Trailer?	Customer Decision
What is the estimated weight of the unit with the tanks full and ready to spray?	2700 LBS
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"
<b>BASE UNIT PRICE:</b>	<b>\$13,630</b>

# SKID-TYPE PRESSURE WASHERS OPTIONS - SPECIFICATION NO. 4.5

## Contract No. 203215 - Effective December 1, 2021

Customer should contact Contract Vendor for questions & assistance with quote

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

Base Unit Price: \$13,630

Spec No.	Description	Price
----------	-------------	-------

4.5.1	Date & Title/I.D. of Price List	10.14.21 API Price List
-------	---------------------------------	-------------------------

4.5.2	Discount to be applied to Price List	0%
-------	--------------------------------------	----

\*Note: The "Discount to be Applied to Price List" must be a numeric percentage,

4.5.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 100.00
-------	--	-----------

### 4.5.4 EXTENDED WARRANTY OPTIONS

NA

### 4.5.5 DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS

**NO FLAT RATE ALLOWED**

**DELIVERY STARTING POINT - City, State, Zip** Robbinsdale, MN 55422

PRICE PER LOADED MILE:	\$2.75
------------------------	--------

MINIMUM DELIVERY CHARGE (if applicable)	\$45.00
---	---------

### 4.5.6 EQUIPMENT INSPECTION & REPAIR RATES

Hourly Rate for Initial Inspection/Diagnostic :	\$ 129.00
Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$ 129.00
Hourly Rate for Body Work (including paint or welding labor) :	\$ 179.00

### 4.5.7 NEW EQUIPMENT RENTAL PROGRAM

Daily Rental Rate:	NA
Weekly Rental Rate:	\$2,726.00
Monthly Rental Rate:	\$5,452.00
Percent (%) of Rental Fee applied to purchase price:	0%

If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_

**SKID-TYPE PRESSURE WASHERS**  
**BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.4**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	<b>American Pressure Inc</b>
Contact Person:	<b>Ben Hagemann</b>
Street Address:	<b>3810 W Broadway</b>
P.O. Box:	
City, State, Zip	<b>Robbinsdale, MN 55422</b>
Phone #:	<b>763-521-4442</b>
Toll Free #:	<b>800-544-0836</b>
Fax #:	<b>763-521-4447</b>
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

<b>4.4</b>	<b>Information Requested</b>	<b>Answer</b>
	Make & Model Number	API 225-PGHW4-403E-120V
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Skid Type (Pickup Truck, Ag/Farm Tractor, 3-Point, Class 2/3/4, etc)	Pickup Truck Class 2B,3,4
	Water Tank Capacity (In gallons)	225 Gallons
	Water Tank Construction (Plastic, Stainless, etc)	Plastic
	Water Volume (GPM - Gallons per Minute)	4.0 GPM
	Pressure (In PSI)	4000 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	135° F +/- 5°
	Steam Capable? (Yes/No)	Optional
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Honda GX630
	Engine Fuel Type and Capacity (In gallons)	Gasoline 4.75 Gallons

Engine Displacement	688 cm3
Engine Air or Water Cooled	Air
Engine Location	Back Driver's Side
Generator (to power burner)	Yes
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Burner Control and Thermostat Adjustment
Number of Nozzles	5
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire Black
Hose Length (In feet)	50'
High Pressure Hose Reel Included? (Yes/No)	No
Fill Hose Reel Included? (Yes/No)	No
Wand Type	Variable Pressure Wand
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	76 x 48
How is Skid attached to Vehicle/Trailer?	Customer Decision
What is the estimated weight of the unit with the tanks full and ready to spray?	2700 LBS
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"
<b>BASE UNIT PRICE:</b>	<b>\$14,500</b>

**SKID-TYPE PRESSURE WASHERS  
OPTIONS - SPECIFICATION NO. 4.5  
Contract No. 203215 - Effective December 1, 2021**

Customer should contact Contract Vendor for questions & assistance with quote

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

Base Unit Price: \$14,500

Spec No.	Description	Price
4.5.1	Date & Title/I.D. of Price List	10.14.21 API Price List
4.5.2	Discount to be applied to Price List <b>*Note:</b> The "Discount to be Applied to Price List" must be a numeric percentage,	0%
4.5.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 100.00
4.5.4	<b><u>EXTENDED WARRANTY OPTIONS</u></b>	
		NA
4.5.5	<b><u>DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS</u></b>	
		<b><u>NO FLAT RATE ALLOWED</u></b>
	<b><u>DELIVERY STARTING POINT - City, State, Zip</u></b>	
		Robbinsdale, MN 55422
	<b>PRICE PER LOADED MILE:</b>	\$2.75
	<b>MINIMUM DELIVERY CHARGE (if applicable)</b>	\$45.00
4.5.6	<b><u>EQUIPMENT INSPECTION &amp; REPAIR RATES</u></b>	
	Hourly Rate for Initial Inspection/Diagnostic :	\$ 129.00
	Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$ 129.00
	Hourly Rate for Body Work (including paint or welding labor) :	\$ 179.00
4.5.7	<b><u>NEW EQUIPMENT RENTAL PROGRAM</u></b>	
	Daily Rental Rate:	NA
	Weekly Rental Rate:	\$2,900.00
	Monthly Rental Rate:	\$5,800.00
	Percent (%) of Rental Fee applied to purchase price:	0%

If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_

**SKID-TYPE PRESSURE WASHERS**  
**BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.4**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	<b>American Pressure Inc</b>
Contact Person:	<b>Ben Hagemann</b>
Street Address:	<b>3810 W Broadway</b>
P.O. Box:	
City, State, Zip	<b>Robbinsdale, MN 55422</b>
Phone #:	<b>763-521-4442</b>
Toll Free #:	<b>800-544-0836</b>
Fax #:	<b>763-521-4447</b>
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

<b>4.4</b>	<b>Information Requested</b>	<b>Answer</b>
	Make & Model Number	API 225-PDHW5-356E-12V
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Skid Type (Pickup Truck, Ag/Farm Tractor, 3-Point, Class 2/3/4, etc)	Pickup Truck Class 2B,3,4
	Water Tank Capacity (In gallons)	225 Gallons
	Water Tank Construction (Plastic, Stainless, etc)	Plastic
	Water Volume (GPM - Gallons per Minute)	4.7 GPM
	Pressure (In PSI)	3500 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	135° F +/- 5°
	Steam Capable? (Yes/No)	Optional
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Kubota Z602
	Engine Fuel Type and Capacity (In gallons)	Diesel 22 Gallons

Engine Displacement	599 cm3
Engine Air or Water Cooled	Water
Engine Location	Back Driver's Side
Generator (to power burner)	No
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Keyed Ignition, Burner Control and Thermostat Adjustment
Number of Nozzles	5
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire Black
Hose Length (In feet)	50'
High Pressure Hose Reel Included? (Yes/No)	No
Fill Hose Reel Included? (Yes/No)	No
Wand Type	Variable Pressure Wand
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	76 x 48
How is Skid attached to Vehicle/Trailer?	Customer Decision
What is the estimated weight of the unit with the tanks full and ready to spray?	2700 LBS
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"
<b>BASE UNIT PRICE:</b>	<b>\$19,810</b>

**SKID-TYPE PRESSURE WASHERS  
OPTIONS - SPECIFICATION NO. 4.5  
Contract No. 203215 - Effective December 1, 2021**

Customer should contact Contract Vendor for questions & assistance with quote

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

Base Unit Price: \$19,810

Spec No.	Description	Price
4.5.1	Date & Title/I.D. of Price List	10.14.21 API Price List
4.5.2	Discount to be applied to Price List <b>*Note:</b> The "Discount to be Applied to Price List" must be a numeric percentage,	0%
4.5.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 100.00
4.5.4	<b><u>EXTENDED WARRANTY OPTIONS</u></b>	
		NA
4.5.5	<b><u>DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS</u></b>	
		<b><u>NO FLAT RATE ALLOWED</u></b>
	<b><u>DELIVERY STARTING POINT - City, State, Zip</u></b>	Robbinsdale, MN 55422
	<b>PRICE PER LOADED MILE:</b>	\$2.75
	<b>MINIMUM DELIVERY CHARGE (if applicable)</b>	\$45.00
4.5.6	<b><u>EQUIPMENT INSPECTION &amp; REPAIR RATES</u></b>	
	Hourly Rate for Initial Inspection/Diagnostic :	\$ 129.00
	Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$ 129.00
	Hourly Rate for Body Work (including paint or welding labor) :	\$ 179.00
4.5.7	<b><u>NEW EQUIPMENT RENTAL PROGRAM</u></b>	
	Daily Rental Rate:	NA
	Weekly Rental Rate:	\$3,962.00
	Monthly Rental Rate:	\$7,924.00
	Percent (%) of Rental Fee applied to purchase price:	0%

If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_

**SKID-TYPE PRESSURE WASHERS**  
**BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.4**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	<b>American Pressure Inc</b>
Contact Person:	<b>Ben Hagemann</b>
Street Address:	<b>3810 W Broadway</b>
P.O. Box:	
City, State, Zip	<b>Robbinsdale, MN 55422</b>
Phone #:	<b>763-521-4442</b>
Toll Free #:	<b>800-544-0836</b>
Fax #:	<b>763-521-4447</b>
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

<b>4.4</b>	<b>Information Requested</b>	<b>Answer</b>
	Make & Model Number	API 225-PDHW5-356E-120V
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Skid Type (Pickup Truck, Ag/Farm Tractor, 3-Point, Class 2/3/4, etc)	Pickup Truck Class 2B,3,4
	Water Tank Capacity (In gallons)	225 Gallons
	Water Tank Construction (Plastic, Stainless, etc)	Plastic
	Water Volume (GPM - Gallons per Minute)	4.7 GPM
	Pressure (In PSI)	3500 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	135° F +/- 5°
	Steam Capable? (Yes/No)	Optional
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Kubota Z602
	Engine Fuel Type and Capacity (In gallons)	Diesel 22 Gallons

Engine Displacement	599 cm3
Engine Air or Water Cooled	Water
Engine Location	Back Driver's Side
Generator (to power burner)	Yes
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Keyed Ignition, Burner Control, Thermostat Adjustment and 120V Receptacle
Number of Nozzles	5
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire Black
Hose Length (In feet)	50'
High Pressure Hose Reel Included? (Yes/No)	No
Fill Hose Reel Included? (Yes/No)	No
Wand Type	Variable Pressure Wand
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	76 x 48
How is Skid attached to Vehicle/Trailer?	Customer Decision
What is the estimated weight of the unit with the tanks full and ready to spray?	2750 LBS
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"
<b>BASE UNIT PRICE:</b>	<b>\$20,760</b>

**SKID-TYPE PRESSURE WASHERS  
OPTIONS - SPECIFICATION NO. 4.5  
Contract No. 203215 - Effective December 1, 2021**

Customer should contact Contract Vendor for questions & assistance with quote

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

Base Unit Price: \$20,760

Spec No.	Description	Price
4.5.1	Date & Title/I.D. of Price List	10.14.21 API Price List
4.5.2	Discount to be applied to Price List <b>*Note:</b> The "Discount to be Applied to Price List" must be a numeric percentage,	0%
4.5.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 100.00
4.5.4	<b><u>EXTENDED WARRANTY OPTIONS</u></b>	
		NA
4.5.5	<b><u>DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS</u></b>	
		<b><u>NO FLAT RATE ALLOWED</u></b>
	<b><u>DELIVERY STARTING POINT - City, State, Zip</u></b>	
		Robbinsdale, MN 55422
	<b>PRICE PER LOADED MILE:</b>	\$2.75
	<b>MINIMUM DELIVERY CHARGE (if applicable)</b>	\$45.00
4.5.6	<b><u>EQUIPMENT INSPECTION &amp; REPAIR RATES</u></b>	
	Hourly Rate for Initial Inspection/Diagnostic :	\$ 129.00
	Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$ 129.00
	Hourly Rate for Body Work (including paint or welding labor) :	\$ 179.00
4.5.7	<b><u>NEW EQUIPMENT RENTAL PROGRAM</u></b>	
	Daily Rental Rate:	NA
	Weekly Rental Rate:	\$4,152.00
	Monthly Rental Rate:	\$8,304.00
	Percent (%) of Rental Fee applied to purchase price:	0%

If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_

**SKID-TYPE PRESSURE WASHERS**  
**BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.4**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	<b>American Pressure Inc</b>
Contact Person:	<b>Ben Hagemann</b>
Street Address:	<b>3810 W Broadway</b>
P.O. Box:	
City, State, Zip	<b>Robbinsdale, MN 55422</b>
Phone #:	<b>763-521-4442</b>
Toll Free #:	<b>800-544-0836</b>
Fax #:	<b>763-521-4447</b>
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

<b>4.4</b>	<b>Information Requested</b>	<b>Answer</b>
	Make & Model Number	API 225-5355J-12V
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Skid Type (Pickup Truck, Ag/Farm Tractor, 3-Point, Class 2/3/4, etc)	Pickup Truck Class 2B,3,4
	Water Tank Capacity (In gallons)	225 Gallons
	Water Tank Construction (Plastic, Stainless, etc)	Plastic
	Water Volume (GPM - Gallons per Minute)	5.0 GPM
	Pressure (In PSI)	3500 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	135° F +/- 5°
	Steam Capable? (Yes/No)	Optional
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Honda GX630
	Engine Fuel Type and Capacity (In gallons)	Gasoline 6 Gallons

Engine Displacement	688 cm3
Engine Air or Water Cooled	Air
Engine Location	Back Middle
Generator (to power burner)	No
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Burner Control
Number of Nozzles	4
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire Black
Hose Length (In feet)	50'
High Pressure Hose Reel Included? (Yes/No)	No
Fill Hose Reel Included? (Yes/No)	No
Wand Type	Straight Wand
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	76 x 48
How is Skid attached to Vehicle/Trailer?	Customer Decision
What is the estimated weight of the unit with the tanks full and ready to spray?	2850 LBS
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"
<b>BASE UNIT PRICE:</b>	<b>\$14,325</b>

**SKID-TYPE PRESSURE WASHERS  
OPTIONS - SPECIFICATION NO. 4.5  
Contract No. 203215 - Effective December 1, 2021**

Customer should contact Contract Vendor for questions & assistance with quote

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

Base Unit Price: \$14,325

Spec No.	Description	Price
4.5.1	Date & Title/I.D. of Price List	10.14.21 API Price List
4.5.2	Discount to be applied to Price List <b>*Note:</b> The "Discount to be Applied to Price List" must be a numeric percentage,	0%
4.5.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 100.00
4.5.4	<b><u>EXTENDED WARRANTY OPTIONS</u></b>	
		NA
4.5.5	<b><u>DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS</u></b>	
		<b><u>NO FLAT RATE ALLOWED</u></b>
	<b><u>DELIVERY STARTING POINT - City, State, Zip</u></b>	Robbinsdale, MN 55422
	<b>PRICE PER LOADED MILE:</b>	\$2.75
	<b>MINIMUM DELIVERY CHARGE (if applicable)</b>	\$45.00
4.5.6	<b><u>EQUIPMENT INSPECTION &amp; REPAIR RATES</u></b>	
	Hourly Rate for Initial Inspection/Diagnostic :	\$ 129.00
	Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$ 129.00
	Hourly Rate for Body Work (including paint or welding labor) :	\$ 179.00
4.5.7	<b><u>NEW EQUIPMENT RENTAL PROGRAM</u></b>	
	Daily Rental Rate:	NA
	Weekly Rental Rate:	\$2,865.00
	Monthly Rental Rate:	\$5,730.00
	Percent (%) of Rental Fee applied to purchase price:	0%

If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_

**SKID-TYPE PRESSURE WASHERS**  
**BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.4**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	<b>American Pressure Inc</b>
Contact Person:	<b>Ben Hagemann</b>
Street Address:	<b>3810 W Broadway</b>
P.O. Box:	
City, State, Zip	<b>Robbinsdale, MN 55422</b>
Phone #:	<b>763-521-4442</b>
Toll Free #:	<b>800-544-0836</b>
Fax #:	<b>763-521-4447</b>
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

<b>4.4</b>	<b>Information Requested</b>	<b>Answer</b>
	Make & Model Number	API 225-4405GAA-12V
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Skid Type (Pickup Truck, Ag/Farm Tractor, 3-Point, Class 2/3/4, etc)	Pickup Truck Class 2B,3,4
	Water Tank Capacity (In gallons)	225 Gallons
	Water Tank Construction (Plastic, Stainless, etc)	Plastic
	Water Volume (GPM - Gallons per Minute)	4.0 GPM
	Pressure (In PSI)	4000 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	135° F +/- 5°
	Steam Capable? (Yes/No)	Optional
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Honda GX630
	Engine Fuel Type and Capacity (In gallons)	Gasoline 6 Gallons

Engine Displacement	688 cm3
Engine Air or Water Cooled	Air
Engine Location	Back Middle
Generator (to power burner)	No
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Burner Control
Number of Nozzles	4
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire Black
Hose Length (In feet)	50'
High Pressure Hose Reel Included? (Yes/No)	No
Fill Hose Reel Included? (Yes/No)	No
Wand Type	Straight Wand
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	76 x 48
How is Skid attached to Vehicle/Trailer?	Customer Decision
What is the estimated weight of the unit with the tanks full and ready to spray?	2750 LBS
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"
<b>BASE UNIT PRICE:</b>	<b>\$14,725</b>

**SKID-TYPE PRESSURE WASHERS  
OPTIONS - SPECIFICATION NO. 4.5  
Contract No. 203215 - Effective December 1, 2021**

Customer should contact Contract Vendor for questions & assistance with quote

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

Base Unit Price: \$14,725

Spec No.	Description	Price
4.5.1	Date & Title/I.D. of Price List	10.14.21 API Price List
4.5.2	Discount to be applied to Price List <b>*Note:</b> The "Discount to be Applied to Price List" must be a numeric percentage,	0%
4.5.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 100.00
4.5.4	<b><u>EXTENDED WARRANTY OPTIONS</u></b>	
		NA
4.5.5	<b><u>DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS</u></b>	
		<b><u>NO FLAT RATE ALLOWED</u></b>
	<b><u>DELIVERY STARTING POINT - City, State, Zip</u></b>	Robbinsdale, MN 55422
	<b>PRICE PER LOADED MILE:</b>	\$2.75
	<b>MINIMUM DELIVERY CHARGE (if applicable)</b>	\$45.00
4.5.6	<b><u>EQUIPMENT INSPECTION &amp; REPAIR RATES</u></b>	
	Hourly Rate for Initial Inspection/Diagnostic :	\$ 129.00
	Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$ 129.00
	Hourly Rate for Body Work (including paint or welding labor) :	\$ 179.00
4.5.7	<b><u>NEW EQUIPMENT RENTAL PROGRAM</u></b>	
	Daily Rental Rate:	NA
	Weekly Rental Rate:	\$2,945.00
	Monthly Rental Rate:	\$5,890.00
	Percent (%) of Rental Fee applied to purchase price:	0%

If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_

# SKID-TYPE PRESSURE WASHERS

## BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.4

### Contract No. 203215 - Effective December 1, 2021

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

4.4	Information Requested	Answer
	Make & Model Number	API 225-4405EAA-12V
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Skid Type (Pickup Truck, Ag/Farm Tractor, 3-Point, Class 2/3/4, etc)	Pickup Truck Class 2B,3,4
	Water Tank Capacity (In gallons)	225 Gallons
	Water Tank Construction (Plastic, Stainless, etc)	Plastic
	Water Volume (GPM - Gallons per Minute)	4.0 GPM
	Pressure (In PSI)	4000 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	135° F +/- 5°
	Steam Capable? (Yes/No)	Optional
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Briggs Vanguard 18
	Engine Fuel Type and Capacity (In gallons)	Gasoline 6 Gallons

Engine Displacement	570 cm3
Engine Air or Water Cooled	Air
Engine Location	Back Middle
Generator (to power burner)	No
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Burner Control
Number of Nozzles	4
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire Black
Hose Length (In feet)	50'
High Pressure Hose Reel Included? (Yes/No)	No
Fill Hose Reel Included? (Yes/No)	No
Wand Type	Straight Wand
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	76 x 48
How is Skid attached to Vehicle/Trailer?	Customer Decision
What is the estimated weight of the unit with the tanks full and ready to spray?	2750 LBS
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"
<b>BASE UNIT PRICE:</b>	<b>\$14,050</b>

**SKID-TYPE PRESSURE WASHERS  
OPTIONS - SPECIFICATION NO. 4.5  
Contract No. 203215 - Effective December 1, 2021**

Customer should contact Contract Vendor for questions & assistance with quote

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

Base Unit Price: \$14,050

Spec No.	Description	Price
4.5.1	Date & Title/I.D. of Price List	10.14.21 API Price List
4.5.2	Discount to be applied to Price List <b>*Note:</b> The "Discount to be Applied to Price List" must be a numeric percentage,	0%
4.5.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 100.00
4.5.4	<b><u>EXTENDED WARRANTY OPTIONS</u></b>	NA
4.5.5	<b><u>DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS</u></b>	<b><u>NO FLAT RATE ALLOWED</u></b>
<b><u>DELIVERY STARTING POINT - City, State, Zip</u></b>		Robbinsdale, MN 55422
<b>PRICE PER LOADED MILE:</b>		\$2.75
<b>MINIMUM DELIVERY CHARGE (if applicable)</b>		\$45.00
4.5.6	<b><u>EQUIPMENT INSPECTION &amp; REPAIR RATES</u></b>	
	Hourly Rate for Initial Inspection/Diagnostic :	\$ 129.00
	Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$ 129.00
	Hourly Rate for Body Work (including paint or welding labor) :	\$ 179.00
4.5.7	<b><u>NEW EQUIPMENT RENTAL PROGRAM</u></b>	
	Daily Rental Rate:	NA
	Weekly Rental Rate:	\$2,810
	Monthly Rental Rate:	\$5,620
	Percent (%) of Rental Fee applied to purchase price:	0%

If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_

**TRAILER-TYPE PRESSURE WASHERS**  
**BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.6**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

4.6	Information Requested	Answer
	Make & Model Number	API TRV-PGHW5-353E-120V
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Trailer Type (Pickup Truck, Ag/Farm Tractor, 3-Point, Class 2/3/4, etc)	Pickup Truck Class 2A,2B,3,4
	Water Tank Capacity (In gallons)	200 Gallons
	Water Tank Construction (Plastic, Stainless, etc)	Plastic
	Water Volume (GPM - Gallons per Minute)	4.7 GPM
	Pressure (In PSI)	3500 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	135°F +/- 5°
	Steam Capable? (Yes/No)	Optional
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Honda GX630
	Engine Fuel Type and Capacity (In gallons)	Gasoline 4.75 Gallons
	Engine Displacement	688 cm3

Engine Air or Water Cooled	Air
Engine Location	Front Driver's Side
Generator (to power burner)	Yes
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Burner Control and Thermostat Adjustment
Number of Nozzles	5
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire
Hose Length (In feet)	100'
High Pressure Hose Reel Included? (Yes/No)	Yes
Fill Hose Reel Included? (Yes/No)	Yes w/ 100' of Garden Hose
Wand Type	Variable Pressure 42"
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	48" x 32"
How is Skid attached to Vehicle/Trailer?	Bolted
Trailer Type (deck-over, deck-under, open frame, enclosed)	Open Frame
Number of Axles & Weight Rating per Axle	1 Axle 3500 lbs
Trailer Size/Length	12 Feet Long
Trailer Hitch Type	Lunnette Eye Coupler
Trailer Tire Size & Rating	205/75/R15 2830 lbs per Tire Rating
Does the Trailer have brakes?	Yes
If yes, what type of brakes?	Electric
Does the Trailer have lights? (i.e. stop/turn/tail)	Yes - DOT Approved
What is the estimated weight of the unit with the tanks full and ready to spray?	3100 lbs
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"

BASE UNIT PRICE:	\$16,215
------------------	----------

**TRAILER-TYPE PRESSURE WASHERS**  
**OPTIONS - SPECIFICATION NO. 4.7**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

**Base Unit Price:** \$16,215

Spec No.	Description	Price
----------	-------------	-------

4.7.1	Date & Title/I.D. of Price List	10.14.21 API Price List
-------	---------------------------------	-------------------------

4.7.2	Discount to be applied to Price List	0%
-------	--------------------------------------	----

**\*Note:** The "Discount to be Applied to Price List" must be a numeric percentage,

4.7.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 120.00
-------	--	-----------

**4.7.4 EXTENDED WARRANTY OPTIONS**

NA

**4.7.5 DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS**

**NO FLAT RATE ALLOWED**

**DELIVERY STARTING POINT - City, State, Zip** Robbinsdale, MN 55422

**PRICE PER LOADED MILE:** 2.75

**MINIMUM DELIVERY CHARGE (if applicable)** 45

**4.7.6 EQUIPMENT INSPECTION & REPAIR RATES**

Hourly Rate for Initial Inspection/Diagnostic :	\$	129.00
Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$	129.00
Hourly Rate for Body Work (including paint or welding labor) :	\$	179.00

**4.7.7 NEW EQUIPMENT RENTAL PROGRAM**

Daily Rental Rate:	NA	
Weekly Rental Rate:		3243
Monthly Rental Rate:		6486
Percent (%) of Rental Fee applied to purchase price:		0%

**If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_**

**TRAILER-TYPE PRESSURE WASHERS**  
**BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.6**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

4.6	Information Requested	Answer
	Make & Model Number	API TRV-PGDC5-353E-12V
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Trailer Type (Pickup Truck, Ag/Farm Tractor, 3-Point, Class 2/3/4, etc)	Pickup Truck Class 2A,2B,3,4
	Water Tank Capacity (In gallons)	200 Gallons
	Water Tank Construction (Plastic, Stainless, etc)	Plastic
	Water Volume (GPM - Gallons per Minute)	4.7 GPM
	Pressure (In PSI)	3500 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	135°F +/- 5°
	Steam Capable? (Yes/No)	Optional
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Honda GX630
	Engine Fuel Type and Capacity (In gallons)	Gasoline 4.75 Gallons
	Engine Displacement	688 cm3

Engine Air or Water Cooled	Air
Engine Location	Front Driver's Side
Generator (to power burner)	No
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Burner Control and Thermostat Adjustment
Number of Nozzles	5
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire
Hose Length (In feet)	100'
High Pressure Hose Reel Included? (Yes/No)	Yes
Fill Hose Reel Included? (Yes/No)	Yes w/ 100' of Garden Hose
Wand Type	Variable Pressure 42"
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	48" x 32"
How is Skid attached to Vehicle/Trailer?	Bolted
Trailer Type (deck-over, deck-under, open frame, enclosed)	Open Frame
Number of Axles & Weight Rating per Axle	1 Axle 3500 lbs
Trailer Size/Length	12 Feet Long
Trailer Hitch Type	Lunnette Eye Coupler
Trailer Tire Size & Rating	205/75/R15 2830 lbs per Tire Rating
Does the Trailer have brakes?	Yes
If yes, what type of brakes?	Electric
Does the Trailer have lights? (i.e. stop/turn/tail)	Yes - DOT Approved
What is the estimated weight of the unit with the tanks full and ready to spray?	3000 lbs
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"

BASE UNIT PRICE:	\$14,284
------------------	----------

**TRAILER-TYPE PRESSURE WASHERS**  
**OPTIONS - SPECIFICATION NO. 4.7**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

**Base Unit Price:** \$14,284

Spec No.	Description	Price
----------	-------------	-------

4.7.1	Date & Title/I.D. of Price List	10.14.21 API Price List
-------	---------------------------------	-------------------------

4.7.2	Discount to be applied to Price List	0%
-------	--------------------------------------	----

**\*Note:** The "Discount to be Applied to Price List" must be a numeric percentage,

4.7.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 120.00
-------	--	-----------

**4.7.4 EXTENDED WARRANTY OPTIONS**

NA

**4.7.5 DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS**

**NO FLAT RATE ALLOWED**

**DELIVERY STARTING POINT - City, State, Zip** Robbinsdale, MN 55422

**PRICE PER LOADED MILE:** 2.75

**MINIMUM DELIVERY CHARGE (if applicable)** 45

**4.7.6 EQUIPMENT INSPECTION & REPAIR RATES**

Hourly Rate for Initial Inspection/Diagnostic :	\$	129.00
Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$	129.00
Hourly Rate for Body Work (including paint or welding labor) :	\$	179.00

**4.7.7 NEW EQUIPMENT RENTAL PROGRAM**

Daily Rental Rate:	NA	
Weekly Rental Rate:		2857
Monthly Rental Rate:		5714
Percent (%) of Rental Fee applied to purchase price:		0%

**If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_**

**TRAILER-TYPE PRESSURE WASHERS**  
**BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.6**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

4.6	Information Requested	Answer
	Make & Model Number	API TRV-PGDC5-352E-12V
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Trailer Type (Pickup Truck, Ag/Farm Tractor, 3-Point, Class 2/3/4, etc)	Pickup Truck Class 2A,2B,3,4
	Water Tank Capacity (In gallons)	200 Gallons
	Water Tank Construction (Plastic, Stainless, etc)	Plastic
	Water Volume (GPM - Gallons per Minute)	4.7 GPM
	Pressure (In PSI)	3500 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	135°F +/- 5°
	Steam Capable? (Yes/No)	Optional
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Briggs Vanguard 18
	Engine Fuel Type and Capacity (In gallons)	Gasoline 4.75 Gallons
	Engine Displacement	570 cm3

Engine Air or Water Cooled	Air
Engine Location	Front Passenger's Side
Generator (to power burner)	No
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Burner Control and Thermostat Adjustment
Number of Nozzles	5
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire
Hose Length (In feet)	100'
High Pressure Hose Reel Included? (Yes/No)	Yes
Fill Hose Reel Included? (Yes/No)	Yes w/ 100' of Garden Hose
Wand Type	Variable Pressure 42"
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	48" x 32"
How is Skid attached to Vehicle/Trailer?	Bolted
Trailer Type (deck-over, deck-under, open frame, enclosed)	Open Frame
Number of Axles & Weight Rating per Axle	1 Axle 3500 lbs
Trailer Size/Length	12 Feet Long
Trailer Hitch Type	Lunnette Eye Coupler
Trailer Tire Size & Rating	205/75/R15 2830 lbs per Tire Rating
Does the Trailer have brakes?	Yes
If yes, what type of brakes?	Electric
Does the Trailer have lights? (i.e. stop/turn/tail)	Yes - DOT Approved
What is the estimated weight of the unit with the tanks full and ready to spray?	3000 lbs
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"

BASE UNIT PRICE:	\$13,750
------------------	----------

**TRAILER-TYPE PRESSURE WASHERS**  
**OPTIONS - SPECIFICATION NO. 4.7**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

**Base Unit Price:** \$13,750

Spec No.	Description	Price
----------	-------------	-------

4.7.1	Date & Title/I.D. of Price List	10.14.21 API Price List
-------	---------------------------------	-------------------------

4.7.2	Discount to be applied to Price List	0%
-------	--------------------------------------	----

**\*Note:** The "Discount to be Applied to Price List" must be a numeric percentage,

4.7.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 120.00
-------	--	-----------

**4.7.4 EXTENDED WARRANTY OPTIONS**

NA

**4.7.5 DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS**

**NO FLAT RATE ALLOWED**

**DELIVERY STARTING POINT - City, State, Zip** Robbinsdale, MN 55422

**PRICE PER LOADED MILE:** 2.75

**MINIMUM DELIVERY CHARGE (if applicable)** 45

**4.7.6 EQUIPMENT INSPECTION & REPAIR RATES**

Hourly Rate for Initial Inspection/Diagnostic :	\$	129.00
Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$	129.00
Hourly Rate for Body Work (including paint or welding labor) :	\$	179.00

**4.7.7 NEW EQUIPMENT RENTAL PROGRAM**

Daily Rental Rate:	NA	
Weekly Rental Rate:		2750
Monthly Rental Rate:		5500
Percent (%) of Rental Fee applied to purchase price:		0%

**If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_**

**TRAILER-TYPE PRESSURE WASHERS**  
**BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.6**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

4.6	Information Requested	Answer
	Make & Model Number	API 20151-5355JB-120V
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Trailer Type (Pickup Truck, Ag/Farm Tractor, 3-Point, Class 2/3/4, etc)	Pickup Truck Class 2A,2B,3,4
	Water Tank Capacity (In gallons)	230 Gallons
	Water Tank Construction (Plastic, Stainless, etc)	Plastic
	Water Volume (GPM - Gallons per Minute)	5.0 GPM
	Pressure (In PSI)	3500 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	135°F +/- 5°
	Steam Capable? (Yes/No)	Optional
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Honda GX630
	Engine Fuel Type and Capacity (In gallons)	Gasoline 6 Gallons
	Engine Displacement	688 cm3

Engine Air or Water Cooled	Air
Engine Location	Front Middle
Generator (to power burner)	Yes
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Burner Control
Number of Nozzles	5
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire
Hose Length (In feet)	100'
High Pressure Hose Reel Included? (Yes/No)	Yes
Fill Hose Reel Included? (Yes/No)	Yes w/ 100' of Garden Hose
Wand Type	Straight Wand
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	48" x 34"
How is Skid attached to Vehicle/Trailer?	Bolted
Trailer Type (deck-over, deck-under, open frame, enclosed)	Open Frame
Number of Axles & Weight Rating per Axle	1 Axle 3500 lbs
Trailer Size/Length	11 Feet
Trailer Hitch Type	Lunnette Eye Coupler
Trailer Tire Size & Rating	205/75/R15 2830 lbs per Tire Rating
Does the Trailer have brakes?	Yes
If yes, what type of brakes?	Electric
Does the Trailer have lights? (i.e. stop/turn/tail)	Yes - DOT Approved
What is the estimated weight of the unit with the tanks full and ready to spray?	3250 lbs
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"

BASE UNIT PRICE:	\$17,970
------------------	----------

**TRAILER-TYPE PRESSURE WASHERS**  
**OPTIONS - SPECIFICATION NO. 4.7**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

**Base Unit Price:** \$ 17,970.00

Spec No.	Description	Price
----------	-------------	-------

4.7.1	Date & Title/I.D. of Price List	10.14.21 API Price List
-------	---------------------------------	-------------------------

4.7.2	Discount to be applied to Price List	0%
-------	--------------------------------------	----

**\*Note:** The "Discount to be Applied to Price List" must be a numeric percentage,

4.7.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 120.00
-------	--	-----------

**4.7.4 EXTENDED WARRANTY OPTIONS**

NA

**4.7.5 DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS**

**NO FLAT RATE ALLOWED**

**DELIVERY STARTING POINT - City, State, Zip** Robbinsdale, MN 55422

**PRICE PER LOADED MILE:** 2.75

**MINIMUM DELIVERY CHARGE (if applicable)** 45

**4.7.6 EQUIPMENT INSPECTION & REPAIR RATES**

Hourly Rate for Initial Inspection/Diagnostic :	\$	129.00
Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$	129.00
Hourly Rate for Body Work (including paint or welding labor) :	\$	179.00

**4.7.7 NEW EQUIPMENT RENTAL PROGRAM**

Daily Rental Rate:	NA	
Weekly Rental Rate:		3594
Monthly Rental Rate:		7188
Percent (%) of Rental Fee applied to purchase price:		0%

**If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_**

**TRAILER-TYPE PRESSURE WASHERS**  
**BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.6**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

4.6	Information Requested	Answer
	Make & Model Number	API 20151-5305A-120V
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Trailer Type (Pickup Truck, Ag/Farm Tractor, 3-Point, Class 2/3/4, etc)	Pickup Truck Class 2A,2B,3,4
	Water Tank Capacity (In gallons)	230 Gallons
	Water Tank Construction (Plastic, Stainless, etc)	Plastic
	Water Volume (GPM - Gallons per Minute)	5 GPM
	Pressure (In PSI)	3000 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	135°F +/- 5°
	Steam Capable? (Yes/No)	Optional
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Briggs Vanguard 18
	Engine Fuel Type and Capacity (In gallons)	Gasoline 6 Gallons
	Engine Displacement	570 cm3

Engine Air or Water Cooled	Air
Engine Location	Front Middle
Generator (to power burner)	Yes
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Burner Control
Number of Nozzles	5
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire
Hose Length (In feet)	100'
High Pressure Hose Reel Included? (Yes/No)	Yes
Fill Hose Reel Included? (Yes/No)	Yes w/ 100' of Garden Hose
Wand Type	Straight Wand
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	48" x 34"
How is Skid attached to Vehicle/Trailer?	Bolted
Trailer Type (deck-over, deck-under, open frame, enclosed)	Open Frame
Number of Axles & Weight Rating per Axle	1 Axle 3500 lbs
Trailer Size/Length	12 Feet Long
Trailer Hitch Type	Lunnette Eye Coupler
Trailer Tire Size & Rating	205/75/R15 2830 lbs per Tire Rating
Does the Trailer have brakes?	Yes
If yes, what type of brakes?	Electric
Does the Trailer have lights? (i.e. stop/turn/tail)	Yes - DOT Approved
What is the estimated weight of the unit with the tanks full and ready to spray?	3400 lbs
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"

BASE UNIT PRICE:	\$19,050
------------------	----------

**TRAILER-TYPE PRESSURE WASHERS**  
**OPTIONS - SPECIFICATION NO. 4.7**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

**Base Unit Price:** \$19,050

Spec No.	Description	Price
----------	-------------	-------

4.7.1	Date & Title/I.D. of Price List	10.14.21 API Price List
-------	---------------------------------	-------------------------

4.7.2	Discount to be applied to Price List	0%
-------	--------------------------------------	----

**\*Note:** The "Discount to be Applied to Price List" must be a numeric percentage,

4.7.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 120.00
-------	--	-----------

**4.7.4 EXTENDED WARRANTY OPTIONS**

NA

**4.7.5 DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS**

**NO FLAT RATE ALLOWED**

**DELIVERY STARTING POINT - City, State, Zip** Robbinsdale, MN 55422

**PRICE PER LOADED MILE:** 2.75

**MINIMUM DELIVERY CHARGE (if applicable)** 45

**4.7.6 EQUIPMENT INSPECTION & REPAIR RATES**

Hourly Rate for Initial Inspection/Diagnostic :	\$	129.00
Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$	129.00
Hourly Rate for Body Work (including paint or welding labor) :	\$	179.00

**4.7.7 NEW EQUIPMENT RENTAL PROGRAM**

Daily Rental Rate:	NA	
Weekly Rental Rate:		3594
Monthly Rental Rate:		7188
Percent (%) of Rental Fee applied to purchase price:		0%

**If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here:** \_\_\_\_\_

**TRAILER-TYPE PRESSURE WASHERS**  
**BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.6**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

4.6	Information Requested	Answer
	Make & Model Number	API 20151-4405GAA-12V
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Trailer Type (Pickup Truck, Ag/Farm Tractor, 3-Point, Class 2/3/4, etc)	Pickup Truck Class 2A,2B,3,4
	Water Tank Capacity (In gallons)	230 Gallons
	Water Tank Construction (Plastic, Stainless, etc)	Plastic
	Water Volume (GPM - Gallons per Minute)	4.0 GPM
	Pressure (In PSI)	4000 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	135°F +/- 5°
	Steam Capable? (Yes/No)	Optional
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Honda GX630
	Engine Fuel Type and Capacity (In gallons)	Gasoline 6 Gallons
	Engine Displacement	688 cm3

Engine Air or Water Cooled	Air
Engine Location	Front Middle
Generator (to power burner)	No
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Burner Control
Number of Nozzles	5
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire
Hose Length (In feet)	100'
High Pressure Hose Reel Included? (Yes/No)	Yes
Fill Hose Reel Included? (Yes/No)	Yes w/ 100' of Garden Hose
Wand Type	Straight Wand
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	48" x 34"
How is Skid attached to Vehicle/Trailer?	Bolted
Trailer Type (deck-over, deck-under, open frame, enclosed)	Open Frame
Number of Axles & Weight Rating per Axle	1 Axle 3500 lbs
Trailer Size/Length	11 Feet Long
Trailer Hitch Type	Lunnette Eye Coupler
Trailer Tire Size & Rating	205/75/R15 2830 lbs per Tire Rating
Does the Trailer have brakes?	Yes
If yes, what type of brakes?	Electric
Does the Trailer have lights? (i.e. stop/turn/tail)	Yes - DOT Approved
What is the estimated weight of the unit with the tanks full and ready to spray?	3300 lbs
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"

BASE UNIT PRICE:	\$17,850
------------------	----------

**TRAILER-TYPE PRESSURE WASHERS**  
**OPTIONS - SPECIFICATION NO. 4.7**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

**Base Unit Price:** \$17,850

Spec No.	Description	Price
----------	-------------	-------

4.7.1	Date & Title/I.D. of Price List	10.14.21 API Price List
-------	---------------------------------	-------------------------

4.7.2	Discount to be applied to Price List	0%
-------	--------------------------------------	----

**\*Note:** The "Discount to be Applied to Price List" must be a numeric percentage,

4.7.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 120.00
-------	--	-----------

**4.7.4 EXTENDED WARRANTY OPTIONS**

NA

**4.7.5 DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS**

**NO FLAT RATE ALLOWED**

**DELIVERY STARTING POINT - City, State, Zip** Robbinsdale, MN 55422

**PRICE PER LOADED MILE:** 2.75

**MINIMUM DELIVERY CHARGE (if applicable)** 45

**4.7.6 EQUIPMENT INSPECTION & REPAIR RATES**

Hourly Rate for Initial Inspection/Diagnostic :	\$	129.00
Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$	129.00
Hourly Rate for Body Work (including paint or welding labor) :	\$	179.00

**4.7.7 NEW EQUIPMENT RENTAL PROGRAM**

Daily Rental Rate:	NA	
Weekly Rental Rate:		3570
Monthly Rental Rate:		7140
Percent (%) of Rental Fee applied to purchase price:		0%

**If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_**

**TRAILER-TYPE PRESSURE WASHERS**  
**BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.6**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

4.6	Information Requested	Answer
	Make & Model Number	API 20151-5355J-12V
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Trailer Type (Pickup Truck, Ag/Farm Tractor, 3-Point, Class 2/3/4, etc)	Pickup Truck Class 2A,2B,3,4
	Water Tank Capacity (In gallons)	230 Gallons
	Water Tank Construction (Plastic, Stainless, etc)	Plastic
	Water Volume (GPM - Gallons per Minute)	5.0 GPM
	Pressure (In PSI)	3500 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	135°F +/- 5°
	Steam Capable? (Yes/No)	Optional
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Honda GX630
	Engine Fuel Type and Capacity (In gallons)	Gasoline 6 Gallons
	Engine Displacement	688 cm3

Engine Air or Water Cooled	Air
Engine Location	Front Middle
Generator (to power burner)	No
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Burner Control
Number of Nozzles	5
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire
Hose Length (In feet)	100'
High Pressure Hose Reel Included? (Yes/No)	Yes
Fill Hose Reel Included? (Yes/No)	Yes w/ 100' of Garden Hose
Wand Type	Straight Wand
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	48" x 34"
How is Skid attached to Vehicle/Trailer?	Bolted
Trailer Type (deck-over, deck-under, open frame, enclosed)	Open Frame
Number of Axles & Weight Rating per Axle	1 Axle 3500 lbs
Trailer Size/Length	12 Feet Long
Trailer Hitch Type	Lunnette Eye Coupler
Trailer Tire Size & Rating	205/75/R15 2830 lbs per Tire Rating
Does the Trailer have brakes?	Yes
If yes, what type of brakes?	Electric
Does the Trailer have lights? (i.e. stop/turn/tail)	Yes - DOT Approved
What is the estimated weight of the unit with the tanks full and ready to spray?	3300 lbs
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"

BASE UNIT PRICE:	\$17,475
------------------	----------

**TRAILER-TYPE PRESSURE WASHERS**  
**OPTIONS - SPECIFICATION NO. 4.7**  
**Contract No. 203215 - Effective December 1, 2021**

Customer should contact Contract Vendor for questions & assistance with quote

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

Base Unit Price: \$17,475

Spec No.	Description	Price
----------	-------------	-------

4.7.1	Date & Title/I.D. of Price List	10.14.21 API Price List
-------	---------------------------------	-------------------------

4.7.2	Discount to be applied to Price List	0%
-------	--------------------------------------	----

\*Note: The "Discount to be Applied to Price List" must be a numeric percentage,

4.7.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 120.00
-------	--	-----------

**4.7.4 EXTENDED WARRANTY OPTIONS**

NA

**4.7.5 DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS**

**NO FLAT RATE ALLOWED**

**DELIVERY STARTING POINT - City, State, Zip** Robbinsdale, MN 55422

PRICE PER LOADED MILE: 2.75

MINIMUM DELIVERY CHARGE (if applicable) 45

**4.7.6 EQUIPMENT INSPECTION & REPAIR RATES**

Hourly Rate for Initial Inspection/Diagnostic :	\$	129.00
Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$	129.00
Hourly Rate for Body Work (including paint or welding labor) :	\$	179.00

**4.7.7 NEW EQUIPMENT RENTAL PROGRAM**

Daily Rental Rate:	NA
Weekly Rental Rate:	3515
Monthly Rental Rate:	7030
Percent (%) of Rental Fee applied to purchase price:	0%

If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_

**TRAILER-TYPE PRESSURE WASHERS**  
**BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.6**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

4.6	Information Requested	Answer
	Make & Model Number	API 20151-4405EAA-12V
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Trailer Type (Pickup Truck, Ag/Farm Tractor, 3-Point, Class 2/3/4, etc)	Pickup Truck Class 2A,2B,3,4
	Water Tank Capacity (In gallons)	230 Gallons
	Water Tank Construction (Plastic, Stainless, etc)	Plastic
	Water Volume (GPM - Gallons per Minute)	4.0 GPM
	Pressure (In PSI)	4000 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	135°F +/- 5°
	Steam Capable? (Yes/No)	Optional
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Briggs Vanguard 18
	Engine Fuel Type and Capacity (In gallons)	Gasoline 6 Gallons
	Engine Displacement	570 cm3

Engine Air or Water Cooled	Air
Engine Location	Front Middle
Generator (to power burner)	No
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Burner Control
Number of Nozzles	5
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire
Hose Length (In feet)	100'
High Pressure Hose Reel Included? (Yes/No)	Yes
Fill Hose Reel Included? (Yes/No)	Yes w/ 100' of Garden Hose
Wand Type	Straight Wand
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	48" x 34"
How is Skid attached to Vehicle/Trailer?	Bolted
Trailer Type (deck-over, deck-under, open frame, enclosed)	Open Frame
Number of Axles & Weight Rating per Axle	1 Axle 3500 lbs
Trailer Size/Length	11 Feet
Trailer Hitch Type	Lunnette Eye Coupler
Trailer Tire Size & Rating	205/75/R15 2830 lbs per Tire Rating
Does the Trailer have brakes?	Yes
If yes, what type of brakes?	Electric
Does the Trailer have lights? (i.e. stop/turn/tail)	Yes - DOT Approved
What is the estimated weight of the unit with the tanks full and ready to spray?	3300 lbs
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"

BASE UNIT PRICE:	\$17,242
------------------	----------

**TRAILER-TYPE PRESSURE WASHERS**  
**OPTIONS - SPECIFICATION NO. 4.7**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

**Base Unit Price:** \$17,242

Spec No.	Description	Price
----------	-------------	-------

4.7.1	Date & Title/I.D. of Price List	10.14.21 API Price List
-------	---------------------------------	-------------------------

4.7.2	Discount to be applied to Price List	0%
-------	--------------------------------------	----

**\*Note:** The "Discount to be Applied to Price List" must be a numeric percentage,

4.7.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 120.00
-------	--	-----------

**4.7.4 EXTENDED WARRANTY OPTIONS**

NA

**4.7.5 DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS**

**NO FLAT RATE ALLOWED**

**DELIVERY STARTING POINT - City, State, Zip** Robbinsdale, MN 55422

**PRICE PER LOADED MILE:** 2.75

**MINIMUM DELIVERY CHARGE (if applicable)** 45

**4.7.6 EQUIPMENT INSPECTION & REPAIR RATES**

Hourly Rate for Initial Inspection/Diagnostic :	\$	129.00
Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$	129.00
Hourly Rate for Body Work (including paint or welding labor) :	\$	179.00

**4.7.7 NEW EQUIPMENT RENTAL PROGRAM**

Daily Rental Rate:	NA	
Weekly Rental Rate:		3448
Monthly Rental Rate:		6896
Percent (%) of Rental Fee applied to purchase price:		0%

**If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_**

**TRAILER-TYPE PRESSURE WASHERS**  
**BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.6**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

4.6	Information Requested	Answer
	Make & Model Number	API 20151-5357-120V
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Trailer Type (Pickup Truck, Ag/Farm Tractor, 3-Point, Class 2/3/4, etc)	Pickup Truck Class 2A,2B,3,4
	Water Tank Capacity (In gallons)	230 Gallons
	Water Tank Construction (Plastic, Stainless, etc)	Plastic
	Water Volume (GPM - Gallons per Minute)	5.0 GPM
	Pressure (In PSI)	3500 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	135°F +/- 5°
	Steam Capable? (Yes/No)	Optional
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Kohler KDW1003
	Engine Fuel Type and Capacity (In gallons)	Diesel 27 Gallons
	Engine Displacement	1028 cm3

Engine Air or Water Cooled	Water
Engine Location	Front Middle
Generator (to power burner)	Yes
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Burner Control, Temperature Control, Keyed Ignition
Number of Nozzles	5
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire
Hose Length (In feet)	100'
High Pressure Hose Reel Included? (Yes/No)	Yes
Fill Hose Reel Included? (Yes/No)	Yes w/ 100' of Garden Hose
Wand Type	Straight Wand
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	54" x 54"
How is Skid attached to Vehicle/Trailer?	Bolted
Trailer Type (deck-over, deck-under, open frame, enclosed)	Open Frame
Number of Axles & Weight Rating per Axle	1 Axle 4400 lbs
Trailer Size/Length	12 Feet Long
Trailer Hitch Type	Lunnette Eye Coupler
Trailer Tire Size & Rating	205/75/R15 2830 lbs per Tire Rating
Does the Trailer have brakes?	Yes
If yes, what type of brakes?	Electric
Does the Trailer have lights? (i.e. stop/turn/tail)	Yes - DOT Approved
What is the estimated weight of the unit with the tanks full and ready to spray?	3800 LBS
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"

BASE UNIT PRICE:	\$25,400
------------------	----------

**TRAILER-TYPE PRESSURE WASHERS**  
**OPTIONS - SPECIFICATION NO. 4.7**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

**Base Unit Price:** \$25,400

Spec No.	Description	Price
----------	-------------	-------

4.7.1	Date & Title/I.D. of Price List	10.14.21 API Price List
-------	---------------------------------	-------------------------

4.7.2	Discount to be applied to Price List	0%
-------	--------------------------------------	----

**\*Note:** The "Discount to be Applied to Price List" must be a numeric percentage,

4.7.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 120.00
-------	--	-----------

**4.7.4 EXTENDED WARRANTY OPTIONS**

NA

**4.7.5 DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS**

**NO FLAT RATE ALLOWED**

**DELIVERY STARTING POINT - City, State, Zip** Robbinsdale, MN 55422

**PRICE PER LOADED MILE:** 2.75

**MINIMUM DELIVERY CHARGE (if applicable)** 45

**4.7.6 EQUIPMENT INSPECTION & REPAIR RATES**

Hourly Rate for Initial Inspection/Diagnostic :	\$	129.00
Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$	129.00
Hourly Rate for Body Work (including paint or welding labor) :	\$	179.00

**4.7.7 NEW EQUIPMENT RENTAL PROGRAM**

Daily Rental Rate:	NA	
Weekly Rental Rate:		5080
Monthly Rental Rate:		10160
Percent (%) of Rental Fee applied to purchase price:		0%

**If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_**

**TRAILER-TYPE PRESSURE WASHERS**  
**BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.6**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

4.6	Information Requested	Answer
	Make & Model Number	API 20152-5355JB-120V
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Trailer Type (Pickup Truck, Ag/Farm Tractor, 3-Point, Class 2/3/4, etc)	Pickup Truck Class 2A,2B,3,4
	Water Tank Capacity (In gallons)	330 Gallons
	Water Tank Construction (Plastic, Stainless, etc)	Plastic
	Water Volume (GPM - Gallons per Minute)	5.0 GPM
	Pressure (In PSI)	3500 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	135°F +/- 5°
	Steam Capable? (Yes/No)	Optional
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Honda GX630
	Engine Fuel Type and Capacity (In gallons)	Gasoline 6 Gallons
	Engine Displacement	688 cm3

Engine Air or Water Cooled	Air
Engine Location	Front Middle
Generator (to power burner)	Yes
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Burner Control
Number of Nozzles	5
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire
Hose Length (In feet)	100'
High Pressure Hose Reel Included? (Yes/No)	Yes
Fill Hose Reel Included? (Yes/No)	Yes w/ 100' of Garden Hose
Wand Type	Straight Wand
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	48" x 34"
How is Skid attached to Vehicle/Trailer?	Bolted
Trailer Type (deck-over, deck-under, open frame, enclosed)	Open Frame
Number of Axles & Weight Rating per Axle	2 Axles 3500 lbs each
Trailer Size/Length	14 Feet Long
Trailer Hitch Type	Lunnette Eye Coupler
Trailer Tire Size & Rating	205/75/R15 2830 lbs per Tire Rating
Does the Trailer have brakes?	Yes
If yes, what type of brakes?	Electric
Does the Trailer have lights? (i.e. stop/turn/tail)	Yes - DOT Approved
What is the estimated weight of the unit with the tanks full and ready to spray?	4400 lbs
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"

BASE UNIT PRICE:	\$20,900
------------------	----------

**TRAILER-TYPE PRESSURE WASHERS**  
**OPTIONS - SPECIFICATION NO. 4.7**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

**Base Unit Price:** \$20,900

Spec No.	Description	Price
----------	-------------	-------

4.7.1	Date & Title/I.D. of Price List	10.14.21 API Price List
-------	---------------------------------	-------------------------

4.7.2	Discount to be applied to Price List	0%
-------	--------------------------------------	----

**\*Note:** The "Discount to be Applied to Price List" must be a numeric percentage,

4.7.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 120.00
-------	--	-----------

**4.7.4 EXTENDED WARRANTY OPTIONS**

NA

**4.7.5 DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS**

**NO FLAT RATE ALLOWED**

**DELIVERY STARTING POINT - City, State, Zip** Robbinsdale, MN 55422

**PRICE PER LOADED MILE:** 2.75

**MINIMUM DELIVERY CHARGE (if applicable)** 45

**4.7.6 EQUIPMENT INSPECTION & REPAIR RATES**

Hourly Rate for Initial Inspection/Diagnostic :	\$	129.00
Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$	129.00
Hourly Rate for Body Work (including paint or welding labor) :	\$	179.00

**4.7.7 NEW EQUIPMENT RENTAL PROGRAM**

Daily Rental Rate:	NA	
Weekly Rental Rate:		4180
Monthly Rental Rate:		8360
Percent (%) of Rental Fee applied to purchase price:		0%

**If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_**

**TRAILER-TYPE PRESSURE WASHERS**  
**BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.6**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

4.6	Information Requested	Answer
	Make & Model Number	API 20151-5305A-120V
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Trailer Type (Pickup Truck, Ag/Farm Tractor, 3-Point, Class 2/3/4, etc)	Pickup Truck Class 2A,2B,3,4
	Water Tank Capacity (In gallons)	330 Gallons
	Water Tank Construction (Plastic, Stainless, etc)	Plastic
	Water Volume (GPM - Gallons per Minute)	5 GPM
	Pressure (In PSI)	3000 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	135°F +/- 5°
	Steam Capable? (Yes/No)	Optional
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Briggs Vanguard 18
	Engine Fuel Type and Capacity (In gallons)	Gasoline 6 Gallons
	Engine Displacement	570 cm3

Engine Air or Water Cooled	Air
Engine Location	Front Middle
Generator (to power burner)	Yes
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Burner Control
Number of Nozzles	5
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire
Hose Length (In feet)	100'
High Pressure Hose Reel Included? (Yes/No)	Yes
Fill Hose Reel Included? (Yes/No)	Yes w/ 100' of Garden Hose
Wand Type	Straight Wand
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	48" x 34"
How is Skid attached to Vehicle/Trailer?	Bolted
Trailer Type (deck-over, deck-under, open frame, enclosed)	Open Frame
Number of Axles & Weight Rating per Axle	2 Axles 3500 lbs each
Trailer Size/Length	14 Feet Long
Trailer Hitch Type	Lunnette Eye Coupler
Trailer Tire Size & Rating	205/75/R15 2830 lbs per Tire Rating
Does the Trailer have brakes?	Yes
If yes, what type of brakes?	Electric
Does the Trailer have lights? (i.e. stop/turn/tail)	Yes - DOT Approved
What is the estimated weight of the unit with the tanks full and ready to spray?	4550 lbs
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"

BASE UNIT PRICE:	\$21,850
------------------	----------

**TRAILER-TYPE PRESSURE WASHERS**  
**OPTIONS - SPECIFICATION NO. 4.7**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

**Base Unit Price:** \$21,850

Spec No.	Description	Price
----------	-------------	-------

4.7.1	Date & Title/I.D. of Price List	10.14.21 API Price List
-------	---------------------------------	-------------------------

4.7.2	Discount to be applied to Price List	0%
-------	--------------------------------------	----

**\*Note:** The "Discount to be Applied to Price List" must be a numeric percentage,

4.7.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 120.00
-------	--	-----------

**4.7.4 EXTENDED WARRANTY OPTIONS**

NA

**4.7.5 DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS**

**NO FLAT RATE ALLOWED**

**DELIVERY STARTING POINT - City, State, Zip** Robbinsdale, MN 55422

**PRICE PER LOADED MILE:** 2.75

**MINIMUM DELIVERY CHARGE (if applicable)** 45

**4.7.6 EQUIPMENT INSPECTION & REPAIR RATES**

Hourly Rate for Initial Inspection/Diagnostic :	\$	129.00
Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$	129.00
Hourly Rate for Body Work (including paint or welding labor) :	\$	179.00

**4.7.7 NEW EQUIPMENT RENTAL PROGRAM**

Daily Rental Rate:	NA	
Weekly Rental Rate:		4370
Monthly Rental Rate:		8740
Percent (%) of Rental Fee applied to purchase price:		0%

**If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_**

**TRAILER-TYPE PRESSURE WASHERS**  
**BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.6**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

4.6	Information Requested	Answer
	Make & Model Number	API 20152-4405GAA-12V
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Trailer Type (Pickup Truck, Ag/Farm Tractor, 3-Point, Class 2/3/4, etc)	Pickup Truck Class 2A,2B,3,4
	Water Tank Capacity (In gallons)	330 Gallons
	Water Tank Construction (Plastic, Stainless, etc)	Plastic
	Water Volume (GPM - Gallons per Minute)	4.0 GPM
	Pressure (In PSI)	4000 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	135°F +/- 5°
	Steam Capable? (Yes/No)	Optional
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Honda GX630
	Engine Fuel Type and Capacity (In gallons)	Gasoline 6 Gallons
	Engine Displacement	688 cm3

Engine Air or Water Cooled	Air
Engine Location	Front Middle
Generator (to power burner)	No
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Burner Control
Number of Nozzles	5
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire
Hose Length (In feet)	100'
High Pressure Hose Reel Included? (Yes/No)	Yes
Fill Hose Reel Included? (Yes/No)	Yes w/ 100' of Garden Hose
Wand Type	Straight Wand
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	48" x 34"
How is Skid attached to Vehicle/Trailer?	Bolted
Trailer Type (deck-over, deck-under, open frame, enclosed)	Open Frame
Number of Axles & Weight Rating per Axle	2 Axles 3500 lbs each
Trailer Size/Length	14 Feet Long
Trailer Hitch Type	Lunnette Eye Coupler
Trailer Tire Size & Rating	205/75/R15 2830 lbs per Tire Rating
Does the Trailer have brakes?	Yes
If yes, what type of brakes?	Electric
Does the Trailer have lights? (i.e. stop/turn/tail)	Yes - DOT Approved
What is the estimated weight of the unit with the tanks full and ready to spray?	4400 lbs
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"

BASE UNIT PRICE:	\$20,800
------------------	----------

**TRAILER-TYPE PRESSURE WASHERS**  
**OPTIONS - SPECIFICATION NO. 4.7**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

**Base Unit Price:** \$20,800

Spec No.	Description	Price
----------	-------------	-------

4.7.1	Date & Title/I.D. of Price List	10.14.21 API Price List
-------	---------------------------------	-------------------------

4.7.2	Discount to be applied to Price List	0%
-------	--------------------------------------	----

**\*Note:** The "Discount to be Applied to Price List" must be a numeric percentage,

4.7.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 120.00
-------	--	-----------

**4.7.4 EXTENDED WARRANTY OPTIONS**

NA

**4.7.5 DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS**

**NO FLAT RATE ALLOWED**

**DELIVERY STARTING POINT - City, State, Zip** Robbinsdale, MN 55422

**PRICE PER LOADED MILE:** 2.75

**MINIMUM DELIVERY CHARGE (if applicable)** 45

**4.7.6 EQUIPMENT INSPECTION & REPAIR RATES**

Hourly Rate for Initial Inspection/Diagnostic :	\$	129.00
Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$	129.00
Hourly Rate for Body Work (including paint or welding labor) :	\$	179.00

**4.7.7 NEW EQUIPMENT RENTAL PROGRAM**

Daily Rental Rate:	NA	
Weekly Rental Rate:		4160
Monthly Rental Rate:		8320
Percent (%) of Rental Fee applied to purchase price:		0%

**If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_**

**TRAILER-TYPE PRESSURE WASHERS**  
**BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.6**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

4.6	Information Requested	Answer
	Make & Model Number	API 20152-5355J-12V
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Trailer Type (Pickup Truck, Ag/Farm Tractor, 3-Point, Class 2/3/4, etc)	Pickup Truck Class 2A,2B,3,4
	Water Tank Capacity (In gallons)	330 Gallons
	Water Tank Construction (Plastic, Stainless, etc)	Plastic
	Water Volume (GPM - Gallons per Minute)	5.0 GPM
	Pressure (In PSI)	3500 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	135°F +/- 5°
	Steam Capable? (Yes/No)	Optional
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Honda GX630
	Engine Fuel Type and Capacity (In gallons)	Gasoline 6 Gallons
	Engine Displacement	688 cm3

Engine Air or Water Cooled	Air
Engine Location	Front Middle
Generator (to power burner)	No
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Burner Control
Number of Nozzles	5
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire
Hose Length (In feet)	100'
High Pressure Hose Reel Included? (Yes/No)	Yes
Fill Hose Reel Included? (Yes/No)	Yes w/ 100' of Garden Hose
Wand Type	Straight Wand
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	48" x 34"
How is Skid attached to Vehicle/Trailer?	Bolted
Trailer Type (deck-over, deck-under, open frame, enclosed)	Open Frame
Number of Axles & Weight Rating per Axle	2 Axles 3500 lbs each
Trailer Size/Length	14 Feet Long
Trailer Hitch Type	Lunnette Eye Coupler
Trailer Tire Size & Rating	205/75/R15 2830 lbs per Tire Rating
Does the Trailer have brakes?	Yes
If yes, what type of brakes?	Electric
Does the Trailer have lights? (i.e. stop/turn/tail)	Yes - DOT Approved
What is the estimated weight of the unit with the tanks full and ready to spray?	4400 lbs
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"

BASE UNIT PRICE:	\$20,289
------------------	----------

**TRAILER-TYPE PRESSURE WASHERS**  
**OPTIONS - SPECIFICATION NO. 4.7**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

**Base Unit Price:** \$20,289

Spec No.	Description	Price
----------	-------------	-------

4.7.1	Date & Title/I.D. of Price List	10.14.21 API Price List
-------	---------------------------------	-------------------------

4.7.2	Discount to be applied to Price List	0%
-------	--------------------------------------	----

**\*Note:** The "Discount to be Applied to Price List" must be a numeric percentage,

4.7.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 120.00
-------	--	-----------

**4.7.4 EXTENDED WARRANTY OPTIONS**

NA

**4.7.5 DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS**

**NO FLAT RATE ALLOWED**

**DELIVERY STARTING POINT - City, State, Zip** Robbinsdale, MN 55422

**PRICE PER LOADED MILE:** 2.75

**MINIMUM DELIVERY CHARGE (if applicable)** 45

**4.7.6 EQUIPMENT INSPECTION & REPAIR RATES**

Hourly Rate for Initial Inspection/Diagnostic :	\$	129.00
Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$	129.00
Hourly Rate for Body Work (including paint or welding labor) :	\$	179.00

**4.7.7 NEW EQUIPMENT RENTAL PROGRAM**

Daily Rental Rate:	NA	
Weekly Rental Rate:		4057
Monthly Rental Rate:		8114
Percent (%) of Rental Fee applied to purchase price:		0%

**If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_**

**TRAILER-TYPE PRESSURE WASHERS**  
**BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.6**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

4.6	Information Requested	Answer
	Make & Model Number	API 20152-4405EAA-12V
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Trailer Type (Pickup Truck, Ag/Farm Tractor, 3-Point, Class 2/3/4, etc)	Pickup Truck Class 2A,2B,3,4
	Water Tank Capacity (In gallons)	330 Gallons
	Water Tank Construction (Plastic, Stainless, etc)	Plastic
	Water Volume (GPM - Gallons per Minute)	4.0 GPM
	Pressure (In PSI)	4000 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	135°F +/- 5°
	Steam Capable? (Yes/No)	Optional
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Briggs Vanguard 18
	Engine Fuel Type and Capacity (In gallons)	Gasoline 6 Gallons
	Engine Displacement	570 cm3

Engine Air or Water Cooled	Air
Engine Location	Front Middle
Generator (to power burner)	No
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Burner Control
Number of Nozzles	5
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire
Hose Length (In feet)	100'
High Pressure Hose Reel Included? (Yes/No)	Yes
Fill Hose Reel Included? (Yes/No)	Yes w/ 100' of Garden Hose
Wand Type	Straight Wand
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	48" x 34"
How is Skid attached to Vehicle/Trailer?	Bolted
Trailer Type (deck-over, deck-under, open frame, enclosed)	Open Frame
Number of Axles & Weight Rating per Axle	2 Axles 3500 lbs each
Trailer Size/Length	14 Feet Long
Trailer Hitch Type	Lunnette Eye Coupler
Trailer Tire Size & Rating	205/75/R15 2830 lbs per Tire Rating
Does the Trailer have brakes?	Yes
If yes, what type of brakes?	Electric
Does the Trailer have lights? (i.e. stop/turn/tail)	Yes - DOT Approved
What is the estimated weight of the unit with the tanks full and ready to spray?	4400 lbs
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"

BASE UNIT PRICE:	\$20,100
------------------	----------

**TRAILER-TYPE PRESSURE WASHERS**  
**OPTIONS - SPECIFICATION NO. 4.7**  
**Contract No. 203215 - Effective December 1, 2021**

Customer should contact Contract Vendor for questions & assistance with quote

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

Base Unit Price: \$20,100

Spec No.	Description	Price
4.7.1	Date & Title/I.D. of Price List	10.14.21 API Price List
4.7.2	Discount to be applied to Price List <b>*Note:</b> The "Discount to be Applied to Price List" must be a numeric percentage,	0%
4.7.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 120.00
4.7.4	<b><u>EXTENDED WARRANTY OPTIONS</u></b>	
		NA
4.7.5	<b><u>DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS</u></b>	<b><u>NO FLAT RATE ALLOWED</u></b>
	<b><u>DELIVERY STARTING POINT - City, State, Zip</u></b>	Robbinsdale, MN 55422
	<b><u>PRICE PER LOADED MILE:</u></b>	2.75
	<b><u>MINIMUM DELIVERY CHARGE (if applicable)</u></b>	45
4.7.6	<b><u>EQUIPMENT INSPECTION &amp; REPAIR RATES</u></b>	
	Hourly Rate for Initial Inspection/Diagnostic :	\$ 129.00
	Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$ 129.00
	Hourly Rate for Body Work (including paint or welding labor) :	\$ 179.00
4.7.7	<b><u>NEW EQUIPMENT RENTAL PROGRAM</u></b>	
	Daily Rental Rate:	NA
	Weekly Rental Rate:	4020
	Monthly Rental Rate:	8040
	Percent (%) of Rental Fee applied to purchase price:	0%

If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_

**TRAILER-TYPE PRESSURE WASHERS**  
**BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.6**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

4.6	Information Requested	Answer
	Make & Model Number	API 20152-5357-120V
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Trailer Type (Pickup Truck, Ag/Farm Tractor, 3-Point, Class 2/3/4, etc)	Pickup Truck Class 2A,2B,3,4
	Water Tank Capacity (In gallons)	330 Gallons
	Water Tank Construction (Plastic, Stainless, etc)	Plastic
	Water Volume (GPM - Gallons per Minute)	5.0 GPM
	Pressure (In PSI)	3500 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	135°F +/- 5°
	Steam Capable? (Yes/No)	Optional
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Kohler KDW1003
	Engine Fuel Type and Capacity (In gallons)	Diesel 27 Gallons
	Engine Displacement	1028 cm3

Engine Air or Water Cooled	Water
Engine Location	Front Middle
Generator (to power burner)	Yes
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Burner Control, Temperature Control, Keyed Ignition
Number of Nozzles	5
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire
Hose Length (In feet)	100'
High Pressure Hose Reel Included? (Yes/No)	Yes
Fill Hose Reel Included? (Yes/No)	Yes w/ 100' of Garden Hose
Wand Type	Straight Wand
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	54" x 54"
How is Skid attached to Vehicle/Trailer?	Bolted
Trailer Type (deck-over, deck-under, open frame, enclosed)	Open Frame
Number of Axles & Weight Rating per Axle	2 Axles 3500 lbs each
Trailer Size/Length	14 Feet Long
Trailer Hitch Type	Lunnette Eye Coupler
Trailer Tire Size & Rating	205/75/R15 2830 lbs per Tire Rating
Does the Trailer have brakes?	Yes
If yes, what type of brakes?	Electric
Does the Trailer have lights? (i.e. stop/turn/tail)	Yes - DOT Approved
What is the estimated weight of the unit with the tanks full and ready to spray?	5000 lbs
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"

BASE UNIT PRICE:	\$28,175
------------------	----------

**TRAILER-TYPE PRESSURE WASHERS**  
**OPTIONS - SPECIFICATION NO. 4.7**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

**Base Unit Price:** \$28,175

Spec No.	Description	Price
----------	-------------	-------

4.7.1	Date & Title/I.D. of Price List	10.14.21 API Price List
-------	---------------------------------	-------------------------

4.7.2	Discount to be applied to Price List	0%
-------	--------------------------------------	----

**\*Note:** The "Discount to be Applied to Price List" must be a numeric percentage,

4.7.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 120.00
-------	--	-----------

**4.7.4 EXTENDED WARRANTY OPTIONS**

NA

**4.7.5 DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS**

**NO FLAT RATE ALLOWED**

**DELIVERY STARTING POINT - City, State, Zip** Robbinsdale, MN 55422

**PRICE PER LOADED MILE:** 2.75

**MINIMUM DELIVERY CHARGE (if applicable)** 45

**4.7.6 EQUIPMENT INSPECTION & REPAIR RATES**

Hourly Rate for Initial Inspection/Diagnostic :	\$	129.00
Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$	129.00
Hourly Rate for Body Work (including paint or welding labor) :	\$	179.00

**4.7.7 NEW EQUIPMENT RENTAL PROGRAM**

Daily Rental Rate:	NA	
Weekly Rental Rate:		5635
Monthly Rental Rate:		11270
Percent (%) of Rental Fee applied to purchase price:		0%

**If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_**

**TRAILER-TYPE PRESSURE WASHERS**  
**BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.6**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

4.6	Information Requested	Answer
	Make & Model Number	API 20152C-5355JB-120V
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Trailer Type (Pickup Truck, Ag/Farm Tractor, 3-Point, Class 2/3/4, etc)	Pickup Truck Class 2A,2B,3,4
	Water Tank Capacity (In gallons)	460 Gallons
	Water Tank Construction (Plastic, Stainless, etc)	Plastic
	Water Volume (GPM - Gallons per Minute)	5.0 GPM
	Pressure (In PSI)	3500 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	135°F +/- 5°
	Steam Capable? (Yes/No)	Optional
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Honda GX630
	Engine Fuel Type and Capacity (In gallons)	Gasoline 6 Gallons
	Engine Displacement	688 cm3

Engine Air or Water Cooled	Air
Engine Location	Front Middle
Generator (to power burner)	Yes
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Burner Control
Number of Nozzles	5
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire
Hose Length (In feet)	100'
High Pressure Hose Reel Included? (Yes/No)	Yes
Fill Hose Reel Included? (Yes/No)	Yes w/ 100' of Garden Hose
Wand Type	Straight Wand
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	48" x 34"
How is Skid attached to Vehicle/Trailer?	Bolted
Trailer Type (deck-over, deck-under, open frame, enclosed)	Open Frame
Number of Axles & Weight Rating per Axle	2 Axles 3500 lbs each
Trailer Size/Length	16 Feet Long
Trailer Hitch Type	Lunnette Eye Coupler
Trailer Tire Size & Rating	205/75/R15 2830 lbs per Tire Rating
Does the Trailer have brakes?	Yes
If yes, what type of brakes?	Electric
Does the Trailer have lights? (i.e. stop/turn/tail)	Yes - DOT Approved
What is the estimated weight of the unit with the tanks full and ready to spray?	5700 lbs
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"

BASE UNIT PRICE:	\$21,600
------------------	----------

**TRAILER-TYPE PRESSURE WASHERS**  
**OPTIONS - SPECIFICATION NO. 4.7**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

**Base Unit Price:** \$21,600

Spec No.	Description	Price
----------	-------------	-------

4.7.1	Date & Title/I.D. of Price List	10.14.21 API Price List
-------	---------------------------------	-------------------------

4.7.2	Discount to be applied to Price List	0%
-------	--------------------------------------	----

**\*Note:** The "Discount to be Applied to Price List" must be a numeric percentage,

4.7.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 120.00
-------	--	-----------

**4.7.4 EXTENDED WARRANTY OPTIONS**

NA

**4.7.5 DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS**

**NO FLAT RATE ALLOWED**

**DELIVERY STARTING POINT - City, State, Zip** Robbinsdale, MN 55422

**PRICE PER LOADED MILE:** 2.75

**MINIMUM DELIVERY CHARGE (if applicable)** 45

**4.7.6 EQUIPMENT INSPECTION & REPAIR RATES**

Hourly Rate for Initial Inspection/Diagnostic :	\$	129.00
Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$	129.00
Hourly Rate for Body Work (including paint or welding labor) :	\$	179.00

**4.7.7 NEW EQUIPMENT RENTAL PROGRAM**

Daily Rental Rate:	NA	
Weekly Rental Rate:		4320
Monthly Rental Rate:		8640
Percent (%) of Rental Fee applied to purchase price:		0%

**If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_**

**TRAILER-TYPE PRESSURE WASHERS**  
**BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.6**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

4.6	Information Requested	Answer
	Make & Model Number	API 20151-5305A-120V
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Trailer Type (Pickup Truck, Ag/Farm Tractor, 3-Point, Class 2/3/4, etc)	Pickup Truck Class 2A,2B,3,4
	Water Tank Capacity (In gallons)	460 Gallons
	Water Tank Construction (Plastic, Stainless, etc)	Plastic
	Water Volume (GPM - Gallons per Minute)	5 GPM
	Pressure (In PSI)	3000 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	135°F +/- 5°
	Steam Capable? (Yes/No)	Optional
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Briggs Vanguard 18
	Engine Fuel Type and Capacity (In gallons)	Gasoline 6 Gallons
	Engine Displacement	570 cm3

Engine Air or Water Cooled	Air
Engine Location	Front Middle
Generator (to power burner)	Yes
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Burner Control
Number of Nozzles	5
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire
Hose Length (In feet)	100'
High Pressure Hose Reel Included? (Yes/No)	Yes
Fill Hose Reel Included? (Yes/No)	Yes w/ 100' of Garden Hose
Wand Type	Straight Wand
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	48" x 34"
How is Skid attached to Vehicle/Trailer?	Bolted
Trailer Type (deck-over, deck-under, open frame, enclosed)	Open Frame
Number of Axles & Weight Rating per Axle	2 Axles 3500 lbs each
Trailer Size/Length	16 Feet Long
Trailer Hitch Type	Lunnette Eye Coupler
Trailer Tire Size & Rating	205/75/R15 2830 lbs per Tire Rating
Does the Trailer have brakes?	Yes
If yes, what type of brakes?	Electric
Does the Trailer have lights? (i.e. stop/turn/tail)	Yes - DOT Approved
What is the estimated weight of the unit with the tanks full and ready to spray?	5850 lbs
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"

BASE UNIT PRICE:	\$22,550
------------------	----------

**TRAILER-TYPE PRESSURE WASHERS**  
**OPTIONS - SPECIFICATION NO. 4.7**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

**Base Unit Price:** \$22,550

Spec No.	Description	Price
----------	-------------	-------

4.7.1	Date & Title/I.D. of Price List	10.14.21 API Price List
-------	---------------------------------	-------------------------

4.7.2	Discount to be applied to Price List	0%
-------	--------------------------------------	----

**\*Note:** The "Discount to be Applied to Price List" must be a numeric percentage,

4.7.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 120.00
-------	--	-----------

**4.7.4 EXTENDED WARRANTY OPTIONS**

NA

**4.7.5 DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS**

**NO FLAT RATE ALLOWED**

**DELIVERY STARTING POINT - City, State, Zip** Robbinsdale, MN 55422

**PRICE PER LOADED MILE:** 2.75

**MINIMUM DELIVERY CHARGE (if applicable)** 45

**4.7.6 EQUIPMENT INSPECTION & REPAIR RATES**

Hourly Rate for Initial Inspection/Diagnostic :	\$	129.00
Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$	129.00
Hourly Rate for Body Work (including paint or welding labor) :	\$	179.00

**4.7.7 NEW EQUIPMENT RENTAL PROGRAM**

Daily Rental Rate:	NA	
Weekly Rental Rate:		4510
Monthly Rental Rate:		9020
Percent (%) of Rental Fee applied to purchase price:		0%

**If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here:** \_\_\_\_\_

**TRAILER-TYPE PRESSURE WASHERS**  
**BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.6**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

4.6	Information Requested	Answer
	Make & Model Number	API 20152C-4405GAA-12V
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Trailer Type (Pickup Truck, Ag/Farm Tractor, 3-Point, Class 2/3/4, etc)	Pickup Truck Class 2A,2B,3,4
	Water Tank Capacity (In gallons)	460 Gallons
	Water Tank Construction (Plastic, Stainless, etc)	Plastic
	Water Volume (GPM - Gallons per Minute)	4.0 GPM
	Pressure (In PSI)	4000 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	135°F +/- 5°
	Steam Capable? (Yes/No)	Optional
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Honda GX630
	Engine Fuel Type and Capacity (In gallons)	Gasoline 6 Gallons
	Engine Displacement	688 cm3

Engine Air or Water Cooled	Air
Engine Location	Front Middle
Generator (to power burner)	No
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Burner Control
Number of Nozzles	5
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire
Hose Length (In feet)	100'
High Pressure Hose Reel Included? (Yes/No)	Yes
Fill Hose Reel Included? (Yes/No)	Yes w/ 100' of Garden Hose
Wand Type	Straight Wand
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	48" x 34"
How is Skid attached to Vehicle/Trailer?	Bolted
Trailer Type (deck-over, deck-under, open frame, enclosed)	Open Frame
Number of Axles & Weight Rating per Axle	2 Axles 3500 lbs each
Trailer Size/Length	16 Feet Long
Trailer Hitch Type	Lunnette Eye Coupler
Trailer Tire Size & Rating	205/75/R15 2830 lbs per Tire Rating
Does the Trailer have brakes?	Yes
If yes, what type of brakes?	Electric
Does the Trailer have lights? (i.e. stop/turn/tail)	Yes - DOT Approved
What is the estimated weight of the unit with the tanks full and ready to spray?	5700 lbs
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"

BASE UNIT PRICE:	\$21,500
------------------	----------

**TRAILER-TYPE PRESSURE WASHERS**  
**OPTIONS - SPECIFICATION NO. 4.7**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

**Base Unit Price:** \$21,500

Spec No.	Description	Price
----------	-------------	-------

4.7.1	Date & Title/I.D. of Price List	10.14.21 API Price List
-------	---------------------------------	-------------------------

4.7.2	Discount to be applied to Price List	0%
-------	--------------------------------------	----

**\*Note:** The "Discount to be Applied to Price List" must be a numeric percentage,

4.7.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 120.00
-------	--	-----------

**4.7.4 EXTENDED WARRANTY OPTIONS**

NA

**4.7.5 DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS**

**NO FLAT RATE ALLOWED**

**DELIVERY STARTING POINT - City, State, Zip** Robbinsdale, MN 55422

**PRICE PER LOADED MILE:** 2.75

**MINIMUM DELIVERY CHARGE (if applicable)** 45

**4.7.6 EQUIPMENT INSPECTION & REPAIR RATES**

Hourly Rate for Initial Inspection/Diagnostic :	\$	129.00
Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$	129.00
Hourly Rate for Body Work (including paint or welding labor) :	\$	179.00

**4.7.7 NEW EQUIPMENT RENTAL PROGRAM**

Daily Rental Rate:	NA	
Weekly Rental Rate:		4300
Monthly Rental Rate:		8600
Percent (%) of Rental Fee applied to purchase price:		0%

**If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_**

**TRAILER-TYPE PRESSURE WASHERS**  
**BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.6**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

4.6	Information Requested	Answer
	Make & Model Number	API 20152C-5355J-12V
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Trailer Type (Pickup Truck, Ag/Farm Tractor, 3-Point, Class 2/3/4, etc)	Pickup Truck Class 2A,2B,3,4
	Water Tank Capacity (In gallons)	460 Gallons
	Water Tank Construction (Plastic, Stainless, etc)	Plastic
	Water Volume (GPM - Gallons per Minute)	5.0 GPM
	Pressure (In PSI)	3500 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	135°F +/- 5°
	Steam Capable? (Yes/No)	Optional
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Honda GX630
	Engine Fuel Type and Capacity (In gallons)	Gasoline 6 Gallons
	Engine Displacement	688 cm3

Engine Air or Water Cooled	Air
Engine Location	Front Middle
Generator (to power burner)	No
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Burner Control
Number of Nozzles	5
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire
Hose Length (In feet)	100'
High Pressure Hose Reel Included? (Yes/No)	Yes
Fill Hose Reel Included? (Yes/No)	Yes w/ 100' of Garden Hose
Wand Type	Straight Wand
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	48" x 34"
How is Skid attached to Vehicle/Trailer?	Bolted
Trailer Type (deck-over, deck-under, open frame, enclosed)	Open Frame
Number of Axles & Weight Rating per Axle	2 Axles 3500 lbs each
Trailer Size/Length	16 Feet Long
Trailer Hitch Type	Lunnette Eye Coupler
Trailer Tire Size & Rating	205/75/R15 2830 lbs per Tire Rating
Does the Trailer have brakes?	Yes
If yes, what type of brakes?	Electric
Does the Trailer have lights? (i.e. stop/turn/tail)	Yes - DOT Approved
What is the estimated weight of the unit with the tanks full and ready to spray?	5700 lbs
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"

BASE UNIT PRICE:	\$20,950
------------------	----------

**TRAILER-TYPE PRESSURE WASHERS**  
**OPTIONS - SPECIFICATION NO. 4.7**  
**Contract No. 203215 - Effective December 1, 2021**

Customer should contact Contract Vendor for questions & assistance with quote

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

Base Unit Price: \$20,950

Spec No.	Description	Price
----------	-------------	-------

4.7.1	Date & Title/I.D. of Price List	10.14.21 API Price List
-------	---------------------------------	-------------------------

4.7.2	Discount to be applied to Price List	0%
-------	--------------------------------------	----

\*Note: The "Discount to be Applied to Price List" must be a numeric percentage,

4.7.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 120.00
-------	--	-----------

**4.7.4 EXTENDED WARRANTY OPTIONS**

NA

**4.7.5 DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS**

**NO FLAT RATE ALLOWED**

**DELIVERY STARTING POINT - City, State, Zip** Robbinsdale, MN 55422

PRICE PER LOADED MILE: 2.75

MINIMUM DELIVERY CHARGE (if applicable) 45

**4.7.6 EQUIPMENT INSPECTION & REPAIR RATES**

Hourly Rate for Initial Inspection/Diagnostic :	\$	129.00
Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$	129.00
Hourly Rate for Body Work (including paint or welding labor) :	\$	179.00

**4.7.7 NEW EQUIPMENT RENTAL PROGRAM**

Daily Rental Rate:	NA	
Weekly Rental Rate:		4190
Monthly Rental Rate:		8380
Percent (%) of Rental Fee applied to purchase price:		0%

If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_

**TRAILER-TYPE PRESSURE WASHERS**  
**BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.6**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

4.6	Information Requested	Answer
	Make & Model Number	API 20152C-4405EAA-12V
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Trailer Type (Pickup Truck, Ag/Farm Tractor, 3-Point, Class 2/3/4, etc)	Pickup Truck Class 2A,2B,3,4
	Water Tank Capacity (In gallons)	460 Gallons
	Water Tank Construction (Plastic, Stainless, etc)	Plastic
	Water Volume (GPM - Gallons per Minute)	4.0 GPM
	Pressure (In PSI)	4000 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	135°F +/- 5°
	Steam Capable? (Yes/No)	Optional
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Briggs Vanguard 18
	Engine Fuel Type and Capacity (In gallons)	Gasoline 6 Gallons
	Engine Displacement	570 cm3

Engine Air or Water Cooled	Air
Engine Location	Front Middle
Generator (to power burner)	No
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Burner Control
Number of Nozzles	5
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire
Hose Length (In feet)	100'
High Pressure Hose Reel Included? (Yes/No)	Yes
Fill Hose Reel Included? (Yes/No)	Yes w/ 100' of Garden Hose
Wand Type	Straight Wand
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	48" x 34"
How is Skid attached to Vehicle/Trailer?	Bolted
Trailer Type (deck-over, deck-under, open frame, enclosed)	Open Frame
Number of Axles & Weight Rating per Axle	2 Axles 3500 lbs each
Trailer Size/Length	16 Feet Long
Trailer Hitch Type	Lunnette Eye Coupler
Trailer Tire Size & Rating	205/75/R15 2830 lbs per Tire Rating
Does the Trailer have brakes?	Yes
If yes, what type of brakes?	Electric
Does the Trailer have lights? (i.e. stop/turn/tail)	Yes - DOT Approved
What is the estimated weight of the unit with the tanks full and ready to spray?	5700 lbs
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"

BASE UNIT PRICE:	\$20,800
------------------	----------

**TRAILER-TYPE PRESSURE WASHERS**  
**OPTIONS - SPECIFICATION NO. 4.7**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

**Base Unit Price:** \$20,800

Spec No.	Description	Price
----------	-------------	-------

4.7.1	Date & Title/I.D. of Price List	10.14.21 API Price List
-------	---------------------------------	-------------------------

4.7.2	Discount to be applied to Price List	0%
-------	--------------------------------------	----

**\*Note:** The "Discount to be Applied to Price List" must be a numeric percentage,

4.7.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 120.00
-------	--	-----------

**4.7.4 EXTENDED WARRANTY OPTIONS**

NA

**4.7.5 DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS**

**NO FLAT RATE ALLOWED**

**DELIVERY STARTING POINT - City, State, Zip** Robbinsdale, MN 55422

**PRICE PER LOADED MILE:** 2.75

**MINIMUM DELIVERY CHARGE (if applicable)** 45

**4.7.6 EQUIPMENT INSPECTION & REPAIR RATES**

Hourly Rate for Initial Inspection/Diagnostic :	\$	129.00
Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$	129.00
Hourly Rate for Body Work (including paint or welding labor) :	\$	179.00

**4.7.7 NEW EQUIPMENT RENTAL PROGRAM**

Daily Rental Rate:	NA	
Weekly Rental Rate:		4160
Monthly Rental Rate:		8320
Percent (%) of Rental Fee applied to purchase price:		0%

**If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_**

**TRAILER-TYPE PRESSURE WASHERS**  
**BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.6**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

4.6	Information Requested	Answer
	Make & Model Number	API 20152C-5357-120V
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Trailer Type (Pickup Truck, Ag/Farm Tractor, 3-Point, Class 2/3/4, etc)	Pickup Truck Class 2A,2B,3,4
	Water Tank Capacity (In gallons)	460 Gallons
	Water Tank Construction (Plastic, Stainless, etc)	Plastic
	Water Volume (GPM - Gallons per Minute)	5.0 GPM
	Pressure (In PSI)	3500 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	135°F +/- 5°
	Steam Capable? (Yes/No)	Optional
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Kohler KDW1003
	Engine Fuel Type and Capacity (In gallons)	Diesel 27 Gallons
	Engine Displacement	1028 cm3

Engine Air or Water Cooled	Water
Engine Location	Front Middle
Generator (to power burner)	Yes
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Burner Control, Temperature Control, Keyed Ignition
Number of Nozzles	5
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire
Hose Length (In feet)	100'
High Pressure Hose Reel Included? (Yes/No)	Yes
Fill Hose Reel Included? (Yes/No)	Yes w/ 100' of Garden Hose
Wand Type	Straight Wand
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	54" x 54"
How is Skid attached to Vehicle/Trailer?	Bolted
Trailer Type (deck-over, deck-under, open frame, enclosed)	Open Frame
Number of Axles & Weight Rating per Axle	2 Axles 3500 lbs each
Trailer Size/Length	17 Feet Long
Trailer Hitch Type	Lunnette Eye Coupler
Trailer Tire Size & Rating	205/75/R15 2830 lbs per Tire Rating
Does the Trailer have brakes?	Yes
If yes, what type of brakes?	Electric
Does the Trailer have lights? (i.e. stop/turn/tail)	Yes - DOT Approved
What is the estimated weight of the unit with the tanks full and ready to spray?	6200 lbs
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"

BASE UNIT PRICE:	\$29,049
------------------	----------

**TRAILER-TYPE PRESSURE WASHERS**  
**OPTIONS - SPECIFICATION NO. 4.7**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

**Base Unit Price:** \$29,049

Spec No.	Description	Price
----------	-------------	-------

4.7.1	Date & Title/I.D. of Price List	10.14.21 API Price List
-------	---------------------------------	-------------------------

4.7.2	Discount to be applied to Price List	0%
-------	--------------------------------------	----

**\*Note:** The "Discount to be Applied to Price List" must be a numeric percentage,

4.7.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 120.00
-------	--	-----------

**4.7.4 EXTENDED WARRANTY OPTIONS**

NA

**4.7.5 DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS**

**NO FLAT RATE ALLOWED**

**DELIVERY STARTING POINT - City, State, Zip** Robbinsdale, MN 55422

**PRICE PER LOADED MILE:** 2.75

**MINIMUM DELIVERY CHARGE (if applicable)** 45

**4.7.6 EQUIPMENT INSPECTION & REPAIR RATES**

Hourly Rate for Initial Inspection/Diagnostic :	\$	129.00
Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$	129.00
Hourly Rate for Body Work (including paint or welding labor) :	\$	179.00

**4.7.7 NEW EQUIPMENT RENTAL PROGRAM**

Daily Rental Rate:	NA	
Weekly Rental Rate:		5810
Monthly Rental Rate:		11620
Percent (%) of Rental Fee applied to purchase price:		0%

**If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_**

**TRAILER-TYPE PRESSURE WASHERS**  
**BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.6**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

4.6	Information Requested	Answer
	Make & Model Number	API ENC-PGHW5-353E-120V
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Trailer Type (Pickup Truck, Ag/Farm Tractor, 3-Point, Class 2/3/4, etc)	Pickup Truck Class 2B,3,4
	Water Tank Capacity (In gallons)	525 Gallons
	Water Tank Construction (Plastic, Stainless, etc)	Plastic
	Water Volume (GPM - Gallons per Minute)	4.7 GPM
	Pressure (In PSI)	3500 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	135°F +/- 5°
	Steam Capable? (Yes/No)	Optional
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Honda GX630
	Engine Fuel Type and Capacity (In gallons)	Gasoline 4.75 Gallons
	Engine Displacement	688 cm3

Engine Air or Water Cooled	Air
Engine Location	Front Driver's
Generator (to power burner)	Yes
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Burner Control and Thermostat Adjustment
Number of Nozzles	5
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire
Hose Length (In feet)	100'
High Pressure Hose Reel Included? (Yes/No)	Yes
Fill Hose Reel Included? (Yes/No)	Yes w/ 100' of Garden Hose
Wand Type	Variable Pressure Wand
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	48" x 32"
How is Skid attached to Vehicle/Trailer?	Bolted
Trailer Type (deck-over, deck-under, open frame, enclosed)	Enclosed Interstate I Series
Number of Axles & Weight Rating per Axle	2 Axles 5200 lbs each
Trailer Size/Length	7'W x 14'L
Trailer Hitch Type	Lunnette Eye Coupler
Trailer Tire Size & Rating	ST225/75/R15 2540 lbs per Tire Rating
Does the Trailer have brakes?	Yes
If yes, what type of brakes?	Electric
Does the Trailer have lights? (i.e. stop/turn/tail)	Yes - DOT Approved
What is the estimated weight of the unit with the tanks full and ready to spray?	8250 lbs
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"

BASE UNIT PRICE:	\$29,750
------------------	----------

**TRAILER-TYPE PRESSURE WASHERS**  
**OPTIONS - SPECIFICATION NO. 4.7**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

**Base Unit Price:** \$29,750

Spec No.	Description	Price
----------	-------------	-------

4.7.1	Date & Title/I.D. of Price List	10.14.21 API Price List
-------	---------------------------------	-------------------------

4.7.2	Discount to be applied to Price List	0%
-------	--------------------------------------	----

**\*Note:** The "Discount to be Applied to Price List" must be a numeric percentage,

4.7.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 120.00
-------	--	-----------

**4.7.4 EXTENDED WARRANTY OPTIONS**

NA

**4.7.5 DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS**

**NO FLAT RATE ALLOWED**

**DELIVERY STARTING POINT - City, State, Zip** Robbinsdale, MN 55422

**PRICE PER LOADED MILE:** 2.75

**MINIMUM DELIVERY CHARGE (if applicable)** 45

**4.7.6 EQUIPMENT INSPECTION & REPAIR RATES**

Hourly Rate for Initial Inspection/Diagnostic :	\$	129.00
Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$	129.00
Hourly Rate for Body Work (including paint or welding labor) :	\$	179.00

**4.7.7 NEW EQUIPMENT RENTAL PROGRAM**

Daily Rental Rate:	NA	
Weekly Rental Rate:		5950
Monthly Rental Rate:		11900
Percent (%) of Rental Fee applied to purchase price:		0%

**If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_**

**TRAILER-TYPE PRESSURE WASHERS**  
**BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.6**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

4.6	Information Requested	Answer
	Make & Model Number	API ECOS-DX
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Trailer Type (Pickup Truck, Ag/Farm Tractor, 3-Point, Class 2/3/4, etc)	Pickup Truck Class 2B,3,4
	Water Tank Capacity (In gallons)	400 Gallons
	Water Tank Construction (Plastic, Stainless, etc)	Plastic
	Water Volume (GPM - Gallons per Minute)	4.7 GPM
	Pressure (In PSI)	3500 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	135°F +/- 5°
	Steam Capable? (Yes/No)	No
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Honda GX690
	Engine Fuel Type and Capacity (In gallons)	Gasoline 17 Gallons
	Engine Displacement	688 cm3

Engine Air or Water Cooled	Air
Engine Location	Front Middle
Generator (to power burner)	Yes
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Ingintion, Choke, Burner, Reclaim Pump, Vacuum and Temp Control
Number of Nozzles	5
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire
Hose Length (In feet)	100'
High Pressure Hose Reel Included? (Yes/No)	Yes
Fill Hose Reel Included? (Yes/No)	No
Wand Type	Variable Pressure Wand
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	48" x 32"
How is Skid attached to Vehicle/Trailer?	Bolted
Trailer Type (deck-over, deck-under, open frame, enclosed)	Open Frame
Number of Axles & Weight Rating per Axle	2 Axles 3500 lbs each
Trailer Size/Length	174"L x 75"W x 74"H
Trailer Hitch Type	Lunnette Eye Coupler
Trailer Tire Size & Rating	ST205/75/R15 2150 lbs per Tire Rating
Does the Trailer have brakes?	Yes
If yes, what type of brakes?	Electric
Does the Trailer have lights? (i.e. stop/turn/tail)	Yes - DOT Approved
What is the estimated weight of the unit with the tanks full and ready to spray?	6200 lbs
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"

BASE UNIT PRICE:	\$29,990
------------------	----------

**TRAILER-TYPE PRESSURE WASHERS**  
**OPTIONS - SPECIFICATION NO. 4.7**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

**Base Unit Price:** \$29,990

Spec No.	Description	Price
----------	-------------	-------

4.7.1	Date & Title/I.D. of Price List	10.14.21 API Price List
-------	---------------------------------	-------------------------

4.7.2	Discount to be applied to Price List	0%
	<b>*Note:</b> The "Discount to be Applied to Price List" must be a numeric percentage,	

4.7.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 240.00
-------	--	-----------

4.7.4	<b><u>EXTENDED WARRANTY OPTIONS</u></b>	
		NA

4.7.5	<b><u>DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS</u></b>	<b><u>NO FLAT RATE ALLOWED</u></b>
-------	---	------------------------------------

**DELIVERY STARTING POINT - City, State, Zip** Robbinsdale, MN 55422

<b>PRICE PER LOADED MILE:</b>	2.75
<b>MINIMUM DELIVERY CHARGE (if applicable)</b>	45

4.7.6	<b><u>EQUIPMENT INSPECTION &amp; REPAIR RATES</u></b>	
	Hourly Rate for Initial Inspection/Diagnostic :	\$ 129.00
	Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$ 129.00
	Hourly Rate for Body Work (including paint or welding labor) :	\$ 179.00

4.7.7	<b><u>NEW EQUIPMENT RENTAL PROGRAM</u></b>	
	Daily Rental Rate:	NA
	Weekly Rental Rate:	5950
	Monthly Rental Rate:	11900
	Percent (%) of Rental Fee applied to purchase price:	0%

**If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_**

**CLASS 5 SKID-TYPE PRESSURE WASHERS**  
**BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.8**  
**Contract No. 203215 - Effective December 1, 2021**

Customer should contact Contract Vendor for questions & assistance with quote

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

4.8	Information Requested	Answer
	Make & Model Number	API 225-PGDC5-353E-12V
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Skid Type (Pickup Truck, Ag/Farm Tractor, 3-Point, Class 2/3/4, etc)	Pickup Truck Class 2B,3,4,5
	Water Tank Capacity (In gallons)	225 Gallons
	Water Tank Construction (Plastic, Stainless, etc)	Plastic
	Water Volume (GPM - Gallons per Minute)	4.7 GPM
	Pressure (In PSI)	3500 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	135° F +/- 5°
	Steam Capable? (Yes/No)	Optional
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Honda GX630
	Engine Fuel Type and Capacity (In gallons)	Gasoline 4.75 Gallons
	Engine Displacement	688 cm3
	Engine Air or Water Cooled	Air
	Engine Location	Back Driver's Side
	Control Panel (Yes/No)	No

Generator (to power burner)	Yes
What does the Control Panel control?	Burner Control and Thermostat Adjustment
Number of Nozzles	5
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire Black
Hose Length (In feet)	50'
High Pressure Hose Reel Included? (Yes/No)	No
Fill Hose Reel Included? (Yes/No)	No
Wand Type	Variable Pressure Wand
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	76 x 48
How is Skid attached to Vehicle/Trailer?	Customer Decision
What is the estimated weight of the unit with the tanks full and ready to spray?	2700 LBS
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"
<b>BASE UNIT PRICE:</b>	<b>\$13,420</b>

**CLASS 5 SKID-TYPE PRESSURE WASHERS**  
**OPTIONS - SPECIFICATION NO. 4.9**  
**Contract No. 203215 - Effective December 1, 2021**

Customer should contact Contract Vendor for questions & assistance with quote

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

Base Unit Price: \$ 13,420.00

Spec No.	Description	Price
----------	-------------	-------

4.9.1	Date & Title/I.D. of Price List	10.14.21 API Price List
-------	---------------------------------	-------------------------

4.9.2	Discount to be applied to Price List	0%
-------	--------------------------------------	----

\*Note: The "Discount to be Applied to Price List" must be a numeric percentage,

4.9.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 100.00
-------	--	-----------

**4.9.4 EXTENDED WARRANTY OPTIONS**

NA

**4.9.5 DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS**

**NO FLAT RATE ALLOWED**

**DELIVERY STARTING POINT - City, State, Zip** Robbinsdale, MN 55422

PRICE PER LOADED MILE: \$2.75

MINIMUM DELIVERY CHARGE (if applicable) \$45.00

**4.9.6 EQUIPMENT INSPECTION & REPAIR RATES**

Hourly Rate for Initial Inspection/Diagnostic :	\$	129.00
Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$	129.00
Hourly Rate for Body Work (including paint or welding labor) :	\$	179.00

**4.9.7 NEW EQUIPMENT RENTAL PROGRAM**

Daily Rental Rate:	NA	
Weekly Rental Rate:		2684
Monthly Rental Rate:		5368
Percent (%) of Rental Fee applied to purchase price:		0%

If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_

**CLASS 5 SKID-TYPE PRESSURE WASHERS**  
**BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.8**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	<b>American Pressure Inc</b>
Contact Person:	<b>Ben Hagemann</b>
Street Address:	<b>3810 W Broadway</b>
P.O. Box:	
City, State, Zip	<b>Robbinsdale, MN 55422</b>
Phone #:	<b>763-521-4442</b>
Toll Free #:	<b>800-544-0836</b>
Fax #:	<b>763-521-4447</b>
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

<b>4.4</b>	<b>Information Requested</b>	<b>Answer</b>
	Make & Model Number	API 225-PGDC5-352E-12V
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Skid Type (Pickup Truck, Ag/Farm Tractor, 3-Point, Class 2/3/4, etc)	Pickup Truck Class 2B,3,4,5
	Water Tank Capacity (In gallons)	225 Gallons
	Water Tank Construction (Plastic, Stainless, etc)	Plastic
	Water Volume (GPM - Gallons per Minute)	4.7 GPM
	Pressure (In PSI)	3500 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	135° F +/- 5°
	Steam Capable? (Yes/No)	Optional
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Briggs Vanguard 18
	Engine Fuel Type and Capacity (In gallons)	Gasoline 4.75 Gallons

Engine Displacement	570 cm3
Engine Air or Water Cooled	Air
Engine Location	Back Driver's Side
Generator (to power burner)	No
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Burner Control and Thermostat Adjustment
Number of Nozzles	5
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire Black
Hose Length (In feet)	50'
High Pressure Hose Reel Included? (Yes/No)	No
Fill Hose Reel Included? (Yes/No)	No
Wand Type	Variable Pressure Wand
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	76 x 48
How is Skid attached to Vehicle/Trailer?	Customer Decision
What is the estimated weight of the unit with the tanks full and ready to spray?	2700 LBS
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"
<b>BASE UNIT PRICE:</b>	<b>\$12,450</b>

**CLASS 5 SKID-TYPE PRESSURE WASHERS**  
**OPTIONS - SPECIFICATION NO. 4.9**  
**Contract No. 203215 - Effective December 1, 2021**

Customer should contact Contract Vendor for questions & assistance with quote

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

Base Unit Price: \$12,450

Spec No.	Description	Price
4.5.1	Date & Title/I.D. of Price List	10.14.21 API Price List
4.5.2	Discount to be applied to Price List <b>*Note:</b> The "Discount to be Applied to Price List" must be a numeric percentage,	0%
4.5.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 100.00
4.5.4	<b><u>EXTENDED WARRANTY OPTIONS</u></b>	NA
4.5.5	<b><u>DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS</u></b>	<b><u>NO FLAT RATE ALLOWED</u></b>
<b><u>DELIVERY STARTING POINT - City, State, Zip</u></b>		Robbinsdale, MN 55422
<b>PRICE PER LOADED MILE:</b>		\$2.75
<b>MINIMUM DELIVERY CHARGE (if applicable)</b>		\$45.00
4.5.6	<b><u>EQUIPMENT INSPECTION &amp; REPAIR RATES</u></b>	
	Hourly Rate for Initial Inspection/Diagnostic :	\$ 129.00
	Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$ 129.00
	Hourly Rate for Body Work (including paint or welding labor) :	\$ 179.00
4.5.7	<b><u>NEW EQUIPMENT RENTAL PROGRAM</u></b>	
	Daily Rental Rate:	NA
	Weekly Rental Rate:	\$2,490.00
	Monthly Rental Rate:	\$4,980.00
	Percent (%) of Rental Fee applied to purchase price:	0%

If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_

**CLASS 5 SKID-TYPE PRESSURE WASHERS**  
**BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.8**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

4.4	Information Requested	Answer
	Make & Model Number	API 225-PGDC4-353E-12V
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Skid Type (Pickup Truck, Ag/Farm Tractor, 3-Point, Class 2/3/4, etc)	Pickup Truck Class 2B,3,4,5
	Water Tank Capacity (In gallons)	225 Gallons
	Water Tank Construction (Plastic, Stainless, etc)	Plastic
	Water Volume (GPM - Gallons per Minute)	3.8 GPM
	Pressure (In PSI)	3500 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	135° F +/- 5°
	Steam Capable? (Yes/No)	Optional
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Honda GX390
	Engine Fuel Type and Capacity (In gallons)	Gasoline 1.6 Gallons

Engine Displacement	389 cm3
Engine Air or Water Cooled	Air
Engine Location	Back Driver's Side
Generator (to power burner)	No
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Burner Control and Thermostat Adjustment
Number of Nozzles	5
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire Black
Hose Length (In feet)	50'
High Pressure Hose Reel Included? (Yes/No)	No
Fill Hose Reel Included? (Yes/No)	No
Wand Type	Variable Pressure Wand
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	76 x 48
How is Skid attached to Vehicle/Trailer?	Customer Decision
What is the estimated weight of the unit with the tanks full and ready to spray?	2700 LBS
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"
<b>BASE UNIT PRICE:</b>	<b>\$12,425</b>

**CLASS 5 SKID-TYPE PRESSURE WASHERS**  
**OPTIONS - SPECIFICATION NO. 4.9**  
**Contract No. 203215 - Effective December 1, 2021**

Customer should contact Contract Vendor for questions & assistance with quote

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

Base Unit Price: \$12,425

Spec No.	Description	Price
4.5.1	Date & Title/I.D. of Price List	10.14.21 API Price List
4.5.2	Discount to be applied to Price List <b>*Note:</b> The "Discount to be Applied to Price List" must be a numeric percentage,	0%
4.5.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 100.00
4.5.4	<b><u>EXTENDED WARRANTY OPTIONS</u></b>	NA
4.5.5	<b><u>DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS</u></b>	<b><u>NO FLAT RATE ALLOWED</u></b>
<b><u>DELIVERY STARTING POINT - City, State, Zip</u></b>		Robbinsdale, MN 55422
<b>PRICE PER LOADED MILE:</b>		\$2.75
<b>MINIMUM DELIVERY CHARGE (if applicable)</b>		\$45.00
4.5.6	<b><u>EQUIPMENT INSPECTION &amp; REPAIR RATES</u></b>	
	Hourly Rate for Initial Inspection/Diagnostic :	\$ 129.00
	Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$ 129.00
	Hourly Rate for Body Work (including paint or welding labor) :	\$ 179.00
4.5.7	<b><u>NEW EQUIPMENT RENTAL PROGRAM</u></b>	
	Daily Rental Rate:	NA
	Weekly Rental Rate:	\$2,485.00
	Monthly Rental Rate:	\$4,970.00
	Percent (%) of Rental Fee applied to purchase price:	0%

If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_

**CLASS 5 SKID-TYPE PRESSURE WASHERS**  
**BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.8**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	<b>American Pressure Inc</b>
Contact Person:	<b>Ben Hagemann</b>
Street Address:	<b>3810 W Broadway</b>
P.O. Box:	
City, State, Zip	<b>Robbinsdale, MN 55422</b>
Phone #:	<b>763-521-4442</b>
Toll Free #:	<b>800-544-0836</b>
Fax #:	<b>763-521-4447</b>
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

<b>4.4</b>	<b>Information Requested</b>	<b>Answer</b>
	Make & Model Number	API 225-PGHW5-353E-120V
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Skid Type (Pickup Truck, Ag/Farm Tractor, 3-Point, Class 2/3/4, etc)	Pickup Truck Class 2B,3,4,5
	Water Tank Capacity (In gallons)	225 Gallons
	Water Tank Construction (Plastic, Stainless, etc)	Plastic
	Water Volume (GPM - Gallons per Minute)	4.7 GPM
	Pressure (In PSI)	3500 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	135° F +/- 5°
	Steam Capable? (Yes/No)	Optional
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Honda GX630
	Engine Fuel Type and Capacity (In gallons)	Gasoline 4.75 Gallons

Engine Displacement	688 cm3
Engine Air or Water Cooled	Air
Engine Location	Back Driver's Side
Generator (to power burner)	Yes
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Burner Control and Thermostat Adjustment
Number of Nozzles	5
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire Black
Hose Length (In feet)	50'
High Pressure Hose Reel Included? (Yes/No)	No
Fill Hose Reel Included? (Yes/No)	No
Wand Type	Variable Pressure Wand
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	76 x 48
How is Skid attached to Vehicle/Trailer?	Customer Decision
What is the estimated weight of the unit with the tanks full and ready to spray?	2700 LBS
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"
<b>BASE UNIT PRICE:</b>	<b>\$14,400</b>

**CLASS 5 SKID-TYPE PRESSURE WASHERS**  
**OPTIONS - SPECIFICATION NO. 4.9**  
**Contract No. 203215 - Effective December 1, 2021**

Customer should contact Contract Vendor for questions & assistance with quote

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

Base Unit Price: \$14,400

Spec No.	Description	Price
4.5.1	Date & Title/I.D. of Price List	10.14.21 API Price List
4.5.2	Discount to be applied to Price List <b>*Note:</b> The "Discount to be Applied to Price List" must be a numeric percentage,	0%
4.5.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 100.00
4.5.4	<b><u>EXTENDED WARRANTY OPTIONS</u></b>	NA
4.5.5	<b><u>DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS</u></b>	<b><u>NO FLAT RATE ALLOWED</u></b>
<b><u>DELIVERY STARTING POINT - City, State, Zip</u></b>		Robbinsdale, MN 55422
<b>PRICE PER LOADED MILE:</b>		\$2.75
<b>MINIMUM DELIVERY CHARGE (if applicable)</b>		\$45.00
4.5.6	<b><u>EQUIPMENT INSPECTION &amp; REPAIR RATES</u></b>	
	Hourly Rate for Initial Inspection/Diagnostic :	\$ 129.00
	Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$ 129.00
	Hourly Rate for Body Work (including paint or welding labor) :	\$ 179.00
4.5.7	<b><u>NEW EQUIPMENT RENTAL PROGRAM</u></b>	
	Daily Rental Rate:	NA
	Weekly Rental Rate:	\$2,880.00
	Monthly Rental Rate:	\$5,760.00
	Percent (%) of Rental Fee applied to purchase price:	0%

If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_

**CLASS 5 SKID-TYPE PRESSURE WASHERS**  
**BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.8**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	<b>American Pressure Inc</b>
Contact Person:	<b>Ben Hagemann</b>
Street Address:	<b>3810 W Broadway</b>
P.O. Box:	
City, State, Zip	<b>Robbinsdale, MN 55422</b>
Phone #:	<b>763-521-4442</b>
Toll Free #:	<b>800-544-0836</b>
Fax #:	<b>763-521-4447</b>
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

<b>4.4</b>	<b>Information Requested</b>	<b>Answer</b>
	Make & Model Number	API 225-PGHW4-303E-120V
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Skid Type (Pickup Truck, Ag/Farm Tractor, 3-Point, Class 2/3/4, etc)	Pickup Truck Class 2B,3,4,5
	Water Tank Capacity (In gallons)	225 Gallons
	Water Tank Construction (Plastic, Stainless, etc)	Plastic
	Water Volume (GPM - Gallons per Minute)	3.5 GPM
	Pressure (In PSI)	3000 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	135° F +/- 5°
	Steam Capable? (Yes/No)	Optional
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Honda GX390
	Engine Fuel Type and Capacity (In gallons)	Gasoline 1.6 Gallons

Engine Displacement	389 cm3
Engine Air or Water Cooled	Air
Engine Location	Back Driver's Side
Generator (to power burner)	Yes
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Burner Control and Thermostat Adjustment
Number of Nozzles	5
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire Black
Hose Length (In feet)	50'
High Pressure Hose Reel Included? (Yes/No)	No
Fill Hose Reel Included? (Yes/No)	No
Wand Type	Variable Pressure Wand
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	76 x 48
How is Skid attached to Vehicle/Trailer?	Customer Decision
What is the estimated weight of the unit with the tanks full and ready to spray?	2700 LBS
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"
<b>BASE UNIT PRICE:</b>	<b>\$13,350</b>

**CLASS 5 SKID-TYPE PRESSURE WASHERS**  
**OPTIONS - SPECIFICATION NO. 4.9**  
**Contract No. 203215 - Effective December 1, 2021**

Customer should contact Contract Vendor for questions & assistance with quote

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

Base Unit Price: \$13,350

Spec No.	Description	Price
4.5.1	Date & Title/I.D. of Price List	10.14.21 API Price List
4.5.2	Discount to be applied to Price List <b>*Note:</b> The "Discount to be Applied to Price List" must be a numeric percentage,	0%
4.5.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 100.00
4.5.4	<b><u>EXTENDED WARRANTY OPTIONS</u></b>	NA
4.5.5	<b><u>DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS</u></b>	<b><u>NO FLAT RATE ALLOWED</u></b>
<b><u>DELIVERY STARTING POINT - City, State, Zip</u></b>		Robbinsdale, MN 55422
<b>PRICE PER LOADED MILE:</b>		\$2.75
<b>MINIMUM DELIVERY CHARGE (if applicable)</b>		\$45.00
4.5.6	<b><u>EQUIPMENT INSPECTION &amp; REPAIR RATES</u></b>	
	Hourly Rate for Initial Inspection/Diagnostic :	\$ 129.00
	Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$ 129.00
	Hourly Rate for Body Work (including paint or welding labor) :	\$ 179.00
4.5.7	<b><u>NEW EQUIPMENT RENTAL PROGRAM</u></b>	
	Daily Rental Rate:	NA
	Weekly Rental Rate:	\$2,670.00
	Monthly Rental Rate:	\$5,340.00
	Percent (%) of Rental Fee applied to purchase price:	0%

If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_

**CLASS 5 SKID-TYPE PRESSURE WASHERS**  
**BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.8**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

4.4	Information Requested	Answer
	Make & Model Number	API 225-PGHW5-302E-120V
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Skid Type (Pickup Truck, Ag/Farm Tractor, 3-Point, Class 2/3/4, etc)	Pickup Truck Class 2B,3,4,5
	Water Tank Capacity (In gallons)	225 Gallons
	Water Tank Construction (Plastic, Stainless, etc)	Plastic
	Water Volume (GPM - Gallons per Minute)	4.8 GPM
	Pressure (In PSI)	3000 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	135° F +/- 5°
	Steam Capable? (Yes/No)	Optional
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Briggs Vanguard 18
	Engine Fuel Type and Capacity (In gallons)	Gasoline 4.75 Gallons

Engine Displacement	570 cm3
Engine Air or Water Cooled	Air
Engine Location	Back Driver's Side
Generator (to power burner)	Yes
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Burner Control and Thermostat Adjustment
Number of Nozzles	5
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire Black
Hose Length (In feet)	50'
High Pressure Hose Reel Included? (Yes/No)	No
Fill Hose Reel Included? (Yes/No)	No
Wand Type	Variable Pressure Wand
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	76 x 48
How is Skid attached to Vehicle/Trailer?	Customer Decision
What is the estimated weight of the unit with the tanks full and ready to spray?	2700 LBS
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"
<b>BASE UNIT PRICE:</b>	<b>\$13,630</b>

**CLASS 5 SKID-TYPE PRESSURE WASHERS**  
**OPTIONS - SPECIFICATION NO. 4.9**  
**Contract No. 203215 - Effective December 1, 2021**

Customer should contact Contract Vendor for questions & assistance with quote

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

Base Unit Price: \$13,630

Spec No.	Description	Price
4.5.1	Date & Title/I.D. of Price List	10.14.21 API Price List
4.5.2	Discount to be applied to Price List <b>*Note:</b> The "Discount to be Applied to Price List" must be a numeric percentage,	0%
4.5.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 100.00
4.5.4	<b><u>EXTENDED WARRANTY OPTIONS</u></b>	NA
4.5.5	<b><u>DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS</u></b>	<b><u>NO FLAT RATE ALLOWED</u></b>
<b><u>DELIVERY STARTING POINT - City, State, Zip</u></b>		Robbinsdale, MN 55422
<b>PRICE PER LOADED MILE:</b>		\$2.75
<b>MINIMUM DELIVERY CHARGE (if applicable)</b>		\$45.00
4.5.6	<b><u>EQUIPMENT INSPECTION &amp; REPAIR RATES</u></b>	
	Hourly Rate for Initial Inspection/Diagnostic :	\$ 129.00
	Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$ 129.00
	Hourly Rate for Body Work (including paint or welding labor) :	\$ 179.00
4.5.7	<b><u>NEW EQUIPMENT RENTAL PROGRAM</u></b>	
	Daily Rental Rate:	NA
	Weekly Rental Rate:	\$2,726.00
	Monthly Rental Rate:	\$5,452.00
	Percent (%) of Rental Fee applied to purchase price:	0%

If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_

**CLASS 5 SKID-TYPE PRESSURE WASHERS**  
**BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.8**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	<b>American Pressure Inc</b>
Contact Person:	<b>Ben Hagemann</b>
Street Address:	<b>3810 W Broadway</b>
P.O. Box:	
City, State, Zip	<b>Robbinsdale, MN 55422</b>
Phone #:	<b>763-521-4442</b>
Toll Free #:	<b>800-544-0836</b>
Fax #:	<b>763-521-4447</b>
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

<b>4.4</b>	<b>Information Requested</b>	<b>Answer</b>
	Make & Model Number	API 225-PGHW4-403E-120V
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Skid Type (Pickup Truck, Ag/Farm Tractor, 3-Point, Class 2/3/4, etc)	Pickup Truck Class 2B,3,4,5
	Water Tank Capacity (In gallons)	225 Gallons
	Water Tank Construction (Plastic, Stainless, etc)	Plastic
	Water Volume (GPM - Gallons per Minute)	4.0 GPM
	Pressure (In PSI)	4000 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	135° F +/- 5°
	Steam Capable? (Yes/No)	Optional
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Honda GX630
	Engine Fuel Type and Capacity (In gallons)	Gasoline 4.75 Gallons

Engine Displacement	688 cm3
Engine Air or Water Cooled	Air
Engine Location	Back Driver's Side
Generator (to power burner)	Yes
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Burner Control and Thermostat Adjustment
Number of Nozzles	5
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire Black
Hose Length (In feet)	50'
High Pressure Hose Reel Included? (Yes/No)	No
Fill Hose Reel Included? (Yes/No)	No
Wand Type	Variable Pressure Wand
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	76 x 48
How is Skid attached to Vehicle/Trailer?	Customer Decision
What is the estimated weight of the unit with the tanks full and ready to spray?	2700 LBS
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"
<b>BASE UNIT PRICE:</b>	<b>\$14,500</b>

**CLASS 5 SKID-TYPE PRESSURE WASHERS**  
**OPTIONS - SPECIFICATION NO. 4.9**  
**Contract No. 203215 - Effective December 1, 2021**

Customer should contact Contract Vendor for questions & assistance with quote

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

Base Unit Price: \$14,500

Spec No.	Description	Price
4.5.1	Date & Title/I.D. of Price List	10.14.21 API Price List
4.5.2	Discount to be applied to Price List <b>*Note:</b> The "Discount to be Applied to Price List" must be a numeric percentage,	0%
4.5.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 100.00
4.5.4	<b><u>EXTENDED WARRANTY OPTIONS</u></b>	NA
4.5.5	<b><u>DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS</u></b>	<b><u>NO FLAT RATE ALLOWED</u></b>
<b><u>DELIVERY STARTING POINT - City, State, Zip</u></b>		Robbinsdale, MN 55422
<b>PRICE PER LOADED MILE:</b>		\$2.75
<b>MINIMUM DELIVERY CHARGE (if applicable)</b>		\$45.00
4.5.6	<b><u>EQUIPMENT INSPECTION &amp; REPAIR RATES</u></b>	
	Hourly Rate for Initial Inspection/Diagnostic :	\$ 129.00
	Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$ 129.00
	Hourly Rate for Body Work (including paint or welding labor) :	\$ 179.00
4.5.7	<b><u>NEW EQUIPMENT RENTAL PROGRAM</u></b>	
	Daily Rental Rate:	NA
	Weekly Rental Rate:	\$2,900.00
	Monthly Rental Rate:	\$5,800.00
	Percent (%) of Rental Fee applied to purchase price:	0%

If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_

**CLASS 5 SKID-TYPE PRESSURE WASHERS**  
**BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.8**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	<b>American Pressure Inc</b>
Contact Person:	<b>Ben Hagemann</b>
Street Address:	<b>3810 W Broadway</b>
P.O. Box:	
City, State, Zip	<b>Robbinsdale, MN 55422</b>
Phone #:	<b>763-521-4442</b>
Toll Free #:	<b>800-544-0836</b>
Fax #:	<b>763-521-4447</b>
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

<b>4.4</b>	<b>Information Requested</b>	<b>Answer</b>
	Make & Model Number	API 225-PDHW5-356E-12V
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Skid Type (Pickup Truck, Ag/Farm Tractor, 3-Point, Class 2/3/4, etc)	Pickup Truck Class 2B,3,4,5
	Water Tank Capacity (In gallons)	225 Gallons
	Water Tank Construction (Plastic, Stainless, etc)	Plastic
	Water Volume (GPM - Gallons per Minute)	4.7 GPM
	Pressure (In PSI)	3500 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	135° F +/- 5°
	Steam Capable? (Yes/No)	Optional
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Kubota Z602
	Engine Fuel Type and Capacity (In gallons)	Diesel 22 Gallons

Engine Displacement	599 cm3
Engine Air or Water Cooled	Water
Engine Location	Back Driver's Side
Generator (to power burner)	No
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Keyed Ignition, Burner Control and Thermostat Adjustment
Number of Nozzles	5
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire Black
Hose Length (In feet)	50'
High Pressure Hose Reel Included? (Yes/No)	No
Fill Hose Reel Included? (Yes/No)	No
Wand Type	Variable Pressure Wand
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	76 x 48
How is Skid attached to Vehicle/Trailer?	Customer Decision
What is the estimated weight of the unit with the tanks full and ready to spray?	2700 LBS
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"
<b>BASE UNIT PRICE:</b>	<b>\$19,810</b>

**CLASS 5 SKID-TYPE PRESSURE WASHERS**  
**OPTIONS - SPECIFICATION NO. 4.9**  
**Contract No. 203215 - Effective December 1, 2021**

Customer should contact Contract Vendor for questions & assistance with quote

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

Base Unit Price: \$19,810

Spec No.	Description	Price
4.5.1	Date & Title/I.D. of Price List	10.14.21 API Price List
4.5.2	Discount to be applied to Price List <b>*Note:</b> The "Discount to be Applied to Price List" must be a numeric percentage,	0%
4.5.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 100.00
4.5.4	<b><u>EXTENDED WARRANTY OPTIONS</u></b>	NA
4.5.5	<b><u>DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS</u></b>	<b><u>NO FLAT RATE ALLOWED</u></b>
<b><u>DELIVERY STARTING POINT - City, State, Zip</u></b>		Robbinsdale, MN 55422
<b>PRICE PER LOADED MILE:</b>		\$2.75
<b>MINIMUM DELIVERY CHARGE (if applicable)</b>		\$45.00
4.5.6	<b><u>EQUIPMENT INSPECTION &amp; REPAIR RATES</u></b>	
	Hourly Rate for Initial Inspection/Diagnostic :	\$ 129.00
	Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$ 129.00
	Hourly Rate for Body Work (including paint or welding labor) :	\$ 179.00
4.5.7	<b><u>NEW EQUIPMENT RENTAL PROGRAM</u></b>	
	Daily Rental Rate:	NA
	Weekly Rental Rate:	\$3,962.00
	Monthly Rental Rate:	\$7,924.00
	Percent (%) of Rental Fee applied to purchase price:	0%

If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_

**CLASS 5 SKID-TYPE PRESSURE WASHERS**  
**BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.8**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	<b>American Pressure Inc</b>
Contact Person:	<b>Ben Hagemann</b>
Street Address:	<b>3810 W Broadway</b>
P.O. Box:	
City, State, Zip	<b>Robbinsdale, MN 55422</b>
Phone #:	<b>763-521-4442</b>
Toll Free #:	<b>800-544-0836</b>
Fax #:	<b>763-521-4447</b>
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

<b>4.4</b>	<b>Information Requested</b>	<b>Answer</b>
	Make & Model Number	API 225-PDHW5-356E-120V
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Skid Type (Pickup Truck, Ag/Farm Tractor, 3-Point, Class 2/3/4, etc)	Pickup Truck Class 2B,3,4,5
	Water Tank Capacity (In gallons)	225 Gallons
	Water Tank Construction (Plastic, Stainless, etc)	Plastic
	Water Volume (GPM - Gallons per Minute)	4.7 GPM
	Pressure (In PSI)	3500 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	135° F +/- 5°
	Steam Capable? (Yes/No)	Optional
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Kubota Z602
	Engine Fuel Type and Capacity (In gallons)	Diesel 22 Gallons

Engine Displacement	599 cm3
Engine Air or Water Cooled	Water
Engine Location	Back Driver's Side
Generator (to power burner)	Yes
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Keyed Ignition, Burner Control, Thermostat Adjustment and 120V Receptacle
Number of Nozzles	5
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire Black
Hose Length (In feet)	50'
High Pressure Hose Reel Included? (Yes/No)	No
Fill Hose Reel Included? (Yes/No)	No
Wand Type	Variable Pressure Wand
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	76 x 48
How is Skid attached to Vehicle/Trailer?	Customer Decision
What is the estimated weight of the unit with the tanks full and ready to spray?	2750 LBS
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"
<b>BASE UNIT PRICE:</b>	<b>\$20,760</b>

**CLASS 5 SKID-TYPE PRESSURE WASHERS**  
**OPTIONS - SPECIFICATION NO. 4.9**  
**Contract No. 203215 - Effective December 1, 2021**

Customer should contact Contract Vendor for questions & assistance with quote

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

Base Unit Price: \$20,760

Spec No.	Description	Price
4.5.1	Date & Title/I.D. of Price List	10.14.21 API Price List
4.5.2	Discount to be applied to Price List *Note: The "Discount to be Applied to Price List" must be a numeric percentage,	0%
4.5.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 100.00
4.5.4	<b><u>EXTENDED WARRANTY OPTIONS</u></b>	NA
4.5.5	<b><u>DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS</u></b>	<b><u>NO FLAT RATE ALLOWED</u></b>
<b><u>DELIVERY STARTING POINT - City, State, Zip</u></b>		Robbinsdale, MN 55422
<b>PRICE PER LOADED MILE:</b>		\$2.75
<b>MINIMUM DELIVERY CHARGE (if applicable)</b>		\$45.00
4.5.6	<b><u>EQUIPMENT INSPECTION &amp; REPAIR RATES</u></b>	
	Hourly Rate for Initial Inspection/Diagnostic :	\$ 129.00
	Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$ 129.00
	Hourly Rate for Body Work (including paint or welding labor) :	\$ 179.00
4.5.7	<b><u>NEW EQUIPMENT RENTAL PROGRAM</u></b>	
	Daily Rental Rate:	NA
	Weekly Rental Rate:	\$4,152.00
	Monthly Rental Rate:	\$8,304.00
	Percent (%) of Rental Fee applied to purchase price:	0%

If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_

**CLASS 5 SKID-TYPE PRESSURE WASHERS**  
**BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.8**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

4.4	Information Requested	Answer
	Make & Model Number	API 225-5355J-12V
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Skid Type (Pickup Truck, Ag/Farm Tractor, 3-Point, Class 2/3/4, etc)	Pickup Truck Class 2B,3,4,5
	Water Tank Capacity (In gallons)	225 Gallons
	Water Tank Construction (Plastic, Stainless, etc)	Plastic
	Water Volume (GPM - Gallons per Minute)	5.0 GPM
	Pressure (In PSI)	3500 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	135° F +/- 5°
	Steam Capable? (Yes/No)	Optional
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Honda GX630
	Engine Fuel Type and Capacity (In gallons)	Gasoline 6 Gallons

Engine Displacement	688 cm3
Engine Air or Water Cooled	Air
Engine Location	Back Middle
Generator (to power burner)	No
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Burner Control
Number of Nozzles	4
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire Black
Hose Length (In feet)	50'
High Pressure Hose Reel Included? (Yes/No)	No
Fill Hose Reel Included? (Yes/No)	No
Wand Type	Straight Wand
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	76 x 48
How is Skid attached to Vehicle/Trailer?	Customer Decision
What is the estimated weight of the unit with the tanks full and ready to spray?	2850 LBS
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"
<b>BASE UNIT PRICE:</b>	<b>\$14,325</b>

**CLASS 5 SKID-TYPE PRESSURE WASHERS**  
**OPTIONS - SPECIFICATION NO. 4.9**  
**Contract No. 203215 - Effective December 1, 2021**

Customer should contact Contract Vendor for questions & assistance with quote

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

Base Unit Price: \$14,325

Spec No.	Description	Price
4.5.1	Date & Title/I.D. of Price List	10.14.21 API Price List
4.5.2	Discount to be applied to Price List <b>*Note:</b> The "Discount to be Applied to Price List" must be a numeric percentage,	0%
4.5.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 100.00
4.5.4	<b><u>EXTENDED WARRANTY OPTIONS</u></b>	NA
4.5.5	<b><u>DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS</u></b>	<b><u>NO FLAT RATE ALLOWED</u></b>
<b><u>DELIVERY STARTING POINT - City, State, Zip</u></b>		Robbinsdale, MN 55422
<b>PRICE PER LOADED MILE:</b>		\$2.75
<b>MINIMUM DELIVERY CHARGE (if applicable)</b>		\$45.00
4.5.6	<b><u>EQUIPMENT INSPECTION &amp; REPAIR RATES</u></b>	
	Hourly Rate for Initial Inspection/Diagnostic :	\$ 129.00
	Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$ 129.00
	Hourly Rate for Body Work (including paint or welding labor) :	\$ 179.00
4.5.7	<b><u>NEW EQUIPMENT RENTAL PROGRAM</u></b>	
	Daily Rental Rate:	NA
	Weekly Rental Rate:	\$2,865.00
	Monthly Rental Rate:	\$5,730.00
	Percent (%) of Rental Fee applied to purchase price:	0%

If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_

**CLASS 5 SKID-TYPE PRESSURE WASHERS**  
**BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.8**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	<b>American Pressure Inc</b>
Contact Person:	<b>Ben Hagemann</b>
Street Address:	<b>3810 W Broadway</b>
P.O. Box:	
City, State, Zip	<b>Robbinsdale, MN 55422</b>
Phone #:	<b>763-521-4442</b>
Toll Free #:	<b>800-544-0836</b>
Fax #:	<b>763-521-4447</b>
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

<b>4.4</b>	<b>Information Requested</b>	<b>Answer</b>
	Make & Model Number	API 225-4405GAA-12V
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Skid Type (Pickup Truck, Ag/Farm Tractor, 3-Point, Class 2/3/4, etc)	Pickup Truck Class 2B,3,4,5
	Water Tank Capacity (In gallons)	225 Gallons
	Water Tank Construction (Plastic, Stainless, etc)	Plastic
	Water Volume (GPM - Gallons per Minute)	4.0 GPM
	Pressure (In PSI)	4000 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	135° F +/- 5°
	Steam Capable? (Yes/No)	Optional
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Honda GX630
	Engine Fuel Type and Capacity (In gallons)	Gasoline 6 Gallons

Engine Displacement	688 cm3
Engine Air or Water Cooled	Air
Engine Location	Back Middle
Generator (to power burner)	No
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Burner Control
Number of Nozzles	4
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire Black
Hose Length (In feet)	50'
High Pressure Hose Reel Included? (Yes/No)	No
Fill Hose Reel Included? (Yes/No)	No
Wand Type	Straight Wand
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	76 x 48
How is Skid attached to Vehicle/Trailer?	Customer Decision
What is the estimated weight of the unit with the tanks full and ready to spray?	2750 LBS
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"
<b>BASE UNIT PRICE:</b>	<b>\$14,725</b>

**CLASS 5 SKID-TYPE PRESSURE WASHERS**  
**OPTIONS - SPECIFICATION NO. 4.9**  
**Contract No. 203215 - Effective December 1, 2021**

Customer should contact Contract Vendor for questions & assistance with quote

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

Base Unit Price: \$14,725

Spec No.	Description	Price
4.5.1	Date & Title/I.D. of Price List	10.14.21 API Price List
4.5.2	Discount to be applied to Price List *Note: The "Discount to be Applied to Price List" must be a numeric percentage,	0%
4.5.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 100.00
4.5.4	<b><u>EXTENDED WARRANTY OPTIONS</u></b>	
		NA
4.5.5	<b><u>DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS</u></b>	
		<b><u>NO FLAT RATE ALLOWED</u></b>
	<b><u>DELIVERY STARTING POINT - City, State, Zip</u></b>	Robbinsdale, MN 55422
	<b>PRICE PER LOADED MILE:</b>	\$2.75
	<b>MINIMUM DELIVERY CHARGE (if applicable)</b>	\$45.00
4.5.6	<b><u>EQUIPMENT INSPECTION &amp; REPAIR RATES</u></b>	
	Hourly Rate for Initial Inspection/Diagnostic :	\$ 129.00
	Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$ 129.00
	Hourly Rate for Body Work (including paint or welding labor) :	\$ 179.00
4.5.7	<b><u>NEW EQUIPMENT RENTAL PROGRAM</u></b>	
	Daily Rental Rate:	NA
	Weekly Rental Rate:	\$2,945.00
	Monthly Rental Rate:	\$5,890.00
	Percent (%) of Rental Fee applied to purchase price:	0%

If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_

**CLASS 5 SKID-TYPE PRESSURE WASHERS**  
**BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.8**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	<b>American Pressure Inc</b>
Contact Person:	<b>Ben Hagemann</b>
Street Address:	<b>3810 W Broadway</b>
P.O. Box:	
City, State, Zip	<b>Robbinsdale, MN 55422</b>
Phone #:	<b>763-521-4442</b>
Toll Free #:	<b>800-544-0836</b>
Fax #:	<b>763-521-4447</b>
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

<b>4.4</b>	<b>Information Requested</b>	<b>Answer</b>
	Make & Model Number	API 225-4405EAA-12V
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Skid Type (Pickup Truck, Ag/Farm Tractor, 3-Point, Class 2/3/4, etc)	Pickup Truck Class 2B,3,4,5
	Water Tank Capacity (In gallons)	225 Gallons
	Water Tank Construction (Plastic, Stainless, etc)	Plastic
	Water Volume (GPM - Gallons per Minute)	4.0 GPM
	Pressure (In PSI)	4000 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	135° F +/- 5°
	Steam Capable? (Yes/No)	Optional
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Briggs Vanguard 18
	Engine Fuel Type and Capacity (In gallons)	Gasoline 6 Gallons

Engine Displacement	570 cm3
Engine Air or Water Cooled	Air
Engine Location	Back Middle
Generator (to power burner)	No
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Burner Control
Number of Nozzles	4
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire Black
Hose Length (In feet)	50'
High Pressure Hose Reel Included? (Yes/No)	No
Fill Hose Reel Included? (Yes/No)	No
Wand Type	Straight Wand
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	76 x 48
How is Skid attached to Vehicle/Trailer?	Customer Decision
What is the estimated weight of the unit with the tanks full and ready to spray?	2750 LBS
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"
<b>BASE UNIT PRICE:</b>	<b>\$14,050</b>

**CLASS 5 SKID-TYPE PRESSURE WASHERS**  
**OPTIONS - SPECIFICATION NO. 4.9**  
**Contract No. 203215 - Effective December 1, 2021**

Customer should contact Contract Vendor for questions & assistance with quote

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

Base Unit Price: \$14,050

Spec No.	Description	Price
4.5.1	Date & Title/I.D. of Price List	10.14.21 API Price List
4.5.2	Discount to be applied to Price List <b>*Note:</b> The "Discount to be Applied to Price List" must be a numeric percentage,	0%
4.5.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 100.00
4.5.4	<b><u>EXTENDED WARRANTY OPTIONS</u></b>	NA
4.5.5	<b><u>DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS</u></b>	<b><u>NO FLAT RATE ALLOWED</u></b>
<b><u>DELIVERY STARTING POINT - City, State, Zip</u></b>		Robbinsdale, MN 55422
<b>PRICE PER LOADED MILE:</b>		\$2.75
<b>MINIMUM DELIVERY CHARGE (if applicable)</b>		\$45.00
4.5.6	<b><u>EQUIPMENT INSPECTION &amp; REPAIR RATES</u></b>	
	Hourly Rate for Initial Inspection/Diagnostic :	\$ 129.00
	Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$ 129.00
	Hourly Rate for Body Work (including paint or welding labor) :	\$ 179.00
4.5.7	<b><u>NEW EQUIPMENT RENTAL PROGRAM</u></b>	
	Daily Rental Rate:	NA
	Weekly Rental Rate:	\$2,810
	Monthly Rental Rate:	\$5,620
	Percent (%) of Rental Fee applied to purchase price:	0%

If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_

**CLASS 5 TRAILER PRESSURE WASHERS**  
**BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.10**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

4.6	Information Requested	Answer
	Make & Model Number	API TRV-PGHW5-353E-120V
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Trailer Type (Pickup Truck, Ag/Farm Tractor, 3-Point, Class 2/3/4, etc)	Pickup Truck Class 2A,2B,3,4,5
	Water Tank Capacity (In gallons)	200 Gallons
	Water Tank Construction (Plastic, Stainless, etc)	Plastic
	Water Volume (GPM - Gallons per Minute)	4.7 GPM
	Pressure (In PSI)	3500 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	135°F +/- 5°
	Steam Capable? (Yes/No)	Optional
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Honda GX630
	Engine Fuel Type and Capacity (In gallons)	Gasoline 4.75 Gallons
	Engine Displacement	688 cm3

Engine Air or Water Cooled	Air
Engine Location	Front Driver's Side
Generator (to power burner)	Yes
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Burner Control and Thermostat Adjustment
Number of Nozzles	5
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire
Hose Length (In feet)	100'
High Pressure Hose Reel Included? (Yes/No)	Yes
Fill Hose Reel Included? (Yes/No)	Yes w/ 100' of Garden Hose
Wand Type	Variable Pressure 42"
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	48" x 32"
How is Skid attached to Vehicle/Trailer?	Bolted
Trailer Type (deck-over, deck-under, open frame, enclosed)	Open Frame
Number of Axles & Weight Rating per Axle	1 Axle 3500 lbs
Trailer Size/Length	12 Feet Long
Trailer Hitch Type	Lunnette Eye Coupler
Trailer Tire Size & Rating	205/75/R15 2830 lbs per Tire Rating
Does the Trailer have brakes?	Yes
If yes, what type of brakes?	Electric
Does the Trailer have lights? (i.e. stop/turn/tail)	Yes - DOT Approved
What is the estimated weight of the unit with the tanks full and ready to spray?	3100 lbs
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"

BASE UNIT PRICE:	\$16,215
------------------	----------

**CLASS 5 TRAILER PRESSURE WASHERS**  
**OPTIONS - SPECIFICATION NO. 4.11**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

**Base Unit Price:** \$16,215

Spec No.	Description	Price
4.7.1	Date & Title/I.D. of Price List	10.14.21 API Price List
4.7.2	Discount to be applied to Price List <b>*Note:</b> The "Discount to be Applied to Price List" must be a numeric percentage,	0%
4.7.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 120.00
4.7.4	<b><u>EXTENDED WARRANTY OPTIONS</u></b>	
		NA
4.7.5	<b><u>DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS</u></b>	
	<b><u>NO FLAT RATE ALLOWED</u></b>	
	<b><u>DELIVERY STARTING POINT - City, State, Zip</u></b>	Robbinsdale, MN 55422
	<b>PRICE PER LOADED MILE:</b>	2.75
	<b>MINIMUM DELIVERY CHARGE (if applicable)</b>	45
4.7.6	<b><u>EQUIPMENT INSPECTION &amp; REPAIR RATES</u></b>	
	Hourly Rate for Initial Inspection/Diagnostic :	\$ 129.00
	Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$ 129.00
	Hourly Rate for Body Work (including paint or welding labor) :	\$ 179.00
4.7.7	<b><u>NEW EQUIPMENT RENTAL PROGRAM</u></b>	
	Daily Rental Rate:	NA
	Weekly Rental Rate:	3243
	Monthly Rental Rate:	6486
	Percent (%) of Rental Fee applied to purchase price:	0%

**If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here:** \_\_\_\_\_

**CLASS 5 TRAILER PRESSURE WASHERS**  
**BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.10**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

4.6	Information Requested	Answer
	Make & Model Number	API TRV-PGDC5-353E-12V
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Trailer Type (Pickup Truck, Ag/Farm Tractor, 3-Point, Class 2/3/4, etc)	Pickup Truck Class 2A,2B,3,4,5
	Water Tank Capacity (In gallons)	200 Gallons
	Water Tank Construction (Plastic, Stainless, etc)	Plastic
	Water Volume (GPM - Gallons per Minute)	4.7 GPM
	Pressure (In PSI)	3500 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	135°F +/- 5°
	Steam Capable? (Yes/No)	Optional
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Honda GX630
	Engine Fuel Type and Capacity (In gallons)	Gasoline 4.75 Gallons
	Engine Displacement	688 cm3

Engine Air or Water Cooled	Air
Engine Location	Front Driver's Side
Generator (to power burner)	No
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Burner Control and Thermostat Adjustment
Number of Nozzles	5
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire
Hose Length (In feet)	100'
High Pressure Hose Reel Included? (Yes/No)	Yes
Fill Hose Reel Included? (Yes/No)	Yes w/ 100' of Garden Hose
Wand Type	Variable Pressure 42"
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	48" x 32"
How is Skid attached to Vehicle/Trailer?	Bolted
Trailer Type (deck-over, deck-under, open frame, enclosed)	Open Frame
Number of Axles & Weight Rating per Axle	1 Axle 3500 lbs
Trailer Size/Length	12 Feet Long
Trailer Hitch Type	Lunnette Eye Coupler
Trailer Tire Size & Rating	205/75/R15 2830 lbs per Tire Rating
Does the Trailer have brakes?	Yes
If yes, what type of brakes?	Electric
Does the Trailer have lights? (i.e. stop/turn/tail)	Yes - DOT Approved
What is the estimated weight of the unit with the tanks full and ready to spray?	3000 lbs
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"

BASE UNIT PRICE:	\$14,284
------------------	----------

**CLASS 5 TRAILER PRESSURE WASHERS**  
**OPTIONS - SPECIFICATION NO. 4.11**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

**Base Unit Price:** \$14,284

Spec No.	Description	Price
4.7.1	Date & Title/I.D. of Price List	10.14.21 API Price List
4.7.2	Discount to be applied to Price List <b>*Note:</b> The "Discount to be Applied to Price List" must be a numeric percentage,	0%
4.7.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 120.00
4.7.4	<b><u>EXTENDED WARRANTY OPTIONS</u></b>	
		NA
4.7.5	<b><u>DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS</u></b>	
	<b><u>NO FLAT RATE ALLOWED</u></b>	
	<b><u>DELIVERY STARTING POINT - City, State, Zip</u></b>	
	Robbinsdale, MN 55422	
	<b>PRICE PER LOADED MILE:</b>	2.75
	<b>MINIMUM DELIVERY CHARGE (if applicable)</b>	45
4.7.6	<b><u>EQUIPMENT INSPECTION &amp; REPAIR RATES</u></b>	
	Hourly Rate for Initial Inspection/Diagnostic :	\$ 129.00
	Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$ 129.00
	Hourly Rate for Body Work (including paint or welding labor) :	\$ 179.00
4.7.7	<b><u>NEW EQUIPMENT RENTAL PROGRAM</u></b>	
	Daily Rental Rate:	NA
	Weekly Rental Rate:	2857
	Monthly Rental Rate:	5714
	Percent (%) of Rental Fee applied to purchase price:	0%

**If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_**

**CLASS 5 TRAILER PRESSURE WASHERS**  
**BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.10**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

4.6	Information Requested	Answer
	Make & Model Number	API TRV-PGDC5-352E-12V
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Trailer Type (Pickup Truck, Ag/Farm Tractor, 3-Point, Class 2/3/4, etc)	Pickup Truck Class 2A,2B,3,4,5
	Water Tank Capacity (In gallons)	200 Gallons
	Water Tank Construction (Plastic, Stainless, etc)	Plastic
	Water Volume (GPM - Gallons per Minute)	4.7 GPM
	Pressure (In PSI)	3500 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	135°F +/- 5°
	Steam Capable? (Yes/No)	Optional
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Briggs Vanguard 18
	Engine Fuel Type and Capacity (In gallons)	Gasoline 4.75 Gallons
	Engine Displacement	570 cm3

Engine Air or Water Cooled	Air
Engine Location	Front Passenger's Side
Generator (to power burner)	No
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Burner Control and Thermostat Adjustment
Number of Nozzles	5
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire
Hose Length (In feet)	100'
High Pressure Hose Reel Included? (Yes/No)	Yes
Fill Hose Reel Included? (Yes/No)	Yes w/ 100' of Garden Hose
Wand Type	Variable Pressure 42"
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	48" x 32"
How is Skid attached to Vehicle/Trailer?	Bolted
Trailer Type (deck-over, deck-under, open frame, enclosed)	Open Frame
Number of Axles & Weight Rating per Axle	1 Axle 3500 lbs
Trailer Size/Length	12 Feet Long
Trailer Hitch Type	Lunnette Eye Coupler
Trailer Tire Size & Rating	205/75/R15 2830 lbs per Tire Rating
Does the Trailer have brakes?	Yes
If yes, what type of brakes?	Electric
Does the Trailer have lights? (i.e. stop/turn/tail)	Yes - DOT Approved
What is the estimated weight of the unit with the tanks full and ready to spray?	3000 lbs
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"

BASE UNIT PRICE:	\$13,750
------------------	----------

**CLASS 5 TRAILER PRESSURE WASHERS**  
**OPTIONS - SPECIFICATION NO. 4.11**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

**Base Unit Price:** \$13,750

Spec No.	Description	Price
4.7.1	Date & Title/I.D. of Price List	10.14.21 API Price List
4.7.2	Discount to be applied to Price List <b>*Note:</b> The "Discount to be Applied to Price List" must be a numeric percentage,	0%
4.7.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 120.00
4.7.4	<b><u>EXTENDED WARRANTY OPTIONS</u></b>	NA
4.7.5	<b><u>DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS</u></b>	<b><u>NO FLAT RATE ALLOWED</u></b>
<b><u>DELIVERY STARTING POINT - City, State, Zip</u></b>		Robbinsdale, MN 55422
<b>PRICE PER LOADED MILE:</b>		2.75
<b>MINIMUM DELIVERY CHARGE (if applicable)</b>		45
4.7.6	<b><u>EQUIPMENT INSPECTION &amp; REPAIR RATES</u></b>	
	Hourly Rate for Initial Inspection/Diagnostic :	\$ 129.00
	Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$ 129.00
	Hourly Rate for Body Work (including paint or welding labor) :	\$ 179.00
4.7.7	<b><u>NEW EQUIPMENT RENTAL PROGRAM</u></b>	
	Daily Rental Rate:	NA
	Weekly Rental Rate:	2750
	Monthly Rental Rate:	5500
	Percent (%) of Rental Fee applied to purchase price:	0%

**If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here:** \_\_\_\_\_

**CLASS 5 TRAILER PRESSURE WASHERS**  
**BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.10**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	<b>American Pressure Inc</b>
Contact Person:	<b>Ben Hagemann</b>
Street Address:	<b>3810 W Broadway</b>
P.O. Box:	
City, State, Zip	<b>Robbinsdale, MN 55422</b>
Phone #:	<b>763-521-4442</b>
Toll Free #:	<b>800-544-0836</b>
Fax #:	<b>763-521-4447</b>
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

<b>4.6</b>	<b>Information Requested</b>	<b>Answer</b>
	Make & Model Number	API 20151-5355JB-120V
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Trailer Type (Pickup Truck, Ag/Farm Tractor, 3-Point, Class 2/3/4, etc)	Pickup Truck Class 2A,2B,3,4,5
	Water Tank Capacity (In gallons)	230 Gallons
	Water Tank Construction (Plastic, Stainless, etc)	Plastic
	Water Volume (GPM - Gallons per Minute)	5.0 GPM
	Pressure (In PSI)	3500 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	135°F +/- 5°
	Steam Capable? (Yes/No)	Optional
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Honda GX630
	Engine Fuel Type and Capacity (In gallons)	Gasoline 6 Gallons
	Engine Displacement	688 cm3

Engine Air or Water Cooled	Air
Engine Location	Front Middle
Generator (to power burner)	Yes
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Burner Control
Number of Nozzles	5
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire
Hose Length (In feet)	100'
High Pressure Hose Reel Included? (Yes/No)	Yes
Fill Hose Reel Included? (Yes/No)	Yes w/ 100' of Garden Hose
Wand Type	Straight Wand
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	48" x 34"
How is Skid attached to Vehicle/Trailer?	Bolted
Trailer Type (deck-over, deck-under, open frame, enclosed)	Open Frame
Number of Axles & Weight Rating per Axle	1 Axle 3500 lbs
Trailer Size/Length	11 Feet
Trailer Hitch Type	Lunnette Eye Coupler
Trailer Tire Size & Rating	205/75/R15 2830 lbs per Tire Rating
Does the Trailer have brakes?	Yes
If yes, what type of brakes?	Electric
Does the Trailer have lights? (i.e. stop/turn/tail)	Yes - DOT Approved
What is the estimated weight of the unit with the tanks full and ready to spray?	3250 lbs
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"

BASE UNIT PRICE:	\$17,970
------------------	----------

**CLASS 5 TRAILER PRESSURE WASHERS**  
**OPTIONS - SPECIFICATION NO. 4.11**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

**Base Unit Price:** \$ 17,970.00

Spec No.	Description	Price
----------	-------------	-------

4.7.1	Date & Title/I.D. of Price List	10.14.21 API Price List
-------	---------------------------------	-------------------------

4.7.2	Discount to be applied to Price List	0%
-------	--------------------------------------	----

**\*Note:** The "Discount to be Applied to Price List" must be a numeric percentage,

4.7.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 120.00
-------	--	-----------

4.7.4	<b><u>EXTENDED WARRANTY OPTIONS</u></b>	
-------	---	--

	NA
--	----

4.7.5	<b><u>DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS</u></b>	<b><u>NO FLAT RATE ALLOWED</u></b>
-------	---	------------------------------------

**DELIVERY STARTING POINT - City, State, Zip** Robbinsdale, MN 55422

<b>PRICE PER LOADED MILE:</b>	2.75
-------------------------------	------

<b>MINIMUM DELIVERY CHARGE (if applicable)</b>	45
--	----

4.7.6	<b><u>EQUIPMENT INSPECTION &amp; REPAIR RATES</u></b>	
-------	---	--

Hourly Rate for Initial Inspection/Diagnostic :	\$ 129.00
---	-----------

Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$ 129.00
--	-----------

Hourly Rate for Body Work (including paint or welding labor) :	\$ 179.00
--	-----------

4.7.7	<b><u>NEW EQUIPMENT RENTAL PROGRAM</u></b>	
-------	--	--

Daily Rental Rate:	NA
--------------------	----

Weekly Rental Rate:	3594
---------------------	------

Monthly Rental Rate:	7188
----------------------	------

Percent (%) of Rental Fee applied to purchase price:	0%
--	----

**If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_**

**CLASS 5 TRAILER PRESSURE WASHERS**  
**BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.10**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

4.6	Information Requested	Answer
	Make & Model Number	API 20151-5305A-120V
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Trailer Type (Pickup Truck, Ag/Farm Tractor, 3-Point, Class 2/3/4, etc)	Pickup Truck Class 2A,2B,3,4,5
	Water Tank Capacity (In gallons)	230 Gallons
	Water Tank Construction (Plastic, Stainless, etc)	Plastic
	Water Volume (GPM - Gallons per Minute)	5 GPM
	Pressure (In PSI)	3000 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	135°F +/- 5°
	Steam Capable? (Yes/No)	Optional
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Briggs Vanguard 18
	Engine Fuel Type and Capacity (In gallons)	Gasoline 6 Gallons
	Engine Displacement	570 cm3

Engine Air or Water Cooled	Air
Engine Location	Front Middle
Generator (to power burner)	Yes
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Burner Control
Number of Nozzles	5
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire
Hose Length (In feet)	100'
High Pressure Hose Reel Included? (Yes/No)	Yes
Fill Hose Reel Included? (Yes/No)	Yes w/ 100' of Garden Hose
Wand Type	Straight Wand
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	48" x 34"
How is Skid attached to Vehicle/Trailer?	Bolted
Trailer Type (deck-over, deck-under, open frame, enclosed)	Open Frame
Number of Axles & Weight Rating per Axle	1 Axle 3500 lbs
Trailer Size/Length	12 Feet Long
Trailer Hitch Type	Lunnette Eye Coupler
Trailer Tire Size & Rating	205/75/R15 2830 lbs per Tire Rating
Does the Trailer have brakes?	Yes
If yes, what type of brakes?	Electric
Does the Trailer have lights? (i.e. stop/turn/tail)	Yes - DOT Approved
What is the estimated weight of the unit with the tanks full and ready to spray?	3400 lbs
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"

BASE UNIT PRICE:	\$19,050
------------------	----------

**CLASS 5 TRAILER PRESSURE WASHERS**  
**OPTIONS - SPECIFICATION NO. 4.11**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

**Base Unit Price:** \$19,050

Spec No.	Description	Price
4.7.1	Date & Title/I.D. of Price List	10.14.21 API Price List
4.7.2	Discount to be applied to Price List <b>*Note:</b> The "Discount to be Applied to Price List" must be a numeric percentage,	0%
4.7.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 120.00
4.7.4	<b><u>EXTENDED WARRANTY OPTIONS</u></b>	NA
4.7.5	<b><u>DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS</u></b>	<b><u>NO FLAT RATE ALLOWED</u></b>
<b><u>DELIVERY STARTING POINT - City, State, Zip</u></b>		Robbinsdale, MN 55422
<b>PRICE PER LOADED MILE:</b>		2.75
<b>MINIMUM DELIVERY CHARGE (if applicable)</b>		45
4.7.6	<b><u>EQUIPMENT INSPECTION &amp; REPAIR RATES</u></b>	
	Hourly Rate for Initial Inspection/Diagnostic :	\$ 129.00
	Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$ 129.00
	Hourly Rate for Body Work (including paint or welding labor) :	\$ 179.00
4.7.7	<b><u>NEW EQUIPMENT RENTAL PROGRAM</u></b>	
	Daily Rental Rate:	NA
	Weekly Rental Rate:	3594
	Monthly Rental Rate:	7188
	Percent (%) of Rental Fee applied to purchase price:	0%

**If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_**

**CLASS 5 TRAILER PRESSURE WASHERS**  
**BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.10**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

4.6	Information Requested	Answer
	Make & Model Number	API 20151-4405GAA-12V
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Trailer Type (Pickup Truck, Ag/Farm Tractor, 3-Point, Class 2/3/4, etc)	Pickup Truck Class 2A,2B,3,4,5
	Water Tank Capacity (In gallons)	230 Gallons
	Water Tank Construction (Plastic, Stainless, etc)	Plastic
	Water Volume (GPM - Gallons per Minute)	4.0 GPM
	Pressure (In PSI)	4000 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	135°F +/- 5°
	Steam Capable? (Yes/No)	Optional
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Honda GX630
	Engine Fuel Type and Capacity (In gallons)	Gasoline 6 Gallons
	Engine Displacement	688 cm3

Engine Air or Water Cooled	Air
Engine Location	Front Middle
Generator (to power burner)	No
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Burner Control
Number of Nozzles	5
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire
Hose Length (In feet)	100'
High Pressure Hose Reel Included? (Yes/No)	Yes
Fill Hose Reel Included? (Yes/No)	Yes w/ 100' of Garden Hose
Wand Type	Straight Wand
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	48" x 34"
How is Skid attached to Vehicle/Trailer?	Bolted
Trailer Type (deck-over, deck-under, open frame, enclosed)	Open Frame
Number of Axles & Weight Rating per Axle	1 Axle 3500 lbs
Trailer Size/Length	11 Feet Long
Trailer Hitch Type	Lunnette Eye Coupler
Trailer Tire Size & Rating	205/75/R15 2830 lbs per Tire Rating
Does the Trailer have brakes?	Yes
If yes, what type of brakes?	Electric
Does the Trailer have lights? (i.e. stop/turn/tail)	Yes - DOT Approved
What is the estimated weight of the unit with the tanks full and ready to spray?	3300 lbs
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"

BASE UNIT PRICE:	\$17,850
------------------	----------

**CLASS 5 TRAILER PRESSURE WASHERS**  
**OPTIONS - SPECIFICATION NO. 4.11**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

**Base Unit Price:** \$17,850

Spec No.	Description	Price
----------	-------------	-------

4.7.1	Date & Title/I.D. of Price List	10.14.21 API Price List
-------	---------------------------------	-------------------------

4.7.2	Discount to be applied to Price List	0%
-------	--------------------------------------	----

**\*Note:** The "Discount to be Applied to Price List" must be a numeric percentage,

4.7.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 120.00
-------	--	-----------

4.7.4	<b><u>EXTENDED WARRANTY OPTIONS</u></b>	
-------	---	--

NA

4.7.5	<b><u>DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS</u></b>	<b><u>NO FLAT RATE ALLOWED</u></b>
-------	---	------------------------------------

**DELIVERY STARTING POINT - City, State, Zip** Robbinsdale, MN 55422

**PRICE PER LOADED MILE:** 2.75

**MINIMUM DELIVERY CHARGE (if applicable)** 45

4.7.6	<b><u>EQUIPMENT INSPECTION &amp; REPAIR RATES</u></b>	
-------	---	--

Hourly Rate for Initial Inspection/Diagnostic :	\$	129.00
Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$	129.00
Hourly Rate for Body Work (including paint or welding labor) :	\$	179.00

4.7.7	<b><u>NEW EQUIPMENT RENTAL PROGRAM</u></b>	
-------	--	--

Daily Rental Rate:	NA	
Weekly Rental Rate:		3570
Monthly Rental Rate:		7140
Percent (%) of Rental Fee applied to purchase price:		0%

**If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here:** \_\_\_\_\_

# CLASS 5 TRAILER PRESSURE WASHERS

## BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.10

**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

4.6	Information Requested	Answer
	Make & Model Number	API 20151-5355J-12V
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Trailer Type (Pickup Truck, Ag/Farm Tractor, 3-Point, Class 2/3/4, etc)	Pickup Truck Class 2A,2B,3,4,5
	Water Tank Capacity (In gallons)	230 Gallons
	Water Tank Construction (Plastic, Stainless, etc)	Plastic
	Water Volume (GPM - Gallons per Minute)	5.0 GPM
	Pressure (In PSI)	3500 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	135°F +/- 5°
	Steam Capable? (Yes/No)	Optional
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Honda GX630
	Engine Fuel Type and Capacity (In gallons)	Gasoline 6 Gallons
	Engine Displacement	688 cm3

Engine Air or Water Cooled	Air
Engine Location	Front Middle
Generator (to power burner)	No
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Burner Control
Number of Nozzles	5
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire
Hose Length (In feet)	100'
High Pressure Hose Reel Included? (Yes/No)	Yes
Fill Hose Reel Included? (Yes/No)	Yes w/ 100' of Garden Hose
Wand Type	Straight Wand
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	48" x 34"
How is Skid attached to Vehicle/Trailer?	Bolted
Trailer Type (deck-over, deck-under, open frame, enclosed)	Open Frame
Number of Axles & Weight Rating per Axle	1 Axle 3500 lbs
Trailer Size/Length	12 Feet Long
Trailer Hitch Type	Lunnette Eye Coupler
Trailer Tire Size & Rating	205/75/R15 2830 lbs per Tire Rating
Does the Trailer have brakes?	Yes
If yes, what type of brakes?	Electric
Does the Trailer have lights? (i.e. stop/turn/tail)	Yes - DOT Approved
What is the estimated weight of the unit with the tanks full and ready to spray?	3300 lbs
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"

BASE UNIT PRICE:	\$17,475
------------------	----------

**CLASS 5 TRAILER PRESSURE WASHERS**  
**OPTIONS - SPECIFICATION NO. 4.11**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

**Base Unit Price:** \$17,475

Spec No.	Description	Price
4.7.1	Date & Title/I.D. of Price List	10.14.21 API Price List
4.7.2	Discount to be applied to Price List <b>*Note:</b> The "Discount to be Applied to Price List" must be a numeric percentage,	0%
4.7.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 120.00
4.7.4	<b><u>EXTENDED WARRANTY OPTIONS</u></b>	
		NA
4.7.5	<b><u>DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS</u></b>	
	<b><u>NO FLAT RATE ALLOWED</u></b>	
	<b><u>DELIVERY STARTING POINT - City, State, Zip</u></b>	Robbinsdale, MN 55422
	<b>PRICE PER LOADED MILE:</b>	2.75
	<b>MINIMUM DELIVERY CHARGE (if applicable)</b>	45
4.7.6	<b><u>EQUIPMENT INSPECTION &amp; REPAIR RATES</u></b>	
	Hourly Rate for Initial Inspection/Diagnostic :	\$ 129.00
	Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$ 129.00
	Hourly Rate for Body Work (including paint or welding labor) :	\$ 179.00
4.7.7	<b><u>NEW EQUIPMENT RENTAL PROGRAM</u></b>	
	Daily Rental Rate:	NA
	Weekly Rental Rate:	3515
	Monthly Rental Rate:	7030
	Percent (%) of Rental Fee applied to purchase price:	0%

**If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here:** \_\_\_\_\_

**CLASS 5 TRAILER PRESSURE WASHERS**  
**BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.10**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

4.6	Information Requested	Answer
	Make & Model Number	API 20151-4405EAA-12V
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Trailer Type (Pickup Truck, Ag/Farm Tractor, 3-Point, Class 2/3/4, etc)	Pickup Truck Class 2A,2B,3,4,5
	Water Tank Capacity (In gallons)	230 Gallons
	Water Tank Construction (Plastic, Stainless, etc)	Plastic
	Water Volume (GPM - Gallons per Minute)	4.0 GPM
	Pressure (In PSI)	4000 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	135°F +/- 5°
	Steam Capable? (Yes/No)	Optional
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Briggs Vanguard 18
	Engine Fuel Type and Capacity (In gallons)	Gasoline 6 Gallons
	Engine Displacement	570 cm3

Engine Air or Water Cooled	Air
Engine Location	Front Middle
Generator (to power burner)	No
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Burner Control
Number of Nozzles	5
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire
Hose Length (In feet)	100'
High Pressure Hose Reel Included? (Yes/No)	Yes
Fill Hose Reel Included? (Yes/No)	Yes w/ 100' of Garden Hose
Wand Type	Straight Wand
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	48" x 34"
How is Skid attached to Vehicle/Trailer?	Bolted
Trailer Type (deck-over, deck-under, open frame, enclosed)	Open Frame
Number of Axles & Weight Rating per Axle	1 Axle 3500 lbs
Trailer Size/Length	11 Feet
Trailer Hitch Type	Lunnette Eye Coupler
Trailer Tire Size & Rating	205/75/R15 2830 lbs per Tire Rating
Does the Trailer have brakes?	Yes
If yes, what type of brakes?	Electric
Does the Trailer have lights? (i.e. stop/turn/tail)	Yes - DOT Approved
What is the estimated weight of the unit with the tanks full and ready to spray?	3300 lbs
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"

BASE UNIT PRICE:	\$17,242
------------------	----------

**CLASS 5 TRAILER PRESSURE WASHERS**  
**OPTIONS - SPECIFICATION NO. 4.11**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

**Base Unit Price:** \$17,242

Spec No.	Description	Price
4.7.1	Date & Title/I.D. of Price List	10.14.21 API Price List
4.7.2	Discount to be applied to Price List <b>*Note:</b> The "Discount to be Applied to Price List" must be a numeric percentage,	0%
4.7.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 120.00
4.7.4	<b><u>EXTENDED WARRANTY OPTIONS</u></b>	
		NA
4.7.5	<b><u>DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS</u></b>	
	<b><u>NO FLAT RATE ALLOWED</u></b>	
	<b><u>DELIVERY STARTING POINT - City, State, Zip</u></b>	Robbinsdale, MN 55422
	<b>PRICE PER LOADED MILE:</b>	2.75
	<b>MINIMUM DELIVERY CHARGE (if applicable)</b>	45
4.7.6	<b><u>EQUIPMENT INSPECTION &amp; REPAIR RATES</u></b>	
	Hourly Rate for Initial Inspection/Diagnostic :	\$ 129.00
	Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$ 129.00
	Hourly Rate for Body Work (including paint or welding labor) :	\$ 179.00
4.7.7	<b><u>NEW EQUIPMENT RENTAL PROGRAM</u></b>	
	Daily Rental Rate:	NA
	Weekly Rental Rate:	3448
	Monthly Rental Rate:	6896
	Percent (%) of Rental Fee applied to purchase price:	0%

**If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here:** \_\_\_\_\_

**CLASS 5 TRAILER PRESSURE WASHERS**  
**BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.10**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

4.6	Information Requested	Answer
	Make & Model Number	API 20151-5357-120V
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Trailer Type (Pickup Truck, Ag/Farm Tractor, 3-Point, Class 2/3/4, etc)	Pickup Truck Class 2A,2B,3,4,5
	Water Tank Capacity (In gallons)	230 Gallons
	Water Tank Construction (Plastic, Stainless, etc)	Plastic
	Water Volume (GPM - Gallons per Minute)	5.0 GPM
	Pressure (In PSI)	3500 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	135°F +/- 5°
	Steam Capable? (Yes/No)	Optional
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Kohler KDW1003
	Engine Fuel Type and Capacity (In gallons)	Diesel 27 Gallons
	Engine Displacement	1028 cm3

Engine Air or Water Cooled	Water
Engine Location	Front Middle
Generator (to power burner)	Yes
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Burner Control, Temperature Control, Keyed Ignition
Number of Nozzles	5
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire
Hose Length (In feet)	100'
High Pressure Hose Reel Included? (Yes/No)	Yes
Fill Hose Reel Included? (Yes/No)	Yes w/ 100' of Garden Hose
Wand Type	Straight Wand
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	54" x 54"
How is Skid attached to Vehicle/Trailer?	Bolted
Trailer Type (deck-over, deck-under, open frame, enclosed)	Open Frame
Number of Axles & Weight Rating per Axle	1 Axle 4400 lbs
Trailer Size/Length	12 Feet Long
Trailer Hitch Type	Lunnette Eye Coupler
Trailer Tire Size & Rating	205/75/R15 2830 lbs per Tire Rating
Does the Trailer have brakes?	Yes
If yes, what type of brakes?	Electric
Does the Trailer have lights? (i.e. stop/turn/tail)	Yes - DOT Approved
What is the estimated weight of the unit with the tanks full and ready to spray?	3800 LBS
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"

BASE UNIT PRICE:	\$25,400
------------------	----------

**CLASS 5 TRAILER PRESSURE WASHERS**  
**OPTIONS - SPECIFICATION NO. 4.11**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

**Base Unit Price:** \$25,400

Spec No.	Description	Price
4.7.1	Date & Title/I.D. of Price List	10.14.21 API Price List
4.7.2	Discount to be applied to Price List <b>*Note:</b> The "Discount to be Applied to Price List" must be a numeric percentage,	0%
4.7.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 120.00
4.7.4	<b><u>EXTENDED WARRANTY OPTIONS</u></b>	NA
4.7.5	<b><u>DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS</u></b>	<b><u>NO FLAT RATE ALLOWED</u></b>
<b><u>DELIVERY STARTING POINT - City, State, Zip</u></b>		Robbinsdale, MN 55422
<b>PRICE PER LOADED MILE:</b>		2.75
<b>MINIMUM DELIVERY CHARGE (if applicable)</b>		45
4.7.6	<b><u>EQUIPMENT INSPECTION &amp; REPAIR RATES</u></b>	
	Hourly Rate for Initial Inspection/Diagnostic :	\$ 129.00
	Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$ 129.00
	Hourly Rate for Body Work (including paint or welding labor) :	\$ 179.00
4.7.7	<b><u>NEW EQUIPMENT RENTAL PROGRAM</u></b>	
	Daily Rental Rate:	NA
	Weekly Rental Rate:	5080
	Monthly Rental Rate:	10160
	Percent (%) of Rental Fee applied to purchase price:	0%

**If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_**

**CLASS 5 TRAILER PRESSURE WASHERS**  
**BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.10**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

4.6	Information Requested	Answer
	Make & Model Number	API 20152-5355JB-120V
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Trailer Type (Pickup Truck, Ag/Farm Tractor, 3-Point, Class 2/3/4, etc)	Pickup Truck Class 2A,2B,3,4,5
	Water Tank Capacity (In gallons)	330 Gallons
	Water Tank Construction (Plastic, Stainless, etc)	Plastic
	Water Volume (GPM - Gallons per Minute)	5.0 GPM
	Pressure (In PSI)	3500 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	135°F +/- 5°
	Steam Capable? (Yes/No)	Optional
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Honda GX630
	Engine Fuel Type and Capacity (In gallons)	Gasoline 6 Gallons
	Engine Displacement	688 cm3

Engine Air or Water Cooled	Air
Engine Location	Front Middle
Generator (to power burner)	Yes
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Burner Control
Number of Nozzles	5
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire
Hose Length (In feet)	100'
High Pressure Hose Reel Included? (Yes/No)	Yes
Fill Hose Reel Included? (Yes/No)	Yes w/ 100' of Garden Hose
Wand Type	Straight Wand
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	48" x 34"
How is Skid attached to Vehicle/Trailer?	Bolted
Trailer Type (deck-over, deck-under, open frame, enclosed)	Open Frame
Number of Axles & Weight Rating per Axle	2 Axles 3500 lbs each
Trailer Size/Length	14 Feet Long
Trailer Hitch Type	Lunnette Eye Coupler
Trailer Tire Size & Rating	205/75/R15 2830 lbs per Tire Rating
Does the Trailer have brakes?	Yes
If yes, what type of brakes?	Electric
Does the Trailer have lights? (i.e. stop/turn/tail)	Yes - DOT Approved
What is the estimated weight of the unit with the tanks full and ready to spray?	4400 lbs
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"

BASE UNIT PRICE:	\$20,900
------------------	----------

**CLASS 5 TRAILER PRESSURE WASHERS**  
**OPTIONS - SPECIFICATION NO. 4.11**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

**Base Unit Price:** \$20,900

Spec No.	Description	Price
4.7.1	Date & Title/I.D. of Price List	10.14.21 API Price List
4.7.2	Discount to be applied to Price List <b>*Note:</b> The "Discount to be Applied to Price List" must be a numeric percentage,	0%
4.7.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 120.00
4.7.4	<b><u>EXTENDED WARRANTY OPTIONS</u></b>	
		NA
4.7.5	<b><u>DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS</u></b>	
	<b><u>NO FLAT RATE ALLOWED</u></b>	
	<b><u>DELIVERY STARTING POINT - City, State, Zip</u></b> Robbinsdale, MN 55422	
	<b>PRICE PER LOADED MILE:</b>	2.75
	<b>MINIMUM DELIVERY CHARGE (if applicable)</b>	45
4.7.6	<b><u>EQUIPMENT INSPECTION &amp; REPAIR RATES</u></b>	
	Hourly Rate for Initial Inspection/Diagnostic :	\$ 129.00
	Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$ 129.00
	Hourly Rate for Body Work (including paint or welding labor) :	\$ 179.00
4.7.7	<b><u>NEW EQUIPMENT RENTAL PROGRAM</u></b>	
	Daily Rental Rate:	NA
	Weekly Rental Rate:	4180
	Monthly Rental Rate:	8360
	Percent (%) of Rental Fee applied to purchase price:	0%

**If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_**

**CLASS 5 TRAILER PRESSURE WASHERS**  
**BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.10**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

4.6	Information Requested	Answer
	Make & Model Number	API 20151-5305A-120V
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Trailer Type (Pickup Truck, Ag/Farm Tractor, 3-Point, Class 2/3/4, etc)	Pickup Truck Class 2A,2B,3,4,5
	Water Tank Capacity (In gallons)	330 Gallons
	Water Tank Construction (Plastic, Stainless, etc)	Plastic
	Water Volume (GPM - Gallons per Minute)	5 GPM
	Pressure (In PSI)	3000 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	135°F +/- 5°
	Steam Capable? (Yes/No)	Optional
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Briggs Vanguard 18
	Engine Fuel Type and Capacity (In gallons)	Gasoline 6 Gallons
	Engine Displacement	570 cm3

Engine Air or Water Cooled	Air
Engine Location	Front Middle
Generator (to power burner)	Yes
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Burner Control
Number of Nozzles	5
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire
Hose Length (In feet)	100'
High Pressure Hose Reel Included? (Yes/No)	Yes
Fill Hose Reel Included? (Yes/No)	Yes w/ 100' of Garden Hose
Wand Type	Straight Wand
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	48" x 34"
How is Skid attached to Vehicle/Trailer?	Bolted
Trailer Type (deck-over, deck-under, open frame, enclosed)	Open Frame
Number of Axles & Weight Rating per Axle	2 Axles 3500 lbs each
Trailer Size/Length	14 Feet Long
Trailer Hitch Type	Lunnette Eye Coupler
Trailer Tire Size & Rating	205/75/R15 2830 lbs per Tire Rating
Does the Trailer have brakes?	Yes
If yes, what type of brakes?	Electric
Does the Trailer have lights? (i.e. stop/turn/tail)	Yes - DOT Approved
What is the estimated weight of the unit with the tanks full and ready to spray?	4550 lbs
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"

BASE UNIT PRICE:	\$21,850
------------------	----------

**CLASS 5 TRAILER PRESSURE WASHERS**  
**OPTIONS - SPECIFICATION NO. 4.11**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

**Base Unit Price:** \$21,850

Spec No.	Description	Price
4.7.1	Date & Title/I.D. of Price List	10.14.21 API Price List
4.7.2	Discount to be applied to Price List <b>*Note:</b> The "Discount to be Applied to Price List" must be a numeric percentage,	0%
4.7.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 120.00
4.7.4	<b><u>EXTENDED WARRANTY OPTIONS</u></b>	
		NA
4.7.5	<b><u>DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS</u></b>	
	<b><u>NO FLAT RATE ALLOWED</u></b>	
	<b><u>DELIVERY STARTING POINT - City, State, Zip</u></b>	Robbinsdale, MN 55422
	<b>PRICE PER LOADED MILE:</b>	2.75
	<b>MINIMUM DELIVERY CHARGE (if applicable)</b>	45
4.7.6	<b><u>EQUIPMENT INSPECTION &amp; REPAIR RATES</u></b>	
	Hourly Rate for Initial Inspection/Diagnostic :	\$ 129.00
	Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$ 129.00
	Hourly Rate for Body Work (including paint or welding labor) :	\$ 179.00
4.7.7	<b><u>NEW EQUIPMENT RENTAL PROGRAM</u></b>	
	Daily Rental Rate:	NA
	Weekly Rental Rate:	4370
	Monthly Rental Rate:	8740
	Percent (%) of Rental Fee applied to purchase price:	0%

**If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here:** \_\_\_\_\_

**CLASS 5 TRAILER PRESSURE WASHERS**  
**BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.10**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

4.6	Information Requested	Answer
	Make & Model Number	API 20152-4405GAA-12V
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Trailer Type (Pickup Truck, Ag/Farm Tractor, 3-Point, Class 2/3/4, etc)	Pickup Truck Class 2A,2B,3,4,5
	Water Tank Capacity (In gallons)	330 Gallons
	Water Tank Construction (Plastic, Stainless, etc)	Plastic
	Water Volume (GPM - Gallons per Minute)	4.0 GPM
	Pressure (In PSI)	4000 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	135°F +/- 5°
	Steam Capable? (Yes/No)	Optional
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Honda GX630
	Engine Fuel Type and Capacity (In gallons)	Gasoline 6 Gallons
	Engine Displacement	688 cm3

Engine Air or Water Cooled	Air
Engine Location	Front Middle
Generator (to power burner)	No
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Burner Control
Number of Nozzles	5
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire
Hose Length (In feet)	100'
High Pressure Hose Reel Included? (Yes/No)	Yes
Fill Hose Reel Included? (Yes/No)	Yes w/ 100' of Garden Hose
Wand Type	Straight Wand
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	48" x 34"
How is Skid attached to Vehicle/Trailer?	Bolted
Trailer Type (deck-over, deck-under, open frame, enclosed)	Open Frame
Number of Axles & Weight Rating per Axle	2 Axles 3500 lbs each
Trailer Size/Length	14 Feet Long
Trailer Hitch Type	Lunnette Eye Coupler
Trailer Tire Size & Rating	205/75/R15 2830 lbs per Tire Rating
Does the Trailer have brakes?	Yes
If yes, what type of brakes?	Electric
Does the Trailer have lights? (i.e. stop/turn/tail)	Yes - DOT Approved
What is the estimated weight of the unit with the tanks full and ready to spray?	4400 lbs
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"

BASE UNIT PRICE:	\$20,800
------------------	----------

**CLASS 5 TRAILER PRESSURE WASHERS**  
**OPTIONS - SPECIFICATION NO. 4.11**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

**Base Unit Price:** \$20,800

Spec No.	Description	Price
4.7.1	Date & Title/I.D. of Price List	10.14.21 API Price List
4.7.2	Discount to be applied to Price List <b>*Note:</b> The "Discount to be Applied to Price List" must be a numeric percentage,	0%
4.7.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 120.00
4.7.4	<b><u>EXTENDED WARRANTY OPTIONS</u></b>	
		NA
4.7.5	<b><u>DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS</u></b>	
	<b><u>NO FLAT RATE ALLOWED</u></b>	
	<b><u>DELIVERY STARTING POINT - City, State, Zip</u></b>	
	Robbinsdale, MN 55422	
	<b>PRICE PER LOADED MILE:</b>	2.75
	<b>MINIMUM DELIVERY CHARGE (if applicable)</b>	45
4.7.6	<b><u>EQUIPMENT INSPECTION &amp; REPAIR RATES</u></b>	
	Hourly Rate for Initial Inspection/Diagnostic :	\$ 129.00
	Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$ 129.00
	Hourly Rate for Body Work (including paint or welding labor) :	\$ 179.00
4.7.7	<b><u>NEW EQUIPMENT RENTAL PROGRAM</u></b>	
	Daily Rental Rate:	NA
	Weekly Rental Rate:	4160
	Monthly Rental Rate:	8320
	Percent (%) of Rental Fee applied to purchase price:	0%

**If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_**

**CLASS 5 TRAILER PRESSURE WASHERS**  
**BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.10**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

4.6	Information Requested	Answer
	Make & Model Number	API 20152-5355J-12V
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Trailer Type (Pickup Truck, Ag/Farm Tractor, 3-Point, Class 2/3/4, etc)	Pickup Truck Class 2A,2B,3,4,5
	Water Tank Capacity (In gallons)	330 Gallons
	Water Tank Construction (Plastic, Stainless, etc)	Plastic
	Water Volume (GPM - Gallons per Minute)	5.0 GPM
	Pressure (In PSI)	3500 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	135°F +/- 5°
	Steam Capable? (Yes/No)	Optional
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Honda GX630
	Engine Fuel Type and Capacity (In gallons)	Gasoline 6 Gallons
	Engine Displacement	688 cm3

Engine Air or Water Cooled	Air
Engine Location	Front Middle
Generator (to power burner)	No
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Burner Control
Number of Nozzles	5
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire
Hose Length (In feet)	100'
High Pressure Hose Reel Included? (Yes/No)	Yes
Fill Hose Reel Included? (Yes/No)	Yes w/ 100' of Garden Hose
Wand Type	Straight Wand
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	48" x 34"
How is Skid attached to Vehicle/Trailer?	Bolted
Trailer Type (deck-over, deck-under, open frame, enclosed)	Open Frame
Number of Axles & Weight Rating per Axle	2 Axles 3500 lbs each
Trailer Size/Length	14 Feet Long
Trailer Hitch Type	Lunnette Eye Coupler
Trailer Tire Size & Rating	205/75/R15 2830 lbs per Tire Rating
Does the Trailer have brakes?	Yes
If yes, what type of brakes?	Electric
Does the Trailer have lights? (i.e. stop/turn/tail)	Yes - DOT Approved
What is the estimated weight of the unit with the tanks full and ready to spray?	4400 lbs
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"

BASE UNIT PRICE:	\$20,289
------------------	----------

**CLASS 5 TRAILER PRESSURE WASHERS**  
**OPTIONS - SPECIFICATION NO. 4.11**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

**Base Unit Price:** \$20,289

Spec No.	Description	Price
----------	-------------	-------

4.7.1	Date & Title/I.D. of Price List	10.14.21 API Price List
-------	---------------------------------	-------------------------

4.7.2	Discount to be applied to Price List	0%
-------	--------------------------------------	----

\*Note: The "Discount to be Applied to Price List" must be a numeric percentage,

4.7.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 120.00
-------	--	-----------

**4.7.4 EXTENDED WARRANTY OPTIONS**

NA

**4.7.5 DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS**

**NO FLAT RATE ALLOWED**

**DELIVERY STARTING POINT - City, State, Zip** Robbinsdale, MN 55422

**PRICE PER LOADED MILE:** 2.75

**MINIMUM DELIVERY CHARGE (if applicable)** 45

**4.7.6 EQUIPMENT INSPECTION & REPAIR RATES**

Hourly Rate for Initial Inspection/Diagnostic :	\$	129.00
Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$	129.00
Hourly Rate for Body Work (including paint or welding labor) :	\$	179.00

**4.7.7 NEW EQUIPMENT RENTAL PROGRAM**

Daily Rental Rate:	NA	
Weekly Rental Rate:		4057
Monthly Rental Rate:		8114
Percent (%) of Rental Fee applied to purchase price:		0%

**If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_**

**CLASS 5 TRAILER PRESSURE WASHERS**  
**BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.10**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

4.6	Information Requested	Answer
	Make & Model Number	API 20152-4405EAA-12V
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Trailer Type (Pickup Truck, Ag/Farm Tractor, 3-Point, Class 2/3/4, etc)	Pickup Truck Class 2A,2B,3,4,5
	Water Tank Capacity (In gallons)	330 Gallons
	Water Tank Construction (Plastic, Stainless, etc)	Plastic
	Water Volume (GPM - Gallons per Minute)	4.0 GPM
	Pressure (In PSI)	4000 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	135°F +/- 5°
	Steam Capable? (Yes/No)	Optional
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Briggs Vanguard 18
	Engine Fuel Type and Capacity (In gallons)	Gasoline 6 Gallons
	Engine Displacement	570 cm3

Engine Air or Water Cooled	Air
Engine Location	Front Middle
Generator (to power burner)	No
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Burner Control
Number of Nozzles	5
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire
Hose Length (In feet)	100'
High Pressure Hose Reel Included? (Yes/No)	Yes
Fill Hose Reel Included? (Yes/No)	Yes w/ 100' of Garden Hose
Wand Type	Straight Wand
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	48" x 34"
How is Skid attached to Vehicle/Trailer?	Bolted
Trailer Type (deck-over, deck-under, open frame, enclosed)	Open Frame
Number of Axles & Weight Rating per Axle	2 Axles 3500 lbs each
Trailer Size/Length	14 Feet Long
Trailer Hitch Type	Lunnette Eye Coupler
Trailer Tire Size & Rating	205/75/R15 2830 lbs per Tire Rating
Does the Trailer have brakes?	Yes
If yes, what type of brakes?	Electric
Does the Trailer have lights? (i.e. stop/turn/tail)	Yes - DOT Approved
What is the estimated weight of the unit with the tanks full and ready to spray?	4400 lbs
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"

BASE UNIT PRICE:	\$20,100
------------------	----------

**CLASS 5 TRAILER PRESSURE WASHERS**  
**OPTIONS - SPECIFICATION NO. 4.11**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

**Base Unit Price:** \$20,100

Spec No.	Description	Price
4.7.1	Date & Title/I.D. of Price List	10.14.21 API Price List
4.7.2	Discount to be applied to Price List <b>*Note:</b> The "Discount to be Applied to Price List" must be a numeric percentage,	0%
4.7.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 120.00
4.7.4	<b><u>EXTENDED WARRANTY OPTIONS</u></b>	NA
4.7.5	<b><u>DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS</u></b>	<b><u>NO FLAT RATE ALLOWED</u></b>
<b><u>DELIVERY STARTING POINT - City, State, Zip</u></b>		Robbinsdale, MN 55422
<b>PRICE PER LOADED MILE:</b>		2.75
<b>MINIMUM DELIVERY CHARGE (if applicable)</b>		45
4.7.6	<b><u>EQUIPMENT INSPECTION &amp; REPAIR RATES</u></b>	
	Hourly Rate for Initial Inspection/Diagnostic :	\$ 129.00
	Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$ 129.00
	Hourly Rate for Body Work (including paint or welding labor) :	\$ 179.00
4.7.7	<b><u>NEW EQUIPMENT RENTAL PROGRAM</u></b>	
	Daily Rental Rate:	NA
	Weekly Rental Rate:	4020
	Monthly Rental Rate:	8040
	Percent (%) of Rental Fee applied to purchase price:	0%

**If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_**

**CLASS 5 TRAILER PRESSURE WASHERS**  
**BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.10**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

4.6	Information Requested	Answer
	Make & Model Number	API 20152-5357-120V
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Trailer Type (Pickup Truck, Ag/Farm Tractor, 3-Point, Class 2/3/4, etc)	Pickup Truck Class 2A,2B,3,4,5
	Water Tank Capacity (In gallons)	330 Gallons
	Water Tank Construction (Plastic, Stainless, etc)	Plastic
	Water Volume (GPM - Gallons per Minute)	5.0 GPM
	Pressure (In PSI)	3500 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	135°F +/- 5°
	Steam Capable? (Yes/No)	Optional
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Kohler KDW1003
	Engine Fuel Type and Capacity (In gallons)	Diesel 27 Gallons
	Engine Displacement	1028 cm3

Engine Air or Water Cooled	Water
Engine Location	Front Middle
Generator (to power burner)	Yes
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Burner Control, Temperature Control, Keyed Ignition
Number of Nozzles	5
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire
Hose Length (In feet)	100'
High Pressure Hose Reel Included? (Yes/No)	Yes
Fill Hose Reel Included? (Yes/No)	Yes w/ 100' of Garden Hose
Wand Type	Straight Wand
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	54" x 54"
How is Skid attached to Vehicle/Trailer?	Bolted
Trailer Type (deck-over, deck-under, open frame, enclosed)	Open Frame
Number of Axles & Weight Rating per Axle	2 Axles 3500 lbs each
Trailer Size/Length	14 Feet Long
Trailer Hitch Type	Lunnette Eye Coupler
Trailer Tire Size & Rating	205/75/R15 2830 lbs per Tire Rating
Does the Trailer have brakes?	Yes
If yes, what type of brakes?	Electric
Does the Trailer have lights? (i.e. stop/turn/tail)	Yes - DOT Approved
What is the estimated weight of the unit with the tanks full and ready to spray?	5000 lbs
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"

BASE UNIT PRICE:	\$28,175
------------------	----------

**CLASS 5 TRAILER PRESSURE WASHERS**  
**OPTIONS - SPECIFICATION NO. 4.11**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

**Base Unit Price:** \$28,175

Spec No.	Description	Price
----------	-------------	-------

4.7.1	Date & Title/I.D. of Price List	10.14.21 API Price List
-------	---------------------------------	-------------------------

4.7.2	Discount to be applied to Price List	0%
-------	--------------------------------------	----

\*Note: The "Discount to be Applied to Price List" must be a numeric percentage,

4.7.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 120.00
-------	--	-----------

**4.7.4 EXTENDED WARRANTY OPTIONS**

Use this section to offer performance/extended warranty options and list cost.  
(Specify years, months, or days extended term covers.) Add as many lines as needed.

	NA
	NA
	NA

4.7.5	<b><u>DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS</u></b>	<b><u>NO FLAT RATE ALLOWED</u></b>
-------	---	------------------------------------

**DELIVERY STARTING POINT - City, State, Zip** Robbinsdale, MN 55422

**PRICE PER LOADED MILE:** 2.75

**MINIMUM DELIVERY CHARGE (if applicable)** 45

**4.7.6 EQUIPMENT INSPECTION & REPAIR RATES**

Hourly Rate for Initial Inspection/Diagnostic :	\$	129.00
Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$	129.00
Hourly Rate for Body Work (including paint or welding labor) :	\$	179.00

**4.7.7 NEW EQUIPMENT RENTAL PROGRAM**

If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions.

Daily Rental Rate:	NA
Weekly Rental Rate:	5635
Monthly Rental Rate:	11270
Percent (%) of Rental Fee applied to purchase price:	0%

**If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here:** \_\_\_\_\_

**CLASS 5 TRAILER PRESSURE WASHERS**  
**BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.10**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

4.6	Information Requested	Answer
	Make & Model Number	API 20152C-5355JB-120V
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Trailer Type (Pickup Truck, Ag/Farm Tractor, 3-Point, Class 2/3/4, etc)	Pickup Truck Class 2A,2B,3,4,5
	Water Tank Capacity (In gallons)	460 Gallons
	Water Tank Construction (Plastic, Stainless, etc)	Plastic
	Water Volume (GPM - Gallons per Minute)	5.0 GPM
	Pressure (In PSI)	3500 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	135°F +/- 5°
	Steam Capable? (Yes/No)	Optional
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Honda GX630
	Engine Fuel Type and Capacity (In gallons)	Gasoline 6 Gallons
	Engine Displacement	688 cm3

Engine Air or Water Cooled	Air
Engine Location	Front Middle
Generator (to power burner)	Yes
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Burner Control
Number of Nozzles	5
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire
Hose Length (In feet)	100'
High Pressure Hose Reel Included? (Yes/No)	Yes
Fill Hose Reel Included? (Yes/No)	Yes w/ 100' of Garden Hose
Wand Type	Straight Wand
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	48" x 34"
How is Skid attached to Vehicle/Trailer?	Bolted
Trailer Type (deck-over, deck-under, open frame, enclosed)	Open Frame
Number of Axles & Weight Rating per Axle	2 Axles 3500 lbs each
Trailer Size/Length	16 Feet Long
Trailer Hitch Type	Lunnette Eye Coupler
Trailer Tire Size & Rating	205/75/R15 2830 lbs per Tire Rating
Does the Trailer have brakes?	Yes
If yes, what type of brakes?	Electric
Does the Trailer have lights? (i.e. stop/turn/tail)	Yes - DOT Approved
What is the estimated weight of the unit with the tanks full and ready to spray?	5700 lbs
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"

BASE UNIT PRICE:	\$21,600
------------------	----------

**CLASS 5 TRAILER PRESSURE WASHERS**  
**OPTIONS - SPECIFICATION NO. 4.11**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

**Base Unit Price:** \$21,600

Spec No.	Description	Price
----------	-------------	-------

4.7.1	Date & Title/I.D. of Price List	10.14.21 API Price List
-------	---------------------------------	-------------------------

4.7.2	Discount to be applied to Price List	0%
-------	--------------------------------------	----

\*Note: The "Discount to be Applied to Price List" must be a numeric percentage,

4.7.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 120.00
-------	--	-----------

**4.7.4 EXTENDED WARRANTY OPTIONS**

Use this section to offer performance/extended warranty options and list cost.  
(Specify years, months, or days extended term covers.) Add as many lines as needed.

	NA
	NA
	NA

4.7.5	<b><u>DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS</u></b>	<b><u>NO FLAT RATE ALLOWED</u></b>
-------	---	------------------------------------

**DELIVERY STARTING POINT - City, State, Zip** Robbinsdale, MN 55422

**PRICE PER LOADED MILE:** 2.75

**MINIMUM DELIVERY CHARGE (if applicable)** 45

**4.7.6 EQUIPMENT INSPECTION & REPAIR RATES**

Hourly Rate for Initial Inspection/Diagnostic :	\$ 129.00
Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$ 129.00
Hourly Rate for Body Work (including paint or welding labor) :	\$ 179.00

**4.7.7 NEW EQUIPMENT RENTAL PROGRAM**

If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions.

Daily Rental Rate:	NA
Weekly Rental Rate:	4320
Monthly Rental Rate:	8640
Percent (%) of Rental Fee applied to purchase price:	0%

**If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here:** \_\_\_\_\_

**CLASS 5 TRAILER PRESSURE WASHERS**  
**BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.10**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

4.6	Information Requested	Answer
	Make & Model Number	API 20151-5305A-120V
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Trailer Type (Pickup Truck, Ag/Farm Tractor, 3-Point, Class 2/3/4, etc)	Pickup Truck Class 2A,2B,3,4,5
	Water Tank Capacity (In gallons)	460 Gallons
	Water Tank Construction (Plastic, Stainless, etc)	Plastic
	Water Volume (GPM - Gallons per Minute)	5 GPM
	Pressure (In PSI)	3000 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	135°F +/- 5°
	Steam Capable? (Yes/No)	Optional
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Briggs Vanguard 18
	Engine Fuel Type and Capacity (In gallons)	Gasoline 6 Gallons
	Engine Displacement	570 cm3

Engine Air or Water Cooled	Air
Engine Location	Front Middle
Generator (to power burner)	Yes
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Burner Control
Number of Nozzles	5
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire
Hose Length (In feet)	100'
High Pressure Hose Reel Included? (Yes/No)	Yes
Fill Hose Reel Included? (Yes/No)	Yes w/ 100' of Garden Hose
Wand Type	Straight Wand
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	48" x 34"
How is Skid attached to Vehicle/Trailer?	Bolted
Trailer Type (deck-over, deck-under, open frame, enclosed)	Open Frame
Number of Axles & Weight Rating per Axle	2 Axles 3500 lbs each
Trailer Size/Length	16 Feet Long
Trailer Hitch Type	Lunnette Eye Coupler
Trailer Tire Size & Rating	205/75/R15 2830 lbs per Tire Rating
Does the Trailer have brakes?	Yes
If yes, what type of brakes?	Electric
Does the Trailer have lights? (i.e. stop/turn/tail)	Yes - DOT Approved
What is the estimated weight of the unit with the tanks full and ready to spray?	5850 lbs
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"

BASE UNIT PRICE:	\$22,550
------------------	----------

**CLASS 5 TRAILER PRESSURE WASHERS**  
**OPTIONS - SPECIFICATION NO. 4.11**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

**Base Unit Price:** \$22,550

Spec No.	Description	Price
----------	-------------	-------

4.7.1	Date & Title/I.D. of Price List	10.14.21 API Price List
-------	---------------------------------	-------------------------

4.7.2	Discount to be applied to Price List	0%
-------	--------------------------------------	----

**\*Note:** The "Discount to be Applied to Price List" must be a numeric percentage,

4.7.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 120.00
-------	--	-----------

**4.7.4 EXTENDED WARRANTY OPTIONS**

Use this section to offer performance/extended warranty options and list cost.  
 (Specify years, months, or days extended term covers.) Add as many lines as needed.

	NA
	NA
	NA

4.7.5	<b><u>DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS</u></b>	<b><u>NO FLAT RATE ALLOWED</u></b>
-------	---	------------------------------------

**DELIVERY STARTING POINT - City, State, Zip** Robbinsdale, MN 55422

**PRICE PER LOADED MILE:** 2.75

**MINIMUM DELIVERY CHARGE (if applicable)** 45

**4.7.6 EQUIPMENT INSPECTION & REPAIR RATES**

Hourly Rate for Initial Inspection/Diagnostic :	\$	129.00
Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$	129.00
Hourly Rate for Body Work (including paint or welding labor) :	\$	179.00

**4.7.7 NEW EQUIPMENT RENTAL PROGRAM**

If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions.

Daily Rental Rate:	NA
Weekly Rental Rate:	4510
Monthly Rental Rate:	9020
Percent (%) of Rental Fee applied to purchase price:	0%

**If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here:** \_\_\_\_\_

**CLASS 5 TRAILER PRESSURE WASHERS**  
**BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.10**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

4.6	Information Requested	Answer
	Make & Model Number	API 20152C-4405GAA-12V
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Trailer Type (Pickup Truck, Ag/Farm Tractor, 3-Point, Class 2/3/4, etc)	Pickup Truck Class 2A,2B,3,4,5
	Water Tank Capacity (In gallons)	460 Gallons
	Water Tank Construction (Plastic, Stainless, etc)	Plastic
	Water Volume (GPM - Gallons per Minute)	4.0 GPM
	Pressure (In PSI)	4000 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	135°F +/- 5°
	Steam Capable? (Yes/No)	Optional
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Honda GX630
	Engine Fuel Type and Capacity (In gallons)	Gasoline 6 Gallons
	Engine Displacement	688 cm3

Engine Air or Water Cooled	Air
Engine Location	Front Middle
Generator (to power burner)	No
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Burner Control
Number of Nozzles	5
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire
Hose Length (In feet)	100'
High Pressure Hose Reel Included? (Yes/No)	Yes
Fill Hose Reel Included? (Yes/No)	Yes w/ 100' of Garden Hose
Wand Type	Straight Wand
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	48" x 34"
How is Skid attached to Vehicle/Trailer?	Bolted
Trailer Type (deck-over, deck-under, open frame, enclosed)	Open Frame
Number of Axles & Weight Rating per Axle	2 Axles 3500 lbs each
Trailer Size/Length	16 Feet Long
Trailer Hitch Type	Lunnette Eye Coupler
Trailer Tire Size & Rating	205/75/R15 2830 lbs per Tire Rating
Does the Trailer have brakes?	Yes
If yes, what type of brakes?	Electric
Does the Trailer have lights? (i.e. stop/turn/tail)	Yes - DOT Approved
What is the estimated weight of the unit with the tanks full and ready to spray?	5700 lbs
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"

BASE UNIT PRICE:	\$21,500
------------------	----------

**CLASS 5 TRAILER PRESSURE WASHERS**  
**OPTIONS - SPECIFICATION NO. 4.11**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

**Base Unit Price:** \$21,500

Spec No.	Description	Price
----------	-------------	-------

4.7.1	Date & Title/I.D. of Price List	10.14.21 API Price List
-------	---------------------------------	-------------------------

4.7.2	Discount to be applied to Price List	0%
-------	--------------------------------------	----

\*Note: The "Discount to be Applied to Price List" must be a numeric percentage,

4.7.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 120.00
-------	--	-----------

**4.7.4 EXTENDED WARRANTY OPTIONS**

Use this section to offer performance/extended warranty options and list cost.  
 (Specify years, months, or days extended term covers.) Add as many lines as needed.

	NA
	NA
	NA

4.7.5	<b><u>DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS</u></b>	<b><u>NO FLAT RATE ALLOWED</u></b>
-------	---	------------------------------------

**DELIVERY STARTING POINT - City, State, Zip** Robbinsdale, MN 55422

**PRICE PER LOADED MILE:** 2.75

**MINIMUM DELIVERY CHARGE (if applicable)** 45

**4.7.6 EQUIPMENT INSPECTION & REPAIR RATES**

Hourly Rate for Initial Inspection/Diagnostic :	\$	129.00
Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$	129.00
Hourly Rate for Body Work (including paint or welding labor) :	\$	179.00

**4.7.7 NEW EQUIPMENT RENTAL PROGRAM**

If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions.

Daily Rental Rate:	NA
Weekly Rental Rate:	4300
Monthly Rental Rate:	8600
Percent (%) of Rental Fee applied to purchase price:	0%

**If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here:** \_\_\_\_\_

# CLASS 5 TRAILER PRESSURE WASHERS

## BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.10

**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

4.6	Information Requested	Answer
	Make & Model Number	API 20152C-5355J-12V
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Trailer Type (Pickup Truck, Ag/Farm Tractor, 3-Point, Class 2/3/4, etc)	Pickup Truck Class 2A,2B,3,4,5
	Water Tank Capacity (In gallons)	460 Gallons
	Water Tank Construction (Plastic, Stainless, etc)	Plastic
	Water Volume (GPM - Gallons per Minute)	5.0 GPM
	Pressure (In PSI)	3500 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	135°F +/- 5°
	Steam Capable? (Yes/No)	Optional
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Honda GX630
	Engine Fuel Type and Capacity (In gallons)	Gasoline 6 Gallons
	Engine Displacement	688 cm3

Engine Air or Water Cooled	Air
Engine Location	Front Middle
Generator (to power burner)	No
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Burner Control
Number of Nozzles	5
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire
Hose Length (In feet)	100'
High Pressure Hose Reel Included? (Yes/No)	Yes
Fill Hose Reel Included? (Yes/No)	Yes w/ 100' of Garden Hose
Wand Type	Straight Wand
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	48" x 34"
How is Skid attached to Vehicle/Trailer?	Bolted
Trailer Type (deck-over, deck-under, open frame, enclosed)	Open Frame
Number of Axles & Weight Rating per Axle	2 Axles 3500 lbs each
Trailer Size/Length	16 Feet Long
Trailer Hitch Type	Lunnette Eye Coupler
Trailer Tire Size & Rating	205/75/R15 2830 lbs per Tire Rating
Does the Trailer have brakes?	Yes
If yes, what type of brakes?	Electric
Does the Trailer have lights? (i.e. stop/turn/tail)	Yes - DOT Approved
What is the estimated weight of the unit with the tanks full and ready to spray?	5700 lbs
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"

BASE UNIT PRICE:	\$20,950
------------------	----------

**CLASS 5 TRAILER PRESSURE WASHERS**  
**OPTIONS - SPECIFICATION NO. 4.11**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

**Base Unit Price:** \$20,950

Spec No.	Description	Price
----------	-------------	-------

4.7.1	Date & Title/I.D. of Price List	10.14.21 API Price List
-------	---------------------------------	-------------------------

4.7.2	Discount to be applied to Price List	0%
-------	--------------------------------------	----

\*Note: The "Discount to be Applied to Price List" must be a numeric percentage,

4.7.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 120.00
-------	--	-----------

**4.7.4 EXTENDED WARRANTY OPTIONS**

Use this section to offer performance/extended warranty options and list cost.  
(Specify years, months, or days extended term covers.) Add as many lines as needed.

	NA
	NA
	NA

4.7.5	<b><u>DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS</u></b>	<b><u>NO FLAT RATE ALLOWED</u></b>
-------	---	------------------------------------

**DELIVERY STARTING POINT - City, State, Zip** Robbinsdale, MN 55422

**PRICE PER LOADED MILE:** 2.75

**MINIMUM DELIVERY CHARGE (if applicable)** 45

**4.7.6 EQUIPMENT INSPECTION & REPAIR RATES**

Hourly Rate for Initial Inspection/Diagnostic :	\$	129.00
Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$	129.00
Hourly Rate for Body Work (including paint or welding labor) :	\$	179.00

**4.7.7 NEW EQUIPMENT RENTAL PROGRAM**

If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions.

Daily Rental Rate:	NA
Weekly Rental Rate:	4190
Monthly Rental Rate:	8380
Percent (%) of Rental Fee applied to purchase price:	0%

**If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here:** \_\_\_\_\_

# CLASS 5 TRAILER PRESSURE WASHERS

## BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.10

**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

4.6	Information Requested	Answer
	Make & Model Number	API 20152C-4405EAA-12V
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Trailer Type (Pickup Truck, Ag/Farm Tractor, 3-Point, Class 2/3/4, etc)	Pickup Truck Class 2A,2B,3,4,5
	Water Tank Capacity (In gallons)	460 Gallons
	Water Tank Construction (Plastic, Stainless, etc)	Plastic
	Water Volume (GPM - Gallons per Minute)	4.0 GPM
	Pressure (In PSI)	4000 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	135°F +/- 5°
	Steam Capable? (Yes/No)	Optional
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Briggs Vanguard 18
	Engine Fuel Type and Capacity (In gallons)	Gasoline 6 Gallons
	Engine Displacement	570 cm3

Engine Air or Water Cooled	Air
Engine Location	Front Middle
Generator (to power burner)	No
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Burner Control
Number of Nozzles	5
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire
Hose Length (In feet)	100'
High Pressure Hose Reel Included? (Yes/No)	Yes
Fill Hose Reel Included? (Yes/No)	Yes w/ 100' of Garden Hose
Wand Type	Straight Wand
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	48" x 34"
How is Skid attached to Vehicle/Trailer?	Bolted
Trailer Type (deck-over, deck-under, open frame, enclosed)	Open Frame
Number of Axles & Weight Rating per Axle	2 Axles 3500 lbs each
Trailer Size/Length	16 Feet Long
Trailer Hitch Type	Lunnette Eye Coupler
Trailer Tire Size & Rating	205/75/R15 2830 lbs per Tire Rating
Does the Trailer have brakes?	Yes
If yes, what type of brakes?	Electric
Does the Trailer have lights? (i.e. stop/turn/tail)	Yes - DOT Approved
What is the estimated weight of the unit with the tanks full and ready to spray?	5700 lbs
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"

BASE UNIT PRICE:	\$20,800
------------------	----------

**CLASS 5 TRAILER PRESSURE WASHERS**  
**OPTIONS - SPECIFICATION NO. 4.11**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

**Base Unit Price:** \$20,800

Spec No.	Description	Price
----------	-------------	-------

4.7.1	Date & Title/I.D. of Price List	10.14.21 API Price List
-------	---------------------------------	-------------------------

4.7.2	Discount to be applied to Price List	0%
-------	--------------------------------------	----

**\*Note:** The "Discount to be Applied to Price List" must be a numeric percentage,

4.7.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 120.00
-------	--	-----------

**4.7.4 EXTENDED WARRANTY OPTIONS**

Use this section to offer performance/extended warranty options and list cost.  
 (Specify years, months, or days extended term covers.) Add as many lines as needed.

	NA
	NA
	NA

4.7.5	<b><u>DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS</u></b>	<b><u>NO FLAT RATE ALLOWED</u></b>
-------	---	------------------------------------

**DELIVERY STARTING POINT - City, State, Zip** Robbinsdale, MN 55422

**PRICE PER LOADED MILE:** 2.75

**MINIMUM DELIVERY CHARGE (if applicable)** 45

**4.7.6 EQUIPMENT INSPECTION & REPAIR RATES**

Hourly Rate for Initial Inspection/Diagnostic :	\$ 129.00
Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$ 129.00
Hourly Rate for Body Work (including paint or welding labor) :	\$ 179.00

**4.7.7 NEW EQUIPMENT RENTAL PROGRAM**

If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions.

Daily Rental Rate:	NA
Weekly Rental Rate:	4160
Monthly Rental Rate:	8320
Percent (%) of Rental Fee applied to purchase price:	0%

**If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here:** \_\_\_\_\_

**CLASS 5 TRAILER PRESSURE WASHERS**  
**BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.10**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

4.6	Information Requested	Answer
	Make & Model Number	API 20152C-5357-120V
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Trailer Type (Pickup Truck, Ag/Farm Tractor, 3-Point, Class 2/3/4, etc)	Pickup Truck Class 2A,2B,3,4,5
	Water Tank Capacity (In gallons)	460 Gallons
	Water Tank Construction (Plastic, Stainless, etc)	Plastic
	Water Volume (GPM - Gallons per Minute)	5.0 GPM
	Pressure (In PSI)	3500 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	135°F +/- 5°
	Steam Capable? (Yes/No)	Optional
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Kohler KDW1003
	Engine Fuel Type and Capacity (In gallons)	Diesel 27 Gallons
	Engine Displacement	1028 cm3

Engine Air or Water Cooled	Water
Engine Location	Front Middle
Generator (to power burner)	Yes
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Burner Control, Temperature Control, Keyed Ignition
Number of Nozzles	5
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire
Hose Length (In feet)	100'
High Pressure Hose Reel Included? (Yes/No)	Yes
Fill Hose Reel Included? (Yes/No)	Yes w/ 100' of Garden Hose
Wand Type	Straight Wand
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	54" x 54"
How is Skid attached to Vehicle/Trailer?	Bolted
Trailer Type (deck-over, deck-under, open frame, enclosed)	Open Frame
Number of Axles & Weight Rating per Axle	2 Axles 3500 lbs each
Trailer Size/Length	17 Feet Long
Trailer Hitch Type	Lunnette Eye Coupler
Trailer Tire Size & Rating	205/75/R15 2830 lbs per Tire Rating
Does the Trailer have brakes?	Yes
If yes, what type of brakes?	Electric
Does the Trailer have lights? (i.e. stop/turn/tail)	Yes - DOT Approved
What is the estimated weight of the unit with the tanks full and ready to spray?	6200 lbs
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"

BASE UNIT PRICE:	\$29,049
------------------	----------

**CLASS 5 TRAILER PRESSURE WASHERS**  
**OPTIONS - SPECIFICATION NO. 4.11**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

**Base Unit Price:** \$29,049

Spec No.	Description	Price
----------	-------------	-------

4.7.1	Date & Title/I.D. of Price List	10.14.21 API Price List
-------	---------------------------------	-------------------------

4.7.2	Discount to be applied to Price List	0%
-------	--------------------------------------	----

**\*Note:** The "Discount to be Applied to Price List" must be a numeric percentage,

4.7.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 120.00
-------	--	-----------

**4.7.4 EXTENDED WARRANTY OPTIONS**

Use this section to offer performance/extended warranty options and list cost.  
 (Specify years, months, or days extended term covers.) Add as many lines as needed.

	NA
	NA
	NA

4.7.5	<b><u>DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS</u></b>	<b><u>NO FLAT RATE ALLOWED</u></b>
-------	---	------------------------------------

**DELIVERY STARTING POINT - City, State, Zip** Robbinsdale, MN 55422

**PRICE PER LOADED MILE:** 2.75

**MINIMUM DELIVERY CHARGE (if applicable)** 45

**4.7.6 EQUIPMENT INSPECTION & REPAIR RATES**

Hourly Rate for Initial Inspection/Diagnostic :	\$ 129.00
Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$ 129.00
Hourly Rate for Body Work (including paint or welding labor) :	\$ 179.00

**4.7.7 NEW EQUIPMENT RENTAL PROGRAM**

If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions.

Daily Rental Rate:	NA
Weekly Rental Rate:	5810
Monthly Rental Rate:	11620
Percent (%) of Rental Fee applied to purchase price:	0%

**If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here:** \_\_\_\_\_

**CLASS 5 TRAILER PRESSURE WASHERS**  
**BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.10**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

4.6	Information Requested	Answer
	Make & Model Number	API ENC-PGHW5-353E-120V
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Trailer Type (Pickup Truck, Ag/Farm Tractor, 3-Point, Class 2/3/4, etc)	Pickup Truck Class 2B,3,4,5
	Water Tank Capacity (In gallons)	525 Gallons
	Water Tank Construction (Plastic, Stainless, etc)	Plastic
	Water Volume (GPM - Gallons per Minute)	4.7 GPM
	Pressure (In PSI)	3500 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	135°F +/- 5°
	Steam Capable? (Yes/No)	Optional
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Honda GX630
	Engine Fuel Type and Capacity (In gallons)	Gasoline 4.75 Gallons
	Engine Displacement	688 cm3

Engine Air or Water Cooled	Air
Engine Location	Front Driver's
Generator (to power burner)	Yes
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Burner Control and Thermostat Adjustment
Number of Nozzles	5
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire
Hose Length (In feet)	100'
High Pressure Hose Reel Included? (Yes/No)	Yes
Fill Hose Reel Included? (Yes/No)	Yes w/ 100' of Garden Hose
Wand Type	Variable Pressure Wand
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	48" x 32"
How is Skid attached to Vehicle/Trailer?	Bolted
Trailer Type (deck-over, deck-under, open frame, enclosed)	Enclosed Interstate I Series
Number of Axles & Weight Rating per Axle	2 Axles 5200 lbs each
Trailer Size/Length	7'W x 14'L
Trailer Hitch Type	Lunnette Eye Coupler
Trailer Tire Size & Rating	ST225/75/R15 2540 lbs per Tire Rating
Does the Trailer have brakes?	Yes
If yes, what type of brakes?	Electric
Does the Trailer have lights? (i.e. stop/turn/tail)	Yes - DOT Approved
What is the estimated weight of the unit with the tanks full and ready to spray?	8250 lbs
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"

BASE UNIT PRICE:	\$29,750
------------------	----------

**CLASS 5 TRAILER PRESSURE WASHERS**  
**OPTIONS - SPECIFICATION NO. 4.11**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

**Base Unit Price:** \$29,750

Spec No.	Description	Price
----------	-------------	-------

4.7.1	Date & Title/I.D. of Price List	10.14.21 API Price List
-------	---------------------------------	-------------------------

4.7.2	Discount to be applied to Price List	0%
-------	--------------------------------------	----

**\*Note:** The "Discount to be Applied to Price List" must be a numeric percentage,

4.7.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 120.00
-------	--	-----------

**4.7.4 EXTENDED WARRANTY OPTIONS**

Use this section to offer performance/extended warranty options and list cost.  
 (Specify years, months, or days extended term covers.) Add as many lines as needed.

	NA
	NA
	NA

4.7.5	<b>DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS</b>	<b>NO FLAT RATE ALLOWED</b>
-------	--	-----------------------------

**DELIVERY STARTING POINT - City, State, Zip** Robbinsdale, MN 55422

**PRICE PER LOADED MILE:** 2.75

**MINIMUM DELIVERY CHARGE (if applicable)** 45

**4.7.6 EQUIPMENT INSPECTION & REPAIR RATES**

Hourly Rate for Initial Inspection/Diagnostic :	\$	129.00
Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$	129.00
Hourly Rate for Body Work (including paint or welding labor) :	\$	179.00

**4.7.7 NEW EQUIPMENT RENTAL PROGRAM**

If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions.

Daily Rental Rate:	NA
Weekly Rental Rate:	5950
Monthly Rental Rate:	11900
Percent (%) of Rental Fee applied to purchase price:	0%

**If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here:** \_\_\_\_\_

**CLASS 5 TRAILER PRESSURE WASHERS**  
**BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.10**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

4.6	Information Requested	Answer
	Make & Model Number	API ECOS-DX
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Trailer Type (Pickup Truck, Ag/Farm Tractor, 3-Point, Class 2/3/4, etc)	Pickup Truck Class 2B,3,4,5
	Water Tank Capacity (In gallons)	400 Gallons
	Water Tank Construction (Plastic, Stainless, etc)	Plastic
	Water Volume (GPM - Gallons per Minute)	4.7 GPM
	Pressure (In PSI)	3500 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	135°F +/- 5°
	Steam Capable? (Yes/No)	No
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Honda GX690
	Engine Fuel Type and Capacity (In gallons)	Gasoline 17 Gallons
	Engine Displacement	688 cm3

Engine Air or Water Cooled	Air
Engine Location	Front Middle
Generator (to power burner)	Yes
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Ingintion, Choke, Burner, Reclaim Pump, Vacuum and Temp Control
Number of Nozzles	5
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire
Hose Length (In feet)	100'
High Pressure Hose Reel Included? (Yes/No)	Yes
Fill Hose Reel Included? (Yes/No)	No
Wand Type	Variable Pressure Wand
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	48" x 32"
How is Skid attached to Vehicle/Trailer?	Bolted
Trailer Type (deck-over, deck-under, open frame, enclosed)	Open Frame
Number of Axles & Weight Rating per Axle	2 Axles 3500 lbs each
Trailer Size/Length	174"L x 75"W x 74"H
Trailer Hitch Type	Lunnette Eye Coupler
Trailer Tire Size & Rating	ST205/75/R15 2150 lbs per Tire Rating
Does the Trailer have brakes?	Yes
If yes, what type of brakes?	Electric
Does the Trailer have lights? (i.e. stop/turn/tail)	Yes - DOT Approved
What is the estimated weight of the unit with the tanks full and ready to spray?	6200 lbs
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"

BASE UNIT PRICE:	\$29,990
------------------	----------

**CLASS 5 TRAILER PRESSURE WASHERS**  
**OPTIONS - SPECIFICATION NO. 4.11**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

**Base Unit Price:** \$29,990

Spec No.	Description	Price
----------	-------------	-------

4.7.1	Date & Title/I.D. of Price List	10.14.21 API Price List
-------	---------------------------------	-------------------------

4.7.2	Discount to be applied to Price List	0%
-------	--------------------------------------	----

**\*Note:** The "Discount to be Applied to Price List" must be a numeric percentage,

4.7.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 240.00
-------	--	-----------

**4.7.4 EXTENDED WARRANTY OPTIONS**

Use this section to offer performance/extended warranty options and list cost.  
 (Specify years, months, or days extended term covers.) Add as many lines as needed.

	NA
	NA
	NA

4.7.5	<b><u>DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS</u></b>	<b><u>NO FLAT RATE ALLOWED</u></b>
-------	---	------------------------------------

**DELIVERY STARTING POINT - City, State, Zip** Robbinsdale, MN 55422

**PRICE PER LOADED MILE:** 2.75

**MINIMUM DELIVERY CHARGE (if applicable)** 45

**4.7.6 EQUIPMENT INSPECTION & REPAIR RATES**

Hourly Rate for Initial Inspection/Diagnostic :	\$ 129.00
Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$ 129.00
Hourly Rate for Body Work (including paint or welding labor) :	\$ 179.00

**4.7.7 NEW EQUIPMENT RENTAL PROGRAM**

If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions.

Daily Rental Rate:	NA
Weekly Rental Rate:	5950
Monthly Rental Rate:	11900
Percent (%) of Rental Fee applied to purchase price:	0%

**If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here:** \_\_\_\_\_

# STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS

## BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.12

### Contract No. 203215 - Effective December 1, 2021

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

4.12	Information Requested	Answer
	Make & Model Number	API MHC4-303E-12V
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Type (Portable or Stationary)	Portable
	Water Volume (GPM - Gallons per Minute)	3.5 GPM
	Pressure (In PSI)	3000 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	135°F +/- 5°
	Steam Capable? (Yes/No)	No
	Drive Type (Belt or Direct)	Direct
	Engine Make and Model	Honda GX340
	Engine Fuel Type and Capacity (Gas, Diesel, Electric)	Gasoline 1.6 Gallons
	Engine Displacement (or HP, if electric)	389 cm3

Engine Air or Water Cooled	Air
Engine Location	Front Middle
Generator (to power burner)	No
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Burner, Thermostat, Hour/Tach Meter
Number of Nozzles	5
Hose diameter	3/8" ID
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire
Hose Length (In feet)	50'
High Pressure Hose Reel Included? (Yes/No)	No
Fill Hose Reel Included? (Yes/No)	No
Wand Type & Description	Variable Presssure 42"
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	52"L x 29"W x 44.5"H
What is the estimated weight of the unit with the tanks full and ready to spray?	560 lbs
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"
<b>BASE UNIT PRICE:</b>	
	\$ 7,249.00

# STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS

## OPTIONS -SPECIFICATION NO. 4.13

Contract No. 203215 - Effective December 1, 2021

Customer should contact Contract Vendor for questions & assistance with quote

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

Base Unit Price: \$ 7,249.00

Spec No.	Description	Price
4.13.1	Date & Title/I.D. of Price List	10.14.21 API Price List
4.13.2	Discount to be applied to Price List <b>*Note:</b> The "Discount to be Applied to Price List" must be a numeric percentage, which may include 0%. Not listing a numeric percentage may result in your bid being rejected.	0%
4.13.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 105.00
4.13.4	<b>EXTENDED WARRANTY OPTIONS</b> Use this section to offer performance/extended warranty options and list cost. (Specify years, months, or days extended term covers.) Add as many lines as needed.	
		NA
		NA
		NA
4.13.5	<b>DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS</b>	<b>NO FLAT RATE ALLOWED</b>

**DELIVERY STARTING POINT - City, State, Zip** Robbinsdale, MN 55422

PRICE PER LOADED MILE:	\$2.75
MINIMUM DELIVERY CHARGE (if applicable)	\$45.00

4.13.6	<b>EQUIPMENT INSPECTION &amp; REPAIR RATES</b> <b>INSTALLATION FOR STATIONARY UNITS IS NOT PERMITTED</b>	
	Hourly Rate for Initial Inspection/Diagnostic :	\$ 129.00
	Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$ 129.00
	Hourly Rate for Body Work (including paint or welding labor) :	\$ 179.00

4.13.7	<b>NEW EQUIPMENT RENTAL PROGRAM</b> If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions.	
	Daily Rental Rate:	NA
	Weekly Rental Rate:	\$1,450
	Monthly Rental Rate:	\$2,900
	Percent (%) of Rental Fee applied to purchase price:	0%

If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_

# STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS

## BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.12

### Contract No. 203215 - Effective December 1, 2021

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	<b>American Pressure Inc</b>
Contact Person:	<b>Ben Hagemann</b>
Street Address:	<b>3810 W Broadway</b>
P.O. Box:	
City, State, Zip	<b>Robbinsdale, MN 55422</b>
Phone #:	<b>763-521-4442</b>
Toll Free #:	<b>800-544-0836</b>
Fax #:	<b>763-521-4447</b>
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

<b>4.12</b>	<b>Information Requested</b>	<b>Answer</b>
	Make & Model Number	API MHC4-353E-12V
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Type (Portable or Stationary)	Portable
	Water Volume (GPM - Gallons per Minute)	3.5 GPM
	Pressure (In PSI)	3500 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	135°F +/- 5°
	Steam Capable? (Yes/No)	No
	Drive Type (Belt or Direct)	Direct
	Engine Make and Model	Honda GX390
	Engine Fuel Type and Capacity (Gas, Diesel, Electric)	Gasoline 1.6 Gallons
	Engine Displacement (or HP, if electric)	389 cm3

Engine Air or Water Cooled	Air
Engine Location	Front Middle
Generator (to power burner)	No
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Burner, Thermostat, Hour/Tach Meter
Number of Nozzles	5
Hose diameter	3/8" ID
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire
Hose Length (In feet)	50'
High Pressure Hose Reel Included? (Yes/No)	No
Fill Hose Reel Included? (Yes/No)	No
Wand Type & Description	Variable Presssure 42"
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	52"L x 29"W x 44.5"H
What is the estimated weight of the unit with the tanks full and ready to spray?	560 lbs
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"
<b>BASE UNIT PRICE:</b>	
	\$ 7,417.00

# STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS

## OPTIONS -SPECIFICATION NO. 4.13

Contract No. 203215 - Effective December 1, 2021

Customer should contact Contract Vendor for questions & assistance with quote

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

Base Unit Price: \$ 7,417.00

Spec No.	Description	Price
4.13.1	Date & Title/I.D. of Price List	10.14.21 API Price List
4.13.2	Discount to be applied to Price List <b>*Note:</b> The "Discount to be Applied to Price List" must be a numeric percentage, which may include 0%. Not listing a numeric percentage may result in your bid being rejected.	0%
4.13.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 105.00
4.13.4	<b>EXTENDED WARRANTY OPTIONS</b> Use this section to offer performance/extended warranty options and list cost. (Specify years, months, or days extended term covers.) Add as many lines as needed.	
		NA
		NA
		NA
4.13.5	<b>DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS</b>	<b>NO FLAT RATE ALLOWED</b>

**DELIVERY STARTING POINT - City, State, Zip** Robbinsdale, MN 55422

PRICE PER LOADED MILE:	\$2.75
MINIMUM DELIVERY CHARGE (if applicable)	\$45.00

4.13.6	<b>EQUIPMENT INSPECTION &amp; REPAIR RATES</b> <b>INSTALLATION FOR STATIONARY UNITS IS NOT PERMITTED</b>	
	Hourly Rate for Initial Inspection/Diagnostic :	\$ 129.00
	Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$ 129.00
	Hourly Rate for Body Work (including paint or welding labor) :	\$ 179.00

4.13.7	<b>NEW EQUIPMENT RENTAL PROGRAM</b> If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions.	
	Daily Rental Rate:	NA
	Weekly Rental Rate:	\$1,483
	Monthly Rental Rate:	\$2,966
	Percent (%) of Rental Fee applied to purchase price:	0%

If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_

# STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS

## BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.12

### Contract No. 203215 - Effective December 1, 2021

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

4.12	Information Requested	Answer
	Make & Model Number	API PGDC4-353E-12V
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Type (Portable or Stationary)	Stationary
	Water Volume (GPM - Gallons per Minute)	3.8 GPM
	Pressure (In PSI)	3500 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	135°F +/- 5°
	Steam Capable? (Yes/No)	Optional
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Honda GX390
	Engine Fuel Type and Capacity (Gas, Diesel, Electric)	Gasoline 1.6 Gallons
	Engine Displacement (or HP, if electric)	389 cm3

Engine Air or Water Cooled	Air
Engine Location	Side
Generator (to power burner)	No
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Burner Control and Thermostat Adjustment
Number of Nozzles	5
Hose diameter	3/8" ID
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire
Hose Length (In feet)	50'
High Pressure Hose Reel Included? (Yes/No)	No
Fill Hose Reel Included? (Yes/No)	No
Wand Type & Description	Variable Presssure 42"
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	48"L x 32"W x 44"H
What is the estimated weight of the unit with the tanks full and ready to spray?	630 lbs
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"
<b>BASE UNIT PRICE:</b>	
	\$ 8,410.00

# STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS

## OPTIONS -SPECIFICATION NO. 4.13

**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

**Base Unit Price: \$ 8,410.00**

Spec No.	Description	Price
----------	-------------	-------

4.13.1	Date & Title/I.D. of Price List	10.14.21 API Price List
4.13.2	Discount to be applied to Price List <b>*Note:</b> The "Discount to be Applied to Price List" must be a numeric percentage, which may include 0%. Not listing a numeric percentage may result in your bid being rejected.	0%
4.13.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 105.00

#### 4.13.4 EXTENDED WARRANTY OPTIONS

Use this section to offer performance/extended warranty options and list cost. (Specify years, months, or days extended term covers.) Add as many lines as needed.

	NA
	NA
	NA

#### 4.13.5 DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS NO FLAT RATE ALLOWED

**DELIVERY STARTING POINT - City, State, Zip** Robbinsdale, MN 55422

<b>PRICE PER LOADED MILE:</b>	\$2.75
<b>MINIMUM DELIVERY CHARGE (if applicable)</b>	\$45.00

#### 4.13.6 EQUIPMENT INSPECTION & REPAIR RATES

##### INSTALLATION FOR STATIONARY UNITS IS NOT PERMITTED

Hourly Rate for Initial Inspection/Diagnostic :	\$ 129.00
Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$ 129.00
Hourly Rate for Body Work (including paint or welding labor) :	\$ 179.00

#### 4.13.7 NEW EQUIPMENT RENTAL PROGRAM

If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions.

Daily Rental Rate:	NA
Weekly Rental Rate:	\$1,682
Monthly Rental Rate:	\$3,364
Percent (%) of Rental Fee applied to purchase price:	0%

**If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_**

# STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS

## BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.12

### Contract No. 203215 - Effective December 1, 2021

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

4.12	Information Requested	Answer
	Make & Model Number	API PGDC5-352E-12V
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Type (Portable or Stationary)	Stationary
	Water Volume (GPM - Gallons per Minute)	4.7 GPM
	Pressure (In PSI)	3500 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	135°F +/- 5°
	Steam Capable? (Yes/No)	Optional
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Briggs Vanguard 18
	Engine Fuel Type and Capacity (Gas, Diesel, Electric)	Gasoline 4.75 Gallons
	Engine Displacement (or HP, if electric)	570 cm3

Engine Air or Water Cooled	Air
Engine Location	Side
Generator (to power burner)	No
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Burner Control and Thermostat Adjustment
Number of Nozzles	5
Hose diameter	3/8" ID
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire
Hose Length (In feet)	50'
High Pressure Hose Reel Included? (Yes/No)	No
Fill Hose Reel Included? (Yes/No)	No
Wand Type & Description	Variable Presssure 42"
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	48"L x 32"W x 44"H
What is the estimated weight of the unit with the tanks full and ready to spray?	640 lbs
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"
<b>BASE UNIT PRICE:</b>	<b>\$ 8,434.00</b>

# STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS

## OPTIONS -SPECIFICATION NO. 4.13

**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

**Base Unit Price: \$ 8,434.00**

Spec No.	Description	Price
----------	-------------	-------

4.13.1	Date & Title/I.D. of Price List	10.14.21 API Price List
4.13.2	Discount to be applied to Price List <b>*Note:</b> The "Discount to be Applied to Price List" must be a numeric percentage, which may include 0%. Not listing a numeric percentage may result in your bid being rejected.	0%
4.13.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 105.00

### 4.13.4 EXTENDED WARRANTY OPTIONS

Use this section to offer performance/extended warranty options and list cost. (Specify years, months, or days extended term covers.) Add as many lines as needed.

	NA
	NA
	NA

### 4.13.5 DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS NO FLAT RATE ALLOWED

**DELIVERY STARTING POINT - City, State, Zip** Robbinsdale, MN 55422

<b>PRICE PER LOADED MILE:</b>	\$2.75
<b>MINIMUM DELIVERY CHARGE (if applicable)</b>	\$45.00

### 4.13.6 EQUIPMENT INSPECTION & REPAIR RATES

#### INSTALLATION FOR STATIONARY UNITS IS NOT PERMITTED

Hourly Rate for Initial Inspection/Diagnostic :	\$ 129.00
Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$ 129.00
Hourly Rate for Body Work (including paint or welding labor) :	\$ 179.00

### 4.13.7 NEW EQUIPMENT RENTAL PROGRAM

If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions.

Daily Rental Rate:	NA
Weekly Rental Rate:	\$1,687
Monthly Rental Rate:	\$3,374
Percent (%) of Rental Fee applied to purchase price:	0%

**If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_**

# STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS

## BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.12

### Contract No. 203215 - Effective December 1, 2021

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

4.12	Information Requested	Answer
	Make & Model Number	API PGDC5-353E-12V
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Type (Portable or Stationary)	Stationary
	Water Volume (GPM - Gallons per Minute)	4.7 GPM
	Pressure (In PSI)	3500 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	135°F +/- 5°
	Steam Capable? (Yes/No)	Optional
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Honda GX630
	Engine Fuel Type and Capacity (Gas, Diesel, Electric)	Gasoline 4.75 Gallons
	Engine Displacement (or HP, if electric)	688 cm3

Engine Air or Water Cooled	Air
Engine Location	Side
Generator (to power burner)	No
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Burner Control and Thermostat Adjustment
Number of Nozzles	5
Hose diameter	3/8" ID
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire
Hose Length (In feet)	50'
High Pressure Hose Reel Included? (Yes/No)	No
Fill Hose Reel Included? (Yes/No)	No
Wand Type & Description	Variable Presssure 42"
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	48"L x 32"W x 44"H
What is the estimated weight of the unit with the tanks full and ready to spray?	670 lbs
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"
<b>BASE UNIT PRICE:</b>	
	\$ 9,492.00

# STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS

## OPTIONS -SPECIFICATION NO. 4.13

**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

**Base Unit Price: \$ 9,492.00**

Spec No.	Description	Price
----------	-------------	-------

4.13.1	Date & Title/I.D. of Price List	10.14.21 API Price List
4.13.2	Discount to be applied to Price List <b>*Note:</b> The "Discount to be Applied to Price List" must be a numeric percentage, which may include 0%. Not listing a numeric percentage may result in your bid being rejected.	0%
4.13.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 105.00

### 4.13.4 EXTENDED WARRANTY OPTIONS

Use this section to offer performance/extended warranty options and list cost. (Specify years, months, or days extended term covers.) Add as many lines as needed.

	NA
	NA
	NA

### 4.13.5 DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS NO FLAT RATE ALLOWED

**DELIVERY STARTING POINT - City, State, Zip** Robbinsdale, MN 55422

<b>PRICE PER LOADED MILE:</b>	\$2.75
<b>MINIMUM DELIVERY CHARGE (if applicable)</b>	\$45.00

### 4.13.6 EQUIPMENT INSPECTION & REPAIR RATES

#### INSTALLATION FOR STATIONARY UNITS IS NOT PERMITTED

Hourly Rate for Initial Inspection/Diagnostic :	\$ 129.00
Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$ 129.00
Hourly Rate for Body Work (including paint or welding labor) :	\$ 179.00

### 4.13.7 NEW EQUIPMENT RENTAL PROGRAM

If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions.

Daily Rental Rate:	NA
Weekly Rental Rate:	\$1,898
Monthly Rental Rate:	\$3,796
Percent (%) of Rental Fee applied to purchase price:	0%

**If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_**

# STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS

## BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.12

### Contract No. 203215 - Effective December 1, 2021

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

4.12	Information Requested	Answer
	Make & Model Number	API PGDC5-353E-12V
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Type (Portable or Stationary)	Stationary
	Water Volume (GPM - Gallons per Minute)	8.0 GPM
	Pressure (In PSI)	3000 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	105°F +/- 5°
	Steam Capable? (Yes/No)	Optional
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Honda GX630
	Engine Fuel Type and Capacity (Gas, Diesel, Electric)	Gasoline 4.75 Gallons
	Engine Displacement (or HP, if electric)	688 cm3

Engine Air or Water Cooled	Air
Engine Location	Side
Generator (to power burner)	No
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Burner Control and Thermostat Adjustment
Number of Nozzles	5
Hose diameter	3/8" ID
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire
Hose Length (In feet)	50'
High Pressure Hose Reel Included? (Yes/No)	No
Fill Hose Reel Included? (Yes/No)	No
Wand Type & Description	Variable Presssure 42"
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	48"L x 32"W x 44"H
What is the estimated weight of the unit with the tanks full and ready to spray?	710 lbs
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"
<b>BASE UNIT PRICE:</b>	<b>\$ 11,256.00</b>

# STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS

## OPTIONS -SPECIFICATION NO. 4.13

**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

**Base Unit Price: \$ 11,256.00**

Spec No.	Description	Price
----------	-------------	-------

4.13.1	Date & Title/I.D. of Price List	10.14.21 API Price List
4.13.2	Discount to be applied to Price List <b>*Note:</b> The "Discount to be Applied to Price List" must be a numeric percentage, which may include 0%. Not listing a numeric percentage may result in your bid being rejected.	0%
4.13.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 105.00

### 4.13.4 EXTENDED WARRANTY OPTIONS

Use this section to offer performance/extended warranty options and list cost. (Specify years, months, or days extended term covers.) Add as many lines as needed.

NA  
NA  
NA

### 4.13.5 DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS NO FLAT RATE ALLOWED

**DELIVERY STARTING POINT - City, State, Zip** Robbinsdale, MN 55422

PRICE PER LOADED MILE:	\$2.75
MINIMUM DELIVERY CHARGE (if applicable)	\$45.00

### 4.13.6 EQUIPMENT INSPECTION & REPAIR RATES

#### INSTALLATION FOR STATIONARY UNITS IS NOT PERMITTED

Hourly Rate for Initial Inspection/Diagnostic :	\$ 129.00
Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$ 129.00
Hourly Rate for Body Work (including paint or welding labor) :	\$ 179.00

### 4.13.7 NEW EQUIPMENT RENTAL PROGRAM

If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions.

Daily Rental Rate:	NA
Weekly Rental Rate:	\$2,251
Monthly Rental Rate:	\$4,502
Percent (%) of Rental Fee applied to purchase price:	0%

**If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_**

# STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS

## BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.12

### Contract No. 203215 - Effective December 1, 2021

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

4.12	Information Requested	Answer
	Make & Model Number	API PGHW4-303E-120V
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Type (Portable or Stationary)	Stationary
	Water Volume (GPM - Gallons per Minute)	3.5 GPM
	Pressure (In PSI)	3000 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	135°F +/- 5°
	Steam Capable? (Yes/No)	Optional
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Honda GX390
	Engine Fuel Type and Capacity (Gas, Diesel, Electric)	Gasoline 1.6 Gallons
	Engine Displacement (or HP, if electric)	389 cm3

Engine Air or Water Cooled	Air
Engine Location	Side
Generator (to power burner)	Yes
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Burner Control and Thermostat Adjustment
Number of Nozzles	5
Hose diameter	3/8" ID
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire
Hose Length (In feet)	50'
High Pressure Hose Reel Included? (Yes/No)	No
Fill Hose Reel Included? (Yes/No)	No
Wand Type & Description	Variable Presssure 42"
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	48"L x 32"W x 44"H
What is the estimated weight of the unit with the tanks full and ready to spray?	725 lbs
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"
<b>BASE UNIT PRICE:</b>	
	\$ 9,520.00

# STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS

## OPTIONS -SPECIFICATION NO. 4.13

**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

**Base Unit Price: \$ 9,520.00**

Spec No.	Description	Price
----------	-------------	-------

4.13.1	Date & Title/I.D. of Price List	10.14.21 API Price List
4.13.2	Discount to be applied to Price List <b>*Note:</b> The "Discount to be Applied to Price List" must be a numeric percentage, which may include 0%. Not listing a numeric percentage may result in your bid being rejected.	0%
4.13.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 105.00

#### 4.13.4 EXTENDED WARRANTY OPTIONS

Use this section to offer performance/extended warranty options and list cost. (Specify years, months, or days extended term covers.) Add as many lines as needed.

	NA
	NA
	NA

#### 4.13.5 DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS NO FLAT RATE ALLOWED

**DELIVERY STARTING POINT - City, State, Zip** Robbinsdale, MN 55422

<b>PRICE PER LOADED MILE:</b>	\$2.75
<b>MINIMUM DELIVERY CHARGE (if applicable)</b>	\$45.00

#### 4.13.6 EQUIPMENT INSPECTION & REPAIR RATES

##### INSTALLATION FOR STATIONARY UNITS IS NOT PERMITTED

Hourly Rate for Initial Inspection/Diagnostic :	\$ 129.00
Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$ 129.00
Hourly Rate for Body Work (including paint or welding labor) :	\$ 179.00

#### 4.13.7 NEW EQUIPMENT RENTAL PROGRAM

If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions.

Daily Rental Rate:	NA
Weekly Rental Rate:	\$1,904
Monthly Rental Rate:	\$2,808
Percent (%) of Rental Fee applied to purchase price:	0%

**If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_**

# STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS

## BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.12

### Contract No. 203215 - Effective December 1, 2021

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	<b>American Pressure Inc</b>
Contact Person:	<b>Ben Hagemann</b>
Street Address:	<b>3810 W Broadway</b>
P.O. Box:	
City, State, Zip	<b>Robbinsdale, MN 55422</b>
Phone #:	<b>763-521-4442</b>
Toll Free #:	<b>800-544-0836</b>
Fax #:	<b>763-521-4447</b>
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

<b>4.12</b>	<b>Information Requested</b>	<b>Answer</b>
	Make & Model Number	API PGHW4-403E-120V
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Type (Portable or Stationary)	Stationary
	Water Volume (GPM - Gallons per Minute)	4.0 GPM
	Pressure (In PSI)	4000 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	135°F +/- 5°
	Steam Capable? (Yes/No)	Optional
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Honda GX630
	Engine Fuel Type and Capacity (Gas, Diesel, Electric)	Gasoline 4.75 Gallons
	Engine Displacement (or HP, if electric)	688 cm3

Engine Air or Water Cooled	Air
Engine Location	Side
Generator (to power burner)	Yes
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Burner Control and Thermostat Adjustment
Number of Nozzles	5
Hose diameter	3/8" ID
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire
Hose Length (In feet)	50'
High Pressure Hose Reel Included? (Yes/No)	No
Fill Hose Reel Included? (Yes/No)	No
Wand Type & Description	Variable Presssure 42"
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	48"L x 32"W x 44"H
What is the estimated weight of the unit with the tanks full and ready to spray?	840 lbs
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"
<b>BASE UNIT PRICE:</b>	<b>\$ 10,595.00</b>

# STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS

## OPTIONS -SPECIFICATION NO. 4.13

**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

**Base Unit Price: \$ 10,595.00**

Spec No.	Description	Price
----------	-------------	-------

4.13.1	Date & Title/I.D. of Price List	10.14.21 API Price List
4.13.2	Discount to be applied to Price List <b>*Note:</b> The "Discount to be Applied to Price List" must be a numeric percentage, which may include 0%. Not listing a numeric percentage may result in your bid being rejected.	0%
4.13.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 105.00

### 4.13.4 EXTENDED WARRANTY OPTIONS

Use this section to offer performance/extended warranty options and list cost. (Specify years, months, or days extended term covers.) Add as many lines as needed.

	NA
	NA
	NA

### 4.13.5 DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS NO FLAT RATE ALLOWED

**DELIVERY STARTING POINT - City, State, Zip** Robbinsdale, MN 55422

<b>PRICE PER LOADED MILE:</b>	\$2.75
<b>MINIMUM DELIVERY CHARGE (if applicable)</b>	\$45.00

### 4.13.6 EQUIPMENT INSPECTION & REPAIR RATES

#### INSTALLATION FOR STATIONARY UNITS IS NOT PERMITTED

Hourly Rate for Initial Inspection/Diagnostic :	\$ 129.00
Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$ 129.00
Hourly Rate for Body Work (including paint or welding labor) :	\$ 179.00

### 4.13.7 NEW EQUIPMENT RENTAL PROGRAM

If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions.

Daily Rental Rate:	NA
Weekly Rental Rate:	\$2,120
Monthly Rental Rate:	\$4,240
Percent (%) of Rental Fee applied to purchase price:	0%

**If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_**

# STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS

## BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.12

### Contract No. 203215 - Effective December 1, 2021

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	<b>American Pressure Inc</b>
Contact Person:	<b>Ben Hagemann</b>
Street Address:	<b>3810 W Broadway</b>
P.O. Box:	
City, State, Zip	<b>Robbinsdale, MN 55422</b>
Phone #:	<b>763-521-4442</b>
Toll Free #:	<b>800-544-0836</b>
Fax #:	<b>763-521-4447</b>
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

<b>4.12</b>	<b>Information Requested</b>	<b>Answer</b>
	Make & Model Number	API PGHW5-302E-120V
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Type (Portable or Stationary)	Stationary
	Water Volume (GPM - Gallons per Minute)	4.8 GPM
	Pressure (In PSI)	3000 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	135°F +/- 5°
	Steam Capable? (Yes/No)	Optional
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Briggs Vanguard 18
	Engine Fuel Type and Capacity (Gas, Diesel, Electric)	Gasoline 4.75 Gallons
	Engine Displacement (or HP, if electric)	570 cm3

Engine Air or Water Cooled	Air
Engine Location	Side
Generator (to power burner)	Yes
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Burner Control and Thermostat Adjustment
Number of Nozzles	5
Hose diameter	3/8" ID
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire
Hose Length (In feet)	50'
High Pressure Hose Reel Included? (Yes/No)	No
Fill Hose Reel Included? (Yes/No)	No
Wand Type & Description	Variable Presssure 42"
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	48"L x 32"W x 44"H
What is the estimated weight of the unit with the tanks full and ready to spray?	825 lbs
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"
<b>BASE UNIT PRICE:</b>	<b>\$ 9,700.00</b>

# STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS

## OPTIONS -SPECIFICATION NO. 4.13

**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

**Base Unit Price: \$ 9,700.00**

Spec No.	Description	Price
----------	-------------	-------

4.13.1	Date & Title/I.D. of Price List	10.14.21 API Price List
4.13.2	Discount to be applied to Price List <b>*Note:</b> The "Discount to be Applied to Price List" must be a numeric percentage, which may include 0%. Not listing a numeric percentage may result in your bid being rejected.	0%
4.13.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 105.00

### 4.13.4 EXTENDED WARRANTY OPTIONS

Use this section to offer performance/extended warranty options and list cost. (Specify years, months, or days extended term covers.) Add as many lines as needed.

	NA
	NA
	NA

### 4.13.5 DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS NO FLAT RATE ALLOWED

**DELIVERY STARTING POINT - City, State, Zip** Robbinsdale, MN 55422

<b>PRICE PER LOADED MILE:</b>	\$2.75
<b>MINIMUM DELIVERY CHARGE (if applicable)</b>	\$45.00

### 4.13.6 EQUIPMENT INSPECTION & REPAIR RATES

#### INSTALLATION FOR STATIONARY UNITS IS NOT PERMITTED

Hourly Rate for Initial Inspection/Diagnostic :	\$ 129.00
Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$ 129.00
Hourly Rate for Body Work (including paint or welding labor) :	\$ 179.00

### 4.13.7 NEW EQUIPMENT RENTAL PROGRAM

If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions.

Daily Rental Rate:	NA
Weekly Rental Rate:	\$1,940
Monthly Rental Rate:	\$2,880
Percent (%) of Rental Fee applied to purchase price:	0%

**If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_**

# STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS

## BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.12

### Contract No. 203215 - Effective December 1, 2021

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	<b>American Pressure Inc</b>
Contact Person:	<b>Ben Hagemann</b>
Street Address:	<b>3810 W Broadway</b>
P.O. Box:	
City, State, Zip	<b>Robbinsdale, MN 55422</b>
Phone #:	<b>763-521-4442</b>
Toll Free #:	<b>800-544-0836</b>
Fax #:	<b>763-521-4447</b>
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

<b>4.12</b>	<b>Information Requested</b>	<b>Answer</b>
	Make & Model Number	API PGHW5-353E-120V
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Type (Portable or Stationary)	Stationary
	Water Volume (GPM - Gallons per Minute)	4.7 GPM
	Pressure (In PSI)	3500 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	135°F +/- 5°
	Steam Capable? (Yes/No)	Optional
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Honda GX630
	Engine Fuel Type and Capacity (Gas, Diesel, Electric)	Gasoline 4.75 Gallons
	Engine Displacement (or HP, if electric)	688 cm3

Engine Air or Water Cooled	Air
Engine Location	Side
Generator (to power burner)	Yes
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Burner Control and Thermostat Adjustment
Number of Nozzles	5
Hose diameter	3/8" ID
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire
Hose Length (In feet)	50'
High Pressure Hose Reel Included? (Yes/No)	No
Fill Hose Reel Included? (Yes/No)	No
Wand Type & Description	Variable Presssure 42"
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	48"L x 32"W x 44"H
What is the estimated weight of the unit with the tanks full and ready to spray?	840 lbs
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"
<b>BASE UNIT PRICE:</b>	<b>\$ 10,620.00</b>

# STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS

## OPTIONS -SPECIFICATION NO. 4.13

**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

**Base Unit Price: \$ 10,620.00**

Spec No.	Description	Price
----------	-------------	-------

4.13.1	Date & Title/I.D. of Price List	10.14.21 API Price List
4.13.2	Discount to be applied to Price List <b>*Note:</b> The "Discount to be Applied to Price List" must be a numeric percentage, which may include 0%. Not listing a numeric percentage may result in your bid being rejected.	0%
4.13.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 105.00

### 4.13.4 EXTENDED WARRANTY OPTIONS

Use this section to offer performance/extended warranty options and list cost. (Specify years, months, or days extended term covers.) Add as many lines as needed.

	NA
	NA
	NA

### 4.13.5 DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS NO FLAT RATE ALLOWED

**DELIVERY STARTING POINT - City, State, Zip** Robbinsdale, MN 55422

<b>PRICE PER LOADED MILE:</b>	\$2.75
<b>MINIMUM DELIVERY CHARGE (if applicable)</b>	\$45.00

### 4.13.6 EQUIPMENT INSPECTION & REPAIR RATES

#### INSTALLATION FOR STATIONARY UNITS IS NOT PERMITTED

Hourly Rate for Initial Inspection/Diagnostic :	\$ 129.00
Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$ 129.00
Hourly Rate for Body Work (including paint or welding labor) :	\$ 179.00

### 4.13.7 NEW EQUIPMENT RENTAL PROGRAM

If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions.

Daily Rental Rate:	NA
Weekly Rental Rate:	\$2,124
Monthly Rental Rate:	\$4,248
Percent (%) of Rental Fee applied to purchase price:	0%

**If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_**

# STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS

## BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.12

### Contract No. 203215 - Effective December 1, 2021

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

4.12	Information Requested	Answer
	Make & Model Number	API PGHW5-505E-120V
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Type (Portable or Stationary)	Stationary
	Water Volume (GPM - Gallons per Minute)	5.0 GPM
	Pressure (In PSI)	5000 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	135°F +/- 5°
	Steam Capable? (Yes/No)	Optional
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Kawasaki FD750D
	Engine Fuel Type and Capacity (Gas, Diesel, Electric)	Gasoline 4.75 Gallons
	Engine Displacement (or HP, if electric)	745 cm3

Engine Air or Water Cooled	Water
Engine Location	Middle
Generator (to power burner)	Yes
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Burner Control and Thermostat Adjustment, Voltage Meter, Hour/Tach Meter, Keyed Ignition, Choke
Number of Nozzles	5
Hose diameter	3/8" ID
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire
Hose Length (In feet)	50'
High Pressure Hose Reel Included? (Yes/No)	No
Fill Hose Reel Included? (Yes/No)	No
Wand Type & Description	Straight Wand 42"
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	48"L x 39"W x 42"H
What is the estimated weight of the unit with the tanks full and ready to spray?	1290 lbs
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"

<b>BASE UNIT PRICE:</b>	\$	15,397.00
-------------------------	----	-----------

# STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS

## OPTIONS -SPECIFICATION NO. 4.13

**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

**Base Unit Price: \$ 15,397.00**

Spec No.	Description	Price
4.13.1	Date & Title/I.D. of Price List	10.14.21 API Price List
4.13.2	Discount to be applied to Price List <b>*Note:</b> The "Discount to be Applied to Price List" must be a numeric percentage, which may include 0%. Not listing a numeric percentage may result in your bid being rejected.	0%
4.13.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 105.00
4.13.4	<b><u>EXTENDED WARRANTY OPTIONS</u></b> Use this section to offer performance/extended warranty options and list cost. (Specify years, months, or days extended term covers.) Add as many lines as needed.	
		NA
		NA
		NA
4.13.5	<b><u>DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS</u></b>	<b><u>NO FLAT RATE ALLOWED</u></b>

**DELIVERY STARTING POINT - City, State, Zip** Robbinsdale, MN 55422

<b>PRICE PER LOADED MILE:</b>	\$2.75
<b>MINIMUM DELIVERY CHARGE (if applicable)</b>	\$45.00

4.13.6	<b><u>EQUIPMENT INSPECTION &amp; REPAIR RATES</u></b> <b><u>INSTALLATION FOR STATIONARY UNITS IS NOT PERMITTED</u></b>	
	Hourly Rate for Initial Inspection/Diagnostic :	\$ 129.00
	Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$ 129.00
	Hourly Rate for Body Work (including paint or welding labor) :	\$ 179.00

4.13.7	<b><u>NEW EQUIPMENT RENTAL PROGRAM</u></b> If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions.	
	Daily Rental Rate:	NA
	Weekly Rental Rate:	\$3,079
	Monthly Rental Rate:	\$6,158
	Percent (%) of Rental Fee applied to purchase price:	0%

**If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_**

# STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS

## BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.12

### Contract No. 203215 - Effective December 1, 2021

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

4.12	Information Requested	Answer
	Make & Model Number	API PGHW5-353E-120V
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Type (Portable or Stationary)	Stationary
	Water Volume (GPM - Gallons per Minute)	8.0 GPM
	Pressure (In PSI)	3000 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	105°F +/- 5°
	Steam Capable? (Yes/No)	Optional
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Honda GX690
	Engine Fuel Type and Capacity (Gas, Diesel, Electric)	Gasoline 4.75 Gallons
	Engine Displacement (or HP, if electric)	688 cm3

Engine Air or Water Cooled	Air
Engine Location	Side
Generator (to power burner)	Yes
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Burner Control and Thermostat Adjustment
Number of Nozzles	5
Hose diameter	3/8" ID
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire
Hose Length (In feet)	50'
High Pressure Hose Reel Included? (Yes/No)	No
Fill Hose Reel Included? (Yes/No)	No
Wand Type & Description	Variable Presssure 42"
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	48"L x 32"W x 44"H
What is the estimated weight of the unit with the tanks full and ready to spray?	850 lbs
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"
<b>BASE UNIT PRICE:</b>	<b>\$ 12,155.00</b>

# STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS

## OPTIONS -SPECIFICATION NO. 4.13

Contract No. 203215 - Effective December 1, 2021

Customer should contact Contract Vendor for questions & assistance with quote

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

Base Unit Price: \$ 12,155.00

Spec No.	Description	Price
----------	-------------	-------

4.13.1	Date & Title/I.D. of Price List	10.14.21 API Price List
4.13.2	Discount to be applied to Price List <b>*Note:</b> The "Discount to be Applied to Price List" must be a numeric percentage, which may include 0%. Not listing a numeric percentage may result in your bid being rejected.	0%
4.13.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 105.00

### 4.13.4 EXTENDED WARRANTY OPTIONS

Use this section to offer performance/extended warranty options and list cost. (Specify years, months, or days extended term covers.) Add as many lines as needed.

	NA
	NA
	NA

### 4.13.5 DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS NO FLAT RATE ALLOWED

**DELIVERY STARTING POINT - City, State, Zip** Robbinsdale, MN 55422

PRICE PER LOADED MILE:	\$2.75
MINIMUM DELIVERY CHARGE (if applicable)	\$45.00

### 4.13.6 EQUIPMENT INSPECTION & REPAIR RATES

#### INSTALLATION FOR STATIONARY UNITS IS NOT PERMITTED

Hourly Rate for Initial Inspection/Diagnostic :	\$ 129.00
Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$ 129.00
Hourly Rate for Body Work (including paint or welding labor) :	\$ 179.00

### 4.13.7 NEW EQUIPMENT RENTAL PROGRAM

If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions.

Daily Rental Rate:	NA
Weekly Rental Rate:	\$2,430
Monthly Rental Rate:	\$4,860
Percent (%) of Rental Fee applied to purchase price:	0%

If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_

# STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS

## BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.12

### Contract No. 203215 - Effective December 1, 2021

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	<b>American Pressure Inc</b>
Contact Person:	<b>Ben Hagemann</b>
Street Address:	<b>3810 W Broadway</b>
P.O. Box:	
City, State, Zip	<b>Robbinsdale, MN 55422</b>
Phone #:	<b>763-521-4442</b>
Toll Free #:	<b>800-544-0836</b>
Fax #:	<b>763-521-4447</b>
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

<b>4.12</b>	<b>Information Requested</b>	<b>Answer</b>
	Make & Model Number	API PDHW5-356E-12V
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Type (Portable or Stationary)	Stationary
	Water Volume (GPM - Gallons per Minute)	4.7 GPM
	Pressure (In PSI)	3500 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	135°F +/- 5°
	Steam Capable? (Yes/No)	Optional
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Kubota Z602
	Engine Fuel Type and Capacity (Gas, Diesel, Electric)	Diesel 22 Gallons
	Engine Displacement (or HP, if electric)	599 cm3

Engine Air or Water Cooled	Water
Engine Location	Middle
Generator (to power burner)	No
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Keyed Ignition, Burner Control and Thermostat Adjustment
Number of Nozzles	5
Hose diameter	3/8" ID
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire
Hose Length (In feet)	50'
High Pressure Hose Reel Included? (Yes/No)	No
Fill Hose Reel Included? (Yes/No)	No
Wand Type & Description	Variable Pressure 42"
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	48"L x 32"W x 44"H
What is the estimated weight of the unit with the tanks full and ready to spray?	948 lbs
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"
<b>BASE UNIT PRICE:</b>	
	\$ 16,710.00

# STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS

## OPTIONS -SPECIFICATION NO. 4.13

**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

**Base Unit Price: \$ 16,710.00**

Spec No.	Description	Price
----------	-------------	-------

4.13.1	Date & Title/I.D. of Price List	10.14.21 API Price List
4.13.2	Discount to be applied to Price List <b>*Note:</b> The "Discount to be Applied to Price List" must be a numeric percentage, which may include 0%. Not listing a numeric percentage may result in your bid being rejected.	0%
4.13.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 105.00

### 4.13.4 EXTENDED WARRANTY OPTIONS

Use this section to offer performance/extended warranty options and list cost. (Specify years, months, or days extended term covers.) Add as many lines as needed.

	NA
	NA
	NA

### 4.13.5 DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS NO FLAT RATE ALLOWED

**DELIVERY STARTING POINT - City, State, Zip** Robbinsdale, MN 55422

<b>PRICE PER LOADED MILE:</b>	\$2.75
<b>MINIMUM DELIVERY CHARGE (if applicable)</b>	\$45.00

### 4.13.6 EQUIPMENT INSPECTION & REPAIR RATES

#### INSTALLATION FOR STATIONARY UNITS IS NOT PERMITTED

Hourly Rate for Initial Inspection/Diagnostic :	\$ 129.00
Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$ 129.00
Hourly Rate for Body Work (including paint or welding labor) :	\$ 179.00

### 4.13.7 NEW EQUIPMENT RENTAL PROGRAM

If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions.

Daily Rental Rate:	NA
Weekly Rental Rate:	\$3,342
Monthly Rental Rate:	\$6,684
Percent (%) of Rental Fee applied to purchase price:	0%

**If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_**

# STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS

## BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.12

### Contract No. 203215 - Effective December 1, 2021

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

4.12	Information Requested	Answer
	Make & Model Number	API PDHW5-356E-120V
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Type (Portable or Stationary)	Stationary
	Water Volume (GPM - Gallons per Minute)	4.7 GPM
	Pressure (In PSI)	3500 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	135°F +/- 5°
	Steam Capable? (Yes/No)	Optional
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Kubota Z602
	Engine Fuel Type and Capacity (Gas, Diesel, Electric)	Diesel 22 Gallons
	Engine Displacement (or HP, if electric)	599 cm3

Engine Air or Water Cooled	Water
Engine Location	Middle
Generator (to power burner)	Yes
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Keyed Ignition, Burner Control and Thermostat Adjustment
Number of Nozzles	5
Hose diameter	3/8" ID
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire
Hose Length (In feet)	50'
High Pressure Hose Reel Included? (Yes/No)	No
Fill Hose Reel Included? (Yes/No)	No
Wand Type & Description	Variable Pressure 42"
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	48"L x 32"W x 44"H
What is the estimated weight of the unit with the tanks full and ready to spray?	1000 lbs
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"
<b>BASE UNIT PRICE:</b>	<b>\$ 17,799.00</b>

# STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS

## OPTIONS -SPECIFICATION NO. 4.13

**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

**Base Unit Price: \$ 17,799.00**

Spec No.	Description	Price
----------	-------------	-------

4.13.1	Date & Title/I.D. of Price List	10.14.21 API Price List
4.13.2	Discount to be applied to Price List <b>*Note:</b> The "Discount to be Applied to Price List" must be a numeric percentage, which may include 0%. Not listing a numeric percentage may result in your bid being rejected.	0%
4.13.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 105.00

### 4.13.4 EXTENDED WARRANTY OPTIONS

Use this section to offer performance/extended warranty options and list cost. (Specify years, months, or days extended term covers.) Add as many lines as needed.

	NA
	NA
	NA

### 4.13.5 DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS NO FLAT RATE ALLOWED

**DELIVERY STARTING POINT - City, State, Zip** Robbinsdale, MN 55422

<b>PRICE PER LOADED MILE:</b>	\$2.75
<b>MINIMUM DELIVERY CHARGE (if applicable)</b>	\$45.00

### 4.13.6 EQUIPMENT INSPECTION & REPAIR RATES

#### INSTALLATION FOR STATIONARY UNITS IS NOT PERMITTED

Hourly Rate for Initial Inspection/Diagnostic :	\$ 129.00
Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$ 129.00
Hourly Rate for Body Work (including paint or welding labor) :	\$ 179.00

### 4.13.7 NEW EQUIPMENT RENTAL PROGRAM

If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions.

Daily Rental Rate:	NA
Weekly Rental Rate:	\$3,560
Monthly Rental Rate:	\$7,120
Percent (%) of Rental Fee applied to purchase price:	0%

**If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_**

# STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS

## BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.12

### Contract No. 203215 - Effective December 1, 2021

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

4.12	Information Requested	Answer
	Make & Model Number	API PDHW5-356E-SS-12V
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Type (Portable or Stationary)	Stationary Stainless Steel
	Water Volume (GPM - Gallons per Minute)	4.7 GPM
	Pressure (In PSI)	3500 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	135°F +/- 5°
	Steam Capable? (Yes/No)	Optional
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Kubota Z602
	Engine Fuel Type and Capacity (Gas, Diesel, Electric)	Diesel 22 Gallons
	Engine Displacement (or HP, if electric)	599 cm3

Engine Air or Water Cooled	Water
Engine Location	Middle
Generator (to power burner)	No
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Keyed Ignition, Burner Control and Thermostat Adjustment
Number of Nozzles	5
Hose diameter	3/8" ID
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire
Hose Length (In feet)	50'
High Pressure Hose Reel Included? (Yes/No)	No
Fill Hose Reel Included? (Yes/No)	No
Wand Type & Description	Variable Pressure 42"
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	48"L x 32"W x 44"H
What is the estimated weight of the unit with the tanks full and ready to spray?	948 lbs
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"
<b>BASE UNIT PRICE:</b>	<b>\$ 19,076.00</b>

# STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS

## OPTIONS -SPECIFICATION NO. 4.13

**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

**Base Unit Price: \$ 19,076.00**

Spec No.	Description	Price
----------	-------------	-------

4.13.1	Date & Title/I.D. of Price List	10.14.21 API Price List
4.13.2	Discount to be applied to Price List <b>*Note:</b> The "Discount to be Applied to Price List" must be a numeric percentage, which may include 0%. Not listing a numeric percentage may result in your bid being rejected.	0%
4.13.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 105.00

#### 4.13.4 EXTENDED WARRANTY OPTIONS

Use this section to offer performance/extended warranty options and list cost. (Specify years, months, or days extended term covers.) Add as many lines as needed.

	NA
	NA
	NA

#### 4.13.5 DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS NO FLAT RATE ALLOWED

**DELIVERY STARTING POINT - City, State, Zip** Robbinsdale, MN 55422

<b>PRICE PER LOADED MILE:</b>	\$2.75
<b>MINIMUM DELIVERY CHARGE (if applicable)</b>	\$45.00

#### 4.13.6 EQUIPMENT INSPECTION & REPAIR RATES

##### INSTALLATION FOR STATIONARY UNITS IS NOT PERMITTED

Hourly Rate for Initial Inspection/Diagnostic :	\$ 129.00
Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$ 129.00
Hourly Rate for Body Work (including paint or welding labor) :	\$ 179.00

#### 4.13.7 NEW EQUIPMENT RENTAL PROGRAM

If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions.

Daily Rental Rate:	NA
Weekly Rental Rate:	\$3,815
Monthly Rental Rate:	\$7,630
Percent (%) of Rental Fee applied to purchase price:	0%

**If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_**

# STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS

## BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.12

### Contract No. 203215 - Effective December 1, 2021

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

4.12	Information Requested	Answer
	Make & Model Number	API PDHW5-356E-SS-120V
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Type (Portable or Stationary)	Stationary Stainless Steel
	Water Volume (GPM - Gallons per Minute)	4.7 GPM
	Pressure (In PSI)	3500 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	135°F +/- 5°
	Steam Capable? (Yes/No)	Optional
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Kubota Z602
	Engine Fuel Type and Capacity (Gas, Diesel, Electric)	Diesel 22 Gallons
	Engine Displacement (or HP, if electric)	599 cm3

Engine Air or Water Cooled	Water
Engine Location	Middle
Generator (to power burner)	Yes
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Keyed Ignition, Burner Control and Thermostat Adjustment
Number of Nozzles	5
Hose diameter	3/8" ID
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire
Hose Length (In feet)	50'
High Pressure Hose Reel Included? (Yes/No)	No
Fill Hose Reel Included? (Yes/No)	No
Wand Type & Description	Variable Pressure 42"
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	48"L x 32"W x 44"H
What is the estimated weight of the unit with the tanks full and ready to spray?	1000 lbs
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"
<b>BASE UNIT PRICE:</b>	<b>\$ 20,175.00</b>

# STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS

## OPTIONS -SPECIFICATION NO. 4.13

**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

**Base Unit Price: \$ 20,175.00**

Spec No.	Description	Price
----------	-------------	-------

4.13.1	Date & Title/I.D. of Price List	10.14.21 API Price List
4.13.2	Discount to be applied to Price List <b>*Note:</b> The "Discount to be Applied to Price List" must be a numeric percentage, which may include 0%. Not listing a numeric percentage may result in your bid being rejected.	0%
4.13.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 105.00

### 4.13.4 EXTENDED WARRANTY OPTIONS

Use this section to offer performance/extended warranty options and list cost. (Specify years, months, or days extended term covers.) Add as many lines as needed.

	NA
	NA
	NA

### 4.13.5 DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS NO FLAT RATE ALLOWED

**DELIVERY STARTING POINT - City, State, Zip** Robbinsdale, MN 55422

<b>PRICE PER LOADED MILE:</b>	\$2.75
<b>MINIMUM DELIVERY CHARGE (if applicable)</b>	\$45.00

### 4.13.6 EQUIPMENT INSPECTION & REPAIR RATES

#### INSTALLATION FOR STATIONARY UNITS IS NOT PERMITTED

Hourly Rate for Initial Inspection/Diagnostic :	\$ 129.00
Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$ 129.00
Hourly Rate for Body Work (including paint or welding labor) :	\$ 179.00

### 4.13.7 NEW EQUIPMENT RENTAL PROGRAM

If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions.

Daily Rental Rate:	NA
Weekly Rental Rate:	\$4,035
Monthly Rental Rate:	\$8,070
Percent (%) of Rental Fee applied to purchase price:	0%

**If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_**

**STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS**  
**BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.12**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	<b>American Pressure Inc</b>
Contact Person:	<b>Ben Hagemann</b>
Street Address:	<b>3810 W Broadway</b>
P.O. Box:	
City, State, Zip	<b>Robbinsdale, MN 55422</b>
Phone #:	<b>763-521-4442</b>
Toll Free #:	<b>800-544-0836</b>
Fax #:	<b>763-521-4447</b>
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

<b>4.12</b>	<b>Information Requested</b>	<b>Answer</b>
	Make & Model Number	API SLT6-323E-120V
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Type (Portable or Stationary)	Stationary
	Water Volume (GPM - Gallons per Minute)	5.9 GPM
	Pressure (In PSI)	3200 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	135°F +/- 5°
	Steam Capable? (Yes/No)	Optional
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Honda GX630
	Engine Fuel Type and Capacity (Gas, Diesel, Electric)	Gasoline 10 Gallons
	Engine Displacement (or HP, if electric)	688 cm3

Engine Air or Water Cooled	Air
Engine Location	Middle
Generator (to power burner)	Yes
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Burner Control and Thermostat Adjustment, Voltage Meter, Hour/Tach Meter
Number of Nozzles	5
Hose diameter	1/2" ID
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire
Hose Length (In feet)	50'
High Pressure Hose Reel Included? (Yes/No)	No
Fill Hose Reel Included? (Yes/No)	No
Wand Type & Description	Variable Pressure 42"
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	55"L x 32"W x 51"H
What is the estimated weight of the unit with the tanks full and ready to spray?	1245 lbs
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"

<b>BASE UNIT PRICE:</b>	\$	13,734.00
-------------------------	----	-----------

# STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS

## OPTIONS -SPECIFICATION NO. 4.13

**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

**Base Unit Price: \$ 13,734.00**

Spec No.	Description	Price
----------	-------------	-------

4.13.1	Date & Title/I.D. of Price List	10.14.21 API Price List
4.13.2	Discount to be applied to Price List <b>*Note:</b> The "Discount to be Applied to Price List" must be a numeric percentage, which may include 0%. Not listing a numeric percentage may result in your bid being rejected.	0%
4.13.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 105.00

#### 4.13.4 EXTENDED WARRANTY OPTIONS

Use this section to offer performance/extended warranty options and list cost. (Specify years, months, or days extended term covers.) Add as many lines as needed.

	NA
	NA
	NA

#### 4.13.5 DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS NO FLAT RATE ALLOWED

**DELIVERY STARTING POINT - City, State, Zip** Robbinsdale, MN 55422

<b>PRICE PER LOADED MILE:</b>	\$2.75
<b>MINIMUM DELIVERY CHARGE (if applicable)</b>	\$45.00

#### 4.13.6 EQUIPMENT INSPECTION & REPAIR RATES

##### INSTALLATION FOR STATIONARY UNITS IS NOT PERMITTED

Hourly Rate for Initial Inspection/Diagnostic :	\$ 129.00
Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$ 129.00
Hourly Rate for Body Work (including paint or welding labor) :	\$ 179.00

#### 4.13.7 NEW EQUIPMENT RENTAL PROGRAM

If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions.

Daily Rental Rate:	NA
Weekly Rental Rate:	\$2,747
Monthly Rental Rate:	\$5,494
Percent (%) of Rental Fee applied to purchase price:	0%

**If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_**

# STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS

## BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.12

### Contract No. 203215 - Effective December 1, 2021

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	<b>American Pressure Inc</b>
Contact Person:	<b>Ben Hagemann</b>
Street Address:	<b>3810 W Broadway</b>
P.O. Box:	
City, State, Zip	<b>Robbinsdale, MN 55422</b>
Phone #:	<b>763-521-4442</b>
Toll Free #:	<b>800-544-0836</b>
Fax #:	<b>763-521-4447</b>
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

<b>4.12</b>	<b>Information Requested</b>	<b>Answer</b>
	Make & Model Number	API SLT8-303E-120V
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Type (Portable or Stationary)	Stationary
	Water Volume (GPM - Gallons per Minute)	7.8 GPM
	Pressure (In PSI)	3000 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	135°F +/- 5°
	Steam Capable? (Yes/No)	Optional
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Honda GX660
	Engine Fuel Type and Capacity (Gas, Diesel, Electric)	Gasoline 10 Gallons
	Engine Displacement (or HP, if electric)	688 cm3

Engine Air or Water Cooled	Air
Engine Location	Middle
Generator (to power burner)	Yes
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Burner Control and Thermostat Adjustment, Voltage Meter, Hour/Tach Meter
Number of Nozzles	5
Hose diameter	1/2" ID
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire
Hose Length (In feet)	50'
High Pressure Hose Reel Included? (Yes/No)	No
Fill Hose Reel Included? (Yes/No)	No
Wand Type & Description	Variable Pressure 42"
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	55"L x 32"W x 51"H
What is the estimated weight of the unit with the tanks full and ready to spray?	1245 lbs
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"

<b>BASE UNIT PRICE:</b>	\$	14,590.00
-------------------------	----	-----------

# STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS

## OPTIONS -SPECIFICATION NO. 4.13

**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

**Base Unit Price:** \$ 14,590.00

Spec No.	Description	Price
4.13.1	Date & Title/I.D. of Price List	10.14.21 API Price List
4.13.2	Discount to be applied to Price List <b>*Note:</b> The "Discount to be Applied to Price List" must be a numeric percentage, which may include 0%. Not listing a numeric percentage may result in your bid being rejected.	0%
4.13.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 105.00
4.13.4	<b><u>EXTENDED WARRANTY OPTIONS</u></b> Use this section to offer performance/extended warranty options and list cost. (Specify years, months, or days extended term covers.) Add as many lines as needed.	
		NA
		NA
		NA
4.13.5	<b><u>DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS</u></b>	<b><u>NO FLAT RATE ALLOWED</u></b>

**DELIVERY STARTING POINT - City, State, Zip** Robbinsdale, MN 55422

<b>PRICE PER LOADED MILE:</b>	\$2.75
<b>MINIMUM DELIVERY CHARGE (if applicable)</b>	\$45.00

4.13.6	<b><u>EQUIPMENT INSPECTION &amp; REPAIR RATES</u></b> <b><u>INSTALLATION FOR STATIONARY UNITS IS NOT PERMITTED</u></b>	
	Hourly Rate for Initial Inspection/Diagnostic :	\$ 129.00
	Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$ 129.00
	Hourly Rate for Body Work (including paint or welding labor) :	\$ 179.00

4.13.7	<b><u>NEW EQUIPMENT RENTAL PROGRAM</u></b> If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions.	
	Daily Rental Rate:	NA
	Weekly Rental Rate:	\$2,918
	Monthly Rental Rate:	\$5,836
	Percent (%) of Rental Fee applied to purchase price:	0%

**If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here:** \_\_\_\_\_

**STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS**  
**BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.12**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	<b>American Pressure Inc</b>
Contact Person:	<b>Ben Hagemann</b>
Street Address:	<b>3810 W Broadway</b>
P.O. Box:	
City, State, Zip	<b>Robbinsdale, MN 55422</b>
Phone #:	<b>763-521-4442</b>
Toll Free #:	<b>800-544-0836</b>
Fax #:	<b>763-521-4447</b>
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

<b>4.12</b>	<b>Information Requested</b>	<b>Answer</b>
	Make & Model Number	API SLT6-326E-120V
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Type (Portable or Stationary)	Stationary
	Water Volume (GPM - Gallons per Minute)	6.2 GPM
	Pressure (In PSI)	3200 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	135°F +/- 5°
	Steam Capable? (Yes/No)	Optional
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Kubota D1105
	Engine Fuel Type and Capacity (Gas, Diesel, Electric)	Diesel 26 Gallons
	Engine Displacement (or HP, if electric)	1123 cm3

Engine Air or Water Cooled	Water
Engine Location	Side
Generator (to power burner)	Yes
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Keyed Ignition, Burner Control and Thermostat Adjustment, Voltage Meter, Hour/Tach Meter
Number of Nozzles	5
Hose diameter	1/2" ID
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire
Hose Length (In feet)	50'
High Pressure Hose Reel Included? (Yes/No)	No
Fill Hose Reel Included? (Yes/No)	No
Wand Type & Description	Variable Pressure 42"
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	62"L x 32"W x 57"H
What is the estimated weight of the unit with the tanks full and ready to spray?	1745 lbs
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"

<b>BASE UNIT PRICE:</b>	\$	20,770.00
-------------------------	----	-----------

# STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS

## OPTIONS -SPECIFICATION NO. 4.13

**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

**Base Unit Price: \$ 20,770.00**

Spec No.	Description	Price
4.13.1	Date & Title/I.D. of Price List	10.14.21 API Price List
4.13.2	Discount to be applied to Price List <b>*Note:</b> The "Discount to be Applied to Price List" must be a numeric percentage, which may include 0%. Not listing a numeric percentage may result in your bid being rejected.	0%
4.13.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 105.00
4.13.4	<b>EXTENDED WARRANTY OPTIONS</b> Use this section to offer performance/extended warranty options and list cost. (Specify years, months, or days extended term covers.) Add as many lines as needed.	
		NA
		NA
		NA
4.13.5	<b>DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS</b>	<b>NO FLAT RATE ALLOWED</b>

**DELIVERY STARTING POINT - City, State, Zip** Robbinsdale, MN 55422

<b>PRICE PER LOADED MILE:</b>	\$2.75
<b>MINIMUM DELIVERY CHARGE (if applicable)</b>	\$45.00

4.13.6	<b>EQUIPMENT INSPECTION &amp; REPAIR RATES</b> <b>INSTALLATION FOR STATIONARY UNITS IS NOT PERMITTED</b>	
	Hourly Rate for Initial Inspection/Diagnostic :	\$ 129.00
	Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$ 129.00
	Hourly Rate for Body Work (including paint or welding labor) :	\$ 179.00

4.13.7	<b>NEW EQUIPMENT RENTAL PROGRAM</b> If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions.	
	Daily Rental Rate:	NA
	Weekly Rental Rate:	\$4,154
	Monthly Rental Rate:	\$8,308
	Percent (%) of Rental Fee applied to purchase price:	0%

**If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_**

**STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS**  
**BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.12**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	<b>American Pressure Inc</b>
Contact Person:	<b>Ben Hagemann</b>
Street Address:	<b>3810 W Broadway</b>
P.O. Box:	
City, State, Zip	<b>Robbinsdale, MN 55422</b>
Phone #:	<b>763-521-4442</b>
Toll Free #:	<b>800-544-0836</b>
Fax #:	<b>763-521-4447</b>
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

<b>4.12</b>	<b>Information Requested</b>	<b>Answer</b>
	Make & Model Number	API SLT6-326E-120V
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Type (Portable or Stationary)	Stationary
	Water Volume (GPM - Gallons per Minute)	6.2 GPM
	Pressure (In PSI)	3200 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	135°F +/- 5°
	Steam Capable? (Yes/No)	Optional
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Kubota D1105
	Engine Fuel Type and Capacity (Gas, Diesel, Electric)	Diesel 26 Gallons
	Engine Displacement (or HP, if electric)	1123 cm3

Engine Air or Water Cooled	Water
Engine Location	Side
Generator (to power burner)	Yes
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Keyed Ignition, Burner Control and Thermostat Adjustment, Voltage Meter, Hour/Tach Meter
Number of Nozzles	5
Hose diameter	1/2" ID
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire
Hose Length (In feet)	50'
High Pressure Hose Reel Included? (Yes/No)	No
Fill Hose Reel Included? (Yes/No)	No
Wand Type & Description	Variable Pressure 42"
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	62"L x 32"W x 57"H
What is the estimated weight of the unit with the tanks full and ready to spray?	1745 lbs
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"

<b>BASE UNIT PRICE:</b>	\$	22,697.00
-------------------------	----	-----------

# STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS

## OPTIONS -SPECIFICATION NO. 4.13

**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

**Base Unit Price: \$ 22,697.00**

Spec No.	Description	Price
----------	-------------	-------

4.13.1	Date & Title/I.D. of Price List	10.14.21 API Price List
4.13.2	Discount to be applied to Price List <b>*Note:</b> The "Discount to be Applied to Price List" must be a numeric percentage, which may include 0%. Not listing a numeric percentage may result in your bid being rejected.	0%
4.13.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 105.00

#### 4.13.4 EXTENDED WARRANTY OPTIONS

Use this section to offer performance/extended warranty options and list cost. (Specify years, months, or days extended term covers.) Add as many lines as needed.

	NA
	NA
	NA

#### 4.13.5 DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS NO FLAT RATE ALLOWED

**DELIVERY STARTING POINT - City, State, Zip** Robbinsdale, MN 55422

<b>PRICE PER LOADED MILE:</b>	\$2.75
<b>MINIMUM DELIVERY CHARGE (if applicable)</b>	\$45.00

#### 4.13.6 EQUIPMENT INSPECTION & REPAIR RATES

##### INSTALLATION FOR STATIONARY UNITS IS NOT PERMITTED

Hourly Rate for Initial Inspection/Diagnostic :	\$ 129.00
Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$ 129.00
Hourly Rate for Body Work (including paint or welding labor) :	\$ 179.00

#### 4.13.7 NEW EQUIPMENT RENTAL PROGRAM

If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions.

Daily Rental Rate:	NA
Weekly Rental Rate:	\$4,539
Monthly Rental Rate:	\$9,078
Percent (%) of Rental Fee applied to purchase price:	0%

**If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_**

# STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS

## BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.12

### Contract No. 203215 - Effective December 1, 2021

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	<b>American Pressure Inc</b>
Contact Person:	<b>Ben Hagemann</b>
Street Address:	<b>3810 W Broadway</b>
P.O. Box:	
City, State, Zip	<b>Robbinsdale, MN 55422</b>
Phone #:	<b>763-521-4442</b>
Toll Free #:	<b>800-544-0836</b>
Fax #:	<b>763-521-4447</b>
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

<b>4.12</b>	<b>Information Requested</b>	<b>Answer</b>
	Make & Model Number	API SLX10-253E-120V
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Type (Portable or Stationary)	Stationary
	Water Volume (GPM - Gallons per Minute)	9.5 GPM
	Pressure (In PSI)	2500 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	135°F +/- 5°
	Steam Capable? (Yes/No)	Optional
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Honda GX660
	Engine Fuel Type and Capacity (Gas, Diesel, Electric)	Gasoline 16 Gallons
	Engine Displacement (or HP, if electric)	688 cm3

Engine Air or Water Cooled	Air
Engine Location	Middle
Generator (to power burner)	Yes
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Burner Control and Thermostat Adjustment, Voltage Meter, Hour/Tach Meter
Number of Nozzles	5
Hose diameter	1/2" ID
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire
Hose Length (In feet)	50'
High Pressure Hose Reel Included? (Yes/No)	No
Fill Hose Reel Included? (Yes/No)	No
Wand Type & Description	Variable Pressure 42"
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	65"L x 36"W x 58"H
What is the estimated weight of the unit with the tanks full and ready to spray?	2000 lbs
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"

<b>BASE UNIT PRICE:</b>	\$	15,607.00
-------------------------	----	-----------

# STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS

## OPTIONS -SPECIFICATION NO. 4.13

**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

**Base Unit Price: \$ 15,607.00**

Spec No.	Description	Price
----------	-------------	-------

4.13.1	Date & Title/I.D. of Price List	10.14.21 API Price List
4.13.2	Discount to be applied to Price List <b>*Note:</b> The "Discount to be Applied to Price List" must be a numeric percentage, which may include 0%. Not listing a numeric percentage may result in your bid being rejected.	0%
4.13.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 105.00

#### 4.13.4 EXTENDED WARRANTY OPTIONS

Use this section to offer performance/extended warranty options and list cost. (Specify years, months, or days extended term covers.) Add as many lines as needed.

	NA
	NA
	NA

#### 4.13.5 DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS NO FLAT RATE ALLOWED

**DELIVERY STARTING POINT - City, State, Zip** Robbinsdale, MN 55422

<b>PRICE PER LOADED MILE:</b>	\$2.75
<b>MINIMUM DELIVERY CHARGE (if applicable)</b>	\$45.00

#### 4.13.6 EQUIPMENT INSPECTION & REPAIR RATES

##### INSTALLATION FOR STATIONARY UNITS IS NOT PERMITTED

Hourly Rate for Initial Inspection/Diagnostic :	\$ 129.00
Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$ 129.00
Hourly Rate for Body Work (including paint or welding labor) :	\$ 179.00

#### 4.13.7 NEW EQUIPMENT RENTAL PROGRAM

If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions.

Daily Rental Rate:	NA
Weekly Rental Rate:	\$3,121
Monthly Rental Rate:	\$6,242
Percent (%) of Rental Fee applied to purchase price:	0%

**If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_**

# STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS

## BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.12

### Contract No. 203215 - Effective December 1, 2021

Customer should contact Contract Vendor for questions & assistance with quote

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

4.12	Information Requested	Answer
	Make & Model Number	API SLX10-326E-120V
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Type (Portable or Stationary)	Stationary
	Water Volume (GPM - Gallons per Minute)	9.2 GPM
	Pressure (In PSI)	2800 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	135°F +/- 5°
	Steam Capable? (Yes/No)	Optional
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Kubota D1105
	Engine Fuel Type and Capacity (Gas, Diesel, Electric)	Diesel 30 Gallons
	Engine Displacement (or HP, if electric)	1123 cm3

Engine Air or Water Cooled	Water
Engine Location	Side
Generator (to power burner)	Yes
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Keyed Ignition, Burner Control and Thermostat Adjustment, Voltage Meter, Hour/Tach Meter
Number of Nozzles	5
Hose diameter	1/2" ID
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire
Hose Length (In feet)	50'
High Pressure Hose Reel Included? (Yes/No)	No
Fill Hose Reel Included? (Yes/No)	No
Wand Type & Description	Variable Pressure 42"
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	65"L x 36"W x 58"H
What is the estimated weight of the unit with the tanks full and ready to spray?	2100 lbs
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"

<b>BASE UNIT PRICE:</b>	\$	21,730.00
-------------------------	----	-----------

# STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS

## OPTIONS -SPECIFICATION NO. 4.13

**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

**Base Unit Price: \$ 21,730.00**

Spec No.	Description	Price
4.13.1	Date & Title/I.D. of Price List	10.14.21 API Price List
4.13.2	Discount to be applied to Price List <b>*Note:</b> The "Discount to be Applied to Price List" must be a numeric percentage, which may include 0%. Not listing a numeric percentage may result in your bid being rejected.	0%
4.13.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 105.00
4.13.4	<b><u>EXTENDED WARRANTY OPTIONS</u></b> Use this section to offer performance/extended warranty options and list cost. (Specify years, months, or days extended term covers.) Add as many lines as needed.	
		NA
		NA
		NA
4.13.5	<b><u>DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS</u></b>	<b><u>NO FLAT RATE ALLOWED</u></b>

**DELIVERY STARTING POINT - City, State, Zip** Robbinsdale, MN 55422

<b>PRICE PER LOADED MILE:</b>	\$2.75
<b>MINIMUM DELIVERY CHARGE (if applicable)</b>	\$45.00

4.13.6	<b><u>EQUIPMENT INSPECTION &amp; REPAIR RATES</u></b> <b><u>INSTALLATION FOR STATIONARY UNITS IS NOT PERMITTED</u></b>	
	Hourly Rate for Initial Inspection/Diagnostic :	\$ 129.00
	Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$ 129.00
	Hourly Rate for Body Work (including paint or welding labor) :	\$ 179.00

4.13.7	<b><u>NEW EQUIPMENT RENTAL PROGRAM</u></b> If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions.	
	Daily Rental Rate:	NA
	Weekly Rental Rate:	\$4,346
	Monthly Rental Rate:	\$8,692
	Percent (%) of Rental Fee applied to purchase price:	0%

**If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_**

# STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS

## BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.12

### Contract No. 203215 - Effective December 1, 2021

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

4.12	Information Requested	Answer
	Make & Model Number	API 5355J-12V
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Type (Portable or Stationary)	Stationary
	Water Volume (GPM - Gallons per Minute)	5.0 GPM
	Pressure (In PSI)	3500 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	135°F +/- 5°
	Steam Capable? (Yes/No)	Optional
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Honda GX630
	Engine Fuel Type and Capacity (Gas, Diesel, Electric)	Gasoline 6 Gallons
	Engine Displacement (or HP, if electric)	688 cm3

Engine Air or Water Cooled	Air
Engine Location	Middle
Generator (to power burner)	No
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Burner Control
Number of Nozzles	4
Hose diameter	3/8" ID
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire
Hose Length (In feet)	50'
High Pressure Hose Reel Included? (Yes/No)	No
Fill Hose Reel Included? (Yes/No)	No
Wand Type & Description	Straight Wand 42"
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	48"L x 34"W x 39"H
What is the estimated weight of the unit with the tanks full and ready to spray?	765 lbs
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"
<b>BASE UNIT PRICE:</b>	<b>\$ 10,950.00</b>

# STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS

## OPTIONS -SPECIFICATION NO. 4.13

**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

**Base Unit Price: \$ 10,950.00**

Spec No.	Description	Price
----------	-------------	-------

4.13.1	Date & Title/I.D. of Price List	10.14.21 API Price List
4.13.2	Discount to be applied to Price List <b>*Note:</b> The "Discount to be Applied to Price List" must be a numeric percentage, which may include 0%. Not listing a numeric percentage may result in your bid being rejected.	0%
4.13.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 105.00

### 4.13.4 EXTENDED WARRANTY OPTIONS

Use this section to offer performance/extended warranty options and list cost. (Specify years, months, or days extended term covers.) Add as many lines as needed.

	NA
	NA
	NA

### 4.13.5 DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS NO FLAT RATE ALLOWED

**DELIVERY STARTING POINT - City, State, Zip** Robbinsdale, MN 55422

<b>PRICE PER LOADED MILE:</b>	\$2.75
<b>MINIMUM DELIVERY CHARGE (if applicable)</b>	\$45.00

### 4.13.6 EQUIPMENT INSPECTION & REPAIR RATES

#### INSTALLATION FOR STATIONARY UNITS IS NOT PERMITTED

Hourly Rate for Initial Inspection/Diagnostic :	\$ 129.00
Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$ 129.00
Hourly Rate for Body Work (including paint or welding labor) :	\$ 179.00

### 4.13.7 NEW EQUIPMENT RENTAL PROGRAM

If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions.

Daily Rental Rate:	NA
Weekly Rental Rate:	\$2,190
Monthly Rental Rate:	\$4,380
Percent (%) of Rental Fee applied to purchase price:	0%

**If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_**

# STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS

## BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.12

### Contract No. 203215 - Effective December 1, 2021

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	<b>American Pressure Inc</b>
Contact Person:	<b>Ben Hagemann</b>
Street Address:	<b>3810 W Broadway</b>
P.O. Box:	
City, State, Zip	<b>Robbinsdale, MN 55422</b>
Phone #:	<b>763-521-4442</b>
Toll Free #:	<b>800-544-0836</b>
Fax #:	<b>763-521-4447</b>
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

<b>4.12</b>	<b>Information Requested</b>	<b>Answer</b>
	Make & Model Number	API 4405GAA-12V
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Type (Portable or Stationary)	Stationary
	Water Volume (GPM - Gallons per Minute)	4.0 GPM
	Pressure (In PSI)	4000 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	135°F +/- 5°
	Steam Capable? (Yes/No)	Optional
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Honda GX630
	Engine Fuel Type and Capacity (Gas, Diesel, Electric)	Gasoline 6 Gallons
	Engine Displacement (or HP, if electric)	688 cm3

Engine Air or Water Cooled	Air
Engine Location	Middle
Generator (to power burner)	No
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Burner Control
Number of Nozzles	4
Hose diameter	3/8" ID
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire
Hose Length (In feet)	50'
High Pressure Hose Reel Included? (Yes/No)	No
Fill Hose Reel Included? (Yes/No)	No
Wand Type & Description	Straight Wand 42"
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	48"L x 34"W x 39"H
What is the estimated weight of the unit with the tanks full and ready to spray?	780 lbs
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"
<b>BASE UNIT PRICE:</b>	
	\$ 11,554.00

# STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS

## OPTIONS -SPECIFICATION NO. 4.13

**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

**Base Unit Price: \$ 11,554.00**

Spec No.	Description	Price
4.13.1	Date & Title/I.D. of Price List	10.14.21 API Price List
4.13.2	Discount to be applied to Price List <b>*Note:</b> The "Discount to be Applied to Price List" must be a numeric percentage, which may include 0%. Not listing a numeric percentage may result in your bid being rejected.	0%
4.13.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 105.00
4.13.4	<b><u>EXTENDED WARRANTY OPTIONS</u></b> Use this section to offer performance/extended warranty options and list cost. (Specify years, months, or days extended term covers.) Add as many lines as needed.	
		NA
		NA
		NA
4.13.5	<b><u>DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS</u></b>	<b><u>NO FLAT RATE ALLOWED</u></b>

**DELIVERY STARTING POINT - City, State, Zip** Robbinsdale, MN 55422

<b>PRICE PER LOADED MILE:</b>	\$2.75
<b>MINIMUM DELIVERY CHARGE (if applicable)</b>	\$45.00

4.13.6	<b><u>EQUIPMENT INSPECTION &amp; REPAIR RATES</u></b> <b><u>INSTALLATION FOR STATIONARY UNITS IS NOT PERMITTED</u></b>	
	Hourly Rate for Initial Inspection/Diagnostic :	\$ 129.00
	Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$ 129.00
	Hourly Rate for Body Work (including paint or welding labor) :	\$ 179.00

4.13.7	<b><u>NEW EQUIPMENT RENTAL PROGRAM</u></b> If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions.	
	Daily Rental Rate:	NA
	Weekly Rental Rate:	\$2,310
	Monthly Rental Rate:	\$4,620
	Percent (%) of Rental Fee applied to purchase price:	0%

**If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_**

# STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS

## BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.12

### Contract No. 203215 - Effective December 1, 2021

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	<b>American Pressure Inc</b>
Contact Person:	<b>Ben Hagemann</b>
Street Address:	<b>3810 W Broadway</b>
P.O. Box:	
City, State, Zip	<b>Robbinsdale, MN 55422</b>
Phone #:	<b>763-521-4442</b>
Toll Free #:	<b>800-544-0836</b>
Fax #:	<b>763-521-4447</b>
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

<b>4.12</b>	<b>Information Requested</b>	<b>Answer</b>
	Make & Model Number	API 4405EAA-12V
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Type (Portable or Stationary)	Stationary
	Water Volume (GPM - Gallons per Minute)	4.0 GPM
	Pressure (In PSI)	4000 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	135°F +/- 5°
	Steam Capable? (Yes/No)	Optional
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Briggs Vanguard 18
	Engine Fuel Type and Capacity (Gas, Diesel, Electric)	Gasoline 6 Gallons
	Engine Displacement (or HP, if electric)	570 cm3

Engine Air or Water Cooled	Air
Engine Location	Middle
Generator (to power burner)	No
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Burner Control
Number of Nozzles	4
Hose diameter	3/8" ID
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire
Hose Length (In feet)	50'
High Pressure Hose Reel Included? (Yes/No)	No
Fill Hose Reel Included? (Yes/No)	No
Wand Type & Description	Straight Wand 42"
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	48"L x 34"W x 39"H
What is the estimated weight of the unit with the tanks full and ready to spray?	760 lbs
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"
<b>BASE UNIT PRICE:</b>	
	\$ 10,685.00

# STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS

## OPTIONS -SPECIFICATION NO. 4.13

**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

**Base Unit Price: \$ 10,685.00**

Spec No.	Description	Price
----------	-------------	-------

4.13.1	Date & Title/I.D. of Price List	10.14.21 API Price List
4.13.2	Discount to be applied to Price List <b>*Note:</b> The "Discount to be Applied to Price List" must be a numeric percentage, which may include 0%. Not listing a numeric percentage may result in your bid being rejected.	0%
4.13.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 105.00

### 4.13.4 EXTENDED WARRANTY OPTIONS

Use this section to offer performance/extended warranty options and list cost. (Specify years, months, or days extended term covers.) Add as many lines as needed.

	NA
	NA
	NA

### 4.13.5 DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS NO FLAT RATE ALLOWED

**DELIVERY STARTING POINT - City, State, Zip** Robbinsdale, MN 55422

<b>PRICE PER LOADED MILE:</b>	\$2.75
<b>MINIMUM DELIVERY CHARGE (if applicable)</b>	\$45.00

### 4.13.6 EQUIPMENT INSPECTION & REPAIR RATES

#### INSTALLATION FOR STATIONARY UNITS IS NOT PERMITTED

Hourly Rate for Initial Inspection/Diagnostic :	\$ 129.00
Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$ 129.00
Hourly Rate for Body Work (including paint or welding labor) :	\$ 179.00

### 4.13.7 NEW EQUIPMENT RENTAL PROGRAM

If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions.

Daily Rental Rate:	NA
Weekly Rental Rate:	\$2,137
Monthly Rental Rate:	\$4,274
Percent (%) of Rental Fee applied to purchase price:	0%

**If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_**

# STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS

## BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.12

### Contract No. 203215 - Effective December 1, 2021

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	<b>American Pressure Inc</b>
Contact Person:	<b>Ben Hagemann</b>
Street Address:	<b>3810 W Broadway</b>
P.O. Box:	
City, State, Zip	<b>Robbinsdale, MN 55422</b>
Phone #:	<b>763-521-4442</b>
Toll Free #:	<b>800-544-0836</b>
Fax #:	<b>763-521-4447</b>
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

<b>4.12</b>	<b>Information Requested</b>	<b>Answer</b>
	Make & Model Number	API 5355JB-120V
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Type (Portable or Stationary)	Stationary
	Water Volume (GPM - Gallons per Minute)	5.0 GPM
	Pressure (In PSI)	3500 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	135°F +/- 5°
	Steam Capable? (Yes/No)	Optional
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Honda GX630
	Engine Fuel Type and Capacity (Gas, Diesel, Electric)	Gasoline 6 Gallons
	Engine Displacement (or HP, if electric)	688 cm3

Engine Air or Water Cooled	Air
Engine Location	Middle
Generator (to power burner)	Yes
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Burner Control
Number of Nozzles	4
Hose diameter	3/8" ID
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire
Hose Length (In feet)	50'
High Pressure Hose Reel Included? (Yes/No)	No
Fill Hose Reel Included? (Yes/No)	No
Wand Type & Description	Straight Wand 42"
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	48"L x 34"W x 39"H
What is the estimated weight of the unit with the tanks full and ready to spray?	810 lbs
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"
<b>BASE UNIT PRICE:</b>	
	\$ 11,676.00

# STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS

## OPTIONS -SPECIFICATION NO. 4.13

**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

**Base Unit Price: \$ 11,676.00**

Spec No.	Description	Price
----------	-------------	-------

4.13.1	Date & Title/I.D. of Price List	10.14.21 API Price List
4.13.2	Discount to be applied to Price List <b>*Note:</b> The "Discount to be Applied to Price List" must be a numeric percentage, which may include 0%. Not listing a numeric percentage may result in your bid being rejected.	0%
4.13.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 105.00

### 4.13.4 EXTENDED WARRANTY OPTIONS

Use this section to offer performance/extended warranty options and list cost. (Specify years, months, or days extended term covers.) Add as many lines as needed.

	NA
	NA
	NA

### 4.13.5 DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS NO FLAT RATE ALLOWED

**DELIVERY STARTING POINT - City, State, Zip** Robbinsdale, MN 55422

<b>PRICE PER LOADED MILE:</b>	\$2.75
<b>MINIMUM DELIVERY CHARGE (if applicable)</b>	\$45.00

### 4.13.6 EQUIPMENT INSPECTION & REPAIR RATES

#### INSTALLATION FOR STATIONARY UNITS IS NOT PERMITTED

Hourly Rate for Initial Inspection/Diagnostic :	\$ 129.00
Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$ 129.00
Hourly Rate for Body Work (including paint or welding labor) :	\$ 179.00

### 4.13.7 NEW EQUIPMENT RENTAL PROGRAM

If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions.

Daily Rental Rate:	NA
Weekly Rental Rate:	\$2,335
Monthly Rental Rate:	\$4,670
Percent (%) of Rental Fee applied to purchase price:	0%

**If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_**

**STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS**  
**BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.12**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	<b>American Pressure Inc</b>
Contact Person:	<b>Ben Hagemann</b>
Street Address:	<b>3810 W Broadway</b>
P.O. Box:	
City, State, Zip	<b>Robbinsdale, MN 55422</b>
Phone #:	<b>763-521-4442</b>
Toll Free #:	<b>800-544-0836</b>
Fax #:	<b>763-521-4447</b>
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

<b>4.12</b>	<b>Information Requested</b>	<b>Answer</b>
	Make & Model Number	API 5357-120V
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Type (Portable or Stationary)	Stationary
	Water Volume (GPM - Gallons per Minute)	5.0 GPM
	Pressure (In PSI)	3500 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	135°F +/- 5°
	Steam Capable? (Yes/No)	Optional
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Kohler KDW1003
	Engine Fuel Type and Capacity (Gas, Diesel, Electric)	Diesel 27 Gallons
	Engine Displacement (or HP, if electric)	1028 cm3

Engine Air or Water Cooled	Water
Engine Location	Middle
Generator (to power burner)	Yes
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Burner Control, Temperature Control, Keyed Ignition
Number of Nozzles	4
Hose diameter	3/8" ID
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire
Hose Length (In feet)	50'
High Pressure Hose Reel Included? (Yes/No)	No
Fill Hose Reel Included? (Yes/No)	No
Wand Type & Description	Straight Wand 42"
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	54"L x 54"W x 46"H
What is the estimated weight of the unit with the tanks full and ready to spray?	1260 lbs
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"
<b>BASE UNIT PRICE:</b>	<b>\$ 20,752.00</b>

# STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS

## OPTIONS -SPECIFICATION NO. 4.13

**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

**Base Unit Price: \$ 20,752.00**

Spec No.	Description	Price
4.13.1	Date & Title/I.D. of Price List	10.14.21 API Price List
4.13.2	Discount to be applied to Price List <b>*Note:</b> The "Discount to be Applied to Price List" must be a numeric percentage, which may include 0%. Not listing a numeric percentage may result in your bid being rejected.	0%
4.13.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 105.00
4.13.4	<b><u>EXTENDED WARRANTY OPTIONS</u></b> Use this section to offer performance/extended warranty options and list cost. (Specify years, months, or days extended term covers.) Add as many lines as needed.	
		NA
		NA
		NA
4.13.5	<b><u>DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS</u></b>	<b><u>NO FLAT RATE ALLOWED</u></b>

**DELIVERY STARTING POINT - City, State, Zip** Robbinsdale, MN 55422

<b>PRICE PER LOADED MILE:</b>	\$2.75
<b>MINIMUM DELIVERY CHARGE (if applicable)</b>	\$45.00

4.13.6	<b><u>EQUIPMENT INSPECTION &amp; REPAIR RATES</u></b> <b><u>INSTALLATION FOR STATIONARY UNITS IS NOT PERMITTED</u></b>	
	Hourly Rate for Initial Inspection/Diagnostic :	\$ 129.00
	Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$ 129.00
	Hourly Rate for Body Work (including paint or welding labor) :	\$ 179.00

4.13.7	<b><u>NEW EQUIPMENT RENTAL PROGRAM</u></b> If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions.	
	Daily Rental Rate:	NA
	Weekly Rental Rate:	\$4,150
	Monthly Rental Rate:	\$8,300
	Percent (%) of Rental Fee applied to purchase price:	0%

**If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_**

# STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS

## BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.12

### Contract No. 203215 - Effective December 1, 2021

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	<b>American Pressure Inc</b>
Contact Person:	<b>Ben Hagemann</b>
Street Address:	<b>3810 W Broadway</b>
P.O. Box:	
City, State, Zip	<b>Robbinsdale, MN 55422</b>
Phone #:	<b>763-521-4442</b>
Toll Free #:	<b>800-544-0836</b>
Fax #:	<b>763-521-4447</b>
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

<b>4.12</b>	<b>Information Requested</b>	<b>Answer</b>
	Make & Model Number	API 5181
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Type (Portable or Stationary)	Stationary
	Water Volume (GPM - Gallons per Minute)	5.0 GPM
	Pressure (In PSI)	1800 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	LP/Natural Gas
	Approx. Temperature Rise (In Fahrenheit, range)	135°F +/- 5°
	Steam Capable? (Yes/No)	Optional
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Electric
	Engine Fuel Type and Capacity (Gas, Diesel, Electric)	Electric
	Engine Displacement (or HP, if electric)	6 HP

Engine Air or Water Cooled	Air
Engine Location	Middle
Control Panel (Yes/No)	Yes
What does the Control Panel control?	On,Off, Burner, Temperature Control
Number of Nozzles	4
Hose diameter	3/8" ID
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire
Hose Length (In feet)	50'
High Pressure Hose Reel Included? (Yes/No)	No
Fill Hose Reel Included? (Yes/No)	No
Wand Type & Description	Straight Wand 42"
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	55"L x 26"W x 54"H
What is the estimated weight of the unit with the tanks full and ready to spray?	800 lbs
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"
<b>BASE UNIT PRICE:</b>	<b>\$ 9,162.00</b>

# STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS

## OPTIONS -SPECIFICATION NO. 4.13

**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

**Base Unit Price: \$ 9,162.00**

Spec No.	Description	Price
4.13.1	Date & Title/I.D. of Price List	10.14.21 API Price List
4.13.2	Discount to be applied to Price List <b>*Note:</b> The "Discount to be Applied to Price List" must be a numeric percentage, which may include 0%. Not listing a numeric percentage may result in your bid being rejected.	0%
4.13.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 105.00
4.13.4	<b><u>EXTENDED WARRANTY OPTIONS</u></b> Use this section to offer performance/extended warranty options and list cost. (Specify years, months, or days extended term covers.) Add as many lines as needed.	
		NA
		NA
		NA
4.13.5	<b><u>DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS</u></b>	<b><u>NO FLAT RATE ALLOWED</u></b>

**DELIVERY STARTING POINT - City, State, Zip** Robbinsdale, MN 55422

<b>PRICE PER LOADED MILE:</b>	\$2.75
<b>MINIMUM DELIVERY CHARGE (if applicable)</b>	\$45.00

4.13.6	<b><u>EQUIPMENT INSPECTION &amp; REPAIR RATES</u></b> <b><u>INSTALLATION FOR STATIONARY UNITS IS NOT PERMITTED</u></b>	
	Hourly Rate for Initial Inspection/Diagnostic :	\$ 129.00
	Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$ 129.00
	Hourly Rate for Body Work (including paint or welding labor) :	\$ 179.00

4.13.7	<b><u>NEW EQUIPMENT RENTAL PROGRAM</u></b> If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions.	
	Daily Rental Rate:	NA
	Weekly Rental Rate:	NA
	Monthly Rental Rate:	NA
	Percent (%) of Rental Fee applied to purchase price:	0%

**If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_**

# STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS

## BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.12

### Contract No. 203215 - Effective December 1, 2021

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	<b>American Pressure Inc</b>
Contact Person:	<b>Ben Hagemann</b>
Street Address:	<b>3810 W Broadway</b>
P.O. Box:	
City, State, Zip	<b>Robbinsdale, MN 55422</b>
Phone #:	<b>763-521-4442</b>
Toll Free #:	<b>800-544-0836</b>
Fax #:	<b>763-521-4447</b>
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

<b>4.12</b>	<b>Information Requested</b>	<b>Answer</b>
	Make & Model Number	API 4301
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Type (Portable or Stationary)	Stationary
	Water Volume (GPM - Gallons per Minute)	4.0 GPM
	Pressure (In PSI)	3000 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	LP/Natural Gas
	Approx. Temperature Rise (In Fahrenheit, range)	135°F +/- 5°
	Steam Capable? (Yes/No)	Optional
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Electric
	Engine Fuel Type and Capacity (Gas, Diesel, Electric)	Electric
	Engine Displacement (or HP, if electric)	8 HP

Engine Air or Water Cooled	Air
Engine Location	Middle
Control Panel (Yes/No)	Yes
What does the Control Panel control?	On,Off, Burner, Temperature Control
Number of Nozzles	4
Hose diameter	3/8" ID
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire
Hose Length (In feet)	50'
High Pressure Hose Reel Included? (Yes/No)	No
Fill Hose Reel Included? (Yes/No)	No
Wand Type & Description	Straight Wand 42"
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	55"L x 26"W x 54"H
What is the estimated weight of the unit with the tanks full and ready to spray?	810 lbs
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"
<b>BASE UNIT PRICE:</b>	<b>\$ 9,388.00</b>

# STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS

## OPTIONS -SPECIFICATION NO. 4.13

**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip:	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

**Base Unit Price: \$ 9,388.00**

Spec No.	Description	Price
4.13.1	Date & Title/I.D. of Price List	10.14.21 API Price List
4.13.2	Discount to be applied to Price List <b>*Note:</b> The "Discount to be Applied to Price List" must be a numeric percentage, which may include 0%. Not listing a numeric percentage may result in your bid being rejected.	0%
4.13.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 105.00
4.13.4	<b><u>EXTENDED WARRANTY OPTIONS</u></b> Use this section to offer performance/extended warranty options and list cost. (Specify years, months, or days extended term covers.) Add as many lines as needed.	
		NA
		NA
		NA
4.13.5	<b><u>DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS</u></b>	<b><u>NO FLAT RATE ALLOWED</u></b>

**DELIVERY STARTING POINT - City, State, Zip** Robbinsdale, MN 55422

<b>PRICE PER LOADED MILE:</b>	\$2.75
<b>MINIMUM DELIVERY CHARGE (if applicable)</b>	\$45.00

4.13.6	<b><u>EQUIPMENT INSPECTION &amp; REPAIR RATES</u></b> <b><u>INSTALLATION FOR STATIONARY UNITS IS NOT PERMITTED</u></b>	
	Hourly Rate for Initial Inspection/Diagnostic :	\$ 129.00
	Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$ 129.00
	Hourly Rate for Body Work (including paint or welding labor) :	\$ 179.00

4.13.7	<b><u>NEW EQUIPMENT RENTAL PROGRAM</u></b> If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions.	
	Daily Rental Rate:	NA
	Weekly Rental Rate:	NA
	Monthly Rental Rate:	NA
	Percent (%) of Rental Fee applied to purchase price:	0%

**If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_**

# STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS

## BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.12

### Contract No. 203215 - Effective December 1, 2021

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	<b>American Pressure Inc</b>
Contact Person:	<b>Ben Hagemann</b>
Street Address:	<b>3810 W Broadway</b>
P.O. Box:	
City, State, Zip	<b>Robbinsdale, MN 55422</b>
Phone #:	<b>763-521-4442</b>
Toll Free #:	<b>800-544-0836</b>
Fax #:	<b>763-521-4447</b>
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

<b>4.12</b>	<b>Information Requested</b>	<b>Answer</b>
	Make & Model Number	API 5301
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Type (Portable or Stationary)	Stationary
	Water Volume (GPM - Gallons per Minute)	5.0 GPM
	Pressure (In PSI)	3000 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	LP/Natural Gas
	Approx. Temperature Rise (In Fahrenheit, range)	135°F +/- 5°
	Steam Capable? (Yes/No)	Optional
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Electric
	Engine Fuel Type and Capacity (Gas, Diesel, Electric)	Electric
	Engine Displacement (or HP, if electric)	10 HP

Engine Air or Water Cooled	Air
Engine Location	Middle
Control Panel (Yes/No)	Yes
What does the Control Panel control?	On,Off, Burner, Temperature Control
Number of Nozzles	4
Hose diameter	3/8" ID
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire
Hose Length (In feet)	50'
High Pressure Hose Reel Included? (Yes/No)	No
Fill Hose Reel Included? (Yes/No)	No
Wand Type & Description	Straight Wand 42"
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	55"L x 26"W x 54"H
What is the estimated weight of the unit with the tanks full and ready to spray?	880 lbs
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"
<b>BASE UNIT PRICE:</b>	<b>\$ 10,120.00</b>

# STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS

## OPTIONS -SPECIFICATION NO. 4.13

**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

**Base Unit Price: \$ 10,120.00**

Spec No.	Description	Price
----------	-------------	-------

4.13.1	Date & Title/I.D. of Price List	10.14.21 API Price List
4.13.2	Discount to be applied to Price List <b>*Note:</b> The "Discount to be Applied to Price List" must be a numeric percentage, which may include 0%. Not listing a numeric percentage may result in your bid being rejected.	0%
4.13.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 105.00

#### 4.13.4 EXTENDED WARRANTY OPTIONS

Use this section to offer performance/extended warranty options and list cost. (Specify years, months, or days extended term covers.) Add as many lines as needed.

	NA
	NA
	NA

#### 4.13.5 DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS NO FLAT RATE ALLOWED

**DELIVERY STARTING POINT - City, State, Zip** Robbinsdale, MN 55422

<b>PRICE PER LOADED MILE:</b>	\$2.75
<b>MINIMUM DELIVERY CHARGE (if applicable)</b>	\$45.00

#### 4.13.6 EQUIPMENT INSPECTION & REPAIR RATES

##### INSTALLATION FOR STATIONARY UNITS IS NOT PERMITTED

Hourly Rate for Initial Inspection/Diagnostic :	\$ 129.00
Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$ 129.00
Hourly Rate for Body Work (including paint or welding labor) :	\$ 179.00

#### 4.13.7 NEW EQUIPMENT RENTAL PROGRAM

If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions.

Daily Rental Rate:	NA
Weekly Rental Rate:	NA
Monthly Rental Rate:	NA
Percent (%) of Rental Fee applied to purchase price:	0%

**If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_**

# STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS

## BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.12

### Contract No. 203215 - Effective December 1, 2021

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

4.12	Information Requested	Answer
	Make & Model Number	API 7301
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Type (Portable or Stationary)	Stationary
	Water Volume (GPM - Gallons per Minute)	7.0 GPM
	Pressure (In PSI)	3000 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	LP/Natural Gas
	Approx. Temperature Rise (In Fahrenheit, range)	135°F +/- 5°
	Steam Capable? (Yes/No)	Optional
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Electric
	Engine Fuel Type and Capacity (Gas, Diesel, Electric)	Electric
	Engine Displacement (or HP, if electric)	15 HP

Engine Air or Water Cooled	Air
Engine Location	Middle
Control Panel (Yes/No)	Yes
What does the Control Panel control?	On,Off, Burner, Temperature Control
Number of Nozzles	4
Hose diameter	3/8" ID
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire
Hose Length (In feet)	50'
High Pressure Hose Reel Included? (Yes/No)	No
Fill Hose Reel Included? (Yes/No)	No
Wand Type & Description	Straight Wand 42"
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	69"L x 31"W x 65"H
What is the estimated weight of the unit with the tanks full and ready to spray?	1390 lbs
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"
<b>BASE UNIT PRICE:</b>	<b>\$ 14,779.00</b>

# STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS

## OPTIONS -SPECIFICATION NO. 4.13

**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

**Base Unit Price: \$ 14,779.00**

Spec No.	Description	Price
4.13.1	Date & Title/I.D. of Price List	10.14.21 API Price List
4.13.2	Discount to be applied to Price List <b>*Note:</b> The "Discount to be Applied to Price List" must be a numeric percentage, which may include 0%. Not listing a numeric percentage may result in your bid being rejected.	0%
4.13.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 105.00
4.13.4	<b><u>EXTENDED WARRANTY OPTIONS</u></b> Use this section to offer performance/extended warranty options and list cost. (Specify years, months, or days extended term covers.) Add as many lines as needed.	
		NA
		NA
		NA
4.13.5	<b><u>DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS</u></b>	<b><u>NO FLAT RATE ALLOWED</u></b>

**DELIVERY STARTING POINT - City, State, Zip** Robbinsdale, MN 55422

<b>PRICE PER LOADED MILE:</b>	\$2.75
<b>MINIMUM DELIVERY CHARGE (if applicable)</b>	\$45.00

4.13.6	<b><u>EQUIPMENT INSPECTION &amp; REPAIR RATES</u></b> <b><u>INSTALLATION FOR STATIONARY UNITS IS NOT PERMITTED</u></b>	
	Hourly Rate for Initial Inspection/Diagnostic :	\$ 129.00
	Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$ 129.00
	Hourly Rate for Body Work (including paint or welding labor) :	\$ 179.00

4.13.7	<b><u>NEW EQUIPMENT RENTAL PROGRAM</u></b> If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions.	
	Daily Rental Rate:	NA
	Weekly Rental Rate:	NA
	Monthly Rental Rate:	NA
	Percent (%) of Rental Fee applied to purchase price:	0%

**If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_**

# STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS

## BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.12

### Contract No. 203215 - Effective December 1, 2021

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

4.12	Information Requested	Answer
	Make & Model Number	API 8251
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Type (Portable or Stationary)	Stationary
	Water Volume (GPM - Gallons per Minute)	8.0 GPM
	Pressure (In PSI)	2500 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	LP/Natural Gas
	Approx. Temperature Rise (In Fahrenheit, range)	135°F +/- 5°
	Steam Capable? (Yes/No)	Optional
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Electric
	Engine Fuel Type and Capacity (Gas, Diesel, Electric)	Electric
	Engine Displacement (or HP, if electric)	15 HP

Engine Air or Water Cooled	Air
Engine Location	Middle
Control Panel (Yes/No)	Yes
What does the Control Panel control?	On,Off, Burner, Temperature Control
Number of Nozzles	4
Hose diameter	1/2" ID
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire
Hose Length (In feet)	50'
High Pressure Hose Reel Included? (Yes/No)	No
Fill Hose Reel Included? (Yes/No)	No
Wand Type & Description	Straight Wand 42"
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	69"L x 31"W x 65"H
What is the estimated weight of the unit with the tanks full and ready to spray?	1390 lbs
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"
<b>BASE UNIT PRICE:</b>	<b>\$ 14,605.00</b>

# STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS

## OPTIONS -SPECIFICATION NO. 4.13

**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

**Base Unit Price:** \$ 14,605.00

Spec No.	Description	Price
----------	-------------	-------

4.13.1	Date & Title/I.D. of Price List	10.14.21 API Price List
4.13.2	Discount to be applied to Price List <b>*Note:</b> The "Discount to be Applied to Price List" must be a numeric percentage, which may include 0%. Not listing a numeric percentage may result in your bid being rejected.	0%
4.13.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 105.00

#### 4.13.4 EXTENDED WARRANTY OPTIONS

Use this section to offer performance/extended warranty options and list cost. (Specify years, months, or days extended term covers.) Add as many lines as needed.

	NA
	NA
	NA

#### 4.13.5 DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS NO FLAT RATE ALLOWED

**DELIVERY STARTING POINT - City, State, Zip** Robbinsdale, MN 55422

<b>PRICE PER LOADED MILE:</b>	\$2.75
<b>MINIMUM DELIVERY CHARGE (if applicable)</b>	\$45.00

#### 4.13.6 EQUIPMENT INSPECTION & REPAIR RATES

##### INSTALLATION FOR STATIONARY UNITS IS NOT PERMITTED

Hourly Rate for Initial Inspection/Diagnostic :	\$ 129.00
Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$ 129.00
Hourly Rate for Body Work (including paint or welding labor) :	\$ 179.00

#### 4.13.7 NEW EQUIPMENT RENTAL PROGRAM

If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions.

Daily Rental Rate:	NA
Weekly Rental Rate:	NA
Monthly Rental Rate:	NA
Percent (%) of Rental Fee applied to purchase price:	0%

**If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here:** \_\_\_\_\_

**STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS**  
**BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.12**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	<b>American Pressure Inc</b>
Contact Person:	<b>Ben Hagemann</b>
Street Address:	<b>3810 W Broadway</b>
P.O. Box:	
City, State, Zip	<b>Robbinsdale, MN 55422</b>
Phone #:	<b>763-521-4442</b>
Toll Free #:	<b>800-544-0836</b>
Fax #:	<b>763-521-4447</b>
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

<b>4.12</b>	<b>Information Requested</b>	<b>Answer</b>
	Make & Model Number	API 8351
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Type (Portable or Stationary)	Stationary
	Water Volume (GPM - Gallons per Minute)	8.0 GPM
	Pressure (In PSI)	3500 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	LP/Natural Gas
	Approx. Temperature Rise (In Fahrenheit, range)	135°F +/- 5°
	Steam Capable? (Yes/No)	Optional
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Electric
	Engine Fuel Type and Capacity (Gas, Diesel, Electric)	Electric
	Engine Displacement (or HP, if electric)	20 HP

Engine Air or Water Cooled	Air
Engine Location	Middle
Control Panel (Yes/No)	Yes
What does the Control Panel control?	On,Off, Burner, Temperature Control
Number of Nozzles	4
Hose diameter	1/2" ID
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire
Hose Length (In feet)	50'
High Pressure Hose Reel Included? (Yes/No)	No
Fill Hose Reel Included? (Yes/No)	No
Wand Type & Description	Straight Wand 42"
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	69"L x 31"W x 65"H
What is the estimated weight of the unit with the tanks full and ready to spray?	1390 lbs
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"
<b>BASE UNIT PRICE:</b>	<b>\$ 15,335.00</b>

# STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS

## OPTIONS -SPECIFICATION NO. 4.13

Contract No. 203215 - Effective December 1, 2021

Customer should contact Contract Vendor for questions & assistance with quote

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

Base Unit Price: \$ 15,335.00

Spec No.	Description	Price
----------	-------------	-------

4.13.1	Date & Title/I.D. of Price List	10.14.21 API Price List
4.13.2	Discount to be applied to Price List <b>*Note:</b> The "Discount to be Applied to Price List" must be a numeric percentage, which may include 0%. Not listing a numeric percentage may result in your bid being rejected.	0%
4.13.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 105.00

### 4.13.4 EXTENDED WARRANTY OPTIONS

Use this section to offer performance/extended warranty options and list cost. (Specify years, months, or days extended term covers.) Add as many lines as needed.

	NA
	NA
	NA

### 4.13.5 DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS NO FLAT RATE ALLOWED

**DELIVERY STARTING POINT - City, State, Zip** Robbinsdale, MN 55422

PRICE PER LOADED MILE:	\$2.75
MINIMUM DELIVERY CHARGE (if applicable)	\$45.00

### 4.13.6 EQUIPMENT INSPECTION & REPAIR RATES

#### INSTALLATION FOR STATIONARY UNITS IS NOT PERMITTED

Hourly Rate for Initial Inspection/Diagnostic :	\$ 129.00
Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$ 129.00
Hourly Rate for Body Work (including paint or welding labor) :	\$ 179.00

### 4.13.7 NEW EQUIPMENT RENTAL PROGRAM

If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions.

Daily Rental Rate:	NA
Weekly Rental Rate:	NA
Monthly Rental Rate:	NA
Percent (%) of Rental Fee applied to purchase price:	0%

If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_

# STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS

## BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.12

### Contract No. 203215 - Effective December 1, 2021

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

4.12	Information Requested	Answer
	Make & Model Number	API 10201
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Type (Portable or Stationary)	Stationary
	Water Volume (GPM - Gallons per Minute)	10.0 GPM
	Pressure (In PSI)	2000 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	LP/Natural Gas
	Approx. Temperature Rise (In Fahrenheit, range)	135°F +/- 5°
	Steam Capable? (Yes/No)	Optional
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Electric
	Engine Fuel Type and Capacity (Gas, Diesel, Electric)	Electric
	Engine Displacement (or HP, if electric)	15 HP

Engine Air or Water Cooled	Air
Engine Location	Middle
Control Panel (Yes/No)	Yes
What does the Control Panel control?	On,Off, Burner, Temperature Control
Number of Nozzles	4
Hose diameter	1/2" ID
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire
Hose Length (In feet)	50'
High Pressure Hose Reel Included? (Yes/No)	No
Fill Hose Reel Included? (Yes/No)	No
Wand Type & Description	Straight Wand 42"
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	69"L x 31"W x 65"H
What is the estimated weight of the unit with the tanks full and ready to spray?	1640 lbs
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"
<b>BASE UNIT PRICE:</b>	<b>\$ 16,405.00</b>

# STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS

## OPTIONS -SPECIFICATION NO. 4.13

**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

**Base Unit Price: \$ 16,405.00**

Spec No.	Description	Price
4.13.1	Date & Title/I.D. of Price List	10.14.21 API Price List
4.13.2	Discount to be applied to Price List <b>*Note:</b> The "Discount to be Applied to Price List" must be a numeric percentage, which may include 0%. Not listing a numeric percentage may result in your bid being rejected.	0%
4.13.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 105.00
4.13.4	<b><u>EXTENDED WARRANTY OPTIONS</u></b> Use this section to offer performance/extended warranty options and list cost. (Specify years, months, or days extended term covers.) Add as many lines as needed.	
		NA
		NA
		NA
4.13.5	<b><u>DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS</u></b>	<b><u>NO FLAT RATE ALLOWED</u></b>

**DELIVERY STARTING POINT - City, State, Zip** Robbinsdale, MN 55422

<b>PRICE PER LOADED MILE:</b>	\$2.75
<b>MINIMUM DELIVERY CHARGE (if applicable)</b>	\$45.00

4.13.6	<b><u>EQUIPMENT INSPECTION &amp; REPAIR RATES</u></b> <b><u>INSTALLATION FOR STATIONARY UNITS IS NOT PERMITTED</u></b>	
	Hourly Rate for Initial Inspection/Diagnostic :	\$ 129.00
	Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$ 129.00
	Hourly Rate for Body Work (including paint or welding labor) :	\$ 179.00

4.13.7	<b><u>NEW EQUIPMENT RENTAL PROGRAM</u></b> If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions.	
	Daily Rental Rate:	NA
	Weekly Rental Rate:	NA
	Monthly Rental Rate:	NA
	Percent (%) of Rental Fee applied to purchase price:	0%

**If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_**

# STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS

## BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.12

### Contract No. 203215 - Effective December 1, 2021

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

4.12	Information Requested	Answer
	Make & Model Number	API 10301
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Type (Portable or Stationary)	Stationary
	Water Volume (GPM - Gallons per Minute)	10.0 GPM
	Pressure (In PSI)	3000 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	LP/Natural Gas
	Approx. Temperature Rise (In Fahrenheit, range)	135°F +/- 5°
	Steam Capable? (Yes/No)	Optional
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Electric
	Engine Fuel Type and Capacity (Gas, Diesel, Electric)	Electric
	Engine Displacement (or HP, if electric)	20 HP

Engine Air or Water Cooled	Air
Engine Location	Middle
Control Panel (Yes/No)	Yes
What does the Control Panel control?	On,Off, Burner, Temperature Control
Number of Nozzles	4
Hose diameter	1/2" ID
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire
Hose Length (In feet)	50'
High Pressure Hose Reel Included? (Yes/No)	No
Fill Hose Reel Included? (Yes/No)	No
Wand Type & Description	Straight Wand 42"
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	69"L x 31"W x 65"H
What is the estimated weight of the unit with the tanks full and ready to spray?	1660 lbs
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"
<b>BASE UNIT PRICE:</b>	<b>\$ 16,405.00</b>

# STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS

## OPTIONS -SPECIFICATION NO. 4.13

**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

**Base Unit Price: \$ 16,405.00**

Spec No.	Description	Price
----------	-------------	-------

4.13.1	Date & Title/I.D. of Price List	10.14.21 API Price List
4.13.2	Discount to be applied to Price List <b>*Note:</b> The "Discount to be Applied to Price List" must be a numeric percentage, which may include 0%. Not listing a numeric percentage may result in your bid being rejected.	0%
4.13.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 105.00

#### 4.13.4 EXTENDED WARRANTY OPTIONS

Use this section to offer performance/extended warranty options and list cost. (Specify years, months, or days extended term covers.) Add as many lines as needed.

	NA
	NA
	NA

#### 4.13.5 DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS NO FLAT RATE ALLOWED

**DELIVERY STARTING POINT - City, State, Zip** Robbinsdale, MN 55422

<b>PRICE PER LOADED MILE:</b>	\$2.75
<b>MINIMUM DELIVERY CHARGE (if applicable)</b>	\$45.00

#### 4.13.6 EQUIPMENT INSPECTION & REPAIR RATES

##### INSTALLATION FOR STATIONARY UNITS IS NOT PERMITTED

Hourly Rate for Initial Inspection/Diagnostic :	\$ 129.00
Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$ 129.00
Hourly Rate for Body Work (including paint or welding labor) :	\$ 179.00

#### 4.13.7 NEW EQUIPMENT RENTAL PROGRAM

If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions.

Daily Rental Rate:	NA
Weekly Rental Rate:	NA
Monthly Rental Rate:	NA
Percent (%) of Rental Fee applied to purchase price:	0%

**If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_**

# STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS

## BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.12

### Contract No. 203215 - Effective December 1, 2021

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

4.12	Information Requested	Answer
	Make & Model Number	API VH4-22
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Type (Portable or Stationary)	Stationary
	Water Volume (GPM - Gallons per Minute)	4.0 GPM
	Pressure (In PSI)	2200 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	LP/Natural Gas
	Approx. Temperature Rise (In Fahrenheit, range)	135°F +/- 5°
	Steam Capable? (Yes/No)	No
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Electric
	Engine Fuel Type and Capacity (Gas, Diesel, Electric)	Electric
	Engine Displacement (or HP, if electric)	6.2 HP

Engine Air or Water Cooled	Air
Engine Location	Middle
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Pump, Burner, Temperature Adjustment
Number of Nozzles	4
Hose diameter	3/8" ID
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire
Hose Length (In feet)	50'
High Pressure Hose Reel Included? (Yes/No)	No
Fill Hose Reel Included? (Yes/No)	No
Wand Type & Description	Variable Pressure 42"
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	53"L x 24"W x 49"H
What is the estimated weight of the unit with the tanks full and ready to spray?	790 lbs
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"
<b>BASE UNIT PRICE:</b>	<b>\$ 7,841.00</b>

# STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS

## OPTIONS -SPECIFICATION NO. 4.13

**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

**Base Unit Price: \$ 7,841.00**

Spec No.	Description	Price
----------	-------------	-------

4.13.1	Date & Title/I.D. of Price List	10.14.21 API Price List
4.13.2	Discount to be applied to Price List <b>*Note:</b> The "Discount to be Applied to Price List" must be a numeric percentage, which may include 0%. Not listing a numeric percentage may result in your bid being rejected.	0%
4.13.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 105.00

### 4.13.4 EXTENDED WARRANTY OPTIONS

Use this section to offer performance/extended warranty options and list cost. (Specify years, months, or days extended term covers.) Add as many lines as needed.

NA  
NA  
NA

### 4.13.5 DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS NO FLAT RATE ALLOWED

**DELIVERY STARTING POINT - City, State, Zip** Robbinsdale, MN 55422

<b>PRICE PER LOADED MILE:</b>	\$2.75
<b>MINIMUM DELIVERY CHARGE (if applicable)</b>	\$45.00

### 4.13.6 EQUIPMENT INSPECTION & REPAIR RATES

#### INSTALLATION FOR STATIONARY UNITS IS NOT PERMITTED

Hourly Rate for Initial Inspection/Diagnostic :	\$ 129.00
Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$ 129.00
Hourly Rate for Body Work (including paint or welding labor) :	\$ 179.00

### 4.13.7 NEW EQUIPMENT RENTAL PROGRAM

If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions.

Daily Rental Rate:	NA
Weekly Rental Rate:	NA
Monthly Rental Rate:	NA
Percent (%) of Rental Fee applied to purchase price:	0%

**If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_**

**STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS**  
**BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.12**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	<b>American Pressure Inc</b>
Contact Person:	<b>Ben Hagemann</b>
Street Address:	<b>3810 W Broadway</b>
P.O. Box:	
City, State, Zip	<b>Robbinsdale, MN 55422</b>
Phone #:	<b>763-521-4442</b>
Toll Free #:	<b>800-544-0836</b>
Fax #:	<b>763-521-4447</b>
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

<b>4.12</b>	<b>Information Requested</b>	<b>Answer</b>
	Make & Model Number	API VH4-30
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Type (Portable or Stationary)	Stationary
	Water Volume (GPM - Gallons per Minute)	3.9 GPM
	Pressure (In PSI)	3000 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	LP/Natural Gas
	Approx. Temperature Rise (In Fahrenheit, range)	135°F +/- 5°
	Steam Capable? (Yes/No)	No
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Electric
	Engine Fuel Type and Capacity (Gas, Diesel, Electric)	Electric
	Engine Displacement (or HP, if electric)	8.2 HP

Engine Air or Water Cooled	Air
Engine Location	Middle
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Pump, Burner, Temperature Adjustment
Number of Nozzles	4
Hose diameter	3/8" ID
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire
Hose Length (In feet)	50'
High Pressure Hose Reel Included? (Yes/No)	No
Fill Hose Reel Included? (Yes/No)	No
Wand Type & Description	Variable Pressure 42"
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	53"L x 24"W x 49"H
What is the estimated weight of the unit with the tanks full and ready to spray?	860 lbs
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"
<b>BASE UNIT PRICE:</b>	<b>\$ 8,442.00</b>

# STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS

## OPTIONS -SPECIFICATION NO. 4.13

**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

**Base Unit Price: \$ 8,442.00**

Spec No.	Description	Price
4.13.1	Date & Title/I.D. of Price List	10.14.21 API Price List
4.13.2	Discount to be applied to Price List <b>*Note:</b> The "Discount to be Applied to Price List" must be a numeric percentage, which may include 0%. Not listing a numeric percentage may result in your bid being rejected.	0%
4.13.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 105.00
4.13.4	<b>EXTENDED WARRANTY OPTIONS</b> Use this section to offer performance/extended warranty options and list cost. (Specify years, months, or days extended term covers.) Add as many lines as needed.	
		NA
		NA
		NA
4.13.5	<b>DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS</b>	<b>NO FLAT RATE ALLOWED</b>

**DELIVERY STARTING POINT - City, State, Zip** Robbinsdale, MN 55422

<b>PRICE PER LOADED MILE:</b>	\$2.75
<b>MINIMUM DELIVERY CHARGE (if applicable)</b>	\$45.00

4.13.6	<b>EQUIPMENT INSPECTION &amp; REPAIR RATES</b> <b>INSTALLATION FOR STATIONARY UNITS IS NOT PERMITTED</b>	
	Hourly Rate for Initial Inspection/Diagnostic :	\$ 129.00
	Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$ 129.00
	Hourly Rate for Body Work (including paint or welding labor) :	\$ 179.00

4.13.7	<b>NEW EQUIPMENT RENTAL PROGRAM</b> If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions.	
	Daily Rental Rate:	NA
	Weekly Rental Rate:	NA
	Monthly Rental Rate:	NA
	Percent (%) of Rental Fee applied to purchase price:	0%

**If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_**

# STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS

## BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.12

### Contract No. 203215 - Effective December 1, 2021

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

4.12	Information Requested	Answer
	Make & Model Number	API VH5-30
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Type (Portable or Stationary)	Stationary
	Water Volume (GPM - Gallons per Minute)	4.8 GPM
	Pressure (In PSI)	3000 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	LP/Natural Gas
	Approx. Temperature Rise (In Fahrenheit, range)	135°F +/- 5°
	Steam Capable? (Yes/No)	No
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Electric
	Engine Fuel Type and Capacity (Gas, Diesel, Electric)	Electric
	Engine Displacement (or HP, if electric)	10 HP

Engine Air or Water Cooled	Air
Engine Location	Middle
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Pump, Burner, Temperature Adjustment
Number of Nozzles	4
Hose diameter	3/8" ID
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire
Hose Length (In feet)	50'
High Pressure Hose Reel Included? (Yes/No)	No
Fill Hose Reel Included? (Yes/No)	No
Wand Type & Description	Variable Pressure 42"
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	53"L x 24"W x 49"H
What is the estimated weight of the unit with the tanks full and ready to spray?	860 lbs
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"
<b>BASE UNIT PRICE:</b>	<b>\$ 9,450.00</b>

# STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS

## OPTIONS -SPECIFICATION NO. 4.13

**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip:	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

**Base Unit Price: \$ 9,450.00**

Spec No.	Description	Price
4.13.1	Date & Title/I.D. of Price List	10.14.21 API Price List
4.13.2	Discount to be applied to Price List <b>*Note:</b> The "Discount to be Applied to Price List" must be a numeric percentage, which may include 0%. Not listing a numeric percentage may result in your bid being rejected.	0%
4.13.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 105.00
4.13.4	<b><u>EXTENDED WARRANTY OPTIONS</u></b> Use this section to offer performance/extended warranty options and list cost. (Specify years, months, or days extended term covers.) Add as many lines as needed.	
		NA
		NA
		NA

4.13.5	<b><u>DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS</u></b>	<b><u>NO FLAT RATE ALLOWED</u></b>
--------	---	------------------------------------

**DELIVERY STARTING POINT - City, State, Zip** Robbinsdale, MN 55422

<b>PRICE PER LOADED MILE:</b>	\$2.75
<b>MINIMUM DELIVERY CHARGE (if applicable)</b>	\$45.00

4.13.6	<b><u>EQUIPMENT INSPECTION &amp; REPAIR RATES</u></b> <b><u>INSTALLATION FOR STATIONARY UNITS IS NOT PERMITTED</u></b>	
	Hourly Rate for Initial Inspection/Diagnostic :	\$ 129.00
	Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$ 129.00
	Hourly Rate for Body Work (including paint or welding labor) :	\$ 179.00

4.13.7	<b><u>NEW EQUIPMENT RENTAL PROGRAM</u></b> If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions.	
	Daily Rental Rate:	NA
	Weekly Rental Rate:	NA
	Monthly Rental Rate:	NA
	Percent (%) of Rental Fee applied to purchase price:	0%

**If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_**

# STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS

## BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.12

### Contract No. 203215 - Effective December 1, 2021

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

4.12	Information Requested	Answer
	Make & Model Number	API PHW3-11
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Type (Portable or Stationary)	Portable
	Water Volume (GPM - Gallons per Minute)	2.8 GPM
	Pressure (In PSI)	1000 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	135°F +/- 5°
	Steam Capable? (Yes/No)	No
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Electric
	Engine Fuel Type and Capacity (Gas, Diesel, Electric)	Electric
	Engine Displacement (or HP, if electric)	2 HP

Engine Air or Water Cooled	Air
Engine Location	Middle
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Pump, Burner, Temperature Adjustment
Number of Nozzles	4
Hose diameter	3/8" ID
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire
Hose Length (In feet)	50'
High Pressure Hose Reel Included? (Yes/No)	No
Fill Hose Reel Included? (Yes/No)	No
Wand Type & Description	Variable Pressure 42"
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	52"L x 32"W x 38"H
What is the estimated weight of the unit with the tanks full and ready to spray?	570 lbs
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"
<b>BASE UNIT PRICE:</b>	<b>\$ 5,452.00</b>

# STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS

## OPTIONS -SPECIFICATION NO. 4.13

**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

**Base Unit Price: \$ 5,452.00**

Spec No.	Description	Price
4.13.1	Date & Title/I.D. of Price List	10.14.21 API Price List
4.13.2	Discount to be applied to Price List <b>*Note:</b> The "Discount to be Applied to Price List" must be a numeric percentage, which may include 0%. Not listing a numeric percentage may result in your bid being rejected.	0%
4.13.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 105.00
4.13.4	<b><u>EXTENDED WARRANTY OPTIONS</u></b> Use this section to offer performance/extended warranty options and list cost. (Specify years, months, or days extended term covers.) Add as many lines as needed.	
		NA
		NA
		NA

4.13.5	<b><u>DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS</u></b>	<b><u>NO FLAT RATE ALLOWED</u></b>
--------	---	------------------------------------

**DELIVERY STARTING POINT - City, State, Zip** Robbinsdale, MN 55422

<b>PRICE PER LOADED MILE:</b>	\$2.75
<b>MINIMUM DELIVERY CHARGE (if applicable)</b>	\$45.00

4.13.6	<b><u>EQUIPMENT INSPECTION &amp; REPAIR RATES</u></b> <b><u>INSTALLATION FOR STATIONARY UNITS IS NOT PERMITTED</u></b>	
	Hourly Rate for Initial Inspection/Diagnostic :	\$ 129.00
	Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$ 129.00
	Hourly Rate for Body Work (including paint or welding labor) :	\$ 179.00

4.13.7	<b><u>NEW EQUIPMENT RENTAL PROGRAM</u></b> If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions.	
	Daily Rental Rate:	NA
	Weekly Rental Rate:	NA
	Monthly Rental Rate:	NA
	Percent (%) of Rental Fee applied to purchase price:	0%

**If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_**

# STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS

## BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.12

### Contract No. 203215 - Effective December 1, 2021

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

4.12	Information Requested	Answer
	Make & Model Number	API PHW4-22
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Type (Portable or Stationary)	Portable
	Water Volume (GPM - Gallons per Minute)	4.0 GPM
	Pressure (In PSI)	2200 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	135°F +/- 5°
	Steam Capable? (Yes/No)	No
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Electric
	Engine Fuel Type and Capacity (Gas, Diesel, Electric)	Electric
	Engine Displacement (or HP, if electric)	6.2 HP

Engine Air or Water Cooled	Air
Engine Location	Middle
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Pump, Burner, Temperature Adjustment
Number of Nozzles	4
Hose diameter	3/8" ID
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire
Hose Length (In feet)	50'
High Pressure Hose Reel Included? (Yes/No)	No
Fill Hose Reel Included? (Yes/No)	No
Wand Type & Description	Variable Pressure 42"
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	52"L x 32"W x 38"H
What is the estimated weight of the unit with the tanks full and ready to spray?	600 lbs
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"
<b>BASE UNIT PRICE:</b>	<b>\$ 7,115.00</b>

# STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS

## OPTIONS -SPECIFICATION NO. 4.13

**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

**Base Unit Price: \$ 7,115.00**

Spec No.	Description	Price
4.13.1	Date & Title/I.D. of Price List	10.14.21 API Price List
4.13.2	Discount to be applied to Price List <b>*Note:</b> The "Discount to be Applied to Price List" must be a numeric percentage, which may include 0%. Not listing a numeric percentage may result in your bid being rejected.	0%
4.13.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 105.00
4.13.4	<b><u>EXTENDED WARRANTY OPTIONS</u></b> Use this section to offer performance/extended warranty options and list cost. (Specify years, months, or days extended term covers.) Add as many lines as needed.	
		NA
		NA
		NA
4.13.5	<b><u>DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS</u></b>	<b><u>NO FLAT RATE ALLOWED</u></b>

**DELIVERY STARTING POINT - City, State, Zip** Robbinsdale, MN 55422

<b>PRICE PER LOADED MILE:</b>	\$2.75
<b>MINIMUM DELIVERY CHARGE (if applicable)</b>	\$45.00

4.13.6	<b><u>EQUIPMENT INSPECTION &amp; REPAIR RATES</u></b> <b><u>INSTALLATION FOR STATIONARY UNITS IS NOT PERMITTED</u></b>	
	Hourly Rate for Initial Inspection/Diagnostic :	\$ 129.00
	Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$ 129.00
	Hourly Rate for Body Work (including paint or welding labor) :	\$ 179.00

4.13.7	<b><u>NEW EQUIPMENT RENTAL PROGRAM</u></b> If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions.	
	Daily Rental Rate:	NA
	Weekly Rental Rate:	NA
	Monthly Rental Rate:	NA
	Percent (%) of Rental Fee applied to purchase price:	0%

**If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_**

**STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS**  
**BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.12**  
**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	<b>American Pressure Inc</b>
Contact Person:	<b>Ben Hagemann</b>
Street Address:	<b>3810 W Broadway</b>
P.O. Box:	
City, State, Zip	<b>Robbinsdale, MN 55422</b>
Phone #:	<b>763-521-4442</b>
Toll Free #:	<b>800-544-0836</b>
Fax #:	<b>763-521-4447</b>
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

<b>4.12</b>	<b>Information Requested</b>	<b>Answer</b>
	Make & Model Number	API PHW4-30
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Type (Portable or Stationary)	Portable
	Water Volume (GPM - Gallons per Minute)	3.9 GPM
	Pressure (In PSI)	3000 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	135°F +/- 5°
	Steam Capable? (Yes/No)	No
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Electric
	Engine Fuel Type and Capacity (Gas, Diesel, Electric)	Electric
	Engine Displacement (or HP, if electric)	8.2 HP

Engine Air or Water Cooled	Air
Engine Location	Middle
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Pump, Burner, Temperature Adjustment
Number of Nozzles	4
Hose diameter	3/8" ID
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire
Hose Length (In feet)	50'
High Pressure Hose Reel Included? (Yes/No)	No
Fill Hose Reel Included? (Yes/No)	No
Wand Type & Description	Variable Pressure 42"
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	52"L x 32"W x 38"H
What is the estimated weight of the unit with the tanks full and ready to spray?	620 lbs
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"
<b>BASE UNIT PRICE:</b>	<b>\$ 8,198.00</b>

# STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS

## OPTIONS -SPECIFICATION NO. 4.13

**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip:	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

**Base Unit Price: \$ 8,198.00**

Spec No.	Description	Price
----------	-------------	-------

4.13.1	Date & Title/I.D. of Price List	10.14.21 API Price List
4.13.2	Discount to be applied to Price List <b>*Note:</b> The "Discount to be Applied to Price List" must be a numeric percentage, which may include 0%. Not listing a numeric percentage may result in your bid being rejected.	0%
4.13.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 105.00

### 4.13.4 EXTENDED WARRANTY OPTIONS

Use this section to offer performance/extended warranty options and list cost. (Specify years, months, or days extended term covers.) Add as many lines as needed.

	NA
	NA
	NA

### 4.13.5 DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS NO FLAT RATE ALLOWED

**DELIVERY STARTING POINT - City, State, Zip** Robbinsdale, MN 55422

<b>PRICE PER LOADED MILE:</b>	\$2.75
<b>MINIMUM DELIVERY CHARGE (if applicable)</b>	\$45.00

### 4.13.6 EQUIPMENT INSPECTION & REPAIR RATES

#### INSTALLATION FOR STATIONARY UNITS IS NOT PERMITTED

Hourly Rate for Initial Inspection/Diagnostic :	\$ 129.00
Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$ 129.00
Hourly Rate for Body Work (including paint or welding labor) :	\$ 179.00

### 4.13.7 NEW EQUIPMENT RENTAL PROGRAM

If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions.

Daily Rental Rate:	NA
Weekly Rental Rate:	NA
Monthly Rental Rate:	NA
Percent (%) of Rental Fee applied to purchase price:	0%

**If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_**

# STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS

## BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.12

### Contract No. 203215 - Effective December 1, 2021

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

4.12	Information Requested	Answer
	Make & Model Number	API PHW5-30
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Type (Portable or Stationary)	Portable
	Water Volume (GPM - Gallons per Minute)	4.8 GPM
	Pressure (In PSI)	3000 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	135°F +/- 5°
	Steam Capable? (Yes/No)	No
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Electric
	Engine Fuel Type and Capacity (Gas, Diesel, Electric)	Electric
	Engine Displacement (or HP, if electric)	10.0 HP

Engine Air or Water Cooled	Air
Engine Location	Middle
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Pump, Burner, Temperature Adjustment
Number of Nozzles	4
Hose diameter	3/8" ID
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire
Hose Length (In feet)	50'
High Pressure Hose Reel Included? (Yes/No)	No
Fill Hose Reel Included? (Yes/No)	No
Wand Type & Description	Variable Pressure 42"
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	52"L x 32"W x 38"H
What is the estimated weight of the unit with the tanks full and ready to spray?	620 lbs
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"
<b>BASE UNIT PRICE:</b>	<b>\$ 8,812.00</b>

# STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS

## OPTIONS -SPECIFICATION NO. 4.13

**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip:	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

**Base Unit Price: \$ 8,812.00**

Spec No.	Description	Price
4.13.1	Date & Title/I.D. of Price List	10.14.21 API Price List
4.13.2	Discount to be applied to Price List <b>*Note:</b> The "Discount to be Applied to Price List" must be a numeric percentage, which may include 0%. Not listing a numeric percentage may result in your bid being rejected.	0%
4.13.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 105.00
4.13.4	<b><u>EXTENDED WARRANTY OPTIONS</u></b> Use this section to offer performance/extended warranty options and list cost. (Specify years, months, or days extended term covers.) Add as many lines as needed.	
		NA
		NA
		NA
4.13.5	<b><u>DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS</u></b>	<b><u>NO FLAT RATE ALLOWED</u></b>

**DELIVERY STARTING POINT - City, State, Zip** Robbinsdale, MN 55422

<b>PRICE PER LOADED MILE:</b>	\$2.75
<b>MINIMUM DELIVERY CHARGE (if applicable)</b>	\$45.00

4.13.6	<b><u>EQUIPMENT INSPECTION &amp; REPAIR RATES</u></b> <b><u>INSTALLATION FOR STATIONARY UNITS IS NOT PERMITTED</u></b>	
	Hourly Rate for Initial Inspection/Diagnostic :	\$ 129.00
	Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$ 129.00
	Hourly Rate for Body Work (including paint or welding labor) :	\$ 179.00

4.13.7	<b><u>NEW EQUIPMENT RENTAL PROGRAM</u></b> If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions.	
	Daily Rental Rate:	NA
	Weekly Rental Rate:	NA
	Monthly Rental Rate:	NA
	Percent (%) of Rental Fee applied to purchase price:	0%

**If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_**

# STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS

## BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.12

### Contract No. 203215 - Effective December 1, 2021

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	<b>American Pressure Inc</b>
Contact Person:	<b>Ben Hagemann</b>
Street Address:	<b>3810 W Broadway</b>
P.O. Box:	
City, State, Zip	<b>Robbinsdale, MN 55422</b>
Phone #:	<b>763-521-4442</b>
Toll Free #:	<b>800-544-0836</b>
Fax #:	<b>763-521-4447</b>
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

<b>4.12</b>	<b>Information Requested</b>	<b>Answer</b>
	Make & Model Number	API HOT2-15
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Type (Portable or Stationary)	Portable
	Water Volume (GPM - Gallons per Minute)	1.9 GPM
	Pressure (In PSI)	1500 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	135°F +/- 5°
	Steam Capable? (Yes/No)	No
	Drive Type (Belt or Direct)	Direct
	Engine Make and Model	Electric
	Engine Fuel Type and Capacity (Gas, Diesel, Electric)	Electric
	Engine Displacement (or HP, if electric)	2.0 HP

Engine Air or Water Cooled	Air
Engine Location	Middle
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Pump, Burner, Temperature Adjustment
Number of Nozzles	4
Hose diameter	3/8" ID
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire
Hose Length (In feet)	50'
High Pressure Hose Reel Included? (Yes/No)	No
Fill Hose Reel Included? (Yes/No)	No
Wand Type & Description	Variable Pressure 42"
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	52"L x 27"W x 33"H
What is the estimated weight of the unit with the tanks full and ready to spray?	500 lbs
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"
<b>BASE UNIT PRICE:</b>	<b>\$ 4,020.00</b>

# STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS

## OPTIONS -SPECIFICATION NO. 4.13

**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip:	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

**Base Unit Price: \$ 4,020.00**

Spec No.	Description	Price
4.13.1	Date & Title/I.D. of Price List	10.14.21 API Price List
4.13.2	Discount to be applied to Price List <b>*Note:</b> The "Discount to be Applied to Price List" must be a numeric percentage, which may include 0%. Not listing a numeric percentage may result in your bid being rejected.	0%
4.13.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 105.00
4.13.4	<b><u>EXTENDED WARRANTY OPTIONS</u></b> Use this section to offer performance/extended warranty options and list cost. (Specify years, months, or days extended term covers.) Add as many lines as needed.	
		NA
		NA
		NA
4.13.5	<b><u>DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS</u></b>	<b><u>NO FLAT RATE ALLOWED</u></b>

**DELIVERY STARTING POINT - City, State, Zip** Robbinsdale, MN 55422

<b>PRICE PER LOADED MILE:</b>	\$2.75
<b>MINIMUM DELIVERY CHARGE (if applicable)</b>	\$45.00

4.13.6	<b><u>EQUIPMENT INSPECTION &amp; REPAIR RATES</u></b> <b><u>INSTALLATION FOR STATIONARY UNITS IS NOT PERMITTED</u></b>	
	Hourly Rate for Initial Inspection/Diagnostic :	\$ 129.00
	Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$ 129.00
	Hourly Rate for Body Work (including paint or welding labor) :	\$ 179.00

4.13.7	<b><u>NEW EQUIPMENT RENTAL PROGRAM</u></b> If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions.	
	Daily Rental Rate:	NA
	Weekly Rental Rate:	NA
	Monthly Rental Rate:	NA
	Percent (%) of Rental Fee applied to purchase price:	0%

**If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_**

# STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS

## BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.12

### Contract No. 203215 - Effective December 1, 2021

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

4.12	Information Requested	Answer
	Make & Model Number	API HOT3-11
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Type (Portable or Stationary)	Portable
	Water Volume (GPM - Gallons per Minute)	2.8 GPM
	Pressure (In PSI)	1000 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	135°F +/- 5°
	Steam Capable? (Yes/No)	No
	Drive Type (Belt or Direct)	Direct
	Engine Make and Model	Electric
	Engine Fuel Type and Capacity (Gas, Diesel, Electric)	Electric
	Engine Displacement (or HP, if electric)	2.0 HP

Engine Air or Water Cooled	Air
Engine Location	Middle
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Pump, Burner, Temperature Adjustment
Number of Nozzles	4
Hose diameter	3/8" ID
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire
Hose Length (In feet)	50'
High Pressure Hose Reel Included? (Yes/No)	No
Fill Hose Reel Included? (Yes/No)	No
Wand Type & Description	Variable Pressure 42"
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	52"L x 27"W x 33"H
What is the estimated weight of the unit with the tanks full and ready to spray?	500 lbs
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"
<b>BASE UNIT PRICE:</b>	<b>\$ 4,200.00</b>

# STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS

## OPTIONS -SPECIFICATION NO. 4.13

**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

**Base Unit Price: \$ 4,200.00**

Spec No.	Description	Price
----------	-------------	-------

4.13.1	Date & Title/I.D. of Price List	10.14.21 API Price List
4.13.2	Discount to be applied to Price List <b>*Note:</b> The "Discount to be Applied to Price List" must be a numeric percentage, which may include 0%. Not listing a numeric percentage may result in your bid being rejected.	0%
4.13.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 105.00

### 4.13.4 EXTENDED WARRANTY OPTIONS

Use this section to offer performance/extended warranty options and list cost. (Specify years, months, or days extended term covers.) Add as many lines as needed.

	NA
	NA
	NA

### 4.13.5 DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS NO FLAT RATE ALLOWED

**DELIVERY STARTING POINT - City, State, Zip** Robbinsdale, MN 55422

<b>PRICE PER LOADED MILE:</b>	\$2.75
<b>MINIMUM DELIVERY CHARGE (if applicable)</b>	\$45.00

### 4.13.6 EQUIPMENT INSPECTION & REPAIR RATES

#### INSTALLATION FOR STATIONARY UNITS IS NOT PERMITTED

Hourly Rate for Initial Inspection/Diagnostic :	\$ 129.00
Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$ 129.00
Hourly Rate for Body Work (including paint or welding labor) :	\$ 179.00

### 4.13.7 NEW EQUIPMENT RENTAL PROGRAM

If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions.

Daily Rental Rate:	NA
Weekly Rental Rate:	NA
Monthly Rental Rate:	NA
Percent (%) of Rental Fee applied to purchase price:	0%

**If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_**

# STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS

## BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.12

### Contract No. 203215 - Effective December 1, 2021

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

4.12	Information Requested	Answer
	Make & Model Number	API HOT4-20
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Type (Portable or Stationary)	Portable
	Water Volume (GPM - Gallons per Minute)	3.5 GPM
	Pressure (In PSI)	2000 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	135°F +/- 5°
	Steam Capable? (Yes/No)	No
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Electric
	Engine Fuel Type and Capacity (Gas, Diesel, Electric)	Electric
	Engine Displacement (or HP, if electric)	5.0 HP

Engine Air or Water Cooled	Air
Engine Location	Middle
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Pump, Burner, Temperature Adjustment
Number of Nozzles	4
Hose diameter	3/8" ID
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire
Hose Length (In feet)	50'
High Pressure Hose Reel Included? (Yes/No)	No
Fill Hose Reel Included? (Yes/No)	No
Wand Type & Description	Variable Pressure 42"
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	52"L x 27"W x 33"H
What is the estimated weight of the unit with the tanks full and ready to spray?	540 lbs
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"
<b>BASE UNIT PRICE:</b>	<b>\$ 5,530.00</b>

# STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS

## OPTIONS -SPECIFICATION NO. 4.13

**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

**Base Unit Price: \$ 5,530.00**

Spec No.	Description	Price
4.13.1	Date & Title/I.D. of Price List	10.14.21 API Price List
4.13.2	Discount to be applied to Price List <b>*Note:</b> The "Discount to be Applied to Price List" must be a numeric percentage, which may include 0%. Not listing a numeric percentage may result in your bid being rejected.	0%
4.13.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 105.00
4.13.4	<b><u>EXTENDED WARRANTY OPTIONS</u></b> Use this section to offer performance/extended warranty options and list cost. (Specify years, months, or days extended term covers.) Add as many lines as needed.	
		NA
		NA
		NA
4.13.5	<b><u>DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS</u></b>	<b><u>NO FLAT RATE ALLOWED</u></b>

**DELIVERY STARTING POINT - City, State, Zip** Robbinsdale, MN 55422

<b>PRICE PER LOADED MILE:</b>	\$2.75
<b>MINIMUM DELIVERY CHARGE (if applicable)</b>	\$45.00

4.13.6	<b><u>EQUIPMENT INSPECTION &amp; REPAIR RATES</u></b> <b><u>INSTALLATION FOR STATIONARY UNITS IS NOT PERMITTED</u></b>	
	Hourly Rate for Initial Inspection/Diagnostic :	\$ 129.00
	Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$ 129.00
	Hourly Rate for Body Work (including paint or welding labor) :	\$ 179.00

4.13.7	<b><u>NEW EQUIPMENT RENTAL PROGRAM</u></b> If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions.	
	Daily Rental Rate:	NA
	Weekly Rental Rate:	NA
	Monthly Rental Rate:	NA
	Percent (%) of Rental Fee applied to purchase price:	0%

**If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_**

# STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS

## BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.12

### Contract No. 203215 - Effective December 1, 2021

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	<b>American Pressure Inc</b>
Contact Person:	<b>Ben Hagemann</b>
Street Address:	<b>3810 W Broadway</b>
P.O. Box:	
City, State, Zip	<b>Robbinsdale, MN 55422</b>
Phone #:	<b>763-521-4442</b>
Toll Free #:	<b>800-544-0836</b>
Fax #:	<b>763-521-4447</b>
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

<b>4.12</b>	<b>Information Requested</b>	<b>Answer</b>
	Make & Model Number	API VHP2-15
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Type (Portable or Stationary)	Portable
	Water Volume (GPM - Gallons per Minute)	1.8 GPM
	Pressure (In PSI)	1500 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	LP
	Approx. Temperature Rise (In Fahrenheit, range)	135°F +/- 5°
	Steam Capable? (Yes/No)	No
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Electric
	Engine Fuel Type and Capacity (Gas, Diesel, Electric)	Electric
	Engine Displacement (or HP, if electric)	2.0 HP

Engine Air or Water Cooled	Air
Engine Location	Middle
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Pump, Burner, Temperature Adjustment
Number of Nozzles	4
Hose diameter	3/8" ID
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire
Hose Length (In feet)	50'
High Pressure Hose Reel Included? (Yes/No)	No
Fill Hose Reel Included? (Yes/No)	No
Wand Type & Description	Variable Pressure 42"
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	50"L x 26"W x 41"H
What is the estimated weight of the unit with the tanks full and ready to spray?	450 lbs
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"
<b>BASE UNIT PRICE:</b>	<b>\$ 5,490.00</b>

# STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS

## OPTIONS -SPECIFICATION NO. 4.13

**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip:	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

**Base Unit Price: \$ 5,490.00**

Spec No.	Description	Price
4.13.1	Date & Title/I.D. of Price List	10.14.21 API Price List
4.13.2	Discount to be applied to Price List <b>*Note:</b> The "Discount to be Applied to Price List" must be a numeric percentage, which may include 0%. Not listing a numeric percentage may result in your bid being rejected.	0%
4.13.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 105.00
4.13.4	<b><u>EXTENDED WARRANTY OPTIONS</u></b> Use this section to offer performance/extended warranty options and list cost. (Specify years, months, or days extended term covers.) Add as many lines as needed.	
		NA
		NA
		NA
4.13.5	<b><u>DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS</u></b>	<b><u>NO FLAT RATE ALLOWED</u></b>

**DELIVERY STARTING POINT - City, State, Zip** Robbinsdale, MN 55422

<b>PRICE PER LOADED MILE:</b>	\$2.75
<b>MINIMUM DELIVERY CHARGE (if applicable)</b>	\$45.00

4.13.6	<b><u>EQUIPMENT INSPECTION &amp; REPAIR RATES</u></b> <b><u>INSTALLATION FOR STATIONARY UNITS IS NOT PERMITTED</u></b>	
	Hourly Rate for Initial Inspection/Diagnostic :	\$ 129.00
	Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$ 129.00
	Hourly Rate for Body Work (including paint or welding labor) :	\$ 179.00

4.13.7	<b><u>NEW EQUIPMENT RENTAL PROGRAM</u></b> If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions.	
	Daily Rental Rate:	NA
	Weekly Rental Rate:	NA
	Monthly Rental Rate:	NA
	Percent (%) of Rental Fee applied to purchase price:	0%

**If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_**

# STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS

## BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.12

### Contract No. 203215 - Effective December 1, 2021

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

4.12	Information Requested	Answer
	Make & Model Number	API VHP3-20
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Type (Portable or Stationary)	Portable
	Water Volume (GPM - Gallons per Minute)	2.5 GPM
	Pressure (In PSI)	2000 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	LP
	Approx. Temperature Rise (In Fahrenheit, range)	135°F +/- 5°
	Steam Capable? (Yes/No)	No
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Electric
	Engine Fuel Type and Capacity (Gas, Diesel, Electric)	Electric
	Engine Displacement (or HP, if electric)	5.0 HP

Engine Air or Water Cooled	Air
Engine Location	Middle
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Pump, Burner, Temperature Adjustment
Number of Nozzles	4
Hose diameter	3/8" ID
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire
Hose Length (In feet)	50'
High Pressure Hose Reel Included? (Yes/No)	No
Fill Hose Reel Included? (Yes/No)	No
Wand Type & Description	Variable Pressure 42"
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	50"L x 26"W x 41"H
What is the estimated weight of the unit with the tanks full and ready to spray?	480 lbs
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"
<b>BASE UNIT PRICE:</b>	<b>\$ 6,000.00</b>

# STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS

## OPTIONS -SPECIFICATION NO. 4.13

**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

**Base Unit Price: \$ 6,000.00**

Spec No.	Description	Price
----------	-------------	-------

4.13.1	Date & Title/I.D. of Price List	10.14.21 API Price List
4.13.2	Discount to be applied to Price List <b>*Note:</b> The "Discount to be Applied to Price List" must be a numeric percentage, which may include 0%. Not listing a numeric percentage may result in your bid being rejected.	0%
4.13.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 105.00

### 4.13.4 EXTENDED WARRANTY OPTIONS

Use this section to offer performance/extended warranty options and list cost. (Specify years, months, or days extended term covers.) Add as many lines as needed.

	NA
	NA
	NA

### 4.13.5 DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS NO FLAT RATE ALLOWED

**DELIVERY STARTING POINT - City, State, Zip** Robbinsdale, MN 55422

<b>PRICE PER LOADED MILE:</b>	\$2.75
<b>MINIMUM DELIVERY CHARGE (if applicable)</b>	\$45.00

### 4.13.6 EQUIPMENT INSPECTION & REPAIR RATES

#### INSTALLATION FOR STATIONARY UNITS IS NOT PERMITTED

Hourly Rate for Initial Inspection/Diagnostic :	\$ 129.00
Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$ 129.00
Hourly Rate for Body Work (including paint or welding labor) :	\$ 179.00

### 4.13.7 NEW EQUIPMENT RENTAL PROGRAM

If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions.

Daily Rental Rate:	NA
Weekly Rental Rate:	NA
Monthly Rental Rate:	NA
Percent (%) of Rental Fee applied to purchase price:	0%

**If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_**

# STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS

## BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.12

### Contract No. 203215 - Effective December 1, 2021

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

4.12	Information Requested	Answer
	Make & Model Number	API EHW4-20
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Type (Portable or Stationary)	Stationary
	Water Volume (GPM - Gallons per Minute)	4.2 GPM
	Pressure (In PSI)	2000 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Electric
	Approx. Temperature Rise (In Fahrenheit, range)	135°F +/- 5°
	Steam Capable? (Yes/No)	No
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Electric
	Engine Fuel Type and Capacity (Gas, Diesel, Electric)	Electric
	Engine Displacement (or HP, if electric)	6.2 HP

Engine Air or Water Cooled	Air
Engine Location	Middle
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Pump, Heater Timer
Number of Nozzles	4
Hose diameter	3/8" ID
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire
Hose Length (In feet)	50'
High Pressure Hose Reel Included? (Yes/No)	No
Fill Hose Reel Included? (Yes/No)	No
Wand Type & Description	Variable Pressure 42"
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	34"L x 25"W x 52"H
What is the estimated weight of the unit with the tanks full and ready to spray?	620 lbs
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"
<b>BASE UNIT PRICE:</b>	<b>\$ 10,290.00</b>

# STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS

## OPTIONS -SPECIFICATION NO. 4.13

**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip:	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

**Base Unit Price: \$ 10,290.00**

Spec No.	Description	Price
4.13.1	Date & Title/I.D. of Price List	10.14.21 API Price List
4.13.2	Discount to be applied to Price List <b>*Note:</b> The "Discount to be Applied to Price List" must be a numeric percentage, which may include 0%. Not listing a numeric percentage may result in your bid being rejected.	0%
4.13.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 105.00
4.13.4	<b><u>EXTENDED WARRANTY OPTIONS</u></b> Use this section to offer performance/extended warranty options and list cost. (Specify years, months, or days extended term covers.) Add as many lines as needed.	
		NA
		NA
		NA
4.13.5	<b><u>DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS</u></b>	<b><u>NO FLAT RATE ALLOWED</u></b>

**DELIVERY STARTING POINT - City, State, Zip** Robbinsdale, MN 55422

<b>PRICE PER LOADED MILE:</b>	\$2.75
<b>MINIMUM DELIVERY CHARGE (if applicable)</b>	\$45.00

4.13.6	<b><u>EQUIPMENT INSPECTION &amp; REPAIR RATES</u></b> <b><u>INSTALLATION FOR STATIONARY UNITS IS NOT PERMITTED</u></b>	
	Hourly Rate for Initial Inspection/Diagnostic :	\$ 129.00
	Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$ 129.00
	Hourly Rate for Body Work (including paint or welding labor) :	\$ 179.00

4.13.7	<b><u>NEW EQUIPMENT RENTAL PROGRAM</u></b> If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions.	
	Daily Rental Rate:	NA
	Weekly Rental Rate:	NA
	Monthly Rental Rate:	NA
	Percent (%) of Rental Fee applied to purchase price:	0%

**If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_**

# STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS

## BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.12

### Contract No. 203215 - Effective December 1, 2021

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

4.12	Information Requested	Answer
	Make & Model Number	API EHW4-30
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Type (Portable or Stationary)	Stationary
	Water Volume (GPM - Gallons per Minute)	3.5 GPM
	Pressure (In PSI)	3000 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Electric
	Approx. Temperature Rise (In Fahrenheit, range)	135°F +/- 5°
	Steam Capable? (Yes/No)	No
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Electric
	Engine Fuel Type and Capacity (Gas, Diesel, Electric)	Electric
	Engine Displacement (or HP, if electric)	7.5 HP

Engine Air or Water Cooled	Air
Engine Location	Middle
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Pump, Heater Timer
Number of Nozzles	4
Hose diameter	3/8" ID
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire
Hose Length (In feet)	50'
High Pressure Hose Reel Included? (Yes/No)	No
Fill Hose Reel Included? (Yes/No)	No
Wand Type & Description	Variable Pressure 42"
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	34"L x 25"W x 52"H
What is the estimated weight of the unit with the tanks full and ready to spray?	620 lbs
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"
<b>BASE UNIT PRICE:</b>	<b>\$ 10,785.00</b>

# STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS

## OPTIONS -SPECIFICATION NO. 4.13

**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

**Base Unit Price: \$ 10,785.00**

Spec No.	Description	Price
----------	-------------	-------

4.13.1	Date & Title/I.D. of Price List	10.14.21 API Price List
4.13.2	Discount to be applied to Price List <b>*Note:</b> The "Discount to be Applied to Price List" must be a numeric percentage, which may include 0%. Not listing a numeric percentage may result in your bid being rejected.	0%
4.13.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 105.00

### 4.13.4 EXTENDED WARRANTY OPTIONS

Use this section to offer performance/extended warranty options and list cost. (Specify years, months, or days extended term covers.) Add as many lines as needed.

	NA
	NA
	NA

### 4.13.5 DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS NO FLAT RATE ALLOWED

**DELIVERY STARTING POINT - City, State, Zip** Robbinsdale, MN 55422

<b>PRICE PER LOADED MILE:</b>	\$2.75
<b>MINIMUM DELIVERY CHARGE (if applicable)</b>	\$45.00

### 4.13.6 EQUIPMENT INSPECTION & REPAIR RATES

#### INSTALLATION FOR STATIONARY UNITS IS NOT PERMITTED

Hourly Rate for Initial Inspection/Diagnostic :	\$ 129.00
Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$ 129.00
Hourly Rate for Body Work (including paint or welding labor) :	\$ 179.00

### 4.13.7 NEW EQUIPMENT RENTAL PROGRAM

If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions.

Daily Rental Rate:	NA
Weekly Rental Rate:	NA
Monthly Rental Rate:	NA
Percent (%) of Rental Fee applied to purchase price:	0%

**If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_**

# STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS

## BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.12

### Contract No. 203215 - Effective December 1, 2021

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	<b>American Pressure Inc</b>
Contact Person:	<b>Ben Hagemann</b>
Street Address:	<b>3810 W Broadway</b>
P.O. Box:	
City, State, Zip	<b>Robbinsdale, MN 55422</b>
Phone #:	<b>763-521-4442</b>
Toll Free #:	<b>800-544-0836</b>
Fax #:	<b>763-521-4447</b>
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

<b>4.12</b>	<b>Information Requested</b>	<b>Answer</b>
	Make & Model Number	API 5355HNL-12V
	UL-1776 or UL-60335-2-79 Certified? Yes/No	No
	Type (Portable or Stationary)	Stationary or Portable
	Water Volume (GPM - Gallons per Minute)	5.0 GPM
	Pressure (In PSI)	3500 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	135°F +/- 5°
	Steam Capable? (Yes/No)	Optional
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Honda GX630
	Engine Fuel Type and Capacity (Gas, Diesel, Electric)	Gasoline 7 Gallons
	Engine Displacement (or HP, if electric)	688 cm3

Engine Air or Water Cooled	Air
Engine Location	Middle
Generator (to power burner)	No
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Burner, Temp Control
Number of Nozzles	4
Hose diameter	3/8" ID
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire
Hose Length (In feet)	50'
High Pressure Hose Reel Included? (Yes/No)	No
Fill Hose Reel Included? (Yes/No)	No
Wand Type & Description	Straight Wand 42"
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	48"L x 32"W x 47"H
What is the estimated weight of the unit with the tanks full and ready to spray?	770 lbs
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"
<b>BASE UNIT PRICE:</b>	<b>\$ 10,800.00</b>

# STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS

## OPTIONS -SPECIFICATION NO. 4.13

**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

**Base Unit Price: \$ 10,800.00**

Spec No.	Description	Price
----------	-------------	-------

4.13.1	Date & Title/I.D. of Price List	10.14.21 API Price List
4.13.2	Discount to be applied to Price List <b>*Note:</b> The "Discount to be Applied to Price List" must be a numeric percentage, which may include 0%. Not listing a numeric percentage may result in your bid being rejected.	0%
4.13.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 105.00

### 4.13.4 EXTENDED WARRANTY OPTIONS

Use this section to offer performance/extended warranty options and list cost. (Specify years, months, or days extended term covers.) Add as many lines as needed.

	NA
	NA
	NA

### 4.13.5 DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS NO FLAT RATE ALLOWED

**DELIVERY STARTING POINT - City, State, Zip** Robbinsdale, MN 55422

<b>PRICE PER LOADED MILE:</b>	\$2.75
<b>MINIMUM DELIVERY CHARGE (if applicable)</b>	\$45.00

### 4.13.6 EQUIPMENT INSPECTION & REPAIR RATES

#### INSTALLATION FOR STATIONARY UNITS IS NOT PERMITTED

Hourly Rate for Initial Inspection/Diagnostic :	\$ 129.00
Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$ 129.00
Hourly Rate for Body Work (including paint or welding labor) :	\$ 179.00

### 4.13.7 NEW EQUIPMENT RENTAL PROGRAM

If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions.

Daily Rental Rate:	NA
Weekly Rental Rate:	\$2,160
Monthly Rental Rate:	\$4,320
Percent (%) of Rental Fee applied to purchase price:	0%

**If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_**

# STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS

## BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.12

### Contract No. 203215 - Effective December 1, 2021

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

4.12	Information Requested	Answer
	Make & Model Number	API OPTI-XD-120V
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Type (Portable or Stationary)	Portable
	Water Volume (GPM - Gallons per Minute)	.48 GPM
	Pressure (In PSI)	138 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	230°F +/- 5°
	Steam Capable? (Yes/No)	Yes
	Drive Type (Belt or Direct)	Direct
	Engine Make and Model	Electric
	Engine Fuel Type and Capacity (Gas, Diesel, Electric)	Electric
	Engine Displacement (or HP, if electric)	1/4 HP

Engine Air or Water Cooled	Air
Engine Location	Middle
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Pump. Steam, LCD Montior
Number of Nozzles	2
Hose diameter	3/8" ID
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire
Hose Length (In feet)	50'
High Pressure Hose Reel Included? (Yes/No)	No
Fill Hose Reel Included? (Yes/No)	No
Wand Type & Description	Trigger Gun and Steam Nozzle
Soap Injection Accessories Included? (Yes/No/NA)	No
Skid Size (length and width, in inches)	39"L x 30"W x 40"H
What is the estimated weight of the unit with the tanks full and ready to spray?	260 lbs
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"
<b>BASE UNIT PRICE:</b>	
\$	8,200.00

# STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS

## OPTIONS -SPECIFICATION NO. 4.13

**Contract No. 203215 - Effective December 1, 2021**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

**Base Unit Price: \$ 8,200.00**

Spec No.	Description	Price
4.13.1	Date & Title/I.D. of Price List	10.14.21 API Price List
4.13.2	Discount to be applied to Price List <b>*Note:</b> The "Discount to be Applied to Price List" must be a numeric percentage, which may include 0%. Not listing a numeric percentage may result in your bid being rejected.	0%
4.13.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 105.00
4.13.4	<b><u>EXTENDED WARRANTY OPTIONS</u></b> Use this section to offer performance/extended warranty options and list cost. (Specify years, months, or days extended term covers.) Add as many lines as needed.	
		NA
		NA
		NA
4.13.5	<b><u>DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS</u></b>	<b><u>NO FLAT RATE ALLOWED</u></b>

**DELIVERY STARTING POINT - City, State, Zip** Robbinsdale, MN 55422

<b>PRICE PER LOADED MILE:</b>	\$2.75
<b>MINIMUM DELIVERY CHARGE (if applicable)</b>	\$45.00

4.13.6	<b><u>EQUIPMENT INSPECTION &amp; REPAIR RATES</u></b> <b><u>INSTALLATION FOR STATIONARY UNITS IS NOT PERMITTED</u></b>	
	Hourly Rate for Initial Inspection/Diagnostic :	\$ 129.00
	Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$ 129.00
	Hourly Rate for Body Work (including paint or welding labor) :	\$ 179.00

4.13.7	<b><u>NEW EQUIPMENT RENTAL PROGRAM</u></b> If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions.	
	Daily Rental Rate:	NA
	Weekly Rental Rate:	\$1,640
	Monthly Rental Rate:	\$3,280
	Percent (%) of Rental Fee applied to purchase price:	0%

**If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_**

# American Pressure Inc.

★ **45** YEARS ★  
DEDICATED TO SOLVING  
YOUR CLEANING  
PROBLEMS SINCE 1976

**45 years *of the* best people,  
best products *and* best choices,  
*all for the* best customers.**



Lineup of Electro-Magic Steam Cleaners

Here at American Pressure, variety is the spice of life! That's why we carry a wide variety of brand of pressure washers and parts too! Not every brand has what all of our customers want, but by having multiple brands we can meet all of your needs.

We represent the best brand brands in the pressure washer market, including Landa, Alkota, Arctic Steamer, MiTM, Karcher, Pressure Pro, KEW, EPPS, All American, Whitco, and Hydrotek, the list is longer if we cover all the brands we have sold and still continue to support with parts and service.

The story goes back to the start of our company. In the late 1970's and early 1980's Electro-Magic was the brand of steam cleaners and pressure washers that American Pressure carried. Electro-Magic was an industrial, well made product that had a great share of the market, and American Pressure did well for years distributing what they offered.

Electro-Magic's decision to sell and move production across the country proved to be difficult for both Electro- Magic and American Pressure, product went from available and ready to ship to long lead times. Changes in lead time and lack of product availability greatly hurt Electro-Magic's market position and almost put American Pressure out of business in the early 1980's. Dave and Marlene Speltz, the owners of American Pressure, learned a valuable lesson of having their company too dependent on another. A bad decision by one can have a long lasting and profound effect on the other.

In the early 1980's, American Pressure formed partnerships with Landa and Alkota that still benefit American Pressure and our customers to this day. At American Pressure, we offer the best solutions and the most value to our customers! We utilize the strengths of each of our partners to achieve this. We can proudly offer a complete line of pressure washers, steam cleaners and custom solutions that we can stand behind with our service and expertise.



O.K. Larson and Dave Speltz at a Trade Show in the late 1970s

When Gary and Becky Hagemann became owners of American Pressure in 1997, the lesson and history was passed down... don't put all your eggs in one basket. If you are dependent on one manufacturer and they make a bad decision, it will affect you greatly. Each manufacturer brings unique products to the market that can benefit customers. As part of the sale and to ensure the long term legacy of the company, the expectation to never solely depend on a single supplier of equipment was established as a core value at American Pressure.



1994: Ben and Gary Hagemann



1990: Gary and Josiah Hagemann



2016: Ben and Josiah with the Larry Linton Award from Landa

Doing what is best for our customers and doing what is best for American Pressure are often exactly the same thing. In 2015, Ben and Josiah Hagemann became owners of American Pressure, and are looking forward to many more decades of taking good care of our customers by offering the best brands in the marketplace.



2017:  
L to R - Virgil Anderson,  
Gary and Becky Hagemann,  
Marlene and Dave Speltz.

Virgil Anderson hired Dave Speltz as a Salesman at Brake and Equipment in 1975 where Dave sold Electro-Magic Products. Dave saw the benefit of having a company dedicated to pressure washers and steam cleaners and started American Pressure with his wife Marlene. Upon finding out what Dave had done, Virgil requested a lunch, insisting that he and Dave stay friends and that Dave purchase his inventory when he was able. Virgil worked for American Pressure in the 1980's after selling Brake and Equipment. Becky is Virgil's niece and when Gary needed a job and Dave needed a salesman in 1989 the connection was made and the rest is history.

## TABLE OF CONTENTS

<b>HOSES</b>	<b>4-8</b>
<b>HOSE REELS</b>	<b>10-13</b>
<b>TRIGGER GUNS</b>	<b>14-18</b>
<b>LANCES</b>	<b>19-25</b>
<b>NOZZLES SWIVELS NOZZLE CHART &amp; ACCESSORIES</b>	<b>26-41</b>
<b>INLET FILTERS QUICK COUPLERS FITTINGS</b>	<b>42-51</b>

## STEAMER HOSE

- For use on Arctic Steamer
- Quick Disconnects Included
- High Temperature Bend Restrictors
- Standard has a durable black wrapped rubber cover
- Premium has a smooth, oil resistant cover for Extended Life
- Standard has 3/8" male ends (solid by swivel)
- Premium has 3/8" male ends (solid by solid)



AH60-SSH-50-QC



AH60-SSH-100-QC



AH60-PSH-50-QC

PART #	DESCRIPTION	TEMPERATURE	PSI
AH60-SSH-50-QC	Standard Steamer Hose 50' w/QC	310°F	350
AH60-SSH-100-QC	Standard Steamer Hose 100' w/QC	310°F	350
AH60-PSH-50-QC	Premium Steamer Hose 50' w/QC	325°F	350
AH60-PSH-75-QC	Premium Steamer Hose 75' w/ QC	325°F	350
AH60-PSH-100-QC	Premium Steamer Hose 100' w/QC	325°F	350



Our heavy duty molded bend restrictors are designed for easy gripping. The thickness helps protect the hose ends by keeping them off the ground when the hose is dragging.

## 3/8" HOSE 2 WIRE ABRASION-RESISTANT MARKLESS

- Designed to extend hose cover life by up to ten times!
- Ultra High Molecular Weight Polyethylene Cover
- True Markless Hose
- Heavy duty molded bend restrictors, designed for easy gripping. The thickness helps protect the hose ends by keeping them off the ground when the hose is dragging.
- 3/8" male ends (solid by swivel)
- Assembled in the USA!



AH-ABRA2WB-50

PART #	DESCRIPTION	TEMPERATURE	PSI
AH-ABRA2WB-50	Hose 3/8" 50'	212°F	4785
AH-ABRA2WB-75	Hose 3/8" 75'	212°F	4785
AH-ABRA2WB-100	Hose 3/8" 100'	212°F	4785
AH-ABRA2WB-200	Hose 3/8" 200'	212°F	4785

## 1/4" HOSE CARPET CLEAN



AH-CC1WB-50BNM

- Smooth, blue cover designed for less marking
- Lightweight and Flexible
- 1/4" male ends (solid by solid)
- Assembled in the USA!

PART #	DESCRIPTION	TEMPERATURE	PSI
AH-CC1WB-25BNM	Blue 25'	250°F	3000
AH-CC1WB-50BNM	Blue 50'	250°F	3000
AH-CC1WB-125BNM	Blue 125'	250°F	3000
AH-CC1WB-150BNM	Blue 150'	250°F	3000

## JETTER HOSE - POLYESTER &amp; WIRE BRAID

**POLYESTER**

- Thermoplastic Smooth Finished Cover
- 1/2" Hose is Green, all other sizes are Black
- 1/8" and 3/16" male ends are solid by solid
- 1/4", 3/8" and 1/2" male ends are solid by swivel
- Assembled in the USA!

PART #	DESCRIPTION	TEMPERATURE	PSI
AH-JET-1/8-50-S	1/8" Polyester Braid 50'	160°F	4800
AH-JET-1/8-100-S	1/8" Polyester Braid 100'	160°F	4800
AH-JET-1/8-200-S	1/8" Polyester Braid 200'	160°F	4800
AH-JET-3/16-50-S	3/16" Polyester Braid 50'	160°F	4800
AH-JET-1/4-50-S	1/4" Polyester Braid 50'	160°F	4400
AH-JET-1/4-100-S	1/4" Polyester Braid 100'	160°F	4400
AH-JET-1/4-150-S	1/4" Polyester Braid 150'	160°F	4400
AH-JET-1/4-200-S	1/4" Polyester Braid 200'	160°F	4400
AH-JET-3/8-100	3/8" Polyester Braid 100'	160°F	4000
AH-JET-3/8-150	3/8" Polyester Braid 150'	160°F	4000
AH-JET-3/8-200	3/8" Polyester Braid 200'	160°F	4000
AH-JET-3/8-300	3/8" Polyester Braid 300'	160°F	4000
AH-JET-1/2-200	1/2" Polyester Braid 200'	160°F	4000
AH-JET-1/2-300	1/2" Polyester Braid 300'	160°F	4000



AH-JET-3/16-50-S

AH-JET-1/8-100-S

AH-JET-1/4-50-S



AH-JET-3/8-200

AH-JET-1/2-200

**WIRE BRAID**

- Smooth, black wrapped cover
- Lightweight and flexible
- 1/4" male ends (solid by swivel)

PART #	DESCRIPTION	TEMPERATURE	PSI
AH-JET-1/4-25	1/4" Wire Braid 25'	250°F	4000
AH-JET-1/4-50	1/4" Wire Braid 50'	250°F	4000
AH-JET-1/4-100	1/4" Wire Braid 100'	250°F	4000
AH-JET-1/4-150	1/4" Wire Braid 150'	250°F	4000



AH-JET-1/4-100



## COLD WATER NON MARKING HOSE - BLUE

PART #	DESCRIPTION	TEMPERATURE	PSI
AH-SD1WB-5/16-25BNM	25' Cold Water 1 Wire Braid Blue Non Marking	140°F	4000
AH-SD1WB-5/16-30BNM	30' Cold Water 1 Wire Braid Blue Non Marking	140°F	4000
AH-SD1WB-5/16-40BNM	40' Cold Water 1 Wire Braid Blue Non Marking	140°F	4000
AH-SD1WB-5/16-50BNM	50' Cold Water 1 Wire Braid Blue Non Marking	140°F	4000

- Matte Finished Thermoplastic Polyurethane Cover
- True Non Marking Hose
- High Abrasion Resistant and Snag Resistant Cover

- Lightweight and Highly Flexible
- 5/16" ID Hose, 3/8" male ends (solid by swivel)

- Manufactured and Assembled in the USA!



AH-SD1WB-5/16-30BNM

## NON MARKING HOSE - BLUE



AH-TF1WB-100BNM



AH-TF2WB-50BNM

- Smooth, non marking, durable cover
- 3/8" male ends (solid by swivel)

PART #	DESCRIPTION	TEMPERATURE	PSI
AH-TF1WB-25BNM	Hose 3/8" 25' Tuff Flex 1 Wire Braid Blue	250°F	4000
AH-TF1WB-50BNM	Hose 3/8" 50' Tuff Flex 1 Wire Braid Blue	250°F	4000
AH-TF1WB-100BNM	Hose 3/8" 100' Tuff Flex 1 Wire Braid Blue	250°F	4000
AH-TF2WB-25BNM	Hose 3/8" 25' Tuff Flex 2 Wire Braid Blue	250°F	6000
AH-TF2WB-50BNM	Hose 3/8" 50' Tuff Flex 2 Wire Braid Blue	250°F	6000
AH-TF2WB-75BNM	Hose 3/8" 75' Tuff Flex 2 Wire Braid Blue	250°F	6000
AH-TF2WB-100BNM	Hose 3/8" 100' Tuff Flex 2 Wire Braid Blue	250°F	6000

## 1/2" TUFF FLEX DOUBLE WIRE BRAID HOSE

PART #	DESCRIPTION	TEMPERATURE	PSI
AH-TF2WB-50-1/2	1/2" 50' Tuff Flex 2 Wire Braid	250°F	5000
AH-TF2WB-75-1/2	1/2" 75' Tuff Flex 2 Wire Braid	250°F	5000
AH-TF2WB-100-1/2	1/2" 100' Tuff Flex 2 Wire Braid	250°F	5000

- Durable black wrapped rubber cover

- 1/2" male ends (solid by swivel)



AH-TF2WB-75-1/2

## SINGLE WIRE BRAID HOSE

PART #	DESCRIPTION	TEMPERATURE	PSI
AH-TS1WB-25	Hose 3/8" 25' Tuff Skin 1 Wire Braid	250°F	4000
AH-TS1WB-50	Hose 3/8" 50' Tuff Skin 1 Wire Braid	250°F	4000
AH-TS1WB-75	Hose 3/8" 75' Tuff Skin 1 Wire Braid	250°F	4000
AH-TS1WB-100	Hose 3/8" 100' Tuff Skin 1 Wire Braid	250°F	4000
AH-TS1WB-150	Hose 3/8" 150' Tuff Skin 1 Wire Braid	250°F	4000



AH-TS1WB-100

- Durable black wrapped rubber cover
- 3/8" male ends (solid by swivel)

## PREMIUM DOUBLE WIRE BRAID HOSE

- Durable black wrapped rubber cover
- Designed for heavy duty hot water cleaning
- Heavy duty molded bend restrictors, designed for easy gripping. The thickness helps protect the hose ends by keeping them off the ground when the hose is dragging
- 3/8" male ends (solid by swivel)
- Assembled in the USA!



AH-TF2WB-50



AH-TF2WB-100

PART #	DESCRIPTION	TEMPERATURE	PSI
AH-TF2WB-15	Hose 3/8" 15' Premium 2 Wire Braid	250°F	6000
AH-TF2WB-25	Hose 3/8" 25' Premium 2 Wire Braid	250°F	6000
AH-TF2WB-50	Hose 3/8" 50' Premium 2 Wire Braid	250°F	6000
AH-TF2WB-75	Hose 3/8" 75' Premium 2 Wire Braid	250°F	6000
AH-TF2WB-100	Hose 3/8" 100' Premium 2 Wire Braid	250°F	6000
AH-TF2WB-150	Hose 3/8" 150' Premium 2 Wire Braid	250°F	6000
AH-TF2WB-200	Hose 3/8" 200' Premium 2 Wire Braid	250°F	6000



## PREMIUM GREY HOSE



AH-TF1WB-100G

AH-TF1WB-50G



AH-TF2WB-50G



AH-TF2WB-100G

- Durable gray wrapped rubber cover
- Designed for heavy duty hot water cleaning
- Heavy duty molded bend restrictors, designed for easy gripping. The thickness helps protect the hose ends by keeping them off the ground when the hose is dragging
- 3/8" male ends (solid by swivel)
- Assembled in the USA!



PART #	DESCRIPTION	TEMPERATURE	PSI
AH-TF1WB-50G	Hose 3/8" 50' Premium 1 Wire Braid Grey	250°F	4000
AH-TF1WB-100G	Hose 3/8" 100' Premium 1 Wire Braid Grey	250°F	4000
AH-TF2WB-50G	Hose 3/8" 50' Premium 2 Wire Braid Grey	250°F	6000
AH-TF2WB-100G	Hose 3/8" 100' Premium 2 Wire Braid Grey	250°F	6000

## JUMPER HOSE

PART #	DESCRIPTION	TEMPERATURE	PSI
AH48-39	Jumper Hose 2'	250°F	6000
AH48-40	Jumper Hose 3'	250°F	6000
AH48-41	Jumper Hose 4'	250°F	6000
AH48-43	Jumper Hose 5'	250°F	6000
AH48-44	Jumper Hose 6'	250°F	6000
AH48-45	Jumper Hose 10'	250°F	6000
AH48-47	Jumper Hose 15'	250°F	6000

PART #	DESCRIPTION	TEMPERATURE	PSI
AH48-31	Jumper Hose 22" JIC	250°F	6000
AH48-32	Jumper Hose 25" JIC	250°F	6000
AH48-33	Jumper Hose 29" JIC	250°F	6000
AH48-34	Jumper Hose 36" JIC	250°F	6000
AH48-35	Jumper Hose 42" JIC	250°F	6000



AH48-39

- No Bend Restrictors
- 3/8" male ends (solid by swivel)
- Double Wire Braid Hose



AH48-31

- JIC ends for typical unloader connection
- 1/2" Female JIC Swivel Connection on both ends
- 3/8" ID Double Wire Braided Hose

## INDUSTRIAL & ULTRA LIGHTWEIGHT GARDEN HOSE



AH-GH-100RED

- Built to Last, extra-large 3/4" ID
- EPDM Cover and Tube
- Class C Oil Resistant
- 40°F to 212°F
- Crush Resistant Fittings
- Heavy Duty, Contractor Grade
- Red

- 5/8" ID
- Polypropylene Cover and Tube
- -20°F to 158°F
- Ultra Lightweight, Extra Flexible and Kink Resistant
- Blue



AH-GH-100BLUE

PART #	DESCRIPTION	TEMPERATURE	PSI
AH-GH-50RED	Garden Hose 3/4" 50' Red	212°F	200
AH-GH-100RED	Garden Hose 3/4" 100' Red	212°F	200
AH-GH-100BLUE	Garden Hose 5/8" 100' Blue	158°F	100

## INLET HOSE

- Completely assembled and ready to go
- Pre-made hose with special float fitting installed
- 3/8" ID push on hose



103-21

PART #	DESCRIPTION	TEMPERATURE	PSI
103-19	Inlet Hose 8"	190°F	300
103-20	Inlet Hose 11"	190°F	300
103-21	Inlet Hose 13"	190°F	300
103-22	Inlet Hose 30"	190°F	300

## PULSE HOSE



B16-79

- Minimizes pump to coil pulsation
- 3/8" male ends (solid by swivel)

PART #	DESCRIPTION	TEMPERATURE	PSI
B16-78.1	19" Pulse Hose - Arctic Steamer	275°F	1600
B16-79	24" Pulse Hose	275°F	1600
B16-80	33" Pulse Hose	275°F	1600
B16-81	36" Pulse Hose	275°F	1600

## BULK LOW PRESSURE HOSE

PART #	DESCRIPTION	PSI
BH55-20	3/8" Black Low Pressure Hose	200
BH55-26	1/2" Black Low Pressure Hose	200
BH55-300	1/2" Blue Low Pressure Hose	300
BH55-22	5/8" Black Low Pressure Hose	200
BH55-30	3/4" Black Low Pressure Hose	200
BH55-32.1	1" Black Low Pressure Hose	200

- Excellent for use as supply or bypass lines
- Sold per foot
- Hose barb fittings not included



## BULK SUCTION/TRANSFER HOSE


PART #	DESCRIPTION
BH55-32	1" Helix PVC Suction/Transfer Hose
BH55-34	1-1/4" Helix PVC Suction/Transfer Hose



- Smooth bore allows for full flow
- Smooth and clear cover allows to visually see flow
- Made from industrial grade PVC compound
- Sold by the foot

## BULK CHEMICAL HOSE

PART #	DESCRIPTION	PSI
BH55-24	1/4" Polyester Braid Chemical Hose	250
BH55-21	3/8" Polyester Braid Chemical Hose	225



- Core and cover made from industrial grade clear PVC compound
- High tensile industrial multifilament yarn reinforcement
- Ideal for chemical or other low pressure applications
- Sold by the foot

## BULK FUEL LINE

PART #	DESCRIPTION
BH55-29	1/4" Fuel Line



- Carb approved, low permeation
- Tube: NBR with a thermoplastic barrier
- Cover: Black Hypalon
- Sold by the foot

**ORDER BEFORE 4PM**  
*for same day shipping!*

## GENERAL PUMP-A-FRAME

PART #	DESCRIPTION	TEMPERATURE	PSI
HR61-01	A-Frame Manual Rewind 3/8" x 150'	300°F	5000
HR61-02	A-Frame Manual Rewind 3/8" x 300'	300°F	5000
HR61-03	A-Frame Manual Rewind 3/8" x 450'	300°F	5000
HR61-04	A-Frame Electric Rewind 12V 3/8" x 150'	300°F	5000
HR61-05	A-Frame Electric Rewind 12V 3/8" x 300'	300°F	5000
HR61-06	A-Frame Electric Rewind 12V 3/8" x 450'	300°F	5000



HR61-04



HR61-01

- Stackable A-Frame Design
- Stainless Steel 5000 PSI Swivel
- Durable Gray High Gloss Powder Coated Finish

- Switchable Swivel/Handle
- 12V Electric or Manual Rewind
- Optional Stacking Kit, Cart, and Hose Guide

- Stainless Steel Upgrade available for 150' and 300' Reels

PART #	DESCRIPTION
HR61-12	12V Motor Control Kit
HR47-05	Momentary Switch
HR61-14	A-Frame Stacking Kit
HR61-15	A-Frame Cart
HR61-16	Hose Guide HR61-01, HR61-04
HR61-17	Hose Guide HR61-02, HR61-05
HR61-18	Hose Guide HR61-03, HR61-06
S01-17.5	Replacement Swivel for GP A-Frame 1/2"



HR61-14



HR61-12



HR47-05

HR61-15 (shown with HR 61-16 hose guide)

## SPRING RETRACTABLE

PART #	DESCRIPTION	TEMPERATURE	PSI
HR38-31	Spring Retractable 3/8" x 50'	200°F	4000
HR38-33.1	Spring Retractable 3/8" x 100'	210°F	5000

- Spring Retractable
- Mountable on Ceiling or Wall
- Includes Roller Guide
- Powder Coated Finish



HR38-33.1



HR38-31

## STACKABLE MANUAL REWIND

- Stackable Frame Design
- Manual Rewind
- Professional Grady Heavy Duty Steel Construction
- Industrial Design

PART #	DESCRIPTION	TEMPERATURE	PSI
HR38-32	Stackable Manual Rewind 3/8" x 250' or 1/2" x 166'	200°F	4000
HR58-52	A-Frame Manual Rewind 3/8" x 300' or 1/2" x 200'	225°F	5000
HR58-52A	Stacking Bracket for HR58-52		
HR48-01	Stackable Manual Rewind 3/8" x 100' or 1/2" x 66'	350°F	6000
HR48-02	Stackable Manual Rewind 3/8" x 200' or 1/2" x 133'	350°F	6000
HR48-03	Stackable Hose Reel Cart for HR48-01 and HR48-02		



## PIVOTING MANUAL REWIND

PART #	DESCRIPTION	TEMPERATURE	PSI
HR-REEL100R	Pivoting Base Manual Rewind 3/8" x 100' or 1/2" x 66'	325°F	5000
HR-REEL200R	Pivoting Base Manual Rewind 3/8" x 200' or 1/2" x 133'	325°F	5000
HR47-14	Wall Mount Bracket		
HR47-15	Base Mount Bracket		
HR47-16	Universal Mount Bracket		
HR47-07	Hose Reel Stand		

- Manual Rewind
- 360° Pivoting Base with Pin Lock
- Wall Mount, Base Mount and Universal Mount Brackets to Meet Your Specific Application
- Powder Coated Finish
- Industrial Design
- Adjustable Brake



## MANUAL REWIND

PART #	DESCRIPTION	TEMPERATURE	PSI
HR58-51	A-Frame Manual Rewind 3/8" x 250' or 1/2" x 166'	200°F	4000
HR58-53	Fixed Base Manual Rewind 3/8" x 100'	225°F	4000
HR-REEL100F	Manual Rewind 3/8" x 100' or 1/2" x 66'	325°F	5000
HR-REEL200F	Manual Rewind 3/8" x 200' or 1/2" x 133'	325°F	5000
HR-REEL50F	Manual Rewind 3/8" x 50'	212°F	3000

- Fixed Base
- Manual Rewind
- Mountable on Wall, Platform or Trailer
- Professional Grade Heavy Duty Steel Construction



HR58-53



HR-REEL100F




HR-REEL50F

## HAND CARRY JETTER KIT

PART #	DESCRIPTION	TEMPERATURE	PSI
Z-JET-KIT	Hand Carry Manual Rewind with Foot Operated Valve 3/8" x 100' or 1/4" x 150'	185°F	5000

- Easy Add-on Jetter Option
- Handy Carry Manual Rewind
- Foot Operated Valve
- Jetter Hose and Nozzle Not Included



Z-JET-KIT



## ACCESSORIES

PART #	DESCRIPTION
HR43-07	Hose Reel Platform HOT/MHC
HR44-01	Hose Reel Platform PHW/PGDC/PGHW
HR47-11	Ball Stop
HR47-12	Large Hose Stop Orange
HR47-13	Small Hose Stop Orange
HR47-18	Handle Assembly (Fits HR-REEL100F, HR-REEL200F, HR-REEL100R, HR-REEL200R)
HR44-08	Mounting Kit HDS



## REPLACEMENT SWIVELS

PART #	DESCRIPTION
S01-09	T-Swivel 3/8" Female Out x 3/8" Male In
S01-10	T-Swivel 3/8" Female Out x 3/8" Female In
S01-11	T-Swivel 3/8" Female Out x 1/2" Female In
S01-12	T-Swivel 1/2" Female Out x 1/2" Male In
S01-13	T-Swivel Extended 3/8" Female Out x 1/2" Male In
S01-13.1	T-Swivel 3/8" Female Out x 1/2" Male In
S01-14	T-Swivel 1/2" Female Out x 1/2" Female In
S01-11A	T-Swivel Clip Retaining Ring
S01-15	T-Swivel Repair Kit
S01-16	Swivel 3/8" 1935-2 EPDM
S01-16A	S01-16 Seal Kit
S01-17	Swivel 1/2" 434 Nitrile
S01-17A	S01-17 Seal Repair Kit
S01-17.1	Swivel 3/8" 521-2 EPDM
S01-17.2	Swivel 3/8" 433 Nitrile
S01-17.5	Replacement Swivel for GP A-Frame 1/2"
S01-18	Super Swivel 1/2" F x 1/2" F
S01-18.1	Super Swivel 3/8" F x 3/8" F
S01-18.2	Super Swivel 1/2" M x 1/2" F
S01-18.3	Super Swivel 3/4" M x 3/4" F
S01-19	Repair Kit (S01-18, S01-18.1, S01-18.2)
S01-19.1	Repair Kit (S01-18.3)



## AMERICAN PRESSURE PREMIUM TRIGGER GUN

PART #	DESCRIPTION	GPM	PSI	TEMPERATURE
AP-4850	API Premium EZ Pull Trigger Gun	13	4850	300°F
AP-4850-KIT	AP-4850 Repair Kit			



AP-4850



AP-4850  
INTERNAL

- 3/8" F In x 1/4" F Out
- Relaxed Action
- Cam over Center trigger pull action greatly reduces pull and holding force
- Ideal fit for almost any pressure washer
- Comes standard with new pressure washer purchase (unless otherwise specified)
- Less fatiguing and more comfortable work can lead to increased productivity and employee morale.

## LINEAR "IN LINE" 3/8"

PART #	DESCRIPTION	GPM	PSI	TEMPERATURE
AW21-13	Linear Trigger Gun	12	4000	300°F
AW21-13.2	Linear Trigger Gun	10.5	4500	300°F



AW21-13



AW21-13.2

• 3/8" F In x 1/4" F Out

• Flow Through Design

• Ideal for cleaning vertical and overhead surfaces

• Ideal for Hydro Excavation


## LINEAR "IN LINE" 1/2"

PART #	DESCRIPTION	GPM	PSI	TEMPERATURE
AW21-18.1	Linear Trigger Gun Stainless Steel	32	4500	320°F
AW21-18.3	Linear Trigger Gun Stainless Steel	32	4500	212°F
AW21-18.4	Linear Trigger Gun	16	3200	300°F

- 1/2" F In x 1/2" F Out
- Flow Through Design
- Ideal for Hydro Excavation
- Safer Than a Ball Valve



AW21-18.1



AW21-18.3



AW21-18.4

## REVERSE ENTRY 3/8"

PART #	DESCRIPTION	GPM	PSI	TEMPERATURE
AW21-13.1	Reverse Entry Trigger Gun	10.5	5000	320°F

- 3/8" F In x 1/4" F Out
- Reverse Entry Designed Specifically for use in Hydro Excavation
- Unique Design compensates for changes in pressure
- Large comfortable hand grip to accommodate work gloves
- Trigger designed for low fatigue



## REAR ENTRY 3/8"


PART #	DESCRIPTION	GPM	PSI	TEMPERATURE
AW21-15	Trigger Gun	8	4500	320°F
AW21-16	Trigger Gun	10	5000	300°F
AW21-19	Trigger Gun	10.4	5000	300°F
AW21-20	Trigger Gun	10.4	5000	300°F
AW21-20.1	Trigger Gun	10.5	5000	320°F
AW21-22	Trigger Gun	7	4000	250°F
AW21-23	Relaxed Action Trigger Gun	12	5000	300°F
AW21-24	Landa Trigger Gun	10.5	5000	320°F

- 3/8" F In x 1/4" F Out
- Rear entry is most common trigger gun design
- Ideal design for most "everyday" pressure washing applications



## REAR ENTRY HIGH PRESSURE 3/8"

PART #	DESCRIPTION	GPM	PSI	TEMPERATURE
AW21-18	Trigger Gun	8	5650	320°F
AW48-81	Vented Grip Blue Lance			
AW48-81.1	Vented Grip Blue Lance with Trigger Gun			



- 3/8" F In x 1/4" F Out
- Ideal for 5000 PSI applications
- Optional vented lance shown



## REAR ENTRY HIGH PRESSURE 1/2"

PART #	DESCRIPTION	GPM	PSI	TEMPERATURE
AW21-18.2	Trigger Gun Stainless Steel	21	8100	210°F



AW21-18.2

- 1/2" F In x 1/2" F Out
- Ideal for high pressure and high flow applications

## REAR ENTRY STAINLESS STEEL 3/8"

PART #	DESCRIPTION	GPM	PSI	TEMPERATURE
AW21-08	Relaxed Action Trigger Gun Stainless Steel	12	5000	300°F
AW21-03	AW21-08 Repair Kit			
AW21-08.1	Trigger Gun Stainless Steel	10.5	5800	320°F
AW21-08.1KIT	AW21-08.1 Repair Kit			



AW21-08



AW21-08.1

- 3/8" F In x 1/4" F Out
- Stainless Steel Ideal when using harsh chemicals

## KEW STYLE

PART #	DESCRIPTION	GPM	PSI	TEMPERATURE
AW21-11	Trigger Gun KEW Style	12	5000	320°F
AW21-14	Trigger Gun ERGO 2000 (KEW)	10	4350	310°F
AW21-06	Bayonet Plug for Kew Gun (1/4" F x Male Bayonet)			

- 3/8" F Swivel Inlet x Bayonet Outlet
- Fatigue Free Design
- For use with KEW lances
- Bayonet plug will adapt standard lance to AW21-11 and AW21-14



AW21-06



AW21-11



AW21-14

## LOW PRESSURE WASH DOWN

PART #	DESCRIPTION	GPM	PSI	TEMPERATURE
AW21-09.1	Trigger Gun Wash Down	16	350	195°F

- 1/2" F Inlet with Swivel
- Adjustable Cone Nozzle
- Ideal for high flow, low pressure rinsing applications



AW21-09.1

## OPEN 'TRIGGERLESS' GUN

PART #	DESCRIPTION	GPM	PSI	TEMPERATURE
AW21-21	Open Gun	12	4000	320°F
AW48-79	Steamer Wand			
AW48-80	Steamer Wand w/Cone Nozzle			



- 3/8" F In x 1/4" F Out
- For use on Arctic Steamer
- Ideal when unloader is unavailable or using ball valve to control flow
- Optional Steamer Wand and Steamer Wand with Nozzle shown

## FRONT ENTRY 22MM

PART #	DESCRIPTION	GPM	PSI	TEMPERATURE
AW21-07	Front Entry Trigger Gun 22mm	7	4350	311°F



AW21-07

- 22mm Male In x 22mm Male Out
- Karcher Easy Press
- Ergonomic Grip Design

## FRONT ENTRY - KARCHER® EASY FORCE

PART #	DESCRIPTION	GPM	PSI	TEMPERATURE
AW21-07.1	Front Entry Trigger Gun Easy Force	7	4350	311°F
AW21-07.2	Front Entry Trigger Gun Easy Force/ Easy Lock	7	4350	311°F

- 3/8" F In x 1/4" F Out (AW21-07.1)
- Male Easy Lock In x Male Easy Lock Out (AW21-07.2)
- Reverse Trigger Design - force to keep trigger open comes from palm of hand and not from finger grip
- Less Fatiguing - force to keep trigger open greatly reduced



AW21-07.1



AW21-07.2

## DUMP GUN WITH LANCE

PART #	DESCRIPTION	GPM	PSI	TEMPERATURE
AW17-01	Dump Gun w/40" Lance	10.5	3050	200°F
AW17-02	Dump Gun w/16" Lance	10.5	3050	200°F

- 3/8" F In x 1/8" F Out
- Water continues to flow through gun when trigger released
- Ideal for car wash applications to keep pump protected from getting too hot while in bypass



AW17-01

## TRIGGER GUN WITH BUILT IN WAND EXTENSION

PART #	DESCRIPTION	GPM	PSI	TEMPERATURE
AW22-01	Trigger Gun w/Wand Extension 22mm M	8	3700	140°F
AW22-02	Trigger Gun w/Wand Extension 3/8" F x 22mm F	8	3700	140°F
AW40-43	20" Lance Extension 22mm M x 1/4" Quick Coupler			

- 22mm M Inlet x 22mm F Outlet (AW22-01)
- 3/8" F Inlet x 22mm F Outlet (AW22-02)
- Lance extension fits both AW22-01 and AW22-02 (nozzle not included)



AW40-43



AW22-01

## SHOULDER SUPPORT ACCESSORIES

PART #	DESCRIPTION
AW21-45	Shoulder Support (Fits AP-4850, AW21-08, AW21-23)
AW21-46	Shoulder Support (Fits AW21-19)

- Helps to reduce fatigue in hand and arm by utilizing shoulder for support
- Ideal for any pressure washing application where user fatigue or soreness is a concern



AW21-45



AW21-46

PART #	AP-4850	AW21-19	AW21-24	AW21-13
GPM	13	10.4	10.5	12
Pressure Rating (PSI)	4850	5000	5000	4000
Temp Rating	300° F	300° F	320° F	300° F
<b>Holding Force 4GPM @ 4000 PSI</b>	<b>4.3 LBS</b>	<b>10.6 LBS</b>	<b>11.9 LBS</b>	<b>9.4 LBS</b>
Notes	Standard	Standard	Standard	Linear
Weight	1.28 LBS	1.64 LBS	1.25 LBS	1.16 LBS

## VARIABLE PRESSURE

PART #	DESCRIPTION	GPM	PSI	TEMPERATURE
AW48-64	38" Dual Lance Variable Pressure	10	4500	300°F
AW48-68	42" Dual Lance Variable Pressure	10.5	4100	300°F
AW48-69	42" Dual Lance Variable Pressure - Single Turn	12	4100	300°F
AW48-76	40" Dual Lance Variable Pressure	10.5	4000	302°F
AW48-78	36" Dual Lance Variable Pressure	10.5	4050	320°F
AW37-05	72" Dual Lance Variable Pressure	10.5	4050	320°F


- Excellent for downstream soap injectors
- Go from high pressure spraying to low pressure rinse or soap with the turn of the handle
- 1/4" M Inlet x 1/4" Quick Coupler Outlet\*
- \*AW48-64 is 1/4" M Inlet x 1/4" F Outlet
- Includes Low Pressure 65° Soap Nozzle
- Vented Grip



## VARIABLE PRESSURE - HIGH PSI

PART #	DESCRIPTION	PSI	TEMPERATURE
AW48-60	38" Dual Lance Variable Pressure	7300	300°F

- Excellent for downstream soap injectors
- Go from high pressure spraying to low pressure rinse or soap with the turn of the handle
- 1/4" M Inlet x 1/4" F Outlet
- Includes Low Pressure 65° Soap Nozzle
- Vented Grip



## DUAL TRIGGER LANCE

PART #	DESCRIPTION	GPM	PSI	TEMPERATURE
AW48-61	48" Double Trigger Lance	12	3600	300°F

- Go from high pressure spraying to low pressure rinse or soap with the pull of the trigger
- Vented Grip
- 1/4" M Inlet x 1/4" F Outlets
- Nozzle Protector Included
- Soap nozzle and high pressure nozzle not included



## TROMBONE STYLE WAND

PART #	DESCRIPTION
AW48-67	Double Barrel Wand
AW40-12	Plunger Wand Brass for AW48-67
AW40-13	Repair Kit Wand for AW48-67

- Great for working at full and medium pressures
- 1/4" M Inlet x 1/8" F Outlets
- Pull brass piece to adjust pressure




AW40-13

## STRAIGHT LANCES WITH SIDE HANDLE

PART #	DESCRIPTION	GPM	PSI	TEMPERATURE
AW48-62	30" Lance with Handle & QC	10.5	5000	300°F
AW48-74	44" Lance with Handle & QC	10.5	5000	300°F
AW48-63	45" Lance with Handle & QC	10.5	5000	300°F

- 1/4" M Inlet x 1/4" Quick Coupler Outlet
- Side Handle for better control



- Ideal for cold water pressure washing

## STRAIGHT LANCE WITH YELLOW COVER

PART #	DESCRIPTION	GPM	PSI	TEMPERATURE
AW48-65	31" Cold Water Yellow Lance w/Quick Coupler	10.5	5000	300°F

- 1/4" M Inlet x 1/4" Quick Coupler Outlet
- High Visibility yellow protective cover
- Cold water lance



## STRAIGHT LANCES - VENTED

PART #	DESCRIPTION	GPM	PSI	TEMPERATURE
AW48-82	42" Wand with Vented Grip	10	5000	300°F
AW48-83	Trigger Gun w/42" Lance (AW48-82)	10	5000	300°F
AW48-81	38" Vented Grip Blue Lance (AW48-81.1) w/ Trigger Gun (AW21-18)	8	5100	320°F
AW48-81.1	42" Vented Grip Blue Lance Only	8	5100	320°F
AW21-18	Trigger Gun Only	8	5650	320°F
AW21-37	Nut for Nozzle Protector Blue Lance			
AW21-38	Nozzle Protector Blue Lance			


- Double grip vented for added protection
- Lance/gun combo is 1/4" F Inlet at trigger gun
- Lance only is 1/4" M Inlet
- AW48-82 is 1/4" Quick Coupler Outlet
- AW48-81.1 is 1/4" F Outlet with Nozzle Protector



## LANCE SIDE HANDLES

PART #	DESCRIPTION
AW21-04	Side Handle for Lance w/Nut
AW21-05	Side Handle for Lance w/Nut

- Use with 1/4" Lances
- Detachable and Reusable
- Increase user comfort and control



## MOLDED GRIP STRAIGHT LANCES

PART #	DESCRIPTION	GPM	PSI	TEMPERATURE
AW40-51	12" Lance Square Molded	10.5	5000	300°F
AW40-51A	12" Lance Hex Molded	10.5	6000	300°F
AW40-52	20" Lance Square Molded	10.5	5000	300°F
AW40-53	24" Lance Square Molded	10.5	5000	300°F
AW40-53.SS	24" Lance Square Molded SS	10.5	5250	300°F
AW40-54	28" Lance Square Molded	10.5	5000	300°F
AW40-302	28" Lance Round Molded SS	10.6	5075	300°F
AW40-55	36" Lance Square Molded	10.5	5000	300°F
AW40-55.SS	36" Lance Square Molded SS	10.5	5250	300°F
AW40-56	48" Lance Square Molded	10.5	5000	300°F
AW41-10	60" Lance Square Molded	10.5	5000	300°F
AW41-12	79" Lance Square Molded	10.5	5000	300°F

- Comfortable Molded Grip to reduce user fatigue
- 1/4" M Inlet x 1/4" M Outlet
- Zinc Plated Steel
- Stainless Steel option for 24", 28" and 36" lengths



## NON-INSULATED STRAIGHT LANCES

PART #	DESCRIPTION	GPM	PSI	TEMPERATURE
AW40-57	36" Lance Non-Molded Zinc Plated Steel	10.5	5000	300°F
AW40-58	48" Lance Non-Molded Zinc Plated Steel	10.5	5000	300°F
AW41-11	60" Lance Non-Molded Zinc Plated Steel	10.5	5000	300°F
AW41-13	36" Lance Non-Molded Aluminum	10.5	3600	300°F
AW41-14	47" Lance Non-Molded Aluminum	10.5	3600	300°F
AW41-15	59" Lance Non-Molded Aluminum	10.5	3600	300°F
AW41-16	79" Lance Non-Molded Aluminum	10.5	3600	300°F

- Lightweight
- 1/4" M Inlet x 1/4" M Outlet



## HYDRO-EXCAVATING 1/2" STRAIGHT LANCES

PART #	DESCRIPTION	PSI
AW48-88	36" Lance Stainless Steel	7250
AW48-89	48" Lance Stainless Steel	7250
AW48-90	60" Lance Stainless Steel	7250
AW48-91	84" Lance Stainless Steel	7250
AW48-92	36" Lance Zinc Plated Steel	4000
AW48-93	48" Lance Zinc Plated Steel	4000
AW48-94	60" Lance Zinc Plated Steel	4000
AW48-96	36" Lance Aluminum	4000
AW48-97	48" Lance Aluminum	4000

- 1/2" M Inlet x 1/2" M Outlet
- Idea for Hydro Excavation
- Stainless Steel, Zinc Plated Steel or Aluminum options



## TELESCOPING WANDS

PART #	DESCRIPTION	GPM	PSI	TEMPERATURE
AW55-05	24' Fiberglass Telescoping Wand	10.5	4000	195°F
AW55-06	18' Fiberglass Telescoping Wand	10.5	4000	195°F
AW55-08	18' Aluminum Telescoping Wand	10.5	4000	195°F
AW55-09	24' Aluminum Telescoping Wand	10.5	4000	195°F
AW55-04	Telescoping Wand Belt			
AW55-10	Extended Wand Trigger Replacement			
AW55-11	1/4" x 3/4" Bushing			
AW21-44	Telescoping Wand Lance w/Quick Coupler			

- Easily reach higher areas without the need of scaffolding or a ladder
- Compensating gun
- Use with hot or cold pressure washers
- Nozzle holder accepts standard 1/4" quick couple spray nozzles
- Optional Wand Support Belt
- Belt included with AW55-08 and AW55-09
- 3/8" F Inlet (3/8" to 22mm Male and 3/8" to 3/8" Male Quick Coupler Plug included)



AW55-04 telescoping wand belt



AW55-05



AW55-09



AW55-04

## FLEX WANDS

PART #	DESCRIPTION	PSI	TEMPERATURE
AW21-41	13" Flex Wand 3000 PSI	3000	210°F
AW21-42	13" Flex Wand 5000 PSI	5000	210°F
AW40-50	18" Flex Wand	2500	200°F

- Helps get to those hard to reach areas
- Prevents bent wands and broken hose
- 90° Flexibility (AW21-41 and AW21-42)
- Holds its shape under pressure (AW21-41 and AW21-42)
- 180° Flexibility (AW40-50), returns to form once released
- 1/4" M Inlet x 1/4" F Outlet (AW21-41 and AW21-42)
- 1/4" M Inlet x 1/4" M Outlet (AW40-50)



AW40-50



AW21-41  
AW21-42

## PUSH PULL LANCE

PART #	DESCRIPTION	PSI	TEMPERATURE
AW48-51	Push Pull Lance	3050	300°F

- Vented grip can be pushed and pulled from 20° to 90°
- Ideal for hard to reach applications, such as gutter, fenders, trucks and heavy equipment
- Pump action allows for quick angle change
- 1/4" F Inlet x 1/4" F Outlet



## UNDERBODY WAND ASSEMBLIES

- Small and Compact
- Lightweight and Rolls Easy
- Easily connect to your existing pressure washer
- Remove mud, dirt, snow or salt from the underbody of your vehicle
- 3/8" F Inlet on trigger gun x 1/8" F Outlet (Uses 3 nozzles) (AW40-60)
- 3/8" F Inlet on trigger gun (AW41-05) or 1/4" M Quick Coupler Plug Inlet (AW41-05A) x 1/4" F Quick Coupler

PART #	DESCRIPTION	PSI	TEMPERATURE
AW40-60	Underbody Wand	3000	300°F
AW40-61	Underbody Wand Holder		
AW41-05	Underbody Wand Assembly	5000	250°F
AW41-05A	Underbody Broom Only	5000	250°F



AW40-61



Underbody lance not included with holder.



AW41-05A



AW40-60

## WATER BROOM

PART #	DESCRIPTION	PSI
AW40-44	16" Water Broom w/4 Nozzles	4000
AW40-46	12" Trikleener Water Broom Adjustable Height	4500

- Ideal for cleaning vast surfaces quickly
- 1/4" M Quick Coupler Plug Inlet
- AW40-44 Comes with Four 1/4" M Screw In Nozzles (65°, 1.3 Orifice Size)
- AW40-46 has Three 1/4" F Quick Coupler to easily attach your desired nozzles
- AW40-46 Comes with Three 1/4" Quick Connect Nozzles (40°, 1.35 Orifice Size)
- AW40-46 has adjustable height to maximize your cleaning efficiency



AW40-46




AW40-44

## LOW PRESSURE CHEMICAL APPLICATION

PART #	DESCRIPTION	GPM	PSI
AW48-99	Heavy Duty Spray Wand 3/8" Hose Barb Inlet - 18"	7	350
AW48-100	Heavy Duty Spray Wand 3/8" Hose Barb Inlet - 24"	7	350
AW48-101	Deluxe Spray Wand 3/8" Hose Barb Inlet - 24"	7	250

- Featuring a #18 orifice brass nozzle that can be easily adjusted from steady stream to a wide mist
- Ideal for weeds, fence lines, small trees or continuous spot spraying
- 3/8" Hose Barb Inlet
- Not for use with pressure washers



AW48-101



AW48-100

## GUTTER CLEANER

PART #	DESCRIPTION	PSI	TEMPERATURE
AW21-43	Gutter Cleaner Quick Coupled 3500 PSI	4100	300°F

- Easily connect to any lance or extension wand to clean gutters or hard to reach areas
- 1/4" M Quick Coupler Plug Inlet x 1/4" F Quick Coupler Outlet



AW21-43

## SANDBLAST KIT

PART #	DESCRIPTION	GPM	PSI
AW55-28	Industrial Sandblast Kit	3-8	3000-5000

- Maximize cleaning power with dustless sandblasting capabilities
- Uses the venturi effect to draw sand through a hose where it is expelled at high speed with pressurized water
- Requires 3-8 GPM Pressure Washer
- Requires 3000-5000 PSI Pressure Washer
- Nozzle must be 0° threaded nozzle fitting the specs of your machine (not included)
- 1/4" M Quick Couple Plug to easily attach to the end of your lance



AW55-28

DEDICATED TO  
**SOLVING**  
YOUR CLEANING  
**PROBLEMS**

*Since 1976*

## WAND HOLDER

PART #	DESCRIPTION
AW40-303	26" Wand Holder SS Floor Mount W/Spring
AW40-304	26" Wand Holder SS Wall Mount w/Spring
H40-21	Wall Hook SS

- Flexible wand holder featuring 2 1/2" Stainless Steel tube
- Wall or floor mount available
- Help keep area organized and wand protected by giving the accessories a storage spot

AW-304



(Wand & Gun  
Not Included)

H40-21



AW-303



## BRUSHES

PART #	DESCRIPTION
AB30-1	Dual Surface Brush (Green) 10"
AB30-2	Flat Style Brush (Green) 10"
AB30-3	Rotating Brush
AB30-4	Stack Brush 4"
AB30-5	Stack Brush 8"

- Standard Female Coarse Thread Inlet
- For use with brush handles listed in this catalog
- AB30-3 for use with pressure washer, 1/4" M Inlet
- AB30-3, 435 PSI Max, 140°F Max Temp, 7 GPM Max



## BRUSH HANDLES

PART #	DESCRIPTION
AW37-02	6' Straight Handle Fiberglass
AW37-03	5' Straight Handle Fiberglass
AW37-04	6-12' Telescoping Handle Fiberglass
AW37-06	4-8' Telescoping Handle Fiberglass
F42-38	Handle Repair Kit

- Strong, lightweight and durable
- Non-slip finish for a secure and comfortable grip
- For use with brushes listed in this catalog
- 3/4" Acme threads



## FLOOR SQUEEGEE

PART #	DESCRIPTION
AW37-01	Floor Squeegee Assembly w/Handle
AW37-01.1	Floor Squeegee Only
AW37-01.2	Handle Only

- 30" Dual Foam Rubber Squeegee Head
- 5 Foot Tapered Wood Squeegee Handle



# Nozzle Chart




Determine the nozzle size by the pressure washer's gallons per minute (GPM) and specific pounds per square inch (PSI). If the nozzle size is too small, your equipment can be damaged. If the nozzle size is too large, cleaning ability is compromised. Nozzle fan degree does not effect nozzle size selection.

Standard Nozzle Size	Hole Size	Pounds Per Square Inch (PSI)																
		500	750	1000	1250	1500	1750	2000	2250	2500	2750	3000	3250	3500	3750	4000	4500	5000
2	.034"/0.86mm	0.71	0.87	1.00	1.12	1.22	1.32	1.41	1.50	1.58	1.66	1.73	1.80	1.87	1.94	2.00	2.12	2.24
2.5	.042"/1.07mm	0.88	1.08	1.25	1.40	1.53	1.65	1.77	1.88	1.98	2.07	2.17	2.25	2.34	2.42	2.50	2.65	2.80
3	.043"/1.09mm	1.06	1.30	1.50	1.68	1.84	1.98	2.12	2.25	2.37	2.49	2.60	2.70	2.81	2.90	3.00	3.18	3.35
3.5	.048"/1.22mm	1.24	1.52	1.75	1.96	2.14	2.32	2.47	2.63	2.77	2.90	3.03	3.15	3.27	3.39	3.50	3.71	3.91
4	.052"/1.32mm	1.41	1.73	2.00	2.24	2.45	2.65	2.83	3.00	3.16	3.32	3.46	3.61	3.74	3.87	4.00	4.24	4.47
4.5	.055"/1.40mm	1.59	1.95	2.25	2.52	2.76	2.98	3.18	3.38	3.56	3.73	3.90	4.06	4.21	4.36	4.50	4.77	5.03
5	.057"/1.45mm	1.77	2.17	2.50	2.80	3.06	3.31	3.54	3.75	3.95	4.15	4.33	4.51	4.68	4.84	5.00	5.30	5.59
5.5	.060"/1.52mm	1.94	2.38	2.75	3.07	3.37	3.64	3.89	4.13	4.35	4.56	4.76	4.96	5.14	5.33	5.50	5.83	6.15
6	.062"/1.57mm	2.12	2.60	3.00	3.35	3.67	3.97	4.24	4.50	4.74	4.97	5.20	5.41	5.61	5.81	6.00	6.36	6.71
6.5	.064"/1.63mm	2.30	2.81	3.25	3.63	3.98	4.30	4.60	4.88	5.14	5.39	5.63	5.86	6.08	6.29	6.50	6.89	7.27
7	.067"/1.70mm	2.47	3.03	3.50	3.91	4.29	4.63	4.95	5.25	5.53	5.80	6.06	6.31	6.55	6.78	7.00	7.42	7.83
7.5	.070"/1.78mm	2.65	3.25	3.75	4.19	4.59	4.96	5.30	5.63	5.93	6.22	6.50	6.76	7.02	7.26	7.50	7.95	8.39
8	.072"/1.83mm	2.83	3.46	4.00	4.47	4.90	5.29	5.66	6.00	6.32	6.63	6.93	7.21	7.48	7.75	8.00	8.49	8.94
8.5	.074"/1.88mm	3.01	3.68	4.25	4.75	5.21	5.62	6.01	6.38	6.72	7.05	7.36	7.66	7.95	8.23	8.50	9.02	9.50
9	.076"/1.93mm	3.18	3.90	4.50	5.03	5.51	5.95	6.36	6.75	7.12	7.46	7.79	8.11	8.42	8.71	9.00	9.55	10.06
9.5	.078"/1.98mm	3.36	4.11	4.75	5.31	5.82	6.28	6.72	7.13	7.51	7.88	8.23	8.56	8.89	9.20	9.50	10.08	10.62
10	.080"/2.03mm	3.54	4.33	5.00	5.59	6.12	6.61	7.07	7.50	7.91	8.29	8.66	9.01	9.35	9.68	10.00	10.61	11.18
11	.083"/2.11mm	3.89	4.76	5.50	6.15	6.74	7.28	7.78	8.25	8.70	9.12	9.53	9.92	10.29	10.65	11.00	11.67	12.30
12	.087"/2.21mm	4.24	5.20	6.00	6.71	7.35	7.94	8.49	9.00	9.49	9.95	10.39	10.82	11.22	11.62	12.00	12.73	13.42
12.5	.089"/2.26mm	4.42	5.41	6.25	6.99	7.65	8.27	8.84	9.38	9.88	10.36	10.83	11.27	11.69	12.10	12.50	13.26	13.98
13	.091"/2.31mm	4.60	5.63	6.50	7.27	7.96	8.60	9.19	9.75	10.28	10.78	11.26	11.72	12.16	12.59	13.00	13.79	14.53
15	.096"/2.44mm	5.30	6.50	7.50	8.39	9.19	9.92	10.61	11.25	11.86	12.44	12.99	13.52	14.03	14.52	15.00	15.91	16.77
20	.109"/2.77mm	7.07	8.66	10.00	11.18	12.25	13.23	14.14	15.00	15.81	16.58	17.32	18.03	18.71	19.36	20.00	21.21	22.36
25	.125"/3.18mm	8.84	10.83	12.50	13.98	15.31	16.54	17.68	18.75	19.76	20.73	21.65	22.53	23.39	24.21	25.00	26.52	27.95
30	.141"/3.58mm	10.61	12.99	15.00	16.77	18.37	19.84	21.21	22.50	23.72	24.87	25.98	27.04	28.06	29.05	30.00	31.82	33.54
40	.156"/3.96mm	14.14	17.32	20.00	22.36	24.49	26.46	28.28	30.00	31.62	33.17	34.64	36.06	37.42	38.73	40.00	42.43	44.72
50	.172"/4.37mm	17.68	21.65	25.00	27.95	30.62	33.07	35.36	37.50	39.53	41.46	43.30	45.07	46.77	48.41	50.00	53.03	55.90
60	.188"/4.78mm	21.21	25.98	30.00	33.54	36.74	39.69	42.43	45.00	47.43	49.75	51.96	54.08	56.12	58.09	60.00	63.64	67.08


## Nozzle Fan Selection

Select the nozzle degree, or spray angle, based on your application. Standard nozzle degrees – 0°, 15°, 25°, and 40°. Using the wrong nozzle degree can damage the surface you are cleaning.




### 0° – Red:

Cutting nozzle. It delivers a concentrated stream that can gouge or cut. It can cut stubborn stains from concrete and other hard surfaces.




### 15° – Yellow:

Chiseling nozzle. Working at a 45° angle, this nozzle works like a scraper, stripping paint, grease and grime from hard surfaces.



### 25° – Green:

Flushing nozzle. The most commonly used nozzle for cleaning dirt from siding, sidewalks and metal furniture as well as for wet sweeping leaves.



### 40° – White:

Wash nozzle. Its wide spray allows you to wash and rinse a large area fast. It is usually safe with most surfaces, including aluminum siding, windows and vehicles.

## HIGH PRESSURE "LIVE" SWIVELS

PART #	DESCRIPTION
S01-02	1/4" Swivel - Made in the USA
S01-02A	Repair Kit For S01-02
S01-03	3/8" Swivel - Made in the USA
S01-03A	Repair Kit For S01-03
S01-04	1/4" Swivel
S01-04A	Repair Kit For S01-04
S01-05	3/8" Swivel
S01-05A	Repair Kit For S01-05
S01-08.1	1/2" Swivel
S01-08.1A	Repair Kit For S01-08.1


- Live Swivel Action Under Full Pressure
- Stainless Steel Construction
- Helps Reduce User Fatigue
- Makes Handling Hose and Maneuvering Around Easier



## JETTING NOZZLES

PART #	DESCRIPTION
AN24-03A	1/8" 4.0 Jetting Nozzle SS
AN24-03B	1/8" 5.0 Jetting Nozzle SS
AN24-03C	1/8" 5.5 Jetting Nozzle SS
AN24-03D	1/8" 6.0 Jetting Nozzle SS
AN24-04	1/4" 4.5 Jetting Nozzle SS
AN24-05	1/4" 5.5 Jetting Nozzle SS
AN24-06	1/4" 6.0 Jetting Nozzle SS
AN24-07	1/4" 7.0 Jetting Nozzle SS
AN24-08	1/4" 8.0 Jetting Nozzle SS
AN24-08.5	1/4" 9.5 Jetting Nozzle SS
AN24-09	1/4" 12.0 Jetting Nozzle SS
AN24-10	3/8" 4.5 Jetting Nozzle SS
AN24-11	3/8" 5.5 Jetting Nozzle SS
AN24-12	3/8" 6.0 Jetting Nozzle SS
AN24-13	3/8" 8.0 Jetting Nozzle SS
AN24-14	3/8" 12.0 Jetting Nozzle SS

- Stainless Steel Construction
- 1 Forward Port, 3 Back Ports
- Back Ports help drive the nozzle forward while flushing debris
- Female pipe thread to easily attach to your jetting line



## DEGREASING/DE-ICING JETTER NOZZLE

PART #	DESCRIPTION
AN24-03E	1/8" 3.5 Jetting Nozzle SS 3 Forward & 6 Rear Jets



- Stainless Steel Construction
- 3 Forward Jets, 6 Rear Jets
- Rated for 2.1 GPM @ 1500 PSI
- Effective for flushing grease or ice on shorter runs

## ROTATING JETTING NOZZLE

PART #	DESCRIPTION
AN24-16	1/4" 5.5 Rotating Jetting Nozzle



- 3 Rear Jets, 0 Forward
- Adds extra agitation
- Stainless Steel Body with Brass Collar

## ROTATING KARCHER TURBO NOZZLE

PART #	DESCRIPTION
AN25-60	3.5 Turbo Nozzle
AN25-61	Repair Kit For AN25-60
AN25-62	4.0 Turbo Nozzle
AN25-63	Repair Kit For AN25-62
AN25-64	4.5 Turbo Nozzle
AN25-65	Repair Kit For AN25-64
AN25-66	5.0 Turbo Nozzle
AN25-67	Repair Kit For AN25-66
AN25-68	5.5/6.0 Turbo Nozzle
AN25-69	Repair Kit For AN25-68
AN25-70	6.5 Turbo Nozzle
AN25-71	Repair Kit For AN25-70
AN25-72	7.0/8.0 Turbo Nozzle
AN25-73	Repair Kit For AN25-72
AN25-74	11.0/12.0 Turbo Nozzle
AN25-75	Repair Kit For AN25-74
AN25-21	Adapter 1/4" FPT x 18mm
AN25-20	Replacement O'Ring for AN25-21

- Rated up to 4350 PSI and 185°F
- Greater cleaning power, engineered to increase the impact pressure by more than 10 times that of conventional nozzles
- 1/4" Female or 18mm Female Inlet
- AN25-21 Adapter Included (1/4" FPT x 18mm)



AN25-64  
(shown with AN25-21)

## TURBO LAZER NOZZLE

PART #	DESCRIPTION
AN25-27	#10 Turbo Nozzle
AN25-28	#12 Turbo Nozzle

- 1/4" Female Inlet
- Rated up to 3600 PSI
- Max Temp of 212°F



AN25-27

## ROTOMAX TURBO NOZZLE

PART #	DESCRIPTION
AN25-23	Rotomax 1 Turbo Nozzle - Red (4.5)
AN25-24	Rotomax 2 Turbo Nozzle - Light Blue (5.5)
AN25-25	Rotomax 3 Turbo Nozzle - Black (6.5)
AN25-13	Rotomax Repair Kit

- 1/4" Female Inlet
- Up to 3500 PSI
- Max Temp of 176°F



AN25-23

## TURBO NOZZLE

PART #	DESCRIPTION
AN25-25.5	3.0 Turbo Nozzle
AN25-25.6	3.5 Turbo Nozzle
AN25-26	4.0 Turbo Nozzle
AN25-25.7	4.5 Turbo Nozzle
AN25-25.8	5.0 Turbo Nozzle
AN25-25.9	5.5 Turbo Nozzle
AN25-26.1	6.0 Turbo Nozzle

- 1/4" Female Inlet
- Rated up to 4000 PSI
- Max Temp of 212°F
- Black Cover (AN25-26 has Blue Cover)



AN25-25.9



AN25-26

## TURBO NOZZLE - 1/2"

PART #	DESCRIPTION
AN25-46.05	8.0 Turbo Nozzle
AN25-46.05K	Repair Kit For AN25-46.05
AN25-46.1	10.0 Turbo Nozzle
AN25-46.1K	Repair Kit For AN25-46.1

- 1/2" Female Inlet
- Rated up to 6000 PSI
- Max Temp of 212°F
- Always Start in a Downward Position
- Ideal for Hydro Excavating



AN25-46.1

## ROTOJET TURBO NOZZLE

PART #	DESCRIPTION
AN25-29	5.5 Turbo Nozzle
AN25-29.5	Repair Kit For AN25-29
AN25-30	10.0 Turbo Nozzle
AN25-31	Repair Kit For AN25-30
AN25-32	12.0 Turbo Nozzle
AN25-33	Repair Kit For AN25-32
AN25-34	15.0 Turbo Nozzle
AN25-34.5	Repair Kit For AN25-34



AN25-32

- 1/4" Female Inlet
- Rated up to 5800 PSI
- Max Temp of 200°F
- Must Start with Nozzle Pointed Down

## ROTATING NOZZLE

PART #	DESCRIPTION
AN25-NS-YR36K30	3.0 Rotor Nozzle
AN25-NS-YR36K35	3.5 Rotor Nozzle
AN25-NS-YR36K40	4.0 Rotor Nozzle
AN25-NS-YR36K45	4.5 Rotor Nozzle
AN25-NS-YR36K50	5.0 Rotor Nozzle
AN25-NS-YR36K55	5.5 Rotor Nozzle
AN25-NS-YR36K60	6.0 Rotor Nozzle
AN25-NS-YR36K65	6.5 Rotor Nozzle
AN25-NS-YR36K70	7.0 Rotor Nozzle
AN25-NS-YR36K80	8.0 Rotor Nozzle
AN25-NS-YR51K30	3.0 Rotor Nozzle
AN25-NS-YR51K35	3.5 Rotor Nozzle
AN25-NS-YR51K40	4.0 Rotor Nozzle
AN25-NS-YR51K45	4.5 Rotor Nozzle
AN25-NS-YR51K50	5.0 Rotor Nozzle
AN25-NS-YR51K55	5.5 Rotor Nozzle
AN25-NS-YR51K60	6.0 Rotor Nozzle
AN25-NS-YR51K65	6.5 Rotor Nozzle
AN25-NS-YR51K70	7.0 Rotor Nozzle
AN25-NS-YR51K80	8.0 Rotor Nozzle

- 1/4" Female Inlet
- Rated up to 3650 PSI (Blue) and 5100 PSI (Red)
- Max Temp of 212°F



AN25-NS-YR36K30



AN25-NS-YR51K30

## TURBO NOZZLE

PART #	DESCRIPTION
AN25-37	3.0 Turbo Nozzle
AN25-37K	Repair Kit For AN25-37
AN25-38	3.5 Turbo Nozzle
AN25-38K	Repair Kit For AN25-38
AN25-39	4.0 Turbo Nozzle
AN25-39K	Repair Kit For AN25-39
AN25-40	4.5 Turbo Nozzle
AN25-40K	Repair Kit For AN25-40
AN25-41	5.0 Turbo Nozzle
AN25-41K	Repair Kit For AN25-41
AN25-42	5.5 Turbo Nozzle
AN25-42K	Repair Kit For AN25-42
AN25-43	6.0 Turbo Nozzle
AN25-43K	Repair Kit For AN25-43
AN25-44	7.0 Turbo Nozzle
AN25-44K	Repair Kit For AN25-44
AN25-45	8.0 Turbo Nozzle
AN25-45K	Repair Kit For AN25-45
AN25-46	10.0 Turbo Nozzle
AN25-46K	Repair Kit For AN25-46

- 1/4" Female Inlet
- Rated up to 6000 PSI
- Max Temp of 212°F
- Increases cleaning efficiency as much as 200%!
- Always Start in a Downward Position



AN25-37

## OSCILLATING NOZZLE

PART #	DESCRIPTION
AN25-22.3	Oscillating Nozzle #3.5
AN25-22.4	Oscillating Nozzle #4.0
AN25-22.5	Oscillating Nozzle #4.5
AN25-22.6	Oscillating Nozzle #5.0
AN25-22.7	Oscillating Nozzle #5.5
AN25-22.8	Oscillating Nozzle #6.0

- 1/4" Female Inlet
- Rated up to 3600 PSI
- Max Temp of 195°F
- 0° impact oscillating side to side to 30° coverage



AN25-22.3

## AQUA-ROCKET INDUSTRIAL TURBO NOZZLE

PART #	DESCRIPTION
AN-AR30	Aqua Rocket #3.0
AN-AR35	Aqua Rocket #3.5
AN-AR40	Aqua Rocket #4.0
AN-AR45	Aqua Rocket #4.5
AN-AR50	Aqua Rocket #5.0
AN-AR55	Aqua Rocket #5.5
AN-AR60	Aqua Rocket #6.0
AN-AR80	Aqua Rocket #8.0
AN-AR100	Aqua Rocket #10.0
AN-ARK30	Aqua Rocket Repair Kit #3.0
AN-ARK35	Aqua Rocket Repair Kit #3.5
AN-ARK40	Aqua Rocket Repair Kit #4.0
AN-ARK45	Aqua Rocket Repair Kit #4.5
AN-ARK50	Aqua Rocket Repair Kit #5.0
AN-ARK55	Aqua Rocket Repair Kit #5.5
AN-ARK60	Aqua Rocket Repair Kit #6.0
AN-ARK80	Aqua Rocket Repair Kit #8.0
AN-ARK100	Aqua Rocket Repair Kit #10.0



- 1/4" Female Inlet
- Stainless Steel Housings and Tungsten Carbide Nozzle Tips and Seats
- Drop Resistant Rubber Cover
- Operating Pressure Between 1500-4000 PSI
- Max Temp of 212°F
- Made in Minnesota!

### REPAIR KIT INCLUDES:



AN-AR30

## MACHETE LINEAR OSCILLATING HYDRO-EXCAVATION NOZZLE

PART #	DESCRIPTION
AN-MT30	Machete #3.0
AN-MT40	Machete #4.0
AN-MT50	Machete #5.0
AN-MT60	Machete #6.0
AN-MT80	Machete #8.0
AN-MT100	Machete #10
AN-MTC	Machete Replaceable Cover
AN-MTS-10	Machete Dome Screen 1/2" - 10 pack



AN-MT30

- 1/2" Female Inlet
- Stainless Steel Housing and Tungsten Carbide Wear Surface
- Non-conductive cover on the nozzle body protects users and sensitive underground utilities
- 0° impact oscillating side to side to 15° coverage

- The unique oscillation design helps reduce undermining that may occur when using traditional rotating nozzles
- Operating pressure between 1000-3200 PSI
- Max Temp of 180°F
- Ideally suited for trenching applications
- Made in Minnesota!

## TURBO LASER NOZZLE - 1/2"

PART #	DESCRIPTION
AN25-46.2	1/2" 10.0 Turbo Nozzle 6000 PSI
AN25-46.2K	Repair Kit For AN25-46.2

- 1/2" Female Inlet
- Rated up to 5800 PSI
- Max Temp of 195°F
- Ideal for Hydro Excavating



AN25-46.2K

## RIPSAW ROTATING HYDRO-EXCAVATION NOZZLE

PART #	DESCRIPTION
AN-RS30	RipSaw #3.0 Rotating Nozzle
AN-RS40	RipSaw #4.0 Rotating Nozzle
AN-RS50	RipSaw #5.0 Rotating Nozzle
AN-RS60	RipSaw #6.0 Rotating Nozzle
AN-RS80	RipSaw #8.0 Rotating Nozzle
AN-RS100	RipSaw #10.0 Rotating Nozzle
AN-RS120	RipSaw #12.0 Rotating Nozzle
AN-RSHD30	RipSaw #3.0 Rotating Nozzle HD
AN-RSHD40	RipSaw #4.0 Rotating Nozzle HD
AN-RSHD50	RipSaw #5.0 Rotating Nozzle HD
AN-RSHD60	RipSaw #6.0 Rotating Nozzle HD
AN-RSHD80	RipSaw #8.0 Rotating Nozzle HD
AN-RSHD100	RipSaw #10.0 Rotating Nozzle HD
AN-RSHD120	RipSaw #12.0 Rotating Nozzle HD
AN-RSK30	RipSaw #3.0 Rebuild Kit
AN-RSK40	RipSaw #4.0 Rebuild Kit
AN-RSK50	RipSaw #5.0 Rebuild Kit
AN-RSK60	RipSaw #6.0 Rebuild Kit
AN-RSK80	RipSaw #8.0 Rebuild Kit
AN-RSK100	RipSaw #10.0 Rebuild Kit
AN-RSK120	RipSaw #12.0 Rebuild Kit



- 1/2" Female Inlet
- Stainless Steel Housings and Tungsten Carbide Nozzle Tips and Seats
- Non-conductive urethane coating on the nozzle body protects users and sensitive underground utilities
- Traditional Coating (Blue) and Heavy Duty (HD) Coating (Green)
- Operating pressure between 1000-3200 PSI
- Max Temp of 180°F
- Ideal tool for potholing applications
- Made in Minnesota!



## MARKSMAN LONG DISTANCE CLEANING NOZZLE

PART #	DESCRIPTION
AN-MM120	Marksman #12
AN-MM150	Marksman #15
AN-MM200	Marksman #20
AN-MMS-10	Marksman Inlet Screen - 10 pack

- 1/2" Female Inlet
- Stainless Steel Housing and Nozzle Tip
- Rated up to 2500 PSI
- Max Temp of 180°F
- With a controlled flow that provides optimal cleaning impingement over 20', that Marksman is an ideal fit for cleaning corrosive environments like lift stations
- The nozzle requires the use of a 6' minimum straight lance ensuring the operator more control
- Operators will no longer need multiple nozzles to reach extended distances or wear harnesses to lower themselves into confined spaces
- Made in Minnesota!



## HYDRO EXCAVATING TURBO NOZZLE - 1/2"

PART #	DESCRIPTION
AN25-83	1/2" 8.0 Turbo Nozzle



- 1/2" Female Inlet
- Rated up to 6000 PSI
- Max Temp of 190°F
- Added molded extension to help prevent mud and dirt from damaging the seat and rotor

## SWITCHBLADE STATIC, ZERO DEGREE HYDRO-EXCAVATION NOZZLE

PART #	DESCRIPTION
AN-SBA10	Switchblade Ace #1.0
AN-SBA20	Switchblade Ace #2.0
AN-SBA30	Switchblade Ace #3.0
AN-SBA40	Switchblade Ace #4.0
AN-SBA50	Switchblade Ace #5.0
AN-SBA60	Switchblade Ace #6.0
AN-SBA80	Switchblade Ace #8.0
AN-SBA100	Switchblade Ace #10.0
AN-SBA120	Switchblade Ace #12.0
AN-SBD20	Switchblade Duece #2.0
AN-SBD40	Switchblade Duece #4.0
AN-SBD60	Switchblade Duece #6.0
AN-SBD80	Switchblade Duece #8.0
AN-SBD100	Switchblade Duece #10.0
AN-SBD120	Switchblade Duece #12.0
AN-SBQ40	Switchblade Quad #4.0
AN-SBQ60	Switchblade Quad #6.0
AN-SBQ80	Switchblade Quad #8.0
AN-SBQ100	Switchblade Quad #10.0
AN-SBQ120	Switchblade Quad #12.0
AN-SBQ140	Switchblade Quad #14.0

PART #	DESCRIPTION
AN-SBP10	Switchblade Nozzle Pill - 1.0 - Blue
AN-SBP20	Switchblade Nozzle Pill - 2.0 - Yellow
AN-SBP30	Switchblade Nozzle Pill - 3.0 - Green
AN-SBP40	Switchblade Nozzle Pill - 4.0 - Orange
AN-SBP50	Switchblade Nozzle Pill - 5.0 - Purple
AN-SBP60	Switchblade Nozzle Pill - 6.0 - Red
AN-SBP80	Switchblade Nozzle Pill - 8.0 - Black
AN-SBP100	Switchblade Nozzle Pill - 10.0 - White
AN-SBP120	Switchblade Nozzle Pill - 12.0 - Pink
AN-SBQK40	Switchblade Quad Repair Kit #4.0
AN-SBQK60	Switchblade Quad Repair Kit #6.0
AN-SBQK80	Switchblade Quad Repair Kit #8.0
AN-SBQK100	Switchblade Quad Repair Kit #10.0
AN-SBQK120	Switchblade Quad Repair Kit #12.0
AN-SBQK140	Switchblade Quad Repair Kit #14.0

- 1/2" Female Inlet
- Stainless Steel Housing and Tungsten Carbide Wear Surface
- Non-conductive urethane coating on the nozzle body protects users and sensitive underground utilities
- Rated up to 3200 PSI
- Max Temp of 180°F
- A combination or 1 (Ace), 2 (Duece), or 4 (Quad) 0° solid stream nozzles provide greater impingement, allowing you to cut through soil faster while using less water
- Ideally suited for trenching applications
- Made in Minnesota!



AN-SBA20



AN-SBD60



AN-SBQ100

## REAPER ROTATING SEWER JETTING NOZZLE

PART #	DESCRIPTION
AN-RP60	3/8" Reaper #6.0
AN-RP90	3/8" Reaper #9.0
AN-RP120-3/8	3/8" Reaper #12.0
AN-RP120-1/2	1/2" Reaper #12.0
AN-RP150	1/2" Reaper #15.0
AN-RP180	1/2" Reaper #18.0
AN-RP240	1/2" Reaper #24.0
AN-RP400	1" Reaper #40.0
AN-RP600	1" Reaper #60.0
AN-RP800	1" Reaper #80.0
AN-RPFK60	3/8" #6.0 Front Rotor Repair Kit
AN-RPFK90	3/8" #9.0 Front Rotor Repair Kit
AN-RPFK120-3/8	3/8" #12.0 Front Rotor Repair Kit
AN-RPRK60	3/8" #6.0 Rear Jet Repair Kit
AN-RPRK90	3/8" #9.0 Rear Jet Repair Kit
AN-RPRK120-3/8	3/8" #12.0 Rear Jet Repair Kit
AN-RPS-10-3/8	3/8" Reaper Dome Screen - 10 pack

PART #	DESCRIPTION
AN-RPFK120-1/2	1/2" #12.0 Front Rotor Repair Kit
AN-RPFK150	1/2" #15.0 Front Rotor Repair Kit
AN-RPFK180	1/2" #18.0 Front Rotor Repair Kit
AN-RPFK240	1/2" #24.0 Front Rotor Repair Kit
AN-RPRK120-1/2	1/2" #12.0 Rear Jet Repair Kit
AN-RPRK150	1/2" #15.0 Rear Jet Repair Kit
AN-RPRK180	1/2" #18.0 Rear Jet Repair Kit
AN-RPRK240	1/2" #24.0 Rear Jet Repair Kit
AN-RPS-10-1/2	1/2" Reaper Dome Screen - 10 pack
AN-RPFK400	1" #40.0 Front Rotor Repair Kit
AN-RPFK600	1" #60.0 Front Rotor Repair Kit
AN-RPFK800	1" #80.0 Front Rotor Repair Kit
AN-RPRK400	1" #40.0 Rear Jet Repair Kit
AN-RPRK600	1" #60.0 Rear Jet Repair Kit
AN-RPRK800	1" #80.0 Rear Jet Repair Kit
AN-RPS-10-1	1" Reaper Dome Screen - 10 pack

- 3/8", 1/2" or 1" Female Inlet
- Stainless Steel Housings and Tungsten Carbide Nozzle Tips and Seats
- Minimum Operating pressure of 1500 PSI
- Maximum Operating Pressure of 3000 PSI (1") and 4000 PSI (3/8" and 1/2")
- Max Temp of 180°F
- Rotating Front Jet, Static Rear Jets (4 jets on 3/8" and 1/2", 8 jets on 1")
- Made in Minnesota!



### Rotor Repair Kit



### Rear Jet Repair Kit

3/8" & 1/2"



1"



## X-JET LONG RANGE CHEMICAL NOZZLE

PART #	DESCRIPTION
AN-XJET-STD-7	XJET Original Kit #7 2-2.5 GPM
AN-XJET-STD-9	XJET Original Kit #9 3-3.5 GPM
AN-XJET-STD-13	XJET Original Kit #13 4-4.5 GPM
AN-XJET-STD-16	XJET Original Kit #16 5-6.5 GPM
AN-XJET-STD-20	XJET Original Kit #20 7-8 GPM
AN-XJET-STD-25	XJET Original Kit #25 8.5+ GPM

PART #	DESCRIPTION
AN-XJET-M5-7	XJET M5 Kit #7 2-2.5 GPM
AN-XJET-M5-9	XJET M5 Kit #9 3-3.5 GPM
AN-XJET-M5-13	XJET M5 Kit #13 4-4.5 GPM
AN-XJET-M5-16	XJET M5 Kit #16 5-6.5 GPM
AN-XJET-M5-20	XJET M5 Kit #20 7-8 GPM
AN-XJET-M5-25	XJET M5 Kit #25 8.5+ GPM

PART #	DESCRIPTION
AN-XJET-M5NOZZLE-SML	M5 Downstream Soft Wash Nozzle 2-3 GPM
AN-XJET-M5NOZZLE-MID	M5 Downstream Soft Wash Nozzle 3-6 GPM
AN-XJET-M5NOZZLE-LRG	M5 Downstream Soft Wash Nozzle 4-12 GPM

PART #	DESCRIPTION
AN-XJET-TIPKIT	XJET Proportioner Kit (14 Pack)
AN-XJET-AQUA-TIP	XJET Proportioner Aqua
AN-XJET-BEIGE-TIP	XJET Proportioner Beige
AN-XJET-BLUE-TIP	XJET Proportioner Blue
AN-XJET-BROWN-TIP	XJET Proportioner Brown (Dark)
AN-XJET-GREEN-TIP	XJET Proportioner Green
AN-XJET-BLACK-TIP	XJET Proportioner Black
AN-XJET-GREY-TIP	XJET Proportioner Grey
AN-XJET-ORANGE-TIP	XJET Proportioner Orange
AN-XJET-PINK-TIP	XJET Proportioner Pink
AN-XJET-PURPLE-TIP	XJET Proportioner Purple
AN-XJET-RED-TIP	XJET Proportioner Red
AN-XJET-TAN-TIP	XJET Proportioner Tan (Med Brown)
AN-XJET-YELLOW-TIP	XJET Proportioner Yellow
AN-XJET-WHITE-TIP	XJET Proportioner White



AN-XJET-STD-9



AN-XJET-STD-13

AN-XJET-M5-13



AN-XJET-M5-9

AN-XJET-MSNOZZLE-SML

- 1/4" Male Quick Connect Plug
- Projects chemicals or other liquids to vertical heights of 40 feet or more
- The soap/chemical is injected at the nozzle without going through your pump, hose or gun
- Max Temp of 190°F
- X-Jet Original and M5 Kits include 15 piece proportioner set, shut off ball valve, mushroom strainer and 15' suction hose with hose barb
- X-Jet Original has long range nozzle and low pressure close range nozzle
- X-Jet M5 works like the original but the close range nozzle is replaced by a built in adjustable nozzle that goes from the long range 0° pattern to an 8' 60° fan pattern with just a twist
- X-Jet Pail System add on, simply fill the pail and attach the X-Jet hose onto the barb
- M5 Downstream Soft Wash nozzle add on, simply twist the nozzle to go from 0° to 60° spray pattern



## KARCHER® SERVO PRESS || KARCHER® POWER NOZZLE

PART #	DESCRIPTION
K02-14G	Power Nozzle 25060
K02-14H	Power Nozzle 25080



PART #	DESCRIPTION
AN25-22.2	Servo Press 3.4-4.9 GPM



## VARIABLE ANGLE NOZZLE

PART #	DESCRIPTION
AN25-01	2.0 Variable Angle Nozzle Light Green
AN25-02	2.5 Variable Angle Nozzle Pink
AN25-03	3.0 Variable Angle Nozzle White
AN25-04	3.5 Variable Angle Nozzle Brown
AN25-06	4.0 Variable Angle Nozzle Dark Yellow
AN25-07	4.5 Variable Angle Nozzle Blue
AN25-08	5.0 Variable Angle Nozzle Purple
AN25-09	5.5 Variable Angle Nozzle Dark Red
AN25-10	6.0 Variable Angle Nozzle Dark Green
AN25-10.5	7.0 Variable Angle Nozzle Orange

- 1/4" Female Inlet
- Rated up to 4050 PSI
- Max Temp of 195°F
- Push/pull for easy change between high and low pressure
- Twist to adjust from 0° to 80° spray fan pattern



AN25-01

## ADJUSTABLE NOZZLE

PART #	DESCRIPTION
AN24-19	Adjustable Nozzle
AN24-20	Adjustable Nozzle

- 1/4" Female Inlet x 1/4" Female Outlet
- Twisting the plastic housing allows water to be diverted around the fixed orifice nozzle, dropping the pressure and allowing the chemical injector to operate



AN24-20




AN24-19

## TROMBONE VALVE

PART #	DESCRIPTION
AN24-18	Hi Lo Trombone Valve

- 1/4" Female Inlet x Twin 1/4" Female Outlets
- Rated up to 4000 PSI
- Max 8 GPM
- Max Temp of 195°F
- Release the trigger, pull the valve stem and then pull the trigger to go to low pressure for chemical application



## ADJUSTABLE NOZZLE HOLDER

PART #	DESCRIPTION
AN24-21A	Adjustable Nozzle Holder - 1/8" F Outlet
AN24-21B	Adjustable Nozzle Holder - 1/4" F Outlet
AN24-21C	Adjustable Nozzle Holder - 1/4" M Outlet

- 1/4" Female Inlet
- 1/8" Female Outlet (AN24-21A)
- 1/4" Female Outlet (AN24-21B)
- 1/4" Male Outlet (AN24-21C)
- Adjustable and nozzle locks in place with pressure
- Stainless Steel
- AW24-21A is Brass
- Rated up to 5000 PSI
- Max Temp of 300°F
- Great for those hard to reach areas



AN24-21C



AN24-21B

## PIVOT COUPLER

PART #	DESCRIPTION
AN24-21	Pivoting Coupler

- 1/4" Male Quick Connect Plug x 1/4" Female Quick Coupler
- 3 Positions



- Rated up to 4500 PSI
- Cold Water Use Only

## ROLLOVER NOZZLE - TWIST TYPE

PART #	DESCRIPTION
AN24-21D	Rollover Nozzle

- 1/4" Female Inlet x Dual 1/4" Female Outlets
- Rated up to 1000 PSI
- Max Temp of 180°F
- Simply twist from low pressure chemical application to high pressure rinse



## DOUBLE NOZZLE HOLDER - ROLLOVER

PART #	DESCRIPTION
AN24-22	Double Nozzle Holder

- 1/4" Female Inlet x Dual 1/4" Female Outlets
- Rated up to 3200 PSI
- Max Temp of 195°F



## INLINE HIGH PRESSURE FILTER

PART #	DESCRIPTION
AN24-23	1/4" High Pressure Nozzle Filter
AN24-23.1	Repair Kit (AN24-23)
AN24-23.3	1/2" High Pressure Nozzle Filter

- 1/4" Female Inlet x 1/4" Male Outlet (AN24-23)
- 1/2" Female Inlet x 1/2" Male Outlet (AN24-23.3)
- Rated up to 5000 PSI
- Max Temp of 200°F
- 100 Mesh Screen



## MEZZO VALVE

PART #	DESCRIPTION
AN24-34	Mezzo Valve offset
AN24-35	Mezzo Valve Dual



- 1/4" Male Quick Connect Plug x Dual 1/4" Female Quick Couplers
- Simply push a button to go from one side to the other
- Offset is designed for a foamer and a high pressure rinse nozzle
- Dual is designed for two step/stage washing applications
- Stainless Steel fittings
- Rated up to 3700 PSI and 8 GPM



## FOAM LANCE

PART #	DESCRIPTION
AN32-04	Foam Lance
AN25-Y25180651	Replacement Strainer for AN32-04

- 1/4" Female Inlet
- Adjustable Injector
- Hose Barb connection on injector for soap hose (sold separately)
- Rated up to 3200 PSI
- Rated up to 6.5 GPM
- Max Temp of 140°F
- 1.5mm orifice (5.5 nozzle equivalent)



## J-ROD NOZZLE HOLDER

PART #	DESCRIPTION
AN24-17	J-Rod Nozzle Holder

- 1/4" Male Quick Connect Plug Inlet x 1/4" Female Outlet
- Stainless Steel
- Fits 1/4" Male Screw In Nozzles
- Easily switch between 4 different nozzles without having to carry individual nozzles



## FOAM CANNON

PART #	DESCRIPTION
AN32-01	Foam Cannon Original
AN32-01.1	Replacement Bottle for AN32-01
AN32-02	Foam Cannon Repair Kit for AN32-01
AN32-03	Foam Cannon Screen
AN32-06	Foam Cannon PF22.2 - New Bottle
AN32-06A	PF22 Bottle
AN32-06B	PF22 Bottle Cap
AN32-03	Foam Cannon Screen

- 1/4" Male Quick Connect Plug or Male 22mm adapter to connect to the end of your lance
- Creates a dense, sticky foam
- Top adjustment knob allows you to increase or decrease soap usage
- Adjustable fan blades allows you to change the spray pattern to meet your application
- Operating pressure between 1100 PSI and 5000 PSI
- Operating flow between 1.4 GPM and 5.3 GPM
- Max Temp of 140°F
- 3.5 Orifice (1.25mm) installed in the foamer body
- 3.0 Orifice (1.1mm) included in kit
- AN32-06 Features a new bottle design with a wider base to better stand up while adding your solution



## NOZZLE HOLDER

PART #	DESCRIPTION
AN25-22	Nozzle Holder
AN25-22.1	Nozzle Holder Grommet



## SOAP NOZZLES

PART #	DESCRIPTION
AN27-6540GQ	1/4" Quick Connect Nozzle 65° #40.0
AN27-6540S1/4	1/4" Male Screw In Nozzle 65° #40.0 Stainless
AN27-6540S1/4B	1/4" Male Screw In Nozzle 65° #40.0 Brass
AN27-6540S1/8B	1/8" Male Screw In Nozzle 65° #40.0 Brass



## QUICK COUPLE NOZZLES

ORIFICE SIZE	0 DEGREE	15 DEGREE	25 DEGREE	40 DEGREE
2.0	AN27-0002GQ	AN27-1502GQ	AN27-2502GQ	AN27-4002GQ
2.5	AN27-0002.5GQ	AN27-1502.5GQ	AN27-2502.5GQ	AN27-4002.5GQ
3.0	AN27-0003GQ	AN27-1503GQ	AN27-2503GQ	AN27-4003GQ
3.5	AN27-0003.5GQ	AN27-1503.5GQ	AN27-2503.5GQ	AN27-4003.5GQ
4.0	AN27-0004GQ	AN27-1504GQ	AN27-2504GQ	AN27-4004GQ
4.5	AN27-0004.5GQ	AN27-1504.5GQ	AN27-2504.5GQ	AN27-4004.5GQ
5.0	AN27-0005GQ	AN27-1505GQ	AN27-2505GQ	AN27-4005GQ
5.5	AN27-0005.5GQ	AN27-1505.5GQ	AN27-2505.5GQ	AN27-4005.5GQ
6.0	AN27-0006GQ	AN27-1506GQ	AN27-2506GQ	AN27-4006GQ
6.5	AN27-0006.5GQ	AN27-1506.5GQ	AN27-2506.5GQ	AN27-4006.5GQ
7.0	AN27-0007GQ	AN27-1507GQ	AN27-2507GQ	AN27-4007GQ
7.5	AN27-0007.5GQ	AN27-1507.5GQ	AN27-2507.5GQ	AN27-4007.5GQ
8.0	AN27-0008GQ	AN27-1508GQ	AN27-2508GQ	AN27-4008GQ
8.5	AN27-0008.5GQ	AN27-1508.5GQ	AN27-2508.5GQ	AN27-4008.5GQ
9.0	AN27-0009GQ	AN27-1509GQ	AN27-2509GQ	AN27-4009GQ
10.0	AN27-0010GQ	AN27-1510GQ	AN27-2510GQ	AN27-4010GQ
12.0	AN27-0012SQ	AN27-1512SQ	AN27-2512SQ	AN27-4012SQ
15.0	AN27-0015SQ	AN27-1515SQ	AN27-2515SQ	AN27-4015SQ
20.0	AN27-0020SQ	AN27-1520SQ	AN27-2520SQ	AN27-4020SQ

- 1/4" Male Quick Connect Plug
- Hardened Stainless Steel
- German Made Stainless Steel 400 Grade Through Hardened Insert
- Nozzles stamped with spray pattern (first 2 numbers on nozzle) and orifice size (last 3 numbers)
- Color Coded
  - Red = 0°
  - Yellow = 15°
  - Green = 25°
  - White = 40°
- Perfect for quickly changing nozzles to fit your application



AN27-0004GQ



AN27-1504GQ



AN27-2504GQ




AN27-4004GQ

## QUICK COUPLE NOZZLE PACKS

PART #	DESCRIPTION
AN27-4QDPACK-3.0	1/4" Male 3.0 Quick Coupler Nozzle 4 Pack
AN27-4QDPACK-3.5	1/4" Male 3.5 Quick Coupler Nozzle 4 Pack
AN27-4QDPACK-4.0	1/4" Male 4.0 Quick Coupler Nozzle 4 Pack
AN27-4QDPACK-4.5	1/4" Male 4.5 Quick Coupler Nozzle 4 Pack
AN27-4QDPACK-5.0	1/4" Male 5.0 Quick Coupler Nozzle 4 Pack
AN27-4QDPACK-5.5	1/4" Male 5.5 Quick Coupler Nozzle 4 Pack
AN27-4QDPACK-6.0	1/4" Male 6.0 Quick Coupler Nozzle 4 Pack
AN27-4QDPACK-6.5	1/4" Male 6.5 Quick Coupler Nozzle 4 Pack
AN27-4QDPACK-9.0	1/4" Male 9.0 Quick Coupler Nozzle 4 Pack
AN27-5QDPACK-2.5	1/4" Male 2.5 Quick Coupler Nozzle 5 Pack with Soap Nozzle
AN27-5QDPACK-3.0	1/4" Male 3.0 Quick Coupler Nozzle 5 Pack with Soap Nozzle
AN27-5QDPACK-3.5	1/4" Male 3.5 Quick Coupler Nozzle 5 Pack with Soap Nozzle
AN27-5QDPACK-4.0	1/4" Male 4.0 Quick Coupler Nozzle 5 Pack with Soap Nozzle
AN27-5QDPACK-4.5	1/4" Male 4.5 Quick Coupler Nozzle 5 Pack with Soap Nozzle
AN27-5QDPACK-5.0	1/4" Male 5.0 Quick Coupler Nozzle 5 Pack with Soap Nozzle
AN27-5QDPACK-5.5	1/4" Male 5.5 Quick Coupler Nozzle 5 Pack with Soap Nozzle
AN27-5QDPACK-6.0	1/4" Male 6.0 Quick Coupler Nozzle 5 Pack with Soap Nozzle
AN27-5QDPACK-6.5	1/4" Male 6.5 Quick Coupler Nozzle 5 Pack with Soap Nozzle
AN27-5QDPACK-7.0	1/4" Male 7.0 Quick Coupler Nozzle 5 Pack with Soap Nozzle
AN27-5QDPACK-7.5	1/4" Male 7.5 Quick Coupler Nozzle 5 Pack with Soap Nozzle

- 1/4" Male Quick Connect Plug
- German Made Stainless Steel 400 Grade Through Hardened Insert
- 4 Pack includes 0°, 15°, 25° and 40°
- 5 Pack includes 0°, 15°, 25°, 40° and Soap Nozzle



## 1/4" SCREW IN NOZZLE

ORIFICE SIZE	0 DEGREE	15 DEGREE	25 DEGREE	40 DEGREE
1.0	AN27-0001S1/4	AN27-1501S1/4	AN27-2501S1/4	AN27-4001S1/4
1.5	AN27-0001.5S1/4	AN27-1501.5S1/4	AN27-2501.5S1/4	AN27-4001.5S1/4
2.0	AN27-0002G1/4	AN27-1502G1/4	AN27-2502G1/4	AN27-4002G1/4
2.5	AN27-0002.5G1/4	AN27-1502.5G1/4	AN27-2502.5G1/4	AN27-4002.5G1/4
3.0	AN27-0003G1/4	AN27-1503G1/4	AN27-2503G1/4	AN27-4003G1/4
3.5	AN27-0003.5G1/4	AN27-1503.5G1/4	AN27-2503.5G1/4	AN27-4003.5G1/4
4.0	AN27-0004G1/4	AN27-1504G1/4	AN27-2504G1/4	AN27-4004G1/4
4.5	AN27-0004.5G1/4	AN27-1504.5G1/4	AN27-2504.5G1/4	AN27-4004.5G1/4
5.0	AN27-0005G1/4	AN27-1505G1/4	AN27-2505G1/4	AN27-4005G1/4
5.5	AN27-0005.5G1/4	AN27-1505.5G1/4	AN27-2505.5G1/4	AN27-4005.5G1/4
6.0	AN27-0006G1/4	AN27-1506G1/4	AN27-2506G1/4	AN27-4006G1/4
6.5	AN27-0006.5G1/4	AN27-1506.5G1/4	AN27-2506.5G1/4	AN27-4006.5G1/4
7.0	AN27-0007G1/4	AN27-1507G1/4	AN27-2507G1/4	AN27-4007G1/4
7.5	AN27-0007.5G1/4	AN27-1507.5G1/4	AN27-2507.5G1/4	AN27-4007.5G1/4
8.0	AN27-0008G1/4	AN27-1508G1/4	AN27-2508G1/4	AN27-4008G1/4
8.5	AN27-0008.5G1/4	AN27-1508.5G1/4	AN27-2508.5G1/4	AN27-4008.5G1/4
9.0	AN27-0009G1/4	AN27-1509G1/4	AN27-2509G1/4	AN27-4009G1/4
10.0	AN27-0010G1/4	AN27-1510G1/4	AN27-2510G1/4	AN27-4010G1/4
12.0	AN27-0012S1/4	AN27-1512S1/4	AN27-2512S1/4	AN27-4012S1/4
15.0	AN27-00150S1/4	AN27-15150S1/4	AN27-25150S1/4	AN27-40150S1/4
20.0	AN27-00200S1/4	AN27-1520S1/4	AN27-2520S1/4	AN27-4020S1/4
25.0	AN27-00250S1/4	AN27-15250S1/4	AN27-25250S1/4	AN27-40250S1/4
30.0	AN27-00300S1/4	AN27-15300S1/4	AN27-25300S1/4	AN27-40300S1/4
40.0	AN27-00400S1/4	AN27-15400S1/4	AN27-25400S1/4	AN27-40400S1/4
50.0	AN27-00500S1/4	AN27-15500S1/4	AN27-25500S1/4	AN27-40500S1/4
60.0	AN27-00600S1/4	AN27-15600S1/4	AN27-25600S1/4	AN27-40600S1/4

- 1/4" Male Pipe Thread
- Hardened Stainless Steel
- Nozzles stamped with spray pattern (first 2 numbers on nozzle) and orifice size (last 3 numbers)
- Available in 0°, 15°, 25° and 40° spray pattern



AN27-1504G1/4

## 1/8" SCREW IN NOZZLE

ORIFICE SIZE	0 DEGREE	15 DEGREE	25 DEGREE	40 DEGREE
1.0	AN27-0001S1/8	AN27-1501S1/8	AN27-2501S1/8	AN27-4001S1/8
1.5	AN27-0001.5S1/8	AN27-1501.5S1/8	AN27-2501.5S1/8	AN27-4001.5S1/8
2.0	AN27-0002G1/8	AN27-1502G1/8	AN27-2502G1/8	AN27-4002G1/8
2.5	AN27-0002.5G1/8	AN27-1502.5G1/8	AN27-2502.5G1/8	AN27-4002.5G1/8
3.0	AN27-0003G1/8	AN27-1503G1/8	AN27-2503G1/8	AN27-4003G1/8
3.5	AN27-0003.5G1/8	AN27-1503.5G1/8	AN27-2503.5G1/8	AN27-4003.5G1/8
4.0	AN27-0004G1/8	AN27-1504G1/8	AN27-2504G1/8	AN27-4004G1/8
4.5	AN27-0004.5G1/8	AN27-1504.5G1/8	AN27-2504.5G1/8	AN27-4004.5G1/8
5.0	AN27-0005G1/8	AN27-1505G1/8	AN27-2505G1/8	AN27-4005G1/8
5.5	AN27-0005.5G1/8	AN27-1505.5G1/8	AN27-2505.5G1/8	AN27-4005.5G1/8
6.0	AN27-0006G1/8	AN27-1506G1/8	AN27-2506G1/8	AN27-4006G1/8
6.5	AN27-0006.5G1/8	AN27-1506.5G1/8	AN27-2506.5G1/8	AN27-4006.5G1/8
7.0	AN27-0007G1/8	AN27-1507G1/8	AN27-2507G1/8	AN27-4007G1/8
7.5	AN27-0007.5G1/8	AN27-1507.5G1/8	AN27-2507.5G1/8	AN27-4007.5G1/8
8.0	AN27-0008G1/8	AN27-1508G1/8	AN27-2508G1/8	AN27-4008G1/8
8.5	AN27-0008.5G1/8	AN27-1508.5G1/8	AN27-2508.5G1/8	AN27-4008.5G1/8
9.0	AN27-0009G1/8	AN27-1509G1/8	AN27-2509G1/8	AN27-4009G1/8
10.0	AN27-0010G1/8	AN27-1510G1/8	AN27-2510G1/8	AN27-4010G1/8



- 1/8" Male Pipe Thread
- Hardened Stainless Steel
- Nozzles stamped with spray pattern (first 2 numbers on nozzle) and orifice size (last 3 numbers)
- Available in 0°, 15°, 25° and 40° spray pattern

*Tired of keeping up on the maintenance of your pressure washer?*



**ASK ABOUT OUR  
PM PROGRAM  
AND LET US TAKE  
CARE OF IT!**

## FLOAT VALVE

PART #	DESCRIPTION	GPM	PSI
I03-01	Float Valve Vertical 1/2" Male Inlet	9	150
I03-04	Float Valve Kit 3/8" Male Inlet w/Gray Float	7	85
I03-04.2	Float Valve Kit 3/8" Male Inlet fits VHG	7	140
I03-05	Float Valve Kit 1/2" Male Inlet w/Orange Float	22.5	85
I03-08	Float Valve 1/2" Male Inlet PVC	12.5	100
I03-09	Diaphragm Float Valve Kit 1/2" Male	7	70
I03-12	Diaphragm Float Valve Kit 3/8" Male	8	140
I03-14	Float Valve 1" 90°F Hudson	40	100
I03-14.1	Float Valve 1/2" 90°F Hudson	40	100
I03-15	Float Valve Kit 1/2" M Inlet x 3/8" Barb w/Float	5	140
I03-02	Float Ball Black Plastic		
I03-03	Float Ball Orange Plastic for I03-05		
I03-06	Float Valve 1/2" Male Inlet Brass for I03-05		
I03-07	Float Valve Plunger Kit for I03-05		
I03-09A	Float Valve Diaphragm for I03-09		
I03-10	Float Valve 1/2" Male Inlet & 1/2" Male Outlet		
I03-11	Float Valve 3/4" Male Inlet & 3/4" Male Outlet		
I03-13	Float Valve 1" Male Inlet Brass		
I03-16	Float Valve Stem 1/4" x 8" Brass		
I03-17	Float Valve Stem 1/4" x 10" Brass		
I03-18	Float Valve Stem 1/4" x 1-1/2" 20°		



## RESTRICTORS

PART #	DESCRIPTION
I03-25A	Plastic Restrictor 1/2" w/ 9/32" Orifice
I03-26	Close Nipple Modified 1/2" x 5/16" Orifice Brass
I03-26A	Close Nipple Modified 1/2" x 3/16" Orifice Brass
I03-26B	Close Nipple Modified 1/2" x 1/4" Orifice Brass
I03-27	Plastic Restrictor 3/8" MPT w/ 1/4" Orifice - Fits Arctic Steamer

- Restrictors are required to create vacuum
- Plastic or Brass



## TANK SCREENS/SUCTION LINE STRAINERS

PART #	DESCRIPTION
I03-28	Strainer 3/8" Female w/SS Screen
I03-29	Strainer 1/2" Female w/SS Screen
I03-30	Strainer 1-1/2" Female w/SS Screen

- Female thread to attach to pipe or nipple
- SS screen
- For use in water/float tank or for strainer on suction line



## GARDEN HOSE WASHERS

PART #	DESCRIPTION
I03-36	Garden Hose Washer
I03-37	Garden Hose Washer w/Screen



I03-36



I03-37

- For use on garden hose fittings to ensure proper seal
- I03-37 has screen, recommended when no other inlet filter is in place

## IN-LINE CAN FILTERS

PART #	DESCRIPTION
I03-38	3/4" In-Line Can Filter - 50 Mesh Clear
I03-39	3/4" In-Line Can Filter - 50 Mesh Gray
I03-40	Replacement Screen for I03-38 and I03-39
I03-41	Replacement Bowl for I03-39
I03-41.1	Replacement Bowl for I03-38
I03-42	Replacement Gasket for I03-38 and I03-39
I03-46	1" In-Line Can Filter - 40 Mesh
I03-46.1	Replacement Screen for I03-46
I03-46A	Replacement Gasket for I03-46
I03-47	1" In-Line Can Filter - 50 Mesh
I04-05	1-1/4" In-Line Can Filter - 40 Mesh

- Female Inlet by Female Outlet
- I03-38, I03-39 and I03-47 Have 50 Mesh Stainless Steel Screen
- I03-46 and I03-47 Have 40 Mesh Stainless Steel Screen
- I03-38 and I03-47 Have Clear Bowl
- I03-39 Has Gray Bowl
- I03-46 and I04-05 Have Black Bowl



I03-38



I03-39



I03-46



I03-47

## IN-LINE FILTERS

PART #	DESCRIPTION
I03-31	In-Line Filter 3/8" Male x 3/4" GH w/ 1/4" Bypass
I03-32	In-Line Filter 3/8" Male x 3/4" GH
I03-33	In-Line Filter 1/2" Male x 3/4" GH w/ 1/4" Bypass
I03-34	In-Line Filter 1/2" Male x 3/4" GH
I03-35	In-Line Filter Repair Kit
I03-35A	In-Line Filter Plastic Cover

- Rated up to 8 GPM @ 180°F
- 150 PSI Max Pressure
- Flow through design
- Clear plastic cover
- Available with or without bypass ports



I03-35



I03-33



I03-34

## IN-LINE FILTERS WITH CAP

PART #	DESCRIPTION
I03-43	In-Line Filter 1/2" Male x 1/2" Female
I03-43A	Replacement Screen for I03-43
I03-43B	Replacement Gasket for I03-43
I03-43.1	In-Line Filter 1/2"

- 1/2" Female x 1/2" Male
- Bypass Port on I03-43
- I03-43 Rated at 5.8 GPM at 145 Max PSI
- I03-43.1 Rated at 8.0 GPM at 145 Max PSI



I03-43.1



I03-43

## Y-STRAINERS

PART #	DESCRIPTION
I03-44	Y-Trap Strainer 3/4"
I03-45	Y-Trap Strainer 1"

- Female Inlet by Female Outlet
- Brass Body and Cap
- Max PSI of 170
- Max Temperature of 194°F
- 50 Mesh Stainless Steel Screen



I03-44

## ANTI SIPHON VALVE/BACK FLOW PREVENTER

PART #	DESCRIPTION
I03-48	Anti Siphon Valve

- Protects water supply from harmful chemical backflow
- Plastic diaphragm check
- 3/4" Female Garden Hose Inlet with lock screw
- 3/4" Male Garden Hose Outlet



I03-48

## STAINLESS QUICK COUPLERS

PART #	DESCRIPTION
F11-01	Quick Coupler 1/4" by 1/4" Female Thread
F11-02	Quick Coupler 1/4" by 1/4" Male Thread
F11-03	Quick Coupler 3/8" by 3/8" Female Thread
F11-04	Quick Coupler 3/8" by 3/8" Male Thread
F11-14.2	Quick Coupler 3/8" by 3/8" Female Thread w/Lock
F11-05	Quick Coupler Plug 1/4" by 1/4" Female Thread
F11-06	Quick Coupler Plug 1/4" by 1/4" Male Thread
F11-07	Quick Coupler Plug 3/8" by 3/8" Female Thread
F11-08	Quick Coupler Plug 3/8" by 3/8" Male Thread
F11-08.1	Quick Coupler Plug 3/8" by 1/2" Male Thread

- Allows for easy connection of hoses and accessories
- Stainless Steel Construction
- Chemical Resistant



F11-02



F11-08

## QUICK COUPLERS

PART #	DESCRIPTION
F11-11	Quick Coupler 1/4" by 1/4" Female Thread
F11-12	Quick Coupler 1/4" by 1/4" Male Thread
F11-13	Quick Coupler 3/8" by 3/8" Female Thread
F11-14	Quick Coupler 3/8" by 3/8" Male Thread
F11-15	Quick Coupler 3/8" by 1/2" Male Thread
F11-16	Quick Coupler Plug 1/4" by 1/4" Female Thread
F11-17	Quick Coupler Plug 1/4" by 1/4" Male Thread
F11-18	Quick Coupler Plug 3/8" by 3/8" Female Thread
F11-19	Quick Coupler Plug 3/8" by 3/8" Male Thread

- Allows for easy connection of hoses and accessories
- Brass quick couplers
- Zinc Plated Steel quick coupler plugs



F11-12



F11-13



F11-18

## O-RINGS

PART #	DESCRIPTION
F11-09	O-Ring 1/4" EPDM
F11-09A	O-Ring 1/4" EPDM Bag of 50
F11-09V	O-Ring 1/4" Viton
F11-10	O-Ring 3/8" EPDM
F11-10A	O-Ring 3/8" EPDM Bag of 50
F11-10B	O-Ring 3/8" EPDM Bag of 25
F11-10V	O-Ring 3/8" Viton
F11-10VA	O-Ring 3/8" Viton Bag of 50
F11-27B	O-Ring 22mm Viton
F11-27C	O-Ring 22mm Viton Bag of 100
F11-34A	O-Ring 1/2" EPDM
F11-10-PICK	O-Ring Pick

- \* Replacement o-rings for quick couplers and twist connect fittings
- \* EPDM or Viton



## WATERBLAST COUPLER SET

PART #	DESCRIPTION
F11-36.1	1/2" Waterblast Set

- \* Rated up to 10,000 PSI
- \* Max Temp of 175°F
- \* Locking Collar
- \* 1/2" Female Thread on both coupler and plug



## TWIST CONNECT FITTINGS

PART #	DESCRIPTION
F11-20	Female 22mm by 1/4" Female Thread
F11-21	Female 22mm by 1/4" Male Thread
F11-22	Female 22mm by 3/8" Female Thread
F11-23	Female 22mm by 3/8" Male Thread
F11-24	Male 22mm by 1/4" Female Thread
F11-25	Male 22mm by 1/4" Male Thread
F11-26	Male 22mm by 3/8" Female Thread
F11-27	Male 22mm by 3/8" Male Thread
F11-27A	Back Ring 13.9 x 10.2
F11-28A	Quick Coupler 3/8" by Male 22mm
F11-28B	Quick Coupler Plug 3/8" x Female 22mm
F11-29A	Female 22mm by Female 22mm
F11-29B	Male 22mm by Male 22mm

- \* Couples US standard pipe thread to 22mm European fittings
- \* Brass Body
- \* High Impact Plastic Knob



## 1/2" QUICK COUPLERS

PART #	DESCRIPTION
F11-31	Quick Coupler 1/2" by 1/2" F Thread SS
F11-31.1	Quick Coupler 1/2" by 1/2" M Thread SS
F11-32	Quick Coupler Plug 1/2" by 1/2" F Thread SS
F11-32.1	Quick Coupler Plug 1/2" by 1/2" M Thread SS
F11-32.1D	Quick Coupler Plug 1/2" by 1/2" M Thread SS Dixon
F11-32.2	Quick Coupler 1/2" by 1/2" F Thread SS W/ Lock Collar
F11-32.2D	Quick Coupler 1/2" by 1/2" F Thread SS W/ Lock Collar Dixon
F11-32.3	Quick Coupler 1/2" by 1/2" M Thread SS W/ Lock Collar
F11-32D	Quick Coupler Plug 1/2" by 1/2" F Thread SS Dixon
F11-33	Quick Coupler 1/2" by 1/2" F Thread Brass
F11-34	Quick Coupler 1/2" by 1/2" M Thread Brass
F11-35	Quick Coupler Plug 1/2" by 1/2" F Thread Steel Zinc-Plated
F11-36	Quick Coupler Plug 1/2" by 1/2" M Thread Steel Zinc-Plated

- Allows for easy connection of hoses and accessories
- Great option for the hydro-excavation market
- Locking collar option helps prevent accidental disconnecting



F11-31.1



F11-32.2



F11-32

## SNAPTITE QUICK COUPLERS

PART #	DESCRIPTION
F11-37	Quick Coupler 3/8" by 3/8" F Thread Snaptite
F11-37A	Snaptite Seal Kit for F11-37
F11-38	Quick Coupler Plug 3/8" by 3/8" F Thread Snaptite
F11-39	Quick Coupler Plug 3/8" by 3/8" M Thread Snaptite
F11-40	Quick Coupler 1/4" by 1/4" F Thread Snaptite
F11-40A	Quick Coupler 1/4" by 1/4" M Thread Snaptite
F11-40B	Snaptite Seal Kit for F11-40 and F11-40A
F11-41	Quick Coupler Plug 1/4" by 1/4" F Thread Snaptite
F11-42	Quick Coupler Plug 1/4" by 1/4" M Thread Snaptite

- Rated up to 11,000 PSI
- Max Temp of 205°F
- Zinc Chromate
- 1/4" and 3/8" options



F11-38



F11-37

## DOUBLE SHUT OFF QUICK COUPLERS

PART #	DESCRIPTION
F11-77	Quick Coupler 1/4" by 1/4" F Thread Double Shut Off
F11-77C	Quick Coupler Plug 1/4" by 1/4" F Thread Double Shut Off
F11-78A	Quick Coupler Plug 1/8" by 1/8" F Thread Double Shut Off
F11-78B	Quick Coupler Plug 1/8" by 1/8" M Thread Double Shut Off
F11-78C	Quick Coupler 1/8" by 1/8" M Thread Double Shut Off
F11-79	Quick Coupler 3/8" by 3/8" F Thread Double Shut Off
F11-79A	Quick Coupler Plug 3/8" by 3/8" F Thread Double Shut Off

- Allows for easy changing of hoses and accessories
- Quick disconnect without drips and leaks
- Indispensable for in-plant multiple station systems
- 1/8" rated up to 3000 PSI
- 1/4" rated up to 2750 PSI
- 3/8" rated up to 2250 PSI



F11-77C



F11-77

## REDUCER BUSHINGS

PART #	DESCRIPTION
F11-43	Bushing 1/4"M x 1/8"F Steel
F11-44	Bushing 3/8"M x 1/4"F Steel
F11-45	Bushing 1/2"M x 3/8"F Steel
F11-46	Bushing 1/2"M x 1/4"F Steel
F11-47	Bushing 3/4"M x 1/2"F Steel
F11-48	Bushing 1"M x 3/4"F Brass

- Male x Female adapters
- Easily adapt female thread down or male thread up



F11-45



F11-48

## STREET TEES

PART #	DESCRIPTION
F11-49A	Street Tee 1/8" Brass
F11-50C	Street Tee 1/4" Steel
F11-52	Street Tee 3/8" Steel
F11-54	Street Tee 1/2" Steel
F11-55	Street Tee 1/2" Brass with 1/8" Tap Hole



F11-52

- Brass or Steel
- Male x Female x Female



F11-55

## MALE BRANCH TEES

PART #	DESCRIPTION
F11-49B	Branch Tee 1/8" Brass
F11-50D	Branch Tee 1/4" Steel
F11-52A	Branch Tee 3/8" Brass
F11-54A	Branch Tee 1/2" Brass

- Female x Male x Female
- Brass or Steel



F11-50D



F11-54A

## FEMALE TEES

PART #	DESCRIPTION
F11-50	Tee 3-Way Female 1/4" Steel
F11-51	Tee 3-Way Female 3/8" Steel
F11-53	Tee 3-Way Female 1/2" Steel
F11-56	Tee 3-Way Female 3/4" Steel

- Female x Female x Female
- Steel



F11-56



F11-51

# INLET FILTERS, QUICK COUPLERS, FITTINGS

FILTERS, COUPLERS, FITTINGS

FEMALE CROSSES | HEX NIPPLES | STREET ELBOWS 90° | ELBOWS 90° | ADAPTER ELBOWS 90°

## FEMALE CROSSES

PART #	DESCRIPTION
F11-57	Cross 4-Way Female 1/4" Steel
F11-58	Cross 4-Way Female 3/8" Steel
F11-59	Cross 4-Way Female 1/2" Steel
F11-60	Cross 4-Way Female 3/4" Brass



F11-59

- Female x Female x Female x Female
- Brass or Steel

## HEX NIPPLES

PART #	DESCRIPTION
F11-61	Hex Nipple 1/8" Brass
F11-62	Hex Nipple 1/4" Steel
F11-63	Hex Nipple 3/8" Steel
F11-64	Hex Nipple 1/2" Steel
F11-65	Hex Nipple 3/4" Steel

- Male x Male
- Brass or Steel



F11-61



F11-63

## STREET ELBOWS 90°

PART #	DESCRIPTION
F11-66	Street Elbow 1/8" Brass
F11-67A	Street Elbow 1/4" Steel
F11-69	Street Elbow 3/8" Steel
F11-71	Street Elbow 1/2" Steel
F11-72	Street Elbow 3/4" Brass

- Male x Female
- Brass or Steel



F11-66



F11-69



F11-72

## ELBOWS 90°

PART #	DESCRIPTION
F11-67	Elbow Female 1/4" Steel
F11-68	Elbow Female 3/8" Steel
F11-69A	Elbow Male 3/8" Steel
F11-70	Elbow Female 1/2" Steel
F11-71A	Elbow Male 1/2" Brass

- Male x Male or Female x Female
- Brass or Steel



F11-67



F11-69A

## ADAPTER ELBOWS 90°

PART #	DESCRIPTION
F11-73	Elbow Female 3/8" F x 1/2" F Steel
F11-73A	Street Elbow 3/8" M x 1/2" F Steel
F11-73B	Street Elbow 1/4" M X 3/8" F Steel

- Female x Female or Male x Female
- Steel



F11-73A

## ELBOWS 45°

PART #	DESCRIPTION
F11-74	Street Elbow 45° 1/4" Brass
F11-74A	Street Elbow 45° 3/8" Brass
F11-75	Street Elbow 45° 1/2" Brass
F11-75A	Street Elbow 45° 3/4" Brass
F11-76	Elbow Female 45° 3/8" Steel

- Male x Female or Female x Female
- Brass or Steel



F11-74



F11-76

## BULKHEAD FITTINGS

PART #	DESCRIPTION
F12-05	Bulkhead Fitting 1/2" x 1-5/8" Hole Poly
F12-06	Bulkhead Fitting 3/4" Female x 1-3/4" Hole Poly
F12-07	Bulkhead Fitting 1" Female x 1-3/4" Hole Poly
F12-08	Bulkhead Fitting 2" Female x 3" Hole Poly
F12-10	Bulkhead Fitting 1/4" Female x 3/4" Hole Brass
F12-11	Bulkhead Fitting 3/8" Female x 1" Hole Brass
F12-12	Bulkhead Fitting 1/2" Female x 1-1/8" Hole Brass

- Use to add a drain or return line to water tank
- Black Polypropylene or Brass



F12-07




F12-10

## HEX PLUGS

PART #	DESCRIPTION
F12-13	Hex Plug 1/4" Steel
F12-14	Hex Plug 3/8" Steel
F12-14A	Pump Plug Washer 3/8"
F12-15	Hex Plug 1/2" Steel
F12-15A	Pump Plug Washer 1/2"
F12-16	Hex Plug 3/4" Steel

- Used to cap off port not being used
- Washer available for 3/8" or 1/2" plugs to be used if capping port on a pump



F12-14A



F12-14

## COUNTERSUNK PLUGS

PART #	DESCRIPTION
F12-17A	Countersunk Plug 1/8"
F12-17B	Countersunk Plug 1/4"
F12-17C	Countersunk Plug 3/8"
F12-17D	Countersunk Plug 1/2"

- Used to cap off port not being used
- Male pipe thread by Allen head connection



F12-17B

## HEX JIC NIPPLES

PART #	DESCRIPTION
F12-18	Hex Nipple 1/2" JIC x 1/4" M Thread Brass
F12-21	Hex Nipple 1/2" JIC x 3/8" M Thread Steel
F12-23	Hex Nipple 1/2" JIC x 3/8" F Thread Steel
F12-27	Hex Nipple 1/2" JIC x 1/2" M Thread Steel
F12-30A	Hex Nipple 1/2" JIC x 3/4" F Thread Brass
F12-34.1	Hex Nipple 3/4" JIC x 1/2" M Thread Brass

- Male JIC by Male or Female Thread
- Brass or Steel



F12-21



F12-23



F12-34.1

## JIC 90° ELBOWS

PART #	DESCRIPTION
F12-19	Elbow 1/2" JIC x 1/4" M Thread Brass
F12-22	Elbow 1/2" JIC x 3/8" M Thread Steel
F12-25	Elbow 1/2" JIC x 3/8" F Thread Steel
F12-28	Elbow 1/2" JIC x 1/2" M Thread Steel
F12-29	Elbow 1/2" JIC x 1/2" F Thread Brass
F12-30	Elbow 1/2" JIC x 3/4" F Thread Brass
F12-33.1	Elbow 3/4" JIC x 1/2" M Thread Brass
F12-33.2	Elbow 3/4" JIC x 1/2" M Thread with 1/8" Tap Brass
F12-34	Elbow 3/4" JIC x 3/4" M Thread Brass

- Male JIC by Male or Female Thread
- Brass or Steel



F12-22



F12-25



F12-33.1

## JIC SWIVELS

PART #	DESCRIPTION
F12-31	Swivel 1/2" JIC Female x 3/8" M Thread Steel
F12-32	Swivel 1/2" JIC Female x 1/2" M Thread Steel

- Female JIC by Male Thread
- Steel



F12-31

## HEX COUPLINGS

PART #	DESCRIPTION
F12-35	Hex Coupling 1/8" Brass
F12-36	Hex Coupling 1/4" Steel
F12-39	Hex Coupling 3/8" Steel
F12-40	Hex Coupling 1/2" Steel
F12-41	Hex Coupling 3/4" Steel
F12-42	Hex Coupling 1/4" x 1/8" Brass
F12-43	Hex Coupling 3/8" x 1/8" Brass
F12-44	Hex Coupling 3/8" x 1/4" Steel
F12-45	Hex Coupling 1/2" x 3/8" Steel

- Female by Female Thread
- Brass or Steel



F12-35



F12-39



F12-42



F12-44

## ADAPTER BUSHINGS

PART #	DESCRIPTION
F12-45.1	Adapter 1/4" Female x 1/4" Male Steel
F12-46	Adapter 3/8" Female x 1/4" Male Steel
F12-47	Adapter 1/2" Female x 3/8" Male Steel
F12-48	Adapter 1/2" Female x 1/4" Male Steel

- Female by Male Thread
- Steel



F12-46

## SWIVEL ADAPTERS

PART #	DESCRIPTION
F12-53	Swivel 3/8" Female x 1/4" Male Steel
F12-54	Swivel 3/8" Female x 3/8" Male Steel

- Female by Male Thread
- Steel



F12-54

## HEX NIPPLES

PART #	DESCRIPTION
F12-49	Hex Nipple 1/4" x 1/8" Brass
F12-50	Hex Nipple 3/8" x 1/4" Brass
F12-50A	Hex Nipple 3/8" x 1/4" Steel
F12-51	Hex Nipple 1/2" x 3/8" Steel
F12-52	Hex Nipple 3/4" x 1/2" Steel

- Male by Male Thread
- Brass or Steel



F12-52



F12-50



We genuinely thank *our* customers  
and employees *for our* first four decades of  
history *and* look forward *to* providing quality  
products *and* services *for years to come*.



3810 WEST BROADWAY  
ROBBINSDALE, MN 55422

763-521-4442  
800-544-0836

[www.AmericanPressureInc.com](http://www.AmericanPressureInc.com)  
[Sales@AmericanPressureInc.com](mailto:Sales@AmericanPressureInc.com)

Dedicated to solving your  
cleaning problems since 1976!

**American  
Pressure Inc.**  
763-521-4442 or 800-544-0836  
3810 W Broadway  
Robbinsdale, MN 55422  
[www.AmericanPressure.com](http://www.AmericanPressure.com)

*"Spray It,  
Don't Say it!"*



## **GUARD DOG PACKAGE**

- 100' Premium 2 Wire Braid Hose
- American Pressure Anti-Fatigue AP-4850 Trigger Gun with Quick Connect
- Variable Pressure Wand
- 50 Pack of 1/4" and 3/8" O-Rings
- Set of Quick Connects
- Set of Quick Connect Nozzles (15°, 25°, 40°)
- 1 Quart Pump Oil
- 5000 PSI Pressure Gauge with Quick Connect Fittings



Avoid costly downtime with the Guard Dog Package by having common extra parts on hand when you need them!

**\$299.00**

Dedicated to solving your  
cleaning problems since 1976!

**American  
Pressure Inc.**  
763-521-4442 or 800-544-0836  
3810 W Broadway  
Robbinsdale, MN 55422  
[www.AmericanPressure.com](http://www.AmericanPressure.com)

*"Spray It,  
Don't Say it!"*



## **LIBERTY PACKAGE**

- Turbo Nozzle for Increased Cleaning Action
- High Pressure Swivel to Keep Hose From Tangling
- 100' Pivoting or Non-Pivoting Hose Reel with Jumper Hose
- 100' Premium 2 Wire Braid Hose with Quick Connect Fittings
- American Pressure Anti-Fatigue AP-4850 Trigger Gun with Quick Connect to Hose
- Variable Pressure Wand
- 5 Gallon Blue Tornado Cleaning Detergent



**\$599.00**

Enhance your pressure  
washing experience while  
reducing cleaning times with  
the Liberty Package upgrade!

Dedicated to solving your  
cleaning problems since 1976!

**American  
Pressure Inc.**  
763-521-4442 or 800-544-0836  
3810 W Broadway  
Robbinsdale, MN 55422  
[www.AmericanPressure.com](http://www.AmericanPressure.com)

*"Spray It,  
Don't Say it!"*



## **SUCK IT UP PACKAGE**

- 21" Flat Surface Cleaner with vacuum recovery attachment.
- MWP Vacuum Recovery System to recover water and discharge at the same time.
- 50' Vacuum Hose and Scupper Head Included
- Caster Wheels included for easy maneuverability.
- Stainless Steel Wall Hook to assist in vacuum hose storage.



Recover and discharge your dirty  
water with the Suck It Up  
package upgrade!

**\$2999.00**

Dedicated to solving your  
cleaning problems since 1976!

**American  
Pressure Inc.**  
763-521-4442 or 800-544-0836  
3810 W Broadway  
Robbinsdale, MN 55422  
[www.AmericanPressure.com](http://www.AmericanPressure.com)

*"Spray It,  
Don't Say it!"*



# ***PATRIOT PACKAGE***

- Oscillating & Turbo Nozzle for Increased Cleaning Action
- High Pressure Swivel to Keep Hose From Tangling
- 100' Pivoting or Non-Pivoting Hose Reel with Jumper Hose
- 100' Premium 2 Wire Braid Hose with Quick Connect Fittings
- American Pressure Anti-Fatigue AP-4850 Trigger Gun with Quick Connect to hose
- Variable Pressure Wand
- 5 Gallon Blue Tornado Cleaning Detergent
- Ball Valve with Quick Connects to Easily Change Accessories
- Foam Cannon
- American Pressure 21" Surface Cleaner



**\$1495.00**

Reduce cleaning times and enhance your  
pressure washing experience with the  
Patriot Package upgrade!

Part Number	Description	Price	Notes:
A16-05	Aquatret	<b>\$22.74</b>	Specify Model at Time of Order to Determine Compatibility
A16-10	Soot Remover Red Devil 16oz	<b>\$20.34</b>	Specify Model at Time of Order to Determine Compatibility
A16-11	Soot Remover Red Devil 32oz	<b>\$35.94</b>	Specify Model at Time of Order to Determine Compatibility
A16-12	Cat Pump Oil ISO 68	<b>\$11.99</b>	Specify Model at Time of Order to Determine Compatibility
A16-14	Karcher Oil Single Phase 1 Liter	<b>\$23.94</b>	Specify Model at Time of Order to Determine Compatibility
A16-19	Premium Pump Oil	<b>\$10.79</b>	Specify Model at Time of Order to Determine Compatibility
A16-22	Liquid Defoamer 1 Gallon-SDS Given	<b>\$80.34</b>	Specify Model at Time of Order to Determine Compatibility
A16-23	AR Pump Oil 16 OZ	<b>\$5.99</b>	Specify Model at Time of Order to Determine Compatibility
A16-24	GP Pump Oil 16 OZ 100 Series	<b>\$5.39</b>	Specify Model at Time of Order to Determine Compatibility
A16-25	GP Pump Oil 2.5 Gallon 100 Series	<b>\$90.00</b>	Specify Model at Time of Order to Determine Compatibility
A16-26	GP Industrial Pump Oil 2.5 Gallons Series 220	<b>\$94.80</b>	Specify Model at Time of Order to Determine Compatibility
A44-10	Scale Reducer 50,000 Gallons	<b>\$373.80</b>	Specify Model at Time of Order to Determine Compatibility
A44-11	Scale Reducer Cartridge 50,000 Gallons	<b>\$233.94</b>	Specify Model at Time of Order to Determine Compatibility
A44-12	Scale Reducer 100,000 Gallons	<b>\$460.80</b>	Specify Model at Time of Order to Determine Compatibility
A44-12.1	ScaleTrol 100,000 Gallon Housing	<b>\$119.28</b>	Specify Model at Time of Order to Determine Compatibility
A44-13	Scale Reducer Cartridge 100,000 Gallons	<b>\$309.00</b>	Specify Model at Time of Order to Determine Compatibility
A44-14	Scale Reducer Cartridge 500,000 Gallons	<b>\$1,005.54</b>	Specify Model at Time of Order to Determine Compatibility
AB30-1	Dual Surface Brush (Green) 10"	<b>\$47.94</b>	Specify Model at Time of Order to Determine Compatibility
AB30-2	Flat Style Brush (Green) 10"	<b>\$46.20</b>	Specify Model at Time of Order to Determine Compatibility
AB30-4	4" Stack Brush	<b>\$40.74</b>	Specify Model at Time of Order to Determine Compatibility
AB30-5	8" Stack Brush	<b>\$40.74</b>	Specify Model at Time of Order to Determine Compatibility
AE29-07	Transfer Pump	<b>\$453.54</b>	Specify Model at Time of Order to Determine Compatibility
AE29-NS-301	Transfer Pump 12V 5 GPM	<b>\$358.80</b>	Specify Model at Time of Order to Determine Compatibility
AFS29-301	Spray Arm 8" - Steel Eagle Recov	<b>\$60.55</b>	Specify Model at Time of Order to Determine Compatibility
AFS29-302	1/8" 15° #2.5 Nozzle Spray Arm	<b>\$12.35</b>	Specify Model at Time of Order to Determine Compatibility
AFS29-69	Spray Bar	<b>\$167.94</b>	Specify Model at Time of Order to Determine Compatibility
AFS29-70	TBar 18" 2 Outlets 1/4" F	<b>\$133.22</b>	Specify Model at Time of Order to Determine Compatibility
AFS29-71	Spray Bar Assembly SC21	<b>\$41.94</b>	Specify Model at Time of Order to Determine Compatibility
AFS29-72	Spray Bar Assembly 30"	<b>\$60.26</b>	Specify Model at Time of Order to Determine Compatibility
AFS29-73	Spray Bar Assembly with Vacuum 24"	<b>\$70.50</b>	Specify Model at Time of Order to Determine Compatibility
AFS29-73.1	Spray Bar 30"	<b>\$103.68</b>	Specify Model at Time of Order to Determine Compatibility
AFS29-74	Water Jet Spray Bar Assembly	<b>\$34.93</b>	Specify Model at Time of Order to Determine Compatibility
AFS29-75A	Actuator Valve Assembly	<b>\$76.40</b>	Specify Model at Time of Order to Determine Compatibility
AFS29-75B	Water Jet Handle Attachment Block	<b>\$23.26</b>	Specify Model at Time of Order to Determine Compatibility
AFS29-76	Spray Arm 8" SS	<b>\$34.93</b>	Specify Model at Time of Order to Determine Compatibility
AFS29-77	1/4" fpt x 1/8" fpt 90° Elbow Steel	<b>\$9.01</b>	Specify Model at Time of Order to Determine Compatibility
AFS29-78A	Tee 1/4" Male Steel	<b>\$14.19</b>	Specify Model at Time of Order to Determine Compatibility
AFS29-79	Water Jet Knob 3/8" 16 x 1-1/2"	<b>\$12.90</b>	Specify Model at Time of Order to Determine Compatibility
AFS29-80	Water Jet Caster Wheel 3" Gray	<b>\$58.26</b>	Specify Model at Time of Order to Determine Compatibility
AFS29-81	Caster Wheel 3-1/2" w/Bearing Black	<b>\$21.97</b>	Specify Model at Time of Order to Determine Compatibility
AFS29-82	Caster Wheel 3" Gray 3 x 7/8"	<b>\$21.97</b>	Specify Model at Time of Order to Determine Compatibility
AFS29-82.812	18" Spray Bar	<b>\$133.22</b>	Specify Model at Time of Order to Determine Compatibility
AFS29-83	Roller Bearing 1"	<b>\$27.15</b>	Specify Model at Time of Order to Determine Compatibility
AFS29-85	Nylon Hose Clamp	<b>\$2.53</b>	Specify Model at Time of Order to Determine Compatibility
AFS29-85A	Bellows Leg Boot	<b>\$9.01</b>	Specify Model at Time of Order to Determine Compatibility
AFS29-85B	Trigger Bar Handle	<b>\$34.98</b>	Specify Model at Time of Order to Determine Compatibility

AFS29-85C	Water Jet Boot Holder Bearing	<b>\$18.08</b>	Specify Model at Time of Order to Determine Compatibility
AFS29-85D	Rotary Union Swivel	<b>\$237.17</b>	Specify Model at Time of Order to Determine Compatibility
AFS29-85E	Water Jet Jump Hose 30" 1/4"FPT x 3/8"MPT	<b>\$40.11</b>	Specify Model at Time of Order to Determine Compatibility
AFS29-85F	Base Hub Slide to Adjust Water Jet	<b>\$104.91</b>	Specify Model at Time of Order to Determine Compatibility
AFS29-85G	Dueblin Swivel Rotary Union	<b>\$861.84</b>	Specify Model at Time of Order to Determine Compatibility
AFS29-85H	Shaft Extension Waterjet	<b>\$138.61</b>	Specify Model at Time of Order to Determine Compatibility
AFS29-86	Water Jet Dome Height Adjustment	<b>\$58.26</b>	Specify Model at Time of Order to Determine Compatibility
AFS29-87	Maxima 36 Spray Bar	<b>\$142.50</b>	Specify Model at Time of Order to Determine Compatibility
AFS29-88	Talon 4 Swivel	<b>\$418.80</b>	Specify Model at Time of Order to Determine Compatibility
AFS29-89	A+ Surface Cleaner Swivel	<b>\$131.94</b>	Specify Model at Time of Order to Determine Compatibility
AH-1WB-100-GRAY	3/8" Gray Hose 1 WB 4000 PSI 100'	<b>\$190.80</b>	Specify Model at Time of Order to Determine Compatibility
AH39-07	Hose 2" 50' Vacuum Hose w/Cuffs	<b>\$182.39</b>	Specify Model at Time of Order to Determine Compatibility
AH39-08	Vacuum Hose Cuff 2"	<b>\$8.34</b>	Specify Model at Time of Order to Determine Compatibility
AH39-09	Hose 1.5" 50' Vacuum Hose	<b>\$106.20</b>	Specify Model at Time of Order to Determine Compatibility
AH39-10	Red Flex Hose	<b>\$214.80</b>	Specify Model at Time of Order to Determine Compatibility
AH43-2WB-50SS	Hose 3/8" 50' 2 Wire Braid SS Ends	<b>\$179.94</b>	Specify Model at Time of Order to Determine Compatibility
AH43-GREY-100	Hose 3/8" 100' Grey Non-Marking	<b>\$227.88</b>	Specify Model at Time of Order to Determine Compatibility
AH43-K22-50	Hose 3/8" 50' w/22mm Connections	<b>\$238.80</b>	Specify Model at Time of Order to Determine Compatibility
AH48-31	Jumper Hose 3/8" x 22" JIC	<b>\$38.34</b>	Specify Model at Time of Order to Determine Compatibility
AH48-32	Jumper Hose 3/8" x 25" JIC	<b>\$38.34</b>	Specify Model at Time of Order to Determine Compatibility
AH48-33	Jumper Hose 3/8" x 29" JIC	<b>\$38.34</b>	Specify Model at Time of Order to Determine Compatibility
AH48-34	Jumper Hose 3/8" x 36" JIC	<b>\$38.34</b>	Specify Model at Time of Order to Determine Compatibility
AH48-35	Jumper Hose 3/8" x 42" JIC	<b>\$38.34</b>	Specify Model at Time of Order to Determine Compatibility
AH48-40	Jumper Hose 3/8" x 3'	<b>\$39.54</b>	Specify Model at Time of Order to Determine Compatibility
AH48-41	Jumper Hose 3/8" x 4'	<b>\$39.54</b>	Specify Model at Time of Order to Determine Compatibility
AH48-43	Jumper Hose 3/8" x 5'	<b>\$39.54</b>	Specify Model at Time of Order to Determine Compatibility
AH48-44	Jumper Hose 3/8" x 6'	<b>\$39.54</b>	Specify Model at Time of Order to Determine Compatibility
AH48-45	Jumper Hose 10'	<b>\$47.94</b>	Specify Model at Time of Order to Determine Compatibility
AH60-NS-PSH-50-1/2	1/2" Premium Steamer Hose 50'	<b>\$358.80</b>	Specify Model at Time of Order to Determine Compatibility
AH60-PSH-50	Premium Steamer Hose 50'	<b>\$195.54</b>	Specify Model at Time of Order to Determine Compatibility
AH60-PSH50-QC	Premium Steamer Hose 50' w/QC	<b>\$197.94</b>	Specify Model at Time of Order to Determine Compatibility
AH60-SSH-100-QC	Standard Steamer Hose 100' w/ QC	<b>\$226.80</b>	Specify Model at Time of Order to Determine Compatibility
AH60-SSH-50-QC	Standard Steamer Hose 50' w/QC	<b>\$113.40</b>	Specify Model at Time of Order to Determine Compatibility
AH-70032-82200	2" Suction Hose 50'	<b>\$576.00</b>	Specify Model at Time of Order to Determine Compatibility
AH-ABRA2WB-100	Hose 3/8" 100' 2 Wire Abrasion Resistant Markless	<b>\$330.00</b>	Specify Model at Time of Order to Determine Compatibility
AH-ABRA2WB-200	Hose 3/8" 200' 2 Wire Abrasion Resistant Markless	<b>\$526.80</b>	Specify Model at Time of Order to Determine Compatibility
AH-ABRA2WB-50	Hose 3/8" 50' 2 Wire Abrasion Resistant Markless	<b>\$187.20</b>	Specify Model at Time of Order to Determine Compatibility
AH-ABRA2WB-75	Hose 3/8" 75' 2 Wire Abrasion Resistant Markless	<b>\$262.80</b>	Specify Model at Time of Order to Determine Compatibility
AH-CC1WB-125BNM	Hose 1/4" Carpet Clean 3000 PSI Blue 125'	<b>\$272.34</b>	Specify Model at Time of Order to Determine Compatibility
AH-CC1WB-150BNM	Hose 1/4" Carpet Clean 3000 PSI Blue 150'	<b>\$327.54</b>	Specify Model at Time of Order to Determine Compatibility
AH-CC1WB-25BNM	Hose 1/4" Carpet Clean 3000 PSI Blue 25'	<b>\$59.94</b>	Specify Model at Time of Order to Determine Compatibility
AH-CC1WB-75BNM	Hose 1/4" Carpet Clean 3000 PSI Blue 75'	<b>\$162.90</b>	Specify Model at Time of Order to Determine Compatibility
AH-GH-100BLUE	Garden Hose 5/8" 100' Blue	<b>\$216.00</b>	Specify Model at Time of Order to Determine Compatibility

AH-GH-100RED	Garden Hose 3/4" 100' Red	<b>\$202.80</b>	Specify Model at Time of Order to Determine Compatibility
AH-GH-50RED	Garden Hose 3/4" 50' Red	<b>\$107.40</b>	Specify Model at Time of Order to Determine Compatibility
AH-JET-1/2-200	Jetter Hose 1/2" Polyester Braid 200'	<b>\$430.80</b>	Specify Model at Time of Order to Determine Compatibility
AH-JET-1/2-300	Jetter Hose 1/2" Polyester Braid 300'	<b>\$598.80</b>	Specify Model at Time of Order to Determine Compatibility
AH-JET-1/4-100	Jetter Hose 1/4" 100' Wire Braid 250° Max	<b>\$224.34</b>	Specify Model at Time of Order to Determine Compatibility
AH-JET-1/4-100-S	Jetter Hose 1/4" 100' Polyester Braid 160° Max	<b>\$166.80</b>	Specify Model at Time of Order to Determine Compatibility
AH-JET-1/4-150	Jetter Hose 1/4" 150' Wire Braid 250° Max	<b>\$327.54</b>	Specify Model at Time of Order to Determine Compatibility
AH-JET-1/4-150-S	Jetter Hose 1/4" 150' Polyester Braid 160° Max	<b>\$250.20</b>	Specify Model at Time of Order to Determine Compatibility
AH-JET-1/4-200-S	Jetter Hose 1/4" 200' Polyester Braid 160° Max	<b>\$333.60</b>	Specify Model at Time of Order to Determine Compatibility
AH-JET-1/4-25	Jetter Hose 1/4" 25' Wire Braid 250° Max	<b>\$69.54</b>	Specify Model at Time of Order to Determine Compatibility
AH-JET-1/4-50	Jetter Hose 1/4" 50' Wire Braid 250° Max	<b>\$121.14</b>	Specify Model at Time of Order to Determine Compatibility
AH-JET-1/4-50-S	Jetter Hose 1/4" 50' Polyester Braid 160° Max	<b>\$83.40</b>	Specify Model at Time of Order to Determine Compatibility
AH-JET-1/8-100-S	Jetter Hose 1/8" 100' Polyester Braid 160° Max	<b>\$118.80</b>	Specify Model at Time of Order to Determine Compatibility
AH-JET-1/8-200-S	Jetter Hose 1/8" 200' Polyester Braid 160° Max	<b>\$238.80</b>	Specify Model at Time of Order to Determine Compatibility
AH-JET-1/8-50-S	Jetter Hose 1/8" 50' Polyester Braid 160° Max	<b>\$59.40</b>	Specify Model at Time of Order to Determine Compatibility
AH-JET-1/8-75-S	Jetter Hose 1/8" 75' Polyester Braid 160° Max	<b>\$89.10</b>	Specify Model at Time of Order to Determine Compatibility
AH-JET-3/16-100-S	Jetter Hose 3/16" 100' Polyester Braid 160° Max	<b>\$142.80</b>	Specify Model at Time of Order to Determine Compatibility
AH-JET-3/16-150-S	Jetter Hose 3/16" 150' Polyester Braid 160° Max	<b>\$214.20</b>	Specify Model at Time of Order to Determine Compatibility
AH-JET-3/16-200-S	Jetter Hose 3/16" 200' Polyester Braid 160° Max	<b>\$238.80</b>	Specify Model at Time of Order to Determine Compatibility
AH-JET-3/16-250-S	Jetter Hose 3/16" 250' Polyester Braid 160° Max	<b>\$286.80</b>	Specify Model at Time of Order to Determine Compatibility
AH-JET-3/16-50-S	Jetter Hose 3/16" 50' Polyester Braid 160° Max	<b>\$71.40</b>	Specify Model at Time of Order to Determine Compatibility
AH-JET-3/16-75-S	Jetter Hose 3/16" 75' Polyester Braid 160° Max	<b>\$107.10</b>	Specify Model at Time of Order to Determine Compatibility
AH-JET-3/8-100	Jetter Hose 3/8" Polyester Braid 100'	<b>\$190.80</b>	Specify Model at Time of Order to Determine Compatibility
AH-JET-3/8-150	Jetter Hose 3/8" Polyester Braid 150'	<b>\$274.80</b>	Specify Model at Time of Order to Determine Compatibility
AH-JET-3/8-200	Jetter Hose 3/8" Polyester Braid 200'	<b>\$390.00</b>	Specify Model at Time of Order to Determine Compatibility
AH-JET-3/8-300	Jetter Hose 3/8" Polyester Braid 300'	<b>\$538.80</b>	Specify Model at Time of Order to Determine Compatibility
AH-JET-NS-1/8-200-S	Jetter Hose 1/8" 200' Polyester Braid 160° Max	<b>\$210.00</b>	Specify Model at Time of Order to Determine Compatibility
AH-NS-5/16-SS	Hose 5/16" Teflon Tube SS per Foot	<b>\$10.10</b>	Specify Model at Time of Order to Determine Compatibility
AH-NS-7600-25-SLEEVE	3/8" 25' Blue 7600 PSI Hose w/ -6 JIC & Sleeve	<b>\$132.00</b>	Specify Model at Time of Order to Determine Compatibility
AH-NS-7600-SLEEVE	3/8" 50' Blue 7600 PSI Hose w/ -6 JIC & Sleeve	<b>\$213.84</b>	Specify Model at Time of Order to Determine Compatibility
AH-NS-K02-03150E4	3/8" Gray Hose 1 WB 4000 PSI 50'	<b>\$82.80</b>	Specify Model at Time of Order to Determine Compatibility
AH-NS-TS1WB-250	Hose 3/8" 250' Tuff Skin 1 Wire Braid	<b>\$570.00</b>	Specify Model at Time of Order to Determine Compatibility
AH-NS-TS1WB-50-1/2	Hose 1/2" 50' Tuff Skin 1 Wire Braid	<b>\$190.80</b>	Specify Model at Time of Order to Determine Compatibility
AH-PSH-75	Premium Steamer Hose 75'	<b>\$308.16</b>	Specify Model at Time of Order to Determine Compatibility
AH-PVC-AIR-25	3/8" PVC Air Hose 25' w/1/4" MPT	<b>\$35.94</b>	Specify Model at Time of Order to Determine Compatibility
AH-RH1WB-1/4-50BNM	Hose 1/4" Rawhide 1 Wire Braid 50' Blue	<b>\$131.94</b>	Specify Model at Time of Order to Determine Compatibility
AH-SD1WB-5/16-25BNM	Hose 25' Cold Water 1 Wire Braid Blue	<b>\$53.70</b>	Specify Model at Time of Order to Determine Compatibility
AH-SD1WB-5/16-25BNM-QC	Hose 25' Cold Water 1 Wire Braid Blue w/QC	<b>\$63.30</b>	Specify Model at Time of Order to Determine Compatibility
AH-SD1WB-5/16-30BNM	Hose 30' Cold Water 1 Wire Braid Blue	<b>\$64.44</b>	Specify Model at Time of Order to Determine Compatibility
AH-SD1WB-5/16-30BNM-QC	Hose 30' Cold Water 1 Wire Braid Blue w/QC	<b>\$74.04</b>	Specify Model at Time of Order to Determine Compatibility
AH-SD1WB-5/16-40BNM	Hose 40' Cold Water 1 Wire Braid Blue	<b>\$85.92</b>	Specify Model at Time of Order to Determine Compatibility

AH-SD1WB-5/16-40BNM-QC	Hose 40' Cold Water 1 Wire Braid Blue w/QC	<b>\$95.52</b>	Specify Model at Time of Order to Determine Compatibility
AH-SD1WB-5/16-50BNM	Hose 50' Cold Water 1 Wire Braid Blue	<b>\$107.40</b>	Specify Model at Time of Order to Determine Compatibility
AH-SD1WB-5/16-50BNM-QC	Hose 50' Cold Water 1 Wire Braid Blue w/QC	<b>\$117.00</b>	Specify Model at Time of Order to Determine Compatibility
AH-SFCW-100	Hose 3/8" 100' SuperFlex Cold Water	<b>\$167.99</b>	Specify Model at Time of Order to Determine Compatibility
AH-SFCW-50	Hose 3/8" 50' SuperFlex Cold Water	<b>\$95.99</b>	Specify Model at Time of Order to Determine Compatibility
AH-TF1WB-100BNM	Hose 3/8" 100' Tuff Flex 1 Wire Braid Blue	<b>\$227.88</b>	Specify Model at Time of Order to Determine Compatibility
AH-TF1WB-25BNM	Hose 3/8" 25' Tuff Flex 1 Wire Braid Blue	<b>\$71.94</b>	Specify Model at Time of Order to Determine Compatibility
AH-TF1WB-50BNM	Hose 3/8" 50' Tuff Flex 1 Wire Braid Blue	<b>\$113.94</b>	Specify Model at Time of Order to Determine Compatibility
AH-TF2WB-100	Hose 3/8" 100' Premium 2 Wire Braid	<b>\$250.80</b>	Specify Model at Time of Order to Determine Compatibility
AH-TF2WB-100-1/2	Hose 1/2" 100' Tuff Flex 2 Wire Braid	<b>\$382.80</b>	Specify Model at Time of Order to Determine Compatibility
AH-TF2WB-100BNM	Hose 3/8 100' TF 2 Wire 6000 PSI Blue	<b>\$313.14</b>	Specify Model at Time of Order to Determine Compatibility
AH-TF2WB-150	Hose 3/8" 150' Premium 2 Wire Braid	<b>\$376.20</b>	Specify Model at Time of Order to Determine Compatibility
AH-TF2WB-200	Hose 3/8" 200' Premium 2 Wire Braid	<b>\$526.80</b>	Specify Model at Time of Order to Determine Compatibility
AH-TF2WB-25	Hose 3/8" 25' Premium 2 Wire Braid	<b>\$83.94</b>	Specify Model at Time of Order to Determine Compatibility
AH-TF2WB-25BNM	Hose 3/8" 25' Tuff Flex 2 Wire Braid Blue	<b>\$128.34</b>	Specify Model at Time of Order to Determine Compatibility
AH-TF2WB-50	Hose 3/8" 50' Premium 2 Wire Braid	<b>\$125.40</b>	Specify Model at Time of Order to Determine Compatibility
AH-TF2WB-50-1/2	Hose 1/2" 50' Tuff Flex 2 Wire Braid	<b>\$191.94</b>	Specify Model at Time of Order to Determine Compatibility
AH-TF2WB-50BNM	Hose 3/8" 50' TF 2 Wire 6000 PSI Blue	<b>\$177.54</b>	Specify Model at Time of Order to Determine Compatibility
AH-TF2WB-75	Hose 3/8" 75' Tuff Flex 2 Wire Braid	<b>\$188.10</b>	Specify Model at Time of Order to Determine Compatibility
AH-TF2WB-75-1/2	Hose 1/2" 75' Tuff Flex 2 Wire Braid	<b>\$306.00</b>	Specify Model at Time of Order to Determine Compatibility
AH-TF2WB-75BNM	Hose 3/8" 75' TF 2 Wire 6000 PSI Blue	<b>\$235.14</b>	Specify Model at Time of Order to Determine Compatibility
AH-TS1WB-100	Hose 3/8" 100' Tuff Skin 1 Wire Braid	<b>\$226.80</b>	Specify Model at Time of Order to Determine Compatibility
AH-TS1WB-150	Hose 3/8" 150' Tuff Skin 1 Wire Braid	<b>\$340.20</b>	Specify Model at Time of Order to Determine Compatibility
AH-TS1WB-25	Hose 3/8" 25' Tuff Skin 1 Wire Braid	<b>\$59.94</b>	Specify Model at Time of Order to Determine Compatibility
AH-TS1WB-25-QC	Hose 3/8" 25' 1 Wire Braid with QC's	<b>\$73.14</b>	Specify Model at Time of Order to Determine Compatibility
AH-TS1WB-50	Hose 3/8" 50' Tuff Skin 1 Wire Braid	<b>\$113.40</b>	Specify Model at Time of Order to Determine Compatibility
AH-TS1WB-75	Hose 3/8" 75' Tuff Skin 1 Wire Braid	<b>\$170.10</b>	Specify Model at Time of Order to Determine Compatibility
AH-TS2WB-100	Hose 3/8" 100' Tuff Skin 2 Wire Braid	<b>\$286.80</b>	Specify Model at Time of Order to Determine Compatibility
AH-TS2WB-50	Hose 3/8" 50' Tuff Skin 2 Wire Braid	<b>\$125.40</b>	Specify Model at Time of Order to Determine Compatibility
AI15-4	High Pressure Chemical Injector 4 GPM	<b>\$71.94</b>	Specify Model at Time of Order to Determine Compatibility
AI15-5	High Pressure Chemical Injector 5 GPM	<b>\$71.94</b>	Specify Model at Time of Order to Determine Compatibility
AI15-8	High Pressure Chemical Injector 8 GPM	<b>\$71.94</b>	Specify Model at Time of Order to Determine Compatibility
AI15-R	Restrictor	<b>\$53.94</b>	Specify Model at Time of Order to Determine Compatibility
AI23-02	Chemical Injector Assembly 1.8mm 6'	<b>\$54.63</b>	Specify Model at Time of Order to Determine Compatibility
AI23-03	Chemical Injector 1.8mm Brass	<b>\$54.63</b>	Specify Model at Time of Order to Determine Compatibility
AI23-03.1	Chemical Injector Assembly "Alkota Style" 2.1mm 6'	<b>\$31.74</b>	Specify Model at Time of Order to Determine Compatibility
AI23-04	Chemical Injector 2.1mm Brass	<b>\$49.54</b>	Specify Model at Time of Order to Determine Compatibility
AI23-05	Chemical Injector Assembly 2.1mm 6'	<b>\$49.54</b>	Specify Model at Time of Order to Determine Compatibility
AI23-06	Injector #0 w/Brass Adjustment Knob	<b>\$83.89</b>	Specify Model at Time of Order to Determine Compatibility
AI23-07	Injector #1 w/Brass Adjustment Knob	<b>\$83.89</b>	Specify Model at Time of Order to Determine Compatibility
AI23-08	Injector #2 w/Brass Adjustment Knob	<b>\$83.89</b>	Specify Model at Time of Order to Determine Compatibility
AI23-09	Injector #3 w/Brass Adjustment Knob	<b>\$88.98</b>	Specify Model at Time of Order to Determine Compatibility
AI23-10	Injector 1.8mm Adjustable	<b>\$36.82</b>	Specify Model at Time of Order to Determine Compatibility
AI23-11	Injector 2.1mm Adjustable	<b>\$36.82</b>	Specify Model at Time of Order to Determine Compatibility

AI23-12	Injector 2.3mm Adjustable	<b>\$36.82</b>	Specify Model at Time of Order to Determine Compatibility
AI23-13	Injector 1.8mm high Draw(20%) w/acid Kit & Ceramic	<b>\$47.00</b>	Specify Model at Time of Order to Determine Compatibility
AI23-14	Injector 2.1mm Adjustable High Draw 20% w/Acid Kit	<b>\$47.00</b>	Specify Model at Time of Order to Determine Compatibility
AI23-15	Injector 2.3mm Adjustable High Draw 20% w/Acid Kit	<b>\$47.00</b>	Specify Model at Time of Order to Determine Compatibility
AI23-16	Fixed Injector 2.1mm	<b>\$27.60</b>	Specify Model at Time of Order to Determine Compatibility
AI23-16.1	Fixed Chemical Injector 2.3	<b>\$27.60</b>	Specify Model at Time of Order to Determine Compatibility
AI23-16.5GY	High Pressure Chemical Injector 2.1mm Gray	<b>\$60.00</b>	Specify Model at Time of Order to Determine Compatibility
AI23-17	Injector 2.3mm SS	<b>\$155.12</b>	Specify Model at Time of Order to Determine Compatibility
AI23-18	Injector .086 Non Adjustable	<b>\$171.66</b>	Specify Model at Time of Order to Determine Compatibility
AI23-19	Soap Shooter #4 SS 20' Hose	<b>\$114.42</b>	Specify Model at Time of Order to Determine Compatibility
AI23-20	Foam System	<b>\$875.70</b>	Specify Model at Time of Order to Determine Compatibility
AI23-20.1	Nozzle Kit for AI23-20 3.1 - 4.4 GPM	<b>\$125.37</b>	Specify Model at Time of Order to Determine Compatibility
AI23-20.2	Nozzle Kit for AI23-20 4.5 - 5.8 GPM	<b>\$125.37</b>	Specify Model at Time of Order to Determine Compatibility
AI23-21	Injector Adjustable 3/8"	<b>\$126.56</b>	Specify Model at Time of Order to Determine Compatibility
AI23-22	Injector Adjustable 3/8" SS	<b>\$227.69</b>	Specify Model at Time of Order to Determine Compatibility
AI23-23	Injector Adjustable 3/8" SS w/Tip Kit	<b>\$231.50</b>	Specify Model at Time of Order to Determine Compatibility
AI23-23.1	Chemical Injector 3/8"F x 3/8"F SS Block	<b>\$254.39</b>	Specify Model at Time of Order to Determine Compatibility
AI23-24	Injector Adjustable 1/2" SS	<b>\$130.38</b>	Specify Model at Time of Order to Determine Compatibility
AI23-25	Metering Tip Kit 1/4" Hose	<b>\$19.02</b>	Specify Model at Time of Order to Determine Compatibility
AI23-25.5	High Pressure Injector	<b>\$107.94</b>	Specify Model at Time of Order to Determine Compatibility
AI23-26	Injector Repair Kit	<b>\$9.54</b>	Specify Model at Time of Order to Determine Compatibility
AI23-27	Injector Hi-Lo w/Metering Valve	<b>\$86.43</b>	Specify Model at Time of Order to Determine Compatibility
AI23-28	Injector Adjustable Inlet	<b>\$66.08</b>	Specify Model at Time of Order to Determine Compatibility
AI23-29	Metering Valve 1/4" Hose	<b>\$39.37</b>	Specify Model at Time of Order to Determine Compatibility
AI23-30	Metering Valve GTO	<b>\$62.26</b>	Specify Model at Time of Order to Determine Compatibility
AI23-31	Metering Valve 1/4"	<b>\$101.70</b>	Specify Model at Time of Order to Determine Compatibility
AI23-32	Metering Valve Dual Knob	<b>\$64.81</b>	Specify Model at Time of Order to Determine Compatibility
AI23-33	Flow Control Valve	<b>\$33.01</b>	Specify Model at Time of Order to Determine Compatibility
AI23-34	Flow Control Valve w/Metering	<b>\$66.08</b>	Specify Model at Time of Order to Determine Compatibility
AI23-35	Needle Valve w/Metering 1/4"FPT	<b>\$69.90</b>	Specify Model at Time of Order to Determine Compatibility
AI23-36	Inline Valve w/Metering	<b>\$59.72</b>	Specify Model at Time of Order to Determine Compatibility
AI23-38	Chemical Filter w/Check Valve	<b>\$8.84</b>	Specify Model at Time of Order to Determine Compatibility
AI23-39	Soap Screen w/Check Valve 1/4" HB	<b>\$13.93</b>	Specify Model at Time of Order to Determine Compatibility
AI23-40	Chemical Filter w/Check Valve 1/4" HB Black	<b>\$7.57</b>	Specify Model at Time of Order to Determine Compatibility
AI23-41-MISC	Chemical Injector Tube Kit	<b>\$10.11</b>	Specify Model at Time of Order to Determine Compatibility
AI23-5.1	4.5 Nozzle Injector Assembly w/30' hose	<b>\$88.98</b>	Specify Model at Time of Order to Determine Compatibility
AI23-NS-129083	Dual Barb Chem Injector Gray	<b>\$54.60</b>	Specify Model at Time of Order to Determine Compatibility
ALUM-BRIGHT-5	Aluminum Brightner 5 Gallons, SDS Given	<b>\$83.94</b>	Specify Model at Time of Order to Determine Compatibility
ALUM-BRIGHT-55	Aluminum Brightner 55 Gallons, SDS Given	<b>\$718.80</b>	Specify Model at Time of Order to Determine Compatibility
ALUM-BRIGHT-POL-5	Fleet Trailer Cleaner/Polished Aluminum 55 Gallons, SDS Given	<b>\$83.94</b>	Specify Model at Time of Order to Determine Compatibility
ALUM-BRIGHT-POL-55	Fleet Trailer Cleaner/Polished Aluminum 55 Gallons, SDS Given	<b>\$766.80</b>	Specify Model at Time of Order to Determine Compatibility
AN20-00030EQ	1/4" 3.0 0° Q Nozzle Red	<b>\$5.10</b>	Specify Model at Time of Order to Determine Compatibility
AN20-00031EQ	1/4" 3.1 0° Q Nozzle Red	<b>\$5.10</b>	Specify Model at Time of Order to Determine Compatibility

AN20-00032EQ	1/4" 3.2 0° Q Nozzle Red	<b>\$5.10</b>	Specify Model at Time of Order to Determine Compatibility
AN20-00035EQ	1/4" 3.5 0° Q Nozzle Red	<b>\$5.10</b>	Specify Model at Time of Order to Determine Compatibility
AN20-00040EQ	1/4" 4.0 0° Q Nozzle Red	<b>\$5.10</b>	Specify Model at Time of Order to Determine Compatibility
AN20-00045EQ	1/4" 4.5 0° Q Nozzle Red	<b>\$5.10</b>	Specify Model at Time of Order to Determine Compatibility
AN20-15030EQ	1/4" 3.0 15° Q Nozzle Yellow	<b>\$5.10</b>	Specify Model at Time of Order to Determine Compatibility
AN20-15031EQ	1/4" 3.1 15° Q Nozzle Yellow	<b>\$5.10</b>	Specify Model at Time of Order to Determine Compatibility
AN20-15032EQ	1/4" 3.2 15° Q Nozzle Yellow	<b>\$5.10</b>	Specify Model at Time of Order to Determine Compatibility
AN20-15035EQ	1/4" 3.5 15° Q Nozzle Yellow	<b>\$5.10</b>	Specify Model at Time of Order to Determine Compatibility
AN20-15037EQ	1/4" 3.7 15° Q Nozzle Yellow	<b>\$5.10</b>	Specify Model at Time of Order to Determine Compatibility
AN20-15040EQ	1/4" 4.0 15° Q Nozzle Yellow	<b>\$5.10</b>	Specify Model at Time of Order to Determine Compatibility
AN20-15045EQ	1/4" 4.5 15° Q Nozzle Yellow	<b>\$5.10</b>	Specify Model at Time of Order to Determine Compatibility
AN20-25030EQ	1/4" 3.0 25° Q Nozzle Green	<b>\$5.10</b>	Specify Model at Time of Order to Determine Compatibility
AN20-25032EQ	1/4" 3.2 25° Q Nozzle Green	<b>\$5.10</b>	Specify Model at Time of Order to Determine Compatibility
AN20-25035EQ	1/4" 3.5 25° Q Nozzle Green	<b>\$5.10</b>	Specify Model at Time of Order to Determine Compatibility
AN20-25040EQ	1/4" 4.0 25° Q Nozzle Green	<b>\$5.10</b>	Specify Model at Time of Order to Determine Compatibility
AN20-25045EQ	1/4" 4.5 25° Q Nozzle Green	<b>\$5.10</b>	Specify Model at Time of Order to Determine Compatibility
AN20-40030EQ	1/4" 3.0 40° Q Nozzle White	<b>\$5.10</b>	Specify Model at Time of Order to Determine Compatibility
AN20-40032EQ	1/4" 3.2 40° Q Nozzle White	<b>\$5.10</b>	Specify Model at Time of Order to Determine Compatibility
AN20-40035EQ	1/4" 3.5 40° Q Nozzle White	<b>\$5.10</b>	Specify Model at Time of Order to Determine Compatibility
AN20-40040EQ	1/4" 4.0 40° Q Nozzle White	<b>\$5.10</b>	Specify Model at Time of Order to Determine Compatibility
AN20-40045EQ	1/4" 4.5 40° Q Nozzle White	<b>\$5.10</b>	Specify Model at Time of Order to Determine Compatibility
AN20-50300B1/4	1/4" 3.0 50° Nozzle Steel Parts Washer	<b>\$13.14</b>	Specify Model at Time of Order to Determine Compatibility
AN20-50400B1/4	1/4" 4.0 50° Nozzle Steel Parts Washer	<b>\$13.14</b>	Specify Model at Time of Order to Determine Compatibility
AN20-50500B1/4	1/4" 5.0 50° Nozzle Steel Parts Washer	<b>\$14.34</b>	Specify Model at Time of Order to Determine Compatibility
AN20-50600B1/4	1/4" 6.0 50° Nozzle Steel Parts Washer	<b>\$14.34</b>	Specify Model at Time of Order to Determine Compatibility
AN20-80300B1/4	1/4" 3.0 80° Nozzle Parts Washer	<b>\$55.14</b>	Specify Model at Time of Order to Determine Compatibility
AN24-03A	1/8" 4.0 Jetting Nozzle SS	<b>\$17.94</b>	Specify Model at Time of Order to Determine Compatibility
AN24-03B	1/8" 5.0 Jetting Nozzle SS	<b>\$17.94</b>	Specify Model at Time of Order to Determine Compatibility
AN24-03C	1/8" 5.5 Jetting Nozzle SS	<b>\$17.94</b>	Specify Model at Time of Order to Determine Compatibility
AN24-03D	1/8" 6.0 Jetting Nozzle SS	<b>\$17.94</b>	Specify Model at Time of Order to Determine Compatibility
AN24-03E	1/8" Degrease/Ice Nozzle 3 Forward & 6 Rear Jets	<b>\$59.94</b>	Specify Model at Time of Order to Determine Compatibility
AN24-04	1/4" 4.5 Jetting Nozzle SS	<b>\$25.14</b>	Specify Model at Time of Order to Determine Compatibility
AN24-05	1/4" 5.5 Jetting Nozzle SS	<b>\$25.14</b>	Specify Model at Time of Order to Determine Compatibility
AN24-06	1/4" 6.0 Jetting Nozzle SS	<b>\$25.14</b>	Specify Model at Time of Order to Determine Compatibility
AN24-07	1/4" 7.0 Jetting Nozzle SS	<b>\$25.14</b>	Specify Model at Time of Order to Determine Compatibility
AN24-08	1/4" 8.0 Jetting Nozzle SS	<b>\$25.14</b>	Specify Model at Time of Order to Determine Compatibility
AN24-08.5	1/4" 9.5 Jetting Nozzle SS	<b>\$25.14</b>	Specify Model at Time of Order to Determine Compatibility
AN24-09	1/4" 12.0 Jetting Nozzle SS	<b>\$25.14</b>	Specify Model at Time of Order to Determine Compatibility
AN24-10	3/8" 4.5 Jetting Nozzle SS	<b>\$53.94</b>	Specify Model at Time of Order to Determine Compatibility
AN24-11	3/8" 5.5 Jetting Nozzle SS	<b>\$53.94</b>	Specify Model at Time of Order to Determine Compatibility
AN24-12	3/8" 6.0 Jetting Nozzle SS	<b>\$53.94</b>	Specify Model at Time of Order to Determine Compatibility
AN24-13	3/8" 8.0 Jetting Nozzle SS	<b>\$53.94</b>	Specify Model at Time of Order to Determine Compatibility
AN24-14	3/8" 12.0 Jetting Nozzle SS	<b>\$53.94</b>	Specify Model at Time of Order to Determine Compatibility
AN24-15	NOZZLE tube cng 06 stainless heavy duty	<b>\$53.94</b>	Specify Model at Time of Order to Determine Compatibility
AN24-16	1/4" 5.5 Rotating Jetting Nozzle	<b>\$105.54</b>	Specify Model at Time of Order to Determine Compatibility
AN24-18	Hi Lo Trombone Valve	<b>\$35.94</b>	Specify Model at Time of Order to Determine Compatibility

AN24-19	1/4" Adjustable Nozzle	<b>\$21.54</b>	Specify Model at Time of Order to Determine Compatibility
AN24-20	1/4" Adjustable Nozzle (ST-51N)	<b>\$34.74</b>	Specify Model at Time of Order to Determine Compatibility
AN24-21	Pivoting Coupler 1/4"	<b>\$23.94</b>	Specify Model at Time of Order to Determine Compatibility
AN24-21A	1/8" x 1/4" Swivel Spray System	<b>\$51.54</b>	Specify Model at Time of Order to Determine Compatibility
AN24-21B	Nozzle Holder Female Adjustable	<b>\$77.94</b>	Specify Model at Time of Order to Determine Compatibility
AN24-21C	Nozzle Holder Male Adjustable	<b>\$80.34</b>	Specify Model at Time of Order to Determine Compatibility
AN24-21D	1/4" Rollover Nozzle	<b>\$95.94</b>	Specify Model at Time of Order to Determine Compatibility
AN24-22	1/4" Double Head Nozzle	<b>\$39.00</b>	Specify Model at Time of Order to Determine Compatibility
AN24-23	1/4" High Pressure Nozzle Filter	<b>\$20.34</b>	Specify Model at Time of Order to Determine Compatibility
AN24-23.1	Inline Filter Repair Kit (AN24-23)	<b>\$11.06</b>	Specify Model at Time of Order to Determine Compatibility
AN24-29	3/8" Reaper #6.0 Rotating Jetter Nozzle	<b>\$744.00</b>	Specify Model at Time of Order to Determine Compatibility
AN24-30	3/8" Reaper #9.0 Rotating Jetter Nozzle	<b>\$744.00</b>	Specify Model at Time of Order to Determine Compatibility
AN-RP120-1/2	1/2" Reaper #12 Rotating Jetter Nozzle	<b>\$1,068.00</b>	Specify Model at Time of Order to Determine Compatibility
AN-RP150	1/2" Reaper #15 Rotating Jetter Nozzle	<b>\$1,068.00</b>	Specify Model at Time of Order to Determine Compatibility
AN-RP180	1/2" Reaper #18 Rotating Jetter Nozzle	<b>\$1,068.00</b>	Specify Model at Time of Order to Determine Compatibility
AN25-15A	1/4" 4.5 Nozzle w/Diffuser	<b>\$43.14</b>	Specify Model at Time of Order to Determine Compatibility
AN25-15B	1/4" 6.0 Nozzle w/Diffuser	<b>\$33.54</b>	Specify Model at Time of Order to Determine Compatibility
AN25-15C	Diffuser Mixing Head	<b>\$26.34</b>	Specify Model at Time of Order to Determine Compatibility
AN25-16	1/4" Compact Foamer w/ 4.0 & 6.5 Nozzles	<b>\$65.94</b>	Specify Model at Time of Order to Determine Compatibility
AN25-17	4.0 Triple Function Nozzle 3000 PSI	<b>\$143.94</b>	Specify Model at Time of Order to Determine Compatibility
AN25-18	3.6 Nozzle Replacement Triple Jet	<b>\$95.94</b>	Specify Model at Time of Order to Determine Compatibility
AN25-19	Adapter 18mm x 1/4" QC Plug	<b>\$5.94</b>	Specify Model at Time of Order to Determine Compatibility
AN25-19A	Adapter Karcher Wand	<b>\$16.80</b>	Specify Model at Time of Order to Determine Compatibility
AN25-200559140	Nozzle Repair Kit	<b>\$358.80</b>	Specify Model at Time of Order to Determine Compatibility
AN25-200559640	Rotating Nozzle 4.0 SS	<b>\$598.80</b>	Specify Model at Time of Order to Determine Compatibility
AN25-21	Adapter 1/4" FPT x 18mm	<b>\$13.14</b>	Specify Model at Time of Order to Determine Compatibility
AN25-22	Nozzle Holder	<b>\$14.34</b>	Specify Model at Time of Order to Determine Compatibility
AN25-22.1	Nozzle Holder Grommet	<b>\$1.80</b>	Specify Model at Time of Order to Determine Compatibility
AN25-22.2	Servo Press 3.4-4.9 GPM	<b>\$80.28</b>	Specify Model at Time of Order to Determine Compatibility
AN25-23	1/4" Turbo Nozzle 3500 PSI Rotomax 1 Red	<b>\$117.54</b>	Specify Model at Time of Order to Determine Compatibility
AN25-24	1/4" Turbo Nozzle 3500 PSI Rotomax 2 Light Blue	<b>\$117.54</b>	Specify Model at Time of Order to Determine Compatibility
AN25-25	1/4" Turbo Nozzle 3500 PSI Rotomax 3 Black	<b>\$117.54</b>	Specify Model at Time of Order to Determine Compatibility
AN25-26	1/4" 4.0 Turbo Nozzle 4000 PSI	<b>\$87.59</b>	Specify Model at Time of Order to Determine Compatibility
AN25-26.1	1/4" 6.0 Turbo Nozzle 4000 PSI	<b>\$87.59</b>	Specify Model at Time of Order to Determine Compatibility
AN25-27	#10 Turbo Nozzle 3600 psi	<b>\$118.74</b>	Specify Model at Time of Order to Determine Compatibility
AN25-28	#12 Turbo Nozzle 3600 psi	<b>\$118.74</b>	Specify Model at Time of Order to Determine Compatibility
AN25-29	1/4" 5.5 Turbo Nozzle 5800 PSI 200°	<b>\$181.14</b>	Specify Model at Time of Order to Determine Compatibility
AN25-29.5	Repair Kit #3.5 5800 PSI	<b>\$83.94</b>	Specify Model at Time of Order to Determine Compatibility
AN25-30	1/4" 10.0 Turbo Nozzle 5800 PSI 200°	<b>\$181.14</b>	Specify Model at Time of Order to Determine Compatibility
AN25-301	#10 Nozzle Pill	<b>\$42.00</b>	Specify Model at Time of Order to Determine Compatibility
AN25-305	Ripsaw HD #8.0 Rotating Nozzle	<b>\$354.00</b>	Specify Model at Time of Order to Determine Compatibility
AN25-31	Repair Kit 1/4" 10.0 Turbo Nozzle 5800 PSI 200°	<b>\$93.54</b>	Specify Model at Time of Order to Determine Compatibility
AN25-310	Nozzle Viper #5.5	<b>\$154.80</b>	Specify Model at Time of Order to Determine Compatibility
AN25-32	1/4" 12.0 Turbo Nozzle 5800 PSI 200°	<b>\$183.60</b>	Specify Model at Time of Order to Determine Compatibility

AN25-33	Repair Kit 1/4" 12.0 Turbo Nozzle 5800 PSI 200°	<b>\$92.34</b>	Specify Model at Time of Order to Determine Compatibility
AN25-34	1/4" 15.0 Turbo Nozzle 5800 PSI	<b>\$242.34</b>	Specify Model at Time of Order to Determine Compatibility
AN25-35	1/4" 15.0 Turbo Nozzle 6000 PSI 212°	<b>\$203.94</b>	Specify Model at Time of Order to Determine Compatibility
AN25-36.1	Switch Blade Quad Number 10 - 2,3,3,2 Pills	<b>\$478.80</b>	Specify Model at Time of Order to Determine Compatibility
AN25-36.1A	Switch Blade Pill #2.0 Yellow	<b>\$48.60</b>	Specify Model at Time of Order to Determine Compatibility
AN25-36.1B	Switch Blade Pill #3.0 Green	<b>\$48.60</b>	Specify Model at Time of Order to Determine Compatibility
AN25-36.2	Switch Blade Duece Number 10	<b>\$310.80</b>	Specify Model at Time of Order to Determine Compatibility
AN25-37	1/4" 3.0 Turbo Nozzle 6000 PSI	<b>\$148.74</b>	Specify Model at Time of Order to Determine Compatibility
AN25-38	1/4" 3.5 Turbo Nozzle 6000 PSI	<b>\$148.74</b>	Specify Model at Time of Order to Determine Compatibility
AN25-39	1/4" 4.0 Turbo Nozzle 6000 PSI	<b>\$148.74</b>	Specify Model at Time of Order to Determine Compatibility
AN25-40	1/4" 4.5 Turbo Nozzle 6000 PSI	<b>\$148.74</b>	Specify Model at Time of Order to Determine Compatibility
AN25-41	Repair Kit 1/4" 4.5 Turbo Nozzle 6000 PSI	<b>\$80.22</b>	Specify Model at Time of Order to Determine Compatibility
AN25-42	1/4" 5.5 Turbo Nozzle 6000 PSI	<b>\$148.74</b>	Specify Model at Time of Order to Determine Compatibility
AN25-43.1	#6.0 Turbo Nozzle 6000 PSI	<b>\$148.74</b>	Specify Model at Time of Order to Determine Compatibility
AN25-44	1/4" 7.0 Turbo Nozzle 6000 PSI	<b>\$148.74</b>	Specify Model at Time of Order to Determine Compatibility
AN25-45	1/4" 8.0 Turbo Nozzle 6000 PSI	<b>\$148.74</b>	Specify Model at Time of Order to Determine Compatibility
AN25-46	1/4" 10.0 Turbo Nozzle 6000 PSI	<b>\$148.74</b>	Specify Model at Time of Order to Determine Compatibility
AN25-46.05	1/2" 8.0 Turbo Nozzle 6000 PSI	<b>\$166.80</b>	Specify Model at Time of Order to Determine Compatibility
AN25-46.1	1/2" 10.0 Turbo Nozzle 6000 PSI	<b>\$166.80</b>	Specify Model at Time of Order to Determine Compatibility
AN25-46A	10.0 Turbo Nozzle 6000 PSI Repair Kit	<b>\$65.94</b>	Specify Model at Time of Order to Determine Compatibility
AN25-47	1/4" 4.5 Turbo Nozzle 5000 PSI	<b>\$418.80</b>	Specify Model at Time of Order to Determine Compatibility
AN25-47.1	5.5/6.0 Turbo Nozzle Karcher Wand	<b>\$107.94</b>	Specify Model at Time of Order to Determine Compatibility
AN25-48	Aqua Rocket #3.0	<b>\$246.00</b>	Specify Model at Time of Order to Determine Compatibility
AN25-49	Aqua Rocket #3.5	<b>\$246.00</b>	Specify Model at Time of Order to Determine Compatibility
AN25-50	Aqua Rocket #4.0	<b>\$246.00</b>	Specify Model at Time of Order to Determine Compatibility
AN25-51	Aqua Rocket #4.5	<b>\$246.00</b>	Specify Model at Time of Order to Determine Compatibility
AN25-52	Aqua Rocket #5.0	<b>\$246.00</b>	Specify Model at Time of Order to Determine Compatibility
AN25-53	Aqua Rocket #5.5	<b>\$246.00</b>	Specify Model at Time of Order to Determine Compatibility
AN25-54	Aqua Rocket #6.0	<b>\$246.00</b>	Specify Model at Time of Order to Determine Compatibility
AN25-54.1	RipSaw #3.0 Rotating Nozzle	<b>\$418.80</b>	Specify Model at Time of Order to Determine Compatibility
AN25-54.1A	RipSaw #3.0 Rebuild Kit	<b>\$159.60</b>	Specify Model at Time of Order to Determine Compatibility
AN25-55	RipSaw #4.0 Rotating Nozzle	<b>\$418.80</b>	Specify Model at Time of Order to Determine Compatibility
AN25-56	RipSaw #5.0 Rotating Nozzle	<b>\$418.80</b>	Specify Model at Time of Order to Determine Compatibility
AN25-56A	RipSaw #5.0 Rebuild Kit	<b>\$159.60</b>	Specify Model at Time of Order to Determine Compatibility
AN25-57	RipSaw #6.0 Rotating Nozzle	<b>\$418.80</b>	Specify Model at Time of Order to Determine Compatibility
AN25-57A	RipSaw #6.0 Rebuild Kit	<b>\$159.60</b>	Specify Model at Time of Order to Determine Compatibility
AN25-58	RipSaw #8.0 Rotating Nozzle	<b>\$418.80</b>	Specify Model at Time of Order to Determine Compatibility
AN25-58A	RipSaw #8.0 Rebuild Kit	<b>\$209.40</b>	Specify Model at Time of Order to Determine Compatibility
AN25-59	RipSaw #10.0 Rotating Nozzle	<b>\$418.80</b>	Specify Model at Time of Order to Determine Compatibility
AN25-59.5	RipSaw #12.0 Rotating Nozzle	<b>\$418.80</b>	Specify Model at Time of Order to Determine Compatibility
AN25-59.5A	Ripsaw #12.0 Rebuild Kit	<b>\$159.60</b>	Specify Model at Time of Order to Determine Compatibility
AN25-59A	RipSaw #10.0 Rebuild Kit	<b>\$159.60</b>	Specify Model at Time of Order to Determine Compatibility
AN25-60	1/4" 3.5 Turbo Nozzle 4350 PSI	<b>\$105.00</b>	Specify Model at Time of Order to Determine Compatibility
AN25-61	Repair Kit 1/4" 3.5 Turbo Nozzle 4350 PSI	<b>\$47.94</b>	Specify Model at Time of Order to Determine Compatibility
AN25-62	1/4" 4.0 Turbo Nozzle 4350 PSI	<b>\$105.00</b>	Specify Model at Time of Order to Determine Compatibility
AN25-63	Repair Kit 1/4" 4.0 Turbo Nozzle 4350 PSI	<b>\$47.94</b>	Specify Model at Time of Order to Determine Compatibility

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

AN32-01	Foam Lance w/ Tank & 1.1mm & 1.25mm Orifice	<b>\$113.94</b>	Specify Model at Time of Order to Determine Compatibility
AN32-01.1	Foam Lance Tank for AN32-01	<b>\$13.14</b>	Specify Model at Time of Order to Determine Compatibility
AN32-02	Foam Cannon Repair Kit	<b>\$16.74</b>	Specify Model at Time of Order to Determine Compatibility
AN32-03	Foam Lance Screen	<b>\$5.67</b>	Specify Model at Time of Order to Determine Compatibility
AN32-04	YLS12 Foam Lance	<b>\$179.40</b>	Specify Model at Time of Order to Determine Compatibility
AN32-05	Foam Lance w/ Gun & Tank 1.1mm & 1.25mm	<b>\$191.99</b>	Specify Model at Time of Order to Determine Compatibility
AP-4850	API Premium EZ Pull Trigger Gun	<b>\$69.54</b>	Specify Model at Time of Order to Determine Compatibility
ARROW-5	Arrow 5 Gallons - SDS Given	<b>\$57.00</b>	Specify Model at Time of Order to Determine Compatibility
ARROW-55	Arrow 55 Gallons - SDS Given	<b>\$570.00</b>	Specify Model at Time of Order to Determine Compatibility
AS19-01	Antifreeze Tester	<b>\$17.58</b>	Specify Model at Time of Order to Determine Compatibility
AS19-02	1/2" Ball Valve F x M Assembly	<b>\$28.74</b>	Specify Model at Time of Order to Determine Compatibility
AS19-04	3/8" Steam Nozzle #49 Orifice	<b>\$25.14</b>	Specify Model at Time of Order to Determine Compatibility
AS19-05	3/8" Steam Nozzle #45 Orifice	<b>\$25.14</b>	Specify Model at Time of Order to Determine Compatibility
AS19-06	3/8" Steam Nozzle #42 Orifice	<b>\$25.14</b>	Specify Model at Time of Order to Determine Compatibility
AS19-07	1/4" Fan Steam Nozzle	<b>\$28.74</b>	Specify Model at Time of Order to Determine Compatibility
AS19-08	Fan Nozzle w/3/8" Adapter	<b>\$28.74</b>	Specify Model at Time of Order to Determine Compatibility
AS19-09	3/8" Steam Nozzle #34 Orifice	<b>\$25.14</b>	Specify Model at Time of Order to Determine Compatibility
AS19-10	3/8" Steam Nozzle #53 Orifice	<b>\$20.34</b>	Specify Model at Time of Order to Determine Compatibility
AS-GUN	Arctic Steamer Gun	<b>\$28.80</b>	Specify Model at Time of Order to Determine Compatibility
ASPARTSKIT	Professional Kit Parts Box	<b>\$540.00</b>	Specify Model at Time of Order to Determine Compatibility
ASPREF	Arctic Steamer Preferred Package	<b>\$924.00</b>	Specify Model at Time of Order to Determine Compatibility
ASPROF	Arctic Steamer Professional Package	<b>\$1,680.00</b>	Specify Model at Time of Order to Determine Compatibility
AS-STEAMER-CONVERT	Arctic Steamer Conversion to PW	<b>\$238.80</b>	Specify Model at Time of Order to Determine Compatibility
AS-WAND	Arctic Steamer wand	<b>\$33.54</b>	Specify Model at Time of Order to Determine Compatibility
AW17-01	Dump Gun w/40" Lance 200°	<b>\$253.14</b>	Specify Model at Time of Order to Determine Compatibility
AW17-02	Dump Gun 16"	<b>\$174.00</b>	Specify Model at Time of Order to Determine Compatibility
AW17-03	Trigger Gun	<b>\$107.94</b>	Specify Model at Time of Order to Determine Compatibility
AW21-01	ST-601/ST-2000/ST-1500 Repair Kit 4000 PSI	<b>\$17.88</b>	Specify Model at Time of Order to Determine Compatibility
AW21-02	ST-2000/ST-601/ST-1500 Repair Kit 5000 PSI	<b>\$18.47</b>	Specify Model at Time of Order to Determine Compatibility
AW21-03	ST-2700 Repair Kit	<b>\$42.00</b>	Specify Model at Time of Order to Determine Compatibility
AW21-04	Side Handle for Lance w/Nut	<b>\$9.54</b>	Specify Model at Time of Order to Determine Compatibility
AW21-05	Side Handle for Lance w/Nut	<b>\$9.54</b>	Specify Model at Time of Order to Determine Compatibility
AW21-06	Bayonet Plug for Kew Gun	<b>\$40.74</b>	Specify Model at Time of Order to Determine Compatibility
AW21-06.1	Trigger Gun	<b>\$106.20</b>	Specify Model at Time of Order to Determine Compatibility
AW21-06.2	Trigger Gun	<b>\$72.00</b>	Specify Model at Time of Order to Determine Compatibility
AW21-07	Trigger Gun 22mm	<b>\$109.14</b>	Specify Model at Time of Order to Determine Compatibility
AW21-07.1	Trigger Gun Easy Force	<b>\$71.94</b>	Specify Model at Time of Order to Determine Compatibility
AW21-07.2	Trigger Gun Easy Force/ Easy Lock	<b>\$119.40</b>	Specify Model at Time of Order to Determine Compatibility
AW21-08	Trigger Gun	<b>\$176.34</b>	Specify Model at Time of Order to Determine Compatibility
AW21-08.1	Trigger Gun SS Nova	<b>\$226.80</b>	Specify Model at Time of Order to Determine Compatibility
AW21-09	Repair Kit for SS Dual Lance	<b>\$3.59</b>	Specify Model at Time of Order to Determine Compatibility
AW21-09.1	Trigger Gun Wash Down	<b>\$143.94</b>	Specify Model at Time of Order to Determine Compatibility
AW21-09.2	Wash Down Gun	<b>\$162.00</b>	Specify Model at Time of Order to Determine Compatibility
AW21-10	Trigger Gun	<b>\$51.54</b>	Specify Model at Time of Order to Determine Compatibility
AW21-11	Trigger Gun KEW Style	<b>\$95.94</b>	Specify Model at Time of Order to Determine Compatibility
AW21-12	Trigger Gun Industrial	<b>\$49.14</b>	Specify Model at Time of Order to Determine Compatibility

AW21-13	Trigger Gun Linear	<b>\$53.94</b>	Specify Model at Time of Order to Determine Compatibility
AW21-13.1	Trigger Gun Excavating	<b>\$45.54</b>	Specify Model at Time of Order to Determine Compatibility
AW21-14	Ergo 2000 Trigger Gun	<b>\$140.40</b>	Specify Model at Time of Order to Determine Compatibility
AW21-15	Trigger Gun	<b>\$34.79</b>	Specify Model at Time of Order to Determine Compatibility
AW21-16	Trigger Gun	<b>\$39.54</b>	Specify Model at Time of Order to Determine Compatibility
AW21-17	Trigger Gun	<b>\$56.34</b>	Specify Model at Time of Order to Determine Compatibility
AW21-18	Trigger Gun	<b>\$118.74</b>	Specify Model at Time of Order to Determine Compatibility
AW21-18.1	Linear Trigger Gun 1/2"F x 1/2"F	<b>\$358.80</b>	Specify Model at Time of Order to Determine Compatibility
AW21-18.2	Trigger Gun 1/2"F x 1/2"F 7250 PSI	<b>\$370.80</b>	Specify Model at Time of Order to Determine Compatibility
AW21-18.3	Trigger Gun Inline 1/2"	<b>\$246.00</b>	Specify Model at Time of Order to Determine Compatibility
AW21-18.4	Trigger Gun HydroExc 1/2"	<b>\$178.80</b>	Specify Model at Time of Order to Determine Compatibility
AW21-19	Trigger Gun	<b>\$47.94</b>	Specify Model at Time of Order to Determine Compatibility
AW21-20	Trigger Gun	<b>\$47.94</b>	Specify Model at Time of Order to Determine Compatibility
AW21-20.1	Trigger Gun	<b>\$39.54</b>	Specify Model at Time of Order to Determine Compatibility
AW21-21	Trigger Gun Open	<b>\$34.74</b>	Specify Model at Time of Order to Determine Compatibility
AW21-22	Trigger Gun	<b>\$31.14</b>	Specify Model at Time of Order to Determine Compatibility
AW21-23	Trigger Gun Easy Pull	<b>\$69.54</b>	Specify Model at Time of Order to Determine Compatibility
AW21-24	Landa Trigger Gun	<b>\$50.39</b>	Specify Model at Time of Order to Determine Compatibility
AW21-25	Side Handle for Lance	<b>\$52.56</b>	Specify Model at Time of Order to Determine Compatibility
AW21-26	Repair Kit for Dual Lance w/Side Handle	<b>\$30.96</b>	Specify Model at Time of Order to Determine Compatibility
AW21-27	Repair Kit Dump Gun Dual Barrel	<b>\$55.14</b>	Specify Model at Time of Order to Determine Compatibility
AW21-28	Lance Grip Vented w/Side Handle	<b>\$28.74</b>	Specify Model at Time of Order to Determine Compatibility
AW21-37	Nut for Nozzle Protector Blue Lance	<b>\$7.14</b>	Specify Model at Time of Order to Determine Compatibility
AW21-38	Nozzle Protector Blue Lance	<b>\$7.14</b>	Specify Model at Time of Order to Determine Compatibility
AW21-40	Nozzle Protector Slip-on	<b>\$4.74</b>	Specify Model at Time of Order to Determine Compatibility
AW21-41	Flex Wand 3000 PSI	<b>\$128.34</b>	Specify Model at Time of Order to Determine Compatibility
AW21-42	Flex Wand 5000 PSI	<b>\$152.34</b>	Specify Model at Time of Order to Determine Compatibility
AW21-43	Gutter Cleaner Quick Coupled 3500 PSI	<b>\$20.34</b>	Specify Model at Time of Order to Determine Compatibility
AW21-44	Telescoping Wand Lance w/Quick Coupler	<b>\$21.54</b>	Specify Model at Time of Order to Determine Compatibility
AW21-45	ST-2705 Shoulder Support	<b>\$135.54</b>	Specify Model at Time of Order to Determine Compatibility
AW21-46	Shoulder Support	<b>\$215.94</b>	Specify Model at Time of Order to Determine Compatibility
AW21-47	Shoulder Support	<b>\$47.94</b>	Specify Model at Time of Order to Determine Compatibility
AW21-47.1	Trigger Gun (High Flow) for AW21-47	<b>\$299.40</b>	Specify Model at Time of Order to Determine Compatibility
AW21-47.2	Trigger Gun for AW21-47	<b>\$59.94</b>	Specify Model at Time of Order to Determine Compatibility
AW21-48	Shoulder Support w/gun	<b>\$1,194.00</b>	Specify Model at Time of Order to Determine Compatibility
AW22-01	Trigger Gun w/Wand Extension 22mm M	<b>\$47.94</b>	Specify Model at Time of Order to Determine Compatibility
AW22-02	Trigger Gun w/Wand Extension 3/8" F x 22mm F	<b>\$34.74</b>	Specify Model at Time of Order to Determine Compatibility
AW22-03	Trigger Gun w/Wand Extension 22mm M x 22mm M	<b>\$63.54</b>	Specify Model at Time of Order to Determine Compatibility
AW37-01	Floor Squeegee Assembly w/Handle	<b>\$55.14</b>	Specify Model at Time of Order to Determine Compatibility
AW37-02	6' Straight Handle Fiberglass w/Acme Threads	<b>\$28.56</b>	Specify Model at Time of Order to Determine Compatibility
AW37-03	5' Straight Handle Fiberglass w/Acme Threads	<b>\$25.14</b>	Specify Model at Time of Order to Determine Compatibility
AW37-04	6-12' Telescoping Handle	<b>\$68.34</b>	Specify Model at Time of Order to Determine Compatibility
AW37-05	72" Dual Lance w/Nozzle & Quick Coupler Outlets	<b>\$155.40</b>	Specify Model at Time of Order to Determine Compatibility
AW37-06	4-8' Telescoping Handle	<b>\$53.94</b>	Specify Model at Time of Order to Determine Compatibility

AW37-07	Telescoping Wand Repair Kit	<b>\$5.94</b>	Specify Model at Time of Order to Determine Compatibility
AW40-12	Plunger Wand Brass	<b>\$65.09</b>	Specify Model at Time of Order to Determine Compatibility
AW40-13	Repair Kit Wand	<b>\$24.78</b>	Specify Model at Time of Order to Determine Compatibility
AW40-300	Wand Holder Floor Mounting SS	<b>\$232.66</b>	Specify Model at Time of Order to Determine Compatibility
AW40-301	Wand Holder 36" SS - Floor	<b>\$155.94</b>	Specify Model at Time of Order to Determine Compatibility
AW40-303	26" Wand Holder SS Floor Mount W/Spring	<b>\$132.00</b>	Specify Model at Time of Order to Determine Compatibility
AW40-304	26" Wand Holder SS Wall Mount w/Spring	<b>\$132.00</b>	Specify Model at Time of Order to Determine Compatibility
AW40-41.1	Karcher Wand	<b>\$60.00</b>	Specify Model at Time of Order to Determine Compatibility
AW40-42	Chemical Wand 24" 3/8" HB Inlet	<b>\$65.94</b>	Specify Model at Time of Order to Determine Compatibility
AW40-43	20" Lance 22mm x 1/4" Quick Coupler	<b>\$19.14</b>	Specify Model at Time of Order to Determine Compatibility
AW40-44	16" Water Broom w/4 Nozzles	<b>\$80.34</b>	Specify Model at Time of Order to Determine Compatibility
AW40-45	36" Vented Lance SS	<b>\$44.34</b>	Specify Model at Time of Order to Determine Compatibility
AW40-46	Waterbroom 12" Adjustable Height (3 Ports)	<b>\$118.80</b>	Specify Model at Time of Order to Determine Compatibility
AW40-47	20" Wand with 2 45° Bends	<b>\$21.60</b>	Specify Model at Time of Order to Determine Compatibility
AW40-50	18" Flex Wand 1/4" Male x 1/4" Male	<b>\$35.94</b>	Specify Model at Time of Order to Determine Compatibility
AW40-51	12" Lance Square Molded	<b>\$15.54</b>	Specify Model at Time of Order to Determine Compatibility
AW40-52	20" Lance Square Molded	<b>\$16.74</b>	Specify Model at Time of Order to Determine Compatibility
AW40-53	24" Lance Square Molded	<b>\$17.94</b>	Specify Model at Time of Order to Determine Compatibility
AW40-53.SS	24" Lance Square Molded SS	<b>\$29.94</b>	Specify Model at Time of Order to Determine Compatibility
AW40-54	28" Lance Square Molded	<b>\$19.14</b>	Specify Model at Time of Order to Determine Compatibility
AW40-55	36" Lance Square Molded	<b>\$20.34</b>	Specify Model at Time of Order to Determine Compatibility
AW40-55.SS	36" Lance Square Molded SS	<b>\$26.34</b>	Specify Model at Time of Order to Determine Compatibility
AW40-56	48" Lance Square Molded	<b>\$26.34</b>	Specify Model at Time of Order to Determine Compatibility
AW40-56.1	48" Lance Molded 1/4" F Outlet	<b>\$47.94</b>	Specify Model at Time of Order to Determine Compatibility
AW40-57	36" Lance Non-Molded Zinc Plated Steel	<b>\$15.54</b>	Specify Model at Time of Order to Determine Compatibility
AW40-58	48" Lance Non-Molded Zinc Plated Steel	<b>\$17.94</b>	Specify Model at Time of Order to Determine Compatibility
AW40-NS-300	Flex Wand 18" Black	<b>\$33.72</b>	Specify Model at Time of Order to Determine Compatibility
AW40-NS-301	60" Lance SS Uninsulated	<b>\$35.94</b>	Specify Model at Time of Order to Determine Compatibility
AW40-NS-302	28" Lance Molded SS	<b>\$26.34</b>	Specify Model at Time of Order to Determine Compatibility
AW40-NS-303	36" Lance SS High Pressure Non-Insulated	<b>\$77.64</b>	Specify Model at Time of Order to Determine Compatibility
AW40-NS-303A	Wand Insulator	<b>\$14.22</b>	Specify Model at Time of Order to Determine Compatibility
AW41-05	Under Carriage Wand Assembly	<b>\$106.80</b>	Specify Model at Time of Order to Determine Compatibility
AW41-05A	Under Carriage Broom Only	<b>\$94.80</b>	Specify Model at Time of Order to Determine Compatibility
AW41-10	60" Lance Molded & Vented Zinc Plated	<b>\$35.94</b>	Specify Model at Time of Order to Determine Compatibility
AW41-11	60" Lance Non-Molded Zinc Plated Steel	<b>\$25.14</b>	Specify Model at Time of Order to Determine Compatibility
AW41-12	79" Lance Molded & Vented Zinc Plated	<b>\$46.74</b>	Specify Model at Time of Order to Determine Compatibility
AW41-13	36" Lance Non-Molded Aluminum	<b>\$17.94</b>	Specify Model at Time of Order to Determine Compatibility
AW41-14	47" Lance Non-Molded Aluminum	<b>\$20.34</b>	Specify Model at Time of Order to Determine Compatibility
AW41-15	59" Lance Non-Molded Aluminum	<b>\$23.94</b>	Specify Model at Time of Order to Determine Compatibility
AW41-16	79" Lance Non-Molded Aluminum	<b>\$28.74</b>	Specify Model at Time of Order to Determine Compatibility
AW42-41	Duct Cleaner Fixed	<b>\$298.80</b>	Specify Model at Time of Order to Determine Compatibility
AW42-42	6" Duct Cleaner Adjustable	<b>\$649.20</b>	Specify Model at Time of Order to Determine Compatibility
AW42-42A	6" Duct Cleaner Arm Case	<b>\$16.92</b>	Specify Model at Time of Order to Determine Compatibility
AW42-43	Duct Cleaner Swivel	<b>\$286.80</b>	Specify Model at Time of Order to Determine Compatibility
AW42-43.1	Swivel 3/8F x3/8 M	<b>\$309.60</b>	Specify Model at Time of Order to Determine Compatibility
AW42-43.2	Swivel 3/8"M x 3/8"F 90° with flange	<b>\$346.80</b>	Specify Model at Time of Order to Determine Compatibility
AW42-44	Seal Kit for Hard Metal Swivel	<b>\$101.94</b>	Specify Model at Time of Order to Determine Compatibility

AW42-45	Flow Through Gun w/18" Lance	<b>\$52.74</b>	Specify Model at Time of Order to Determine Compatibility
AW48-49	35.5" Lance Insulated Vented Stainless Steel	<b>\$50.34</b>	Specify Model at Time of Order to Determine Compatibility
AW48-50	27" Pivoting Wand 8 GPM - 4200 PSI	<b>\$107.94</b>	Specify Model at Time of Order to Determine Compatibility
AW48-51	Push Pull Lance	<b>\$142.80</b>	Specify Model at Time of Order to Determine Compatibility
AW48-60	38" Dual Lance w/Handle	<b>\$454.80</b>	Specify Model at Time of Order to Determine Compatibility
AW48-61	48" Double Trigger Lance	<b>\$93.54</b>	Specify Model at Time of Order to Determine Compatibility
AW48-63	45" Lance with Handle	<b>\$29.94</b>	Specify Model at Time of Order to Determine Compatibility
AW48-64	38" Dual Lance Variable Pressure w/Handle	<b>\$91.14</b>	Specify Model at Time of Order to Determine Compatibility
AW48-65	31" Cold Water Yellow Lance w/Quick Coupler	<b>\$59.94</b>	Specify Model at Time of Order to Determine Compatibility
AW48-67	Double Barrel Wand	<b>\$346.80</b>	Specify Model at Time of Order to Determine Compatibility
AW48-68	42" Dual Lance Variable Pressure w/Handle	<b>\$105.54</b>	Specify Model at Time of Order to Determine Compatibility
AW48-70	36" Dual Lance Variable Pressure w/Handle SS	<b>\$98.34</b>	Specify Model at Time of Order to Determine Compatibility
AW48-73	44" Wand Assy W/ Side Handle, M407 Trigger Gun & QC	<b>\$56.34</b>	Specify Model at Time of Order to Determine Compatibility
AW48-74	44" Lance W/Side Grip and Coupler	<b>\$25.14</b>	Specify Model at Time of Order to Determine Compatibility
AW48-75	41" Dual Lance Var. Pres. & Handle SS	<b>\$103.21</b>	Specify Model at Time of Order to Determine Compatibility
AW48-76	40" Dual Lance Var. Pres. w/QC & Handle SS	<b>\$119.40</b>	Specify Model at Time of Order to Determine Compatibility
AW48-78	36" Dual Lance w/Quick Coupler, Nozzle & Handle	<b>\$131.40</b>	Specify Model at Time of Order to Determine Compatibility
AW48-79	Steamer Wand	<b>\$107.94</b>	Specify Model at Time of Order to Determine Compatibility
AW48-80	Steamer Wand w/Nozzle	<b>\$113.40</b>	Specify Model at Time of Order to Determine Compatibility
AW48-81	38" Lance Assembly w/Trigger Gun Blue	<b>\$215.94</b>	Specify Model at Time of Order to Determine Compatibility
AW48-81.1	42" Blue Lance SS with Vent Grip	<b>\$113.10</b>	Specify Model at Time of Order to Determine Compatibility
AW48-82	42" Wand with Vented Grip	<b>\$41.94</b>	Specify Model at Time of Order to Determine Compatibility
AW48-83	Trigger Gun w/42" Lance	<b>\$91.14</b>	Specify Model at Time of Order to Determine Compatibility
AW48-84	38" Dual Lance Var. Pres. w/ Handle SS	<b>\$212.40</b>	Specify Model at Time of Order to Determine Compatibility
AW48-85	Karcher Wand Assembly	<b>\$83.94</b>	Specify Model at Time of Order to Determine Compatibility
AW48-88	36" Lance 1/2" Stainless Steel	<b>\$40.80</b>	Specify Model at Time of Order to Determine Compatibility
AW48-89	48" Lance 1/2" Stainless Steel	<b>\$52.80</b>	Specify Model at Time of Order to Determine Compatibility
AW48-90	60" Lance 1/2" Stainless Steel	<b>\$64.80</b>	Specify Model at Time of Order to Determine Compatibility
AW48-91	84" Lance 1/2" Stainless Steel	<b>\$88.80</b>	Specify Model at Time of Order to Determine Compatibility
AW48-92	36" Lance 1/2" ZP Steel	<b>\$36.00</b>	Specify Model at Time of Order to Determine Compatibility
AW48-93	48" Lance 1/2" ZP Steel	<b>\$45.60</b>	Specify Model at Time of Order to Determine Compatibility
AW48-94	60" Lance 1/2" ZP Steel	<b>\$55.20</b>	Specify Model at Time of Order to Determine Compatibility
AW48-96	36" Lance 1/2" Aluminum	<b>\$25.20</b>	Specify Model at Time of Order to Determine Compatibility
AW48-97	48" Lance 1/2" Aluminum	<b>\$30.00</b>	Specify Model at Time of Order to Determine Compatibility
AW55-04	Telescoping Wand Belt	<b>\$17.94</b>	Specify Model at Time of Order to Determine Compatibility
AW55-05	24' Telescoping Wand Assembly	<b>\$213.60</b>	Specify Model at Time of Order to Determine Compatibility
AW55-06	18' Telescoping Wand Assembly	<b>\$177.60</b>	Specify Model at Time of Order to Determine Compatibility
AW55-08	18' Premium Alum. Telescoping Wand	<b>\$222.00</b>	Specify Model at Time of Order to Determine Compatibility
AW55-09	24' Premium Alum. Telescoping Wand	<b>\$294.00</b>	Specify Model at Time of Order to Determine Compatibility
AW55-10	Extended Wand Trigger Replacement	<b>\$47.94</b>	Specify Model at Time of Order to Determine Compatibility
AW55-11	1/4" X 3/4" Bushing	<b>\$13.53</b>	Specify Model at Time of Order to Determine Compatibility
AW55-28	Industrial Sandblast Kit	<b>\$239.99</b>	Specify Model at Time of Order to Determine Compatibility
B16-01	12VBurner,gauge,control,.60 80DASpaldingPatch	<b>\$866.07</b>	Specify Model at Time of Order to Determine Compatibility
B16-01.1	12V Burner Assembly 3-3/4"	<b>\$941.49</b>	Specify Model at Time of Order to Determine Compatibility

B16-02	Burner 12 Volt w/ADC Square Flange	<b>\$878.64</b>	Specify Model at Time of Order to Determine Compatibility
B16-03	Burner 12 Volt w/Drop Out	<b>\$1,016.85</b>	Specify Model at Time of Order to Determine Compatibility
B16-03.1	Burner 12 Volt W/Solenoid	<b>\$1,221.60</b>	Specify Model at Time of Order to Determine Compatibility
B16-04	Burner 120 Volt w/2.25 80DB	<b>\$884.87</b>	Specify Model at Time of Order to Determine Compatibility
B16-05	115 Volt Burner w/o solonoid	<b>\$910.18</b>	Specify Model at Time of Order to Determine Compatibility
B16-07	120V Burner SM Beckett	<b>\$873.62</b>	Specify Model at Time of Order to Determine Compatibility
B16-10	Electrode and Fuel Nozzle Depth Tool	<b>\$10.79</b>	Specify Model at Time of Order to Determine Compatibility
B16-11	Z Gauge	<b>\$27.54</b>	Specify Model at Time of Order to Determine Compatibility
B16-12	Moly50 - 16 OZ	<b>\$130.80</b>	Specify Model at Time of Order to Determine Compatibility
B16-23	Connector 37° Flare x 1/8"	<b>\$7.48</b>	Specify Model at Time of Order to Determine Compatibility
B16-24	Connector 37° Flare x 1/8" (Long)	<b>\$11.25</b>	Specify Model at Time of Order to Determine Compatibility
B16-25	Fuel Pump Elbow	<b>\$9.99</b>	Specify Model at Time of Order to Determine Compatibility
B16-26	Copper Fuel Line	<b>\$18.79</b>	Specify Model at Time of Order to Determine Compatibility
B16-27A	Transformer Hinge Bolt	<b>\$1.51</b>	Specify Model at Time of Order to Determine Compatibility
B16-27B	Transformer Hold Down Clip	<b>\$8.74</b>	Specify Model at Time of Order to Determine Compatibility
B16-27C	Transformer Hold Down Clip Bolt	<b>\$4.09</b>	Specify Model at Time of Order to Determine Compatibility
B16-27D	Transformer Plate Clip	<b>\$2.45</b>	Specify Model at Time of Order to Determine Compatibility
B16-28	Fuel Filter Inline 1/4" Plastic	<b>\$6.22</b>	Specify Model at Time of Order to Determine Compatibility
B16-29	Fuel Filter 1/4" Metal	<b>\$9.99</b>	Specify Model at Time of Order to Determine Compatibility
B16-30	Fuel Filter 1/4" Plastic	<b>\$9.99</b>	Specify Model at Time of Order to Determine Compatibility
B16-300	Air Guide Beckett 31231U	<b>\$23.25</b>	Specify Model at Time of Order to Determine Compatibility
B16-41	Fuel Filter Gasket FG-70	<b>\$2.45</b>	Specify Model at Time of Order to Determine Compatibility
B16-41A	Fuel Filter Gasket HG-70	<b>\$3.71</b>	Specify Model at Time of Order to Determine Compatibility
B16-42	Fuel Filter Element	<b>\$10.68</b>	Specify Model at Time of Order to Determine Compatibility
B16-43	Klemm Screen	<b>\$3.14</b>	Specify Model at Time of Order to Determine Compatibility
B16-44	Fuel Filter Fuel/Water Separator	<b>\$85.41</b>	Specify Model at Time of Order to Determine Compatibility
B16-44.1	Plastic Bowl for Fuel/Water Separator	<b>\$52.73</b>	Specify Model at Time of Order to Determine Compatibility
B16-45	Fuel Filter Element Fuel/Water Separator	<b>\$31.14</b>	Specify Model at Time of Order to Determine Compatibility
B16-46	Fuel Filter Element Heavy Duty	<b>\$43.93</b>	Specify Model at Time of Order to Determine Compatibility
B16-47	Fuel Filter Element	<b>\$12.51</b>	Specify Model at Time of Order to Determine Compatibility
B16-48	Fuel Filter Clear	<b>\$20.05</b>	Specify Model at Time of Order to Determine Compatibility
B16-49	Fuel Filter Element	<b>\$4.97</b>	Specify Model at Time of Order to Determine Compatibility
B16-50	Combustion Cone F3	<b>\$21.31</b>	Specify Model at Time of Order to Determine Compatibility
B16-51	Combustion Cone F4	<b>\$21.31</b>	Specify Model at Time of Order to Determine Compatibility
B16-52	Combustion Cone F12	<b>\$21.31</b>	Specify Model at Time of Order to Determine Compatibility
B16-53	Combustion Cone F22	<b>\$21.31</b>	Specify Model at Time of Order to Determine Compatibility
B16-54	Combustion Cone 1A	<b>\$21.32</b>	Specify Model at Time of Order to Determine Compatibility
B16-55	Combustion Cone 2A	<b>\$21.31</b>	Specify Model at Time of Order to Determine Compatibility
B16-56	Combustion Cone 3A	<b>\$21.31</b>	Specify Model at Time of Order to Determine Compatibility
B16-57	Combustion Cone 4A	<b>\$21.31</b>	Specify Model at Time of Order to Determine Compatibility
B16-58	Fuel Cap w/Gauge	<b>\$17.54</b>	Specify Model at Time of Order to Determine Compatibility
B16-59	Fuel Cap w/Gauge PHW, PGHW, AS	<b>\$37.65</b>	Specify Model at Time of Order to Determine Compatibility
B16-59.1	Fuel Cap Diesel w/Gauge ECOS	<b>\$79.13</b>	Specify Model at Time of Order to Determine Compatibility
B16-59.2	Fuel Cap w/Gauge 14" Arctic Steamer	<b>\$37.02</b>	Specify Model at Time of Order to Determine Compatibility
B16-60	Fuel Cap 2.88" Diameter	<b>\$31.36</b>	Specify Model at Time of Order to Determine Compatibility
B16-61	Fuel Cap 2.5" Diameter	<b>\$11.25</b>	Specify Model at Time of Order to Determine Compatibility
B16-62	Fuel Cap H60-AV	<b>\$7.48</b>	Specify Model at Time of Order to Determine Compatibility

B16-63	Fuel Cap Plastic	<b>\$20.05</b>	Specify Model at Time of Order to Determine Compatibility
B16-64	Fuel Cap	<b>\$31.36</b>	Specify Model at Time of Order to Determine Compatibility
B16-64.1	Gas Cap	<b>\$35.13</b>	Specify Model at Time of Order to Determine Compatibility
B16-64.2	Gas Cap Plastic HNL	<b>\$41.88</b>	Specify Model at Time of Order to Determine Compatibility
B16-65	Fuel Line Elbow	<b>\$4.40</b>	Specify Model at Time of Order to Determine Compatibility
B16-66	Dip Tube Assembly Plastic 17.75"	<b>\$9.99</b>	Specify Model at Time of Order to Determine Compatibility
B16-67	Fuel Line Rubber Bushing	<b>\$1.89</b>	Specify Model at Time of Order to Determine Compatibility
B16-68	Gasket Neoprene Per Foot	<b>\$2.58</b>	Specify Model at Time of Order to Determine Compatibility
B16-69	Fuel Tank Strap w/Hole	<b>\$15.42</b>	Specify Model at Time of Order to Determine Compatibility
B16-70	Cadcell Flame Detector	<b>\$23.82</b>	Specify Model at Time of Order to Determine Compatibility
B16-71	Wayne Burner Cad Cell Detector	<b>\$20.05</b>	Specify Model at Time of Order to Determine Compatibility
B16-72	Burner Motor 13.5v 1/7HP	<b>\$208.60</b>	Specify Model at Time of Order to Determine Compatibility
B16-73	Burner Motor 115v 1/7HP	<b>\$155.81</b>	Specify Model at Time of Order to Determine Compatibility
B16-74	Burner Motor 115v 1/5HP	<b>\$212.37</b>	Specify Model at Time of Order to Determine Compatibility
B16-75	Burner Motor 115v 1/4HP	<b>\$295.33</b>	Specify Model at Time of Order to Determine Compatibility
B16-76	Burner Motor 115v/220v 1/4HP	<b>\$234.00</b>	Specify Model at Time of Order to Determine Compatibility
B16-76.1	Burner Motor 230V 1/7HP PHW	<b>\$201.06</b>	Specify Model at Time of Order to Determine Compatibility
B16-77	Burner Housing	<b>\$145.75</b>	Specify Model at Time of Order to Determine Compatibility
B16-78	Accumulator	<b>\$162.15</b>	Specify Model at Time of Order to Determine Compatibility
B16-79	24" Pulse Hose	<b>\$37.65</b>	Specify Model at Time of Order to Determine Compatibility
B16-80	33" Pulse Hose	<b>\$37.65</b>	Specify Model at Time of Order to Determine Compatibility
B16-81	36" Pulse Hose	<b>\$37.65</b>	Specify Model at Time of Order to Determine Compatibility
B16-NS-306	Burner Assembly 550	<b>\$2,100.00</b>	Specify Model at Time of Order to Determine Compatibility
B16-NS-792322	ADC Burner	<b>\$870.00</b>	Specify Model at Time of Order to Determine Compatibility
B16-NS-PRO101	12V Burner Beckett	<b>\$664.95</b>	Specify Model at Time of Order to Determine Compatibility
B18-01	Fuel Pump 3GPH	<b>\$126.90</b>	Specify Model at Time of Order to Determine Compatibility
B18-02	Fuel Pump 7GPH	<b>\$361.95</b>	Specify Model at Time of Order to Determine Compatibility
B18-03	Fuel Pump	<b>\$285.28</b>	Specify Model at Time of Order to Determine Compatibility
B18-04	Fuel Pump 4GPH w/12 volt solenoid	<b>\$161.52</b>	Specify Model at Time of Order to Determine Compatibility
B18-05	Solenoid Valve Kit 12/24 Volt	<b>\$67.82</b>	Specify Model at Time of Order to Determine Compatibility
B18-06	Solenoid Valve Coil 12/24 Volt w/o Cord	<b>\$22.56</b>	Specify Model at Time of Order to Determine Compatibility
B18-07	Solenoid Valve Kit 120 Volt	<b>\$59.02</b>	Specify Model at Time of Order to Determine Compatibility
B18-08	Solenoid Valve Coil 115 Volt w/o Cord	<b>\$21.31</b>	Specify Model at Time of Order to Determine Compatibility
B18-09	Solenoid Valve Kit 220 Volt	<b>\$75.36</b>	Specify Model at Time of Order to Determine Compatibility
B18-10	Solenoid Valve Coil 230 Volt w/o Cord	<b>\$21.31</b>	Specify Model at Time of Order to Determine Compatibility
B18-11	Fuel Pump Valve Stem Kit	<b>\$17.41</b>	Specify Model at Time of Order to Determine Compatibility
B18-12	Solenoid Valve 120 Volt	<b>\$94.21</b>	Specify Model at Time of Order to Determine Compatibility
B18-13	12V Ignitor Assembly	<b>\$251.34</b>	Specify Model at Time of Order to Determine Compatibility
B18-14	12V Ignitor Wayne Burner	<b>\$199.86</b>	Specify Model at Time of Order to Determine Compatibility
B18-15	12V Wayne Ignitor Kit w/o Timer	<b>\$236.25</b>	Specify Model at Time of Order to Determine Compatibility
B18-15A	Ignitor Mounting Plate	<b>\$6.22</b>	Specify Model at Time of Order to Determine Compatibility
B18-16	Timer for 12V Wayne Burner	<b>\$110.55</b>	Specify Model at Time of Order to Determine Compatibility
B18-17	12V DC Ignitor Landa/Surefire	<b>\$114.32</b>	Specify Model at Time of Order to Determine Compatibility
B18-18	120V Ignitor Assembly Beckett AFG	<b>\$115.58</b>	Specify Model at Time of Order to Determine Compatibility
B18-19	120V Ignitor Assembly Beckett SM/SF	<b>\$120.61</b>	Specify Model at Time of Order to Determine Compatibility
B18-20	120V Burner Ignitor Side Hinge Wayne	<b>\$152.03</b>	Specify Model at Time of Order to Determine Compatibility
B18-21	120V Burner Ignitor Rear Hinge Wayne	<b>\$143.99</b>	Specify Model at Time of Order to Determine Compatibility

B18-22	115V Burner Ignitor Landa/Surefire	<b>\$113.07</b>	Specify Model at Time of Order to Determine Compatibility
B18-23	110V Burner Ignitor Lavorwash	<b>\$269.00</b>	Specify Model at Time of Order to Determine Compatibility
B18-24	240V Burner Ignitor AFG	<b>\$157.06</b>	Specify Model at Time of Order to Determine Compatibility
B18-25	240V Burner Ignitor Wayne	<b>\$169.63</b>	Specify Model at Time of Order to Determine Compatibility
B18-26	230V Burner Ignitor	<b>\$113.07</b>	Specify Model at Time of Order to Determine Compatibility
B18-27	Electrode Assembly	<b>\$23.82</b>	Specify Model at Time of Order to Determine Compatibility
B18-28	Electrode Assembly CF500 & CF800	<b>\$27.59</b>	Specify Model at Time of Order to Determine Compatibility
B18-29	Electrode Assembly Right Wayne	<b>\$20.05</b>	Specify Model at Time of Order to Determine Compatibility
B18-30	Electrode Assembly Left Wayne	<b>\$20.05</b>	Specify Model at Time of Order to Determine Compatibility
B18-300	Hot Water Tune Up Kit	<b>\$42.99</b>	Specify Model at Time of Order to Determine Compatibility
B18-301	Fuel Solenoid 24V	<b>\$21.80</b>	Specify Model at Time of Order to Determine Compatibility
B18-31	Electrode Assembly Right	<b>\$22.50</b>	Specify Model at Time of Order to Determine Compatibility
B18-32	Electrode Assembly Left	<b>\$22.50</b>	Specify Model at Time of Order to Determine Compatibility
B18-33	Electrode Assembly DC Surefire	<b>\$23.82</b>	Specify Model at Time of Order to Determine Compatibility
B18-34	Electrode Assembly AC Surefire	<b>\$23.82</b>	Specify Model at Time of Order to Determine Compatibility
B18-36B	Site Glass	<b>\$50.22</b>	Specify Model at Time of Order to Determine Compatibility
B18-37	Burner Primary Control Beckett 12V	<b>\$366.98</b>	Specify Model at Time of Order to Determine Compatibility
B18-37.1	Primary Control 120V	<b>\$183.46</b>	Specify Model at Time of Order to Determine Compatibility
B18-38	Primary Control 110V	<b>\$231.29</b>	Specify Model at Time of Order to Determine Compatibility
B18-39	Primary Control 120V	<b>\$163.35</b>	Specify Model at Time of Order to Determine Compatibility
B18-39.1	120V Primary Control Honeywell	<b>\$463.83</b>	Specify Model at Time of Order to Determine Compatibility
B18-40	GENISYS CONTRACTOR TOO	<b>\$177.24</b>	Specify Model at Time of Order to Determine Compatibility
B18-41	Electrode Ignition Wire	<b>\$25.08</b>	Specify Model at Time of Order to Determine Compatibility
B18-42	Flex Coupling ADC/12V	<b>\$9.99</b>	Specify Model at Time of Order to Determine Compatibility
B18-43	Flex Coupling 1/2" x 5/16" x 3" long	<b>\$11.25</b>	Specify Model at Time of Order to Determine Compatibility
B18-43.1	Flex Coupling 1/2" x 5/16" x 4" long	<b>\$8.17</b>	Specify Model at Time of Order to Determine Compatibility
B18-44	Flex Coupling 1/2" x 5/16" x 5" long	<b>\$11.25</b>	Specify Model at Time of Order to Determine Compatibility
B18-45	Burner Gasket Beckett	<b>\$3.71</b>	Specify Model at Time of Order to Determine Compatibility
B18-46	Burner Pipe Plate Gasket	<b>\$2.20</b>	Specify Model at Time of Order to Determine Compatibility
B18-47	Burner Flange Gasket Wayne	<b>\$6.60</b>	Specify Model at Time of Order to Determine Compatibility
B18-47.1	Burner Flange Gasket	<b>\$6.59</b>	Specify Model at Time of Order to Determine Compatibility
B18-48	Burner Gasket Beckett	<b>\$2.45</b>	Specify Model at Time of Order to Determine Compatibility
B18-49	Blower Wheel 4" Dia x 3.5" W	<b>\$41.42</b>	Specify Model at Time of Order to Determine Compatibility
B18-50	Blower Wheel 4.25" Dia x 2.5" W	<b>\$25.08</b>	Specify Model at Time of Order to Determine Compatibility
B18-50A	5/16" Adapter for Blower Wheel 4 1/4 x 2 7/16	<b>\$36.39</b>	Specify Model at Time of Order to Determine Compatibility
B18-51	Blower Wheel 4.25" Dia x 2.44" W 5/16" Shaft	<b>\$31.36</b>	Specify Model at Time of Order to Determine Compatibility
B18-52	Blower Wheel 4.53" Dia x 2.44" W 12V	<b>\$35.13</b>	Specify Model at Time of Order to Determine Compatibility
B18-53	Blower Wheel 4.53" Dia x 2.42" W 12V 5/16" Shaft	<b>\$32.62</b>	Specify Model at Time of Order to Determine Compatibility
B18-54	Blower Wheel 5.25" Dia x 3.44" W	<b>\$36.39</b>	Specify Model at Time of Order to Determine Compatibility
B18-55	Blower Wheel 6" Dia x 4.19" W	<b>\$41.42</b>	Specify Model at Time of Order to Determine Compatibility
B18-56	Blower Wheel 6.25" Dia x 3.44" W	<b>\$36.39</b>	Specify Model at Time of Order to Determine Compatibility
B18-57	Blower Fan 12V	<b>\$50.22</b>	Specify Model at Time of Order to Determine Compatibility
B18-57A	transformer ignitor 120 v 60 hz 240 va	<b>\$81.71</b>	Specify Model at Time of Order to Determine Compatibility
B18-57B	ignition transformer 240 v 10,000 60 hz	<b>\$81.71</b>	Specify Model at Time of Order to Determine Compatibility
B18-57C	ignitor 120v 10,000 60 hz	<b>\$120.67</b>	Specify Model at Time of Order to Determine Compatibility
B18-57D	ignitor transformer 120 volts 50/60 hz	<b>\$81.71</b>	Specify Model at Time of Order to Determine Compatibility

B18-58	Ignition Transformer Tester	<b>\$90.00</b>	Specify Model at Time of Order to Determine Compatibility
BH-1/2-ABRA	1/2" Hose - Abrasion Resistant Per Foot	<b>\$4.19</b>	Specify Model at Time of Order to Determine Compatibility
BH-1WB3500-1/4	1/4" 1 Wire 3500 PSI Per Foot	<b>\$2.39</b>	Specify Model at Time of Order to Determine Compatibility
BH-2WB6000-1/4	1/4" 2 Wire 6000 PSI Per Foot	<b>\$2.94</b>	Specify Model at Time of Order to Determine Compatibility
BH-3/8-ABRA	3/8" Hose - Abrasion Resistant Per Foot	<b>\$3.35</b>	Specify Model at Time of Order to Determine Compatibility
BH55-20	3/8" Water Hose Rubber Low Pressure 1'	<b>\$2.28</b>	Specify Model at Time of Order to Determine Compatibility
BH55-22	5/8" Water Hose Low Pressure 1'	<b>\$2.70</b>	Specify Model at Time of Order to Determine Compatibility
BH55-26	1/2" Push On Hose 1'	<b>\$3.60</b>	Specify Model at Time of Order to Determine Compatibility
BH55-29	1/4" Fuel Line per Foot	<b>\$3.30</b>	Specify Model at Time of Order to Determine Compatibility
BH55-30	3/4" Water Hose Low Pressure 1'	<b>\$2.94</b>	Specify Model at Time of Order to Determine Compatibility
BH55-300	1/2" Low Pressure Hose Blue Per Foot	<b>\$2.10</b>	Specify Model at Time of Order to Determine Compatibility
BH55-300-KIT-3	3' 1/2" Blue Garden Hose w/3/4" Ends	<b>\$30.00</b>	Specify Model at Time of Order to Determine Compatibility
BH55-300-KIT-75	75' 1/2" Blue Garden Hose w/ 3/4" Ends	<b>\$140.03</b>	Specify Model at Time of Order to Determine Compatibility
BH55-301	5/8" Garden Hose 100'	<b>\$90.00</b>	Specify Model at Time of Order to Determine Compatibility
BH55-31	3/4" Clear PVC Suction Hose 1'	<b>\$4.08</b>	Specify Model at Time of Order to Determine Compatibility
BH55-32	1" Helix Reinforced PVC Suction Hose 1'	<b>\$4.38</b>	Specify Model at Time of Order to Determine Compatibility
BH55-34	1-1/4" Helix Reinforced PVC Suction Hose 1'	<b>\$4.62</b>	Specify Model at Time of Order to Determine Compatibility
BH55-NS-304	3/8" 1 Wire Hose 4000 PSI Blue per Foot	<b>\$2.05</b>	Specify Model at Time of Order to Determine Compatibility
BH-NS-300	3/4" Blue Hose per Foot	<b>\$1.70</b>	Specify Model at Time of Order to Determine Compatibility
BH-TF1WB4000BNM	3/8" 1 Wire 4000 PSI Blue Non Marking Hose Per Foot	<b>\$2.28</b>	Specify Model at Time of Order to Determine Compatibility
BH-TF2WB-1/2	1/2" Tuff Flex 2 Wire Braid - 4000 PSI Per Foot	<b>\$3.95</b>	Specify Model at Time of Order to Determine Compatibility
BH-TF2WB-3/8	Bulk Hose TF 2WB 3/8" Per Foot	<b>\$2.51</b>	Specify Model at Time of Order to Determine Compatibility
BH-TF2WB6000BNM	3/8" 2 Wire 6000 PSI Blue Non Marking Hose Per Foot	<b>\$2.75</b>	Specify Model at Time of Order to Determine Compatibility
BH-TS1WB4000	3/8" Tuff Skin 1 Wire 4000 PSI Hose Per Foot	<b>\$2.27</b>	Specify Model at Time of Order to Determine Compatibility
BLUETORNADO-5	Blue Tornado 5 Gallons - SDS Given	<b>\$59.94</b>	Specify Model at Time of Order to Determine Compatibility
BLUETORNADO-55	Blue Tornado 55 Gallons - SDS Given	<b>\$395.34</b>	Specify Model at Time of Order to Determine Compatibility
BOOM-360°-5'6"	Boom Centermount 360° - 5' 6"	<b>\$515.40</b>	Specify Model at Time of Order to Determine Compatibility
BOOM-CEILING	Ceiling Boom 76"	<b>\$958.80</b>	Specify Model at Time of Order to Determine Compatibility
BOOM-CEILING-63	Ceiling Boom 1/4"F x 3/8"M 63"	<b>\$1,198.80</b>	Specify Model at Time of Order to Determine Compatibility
BOOM-CEILING-FLEX-63	Celing Boom 1/4"F x 3/8"M 63" Flexible	<b>\$1,198.80</b>	Specify Model at Time of Order to Determine Compatibility
BOOM-CEILING-FLEX-69	Ceiling Boom Flexible 69"	<b>\$958.80</b>	Specify Model at Time of Order to Determine Compatibility
BOOM-WALL-69	Wall Boom 69"	<b>\$948.00</b>	Specify Model at Time of Order to Determine Compatibility
C50-20	Adapter Plate for 47 Series Clutch	<b>\$25.14</b>	Specify Model at Time of Order to Determine Compatibility
C50-21	Clutch Dual Groove Kit for 47 Series	<b>\$571.20</b>	Specify Model at Time of Order to Determine Compatibility
C50-22	Clutch Adapter Plate for 44,50,63 Series	<b>\$23.76</b>	Specify Model at Time of Order to Determine Compatibility
C50-23	Clutch Single Groove Kit for 47 Series	<b>\$619.20</b>	Specify Model at Time of Order to Determine Compatibility
C50-24	Clutch Assembly for M24	<b>\$900.00</b>	Specify Model at Time of Order to Determine Compatibility
C52-40	Coil 2525 Steamer	<b>\$1,125.02</b>	Specify Model at Time of Order to Determine Compatibility
C52-42	Coil	<b>\$750.00</b>	Specify Model at Time of Order to Determine Compatibility
C52-44	Alkota Tall Coil with Painted Wrap	<b>\$900.00</b>	Specify Model at Time of Order to Determine Compatibility
C52-46	Landa Duracoil MHC/HOT	<b>\$1,020.00</b>	Specify Model at Time of Order to Determine Compatibility
C52-48	Coil 16" Dia VNG (Old Style)	<b>\$1,134.00</b>	Specify Model at Time of Order to Determine Compatibility
C52-50	Coil 20" Dia VH/VNG	<b>\$1,278.00</b>	Specify Model at Time of Order to Determine Compatibility
C52-52	Coil 20" Dia NG/SM	<b>\$1,178.40</b>	Specify Model at Time of Order to Determine Compatibility
C53-45	coil 5355j/4405j Sch 80	<b>\$1,024.46</b>	Specify Model at Time of Order to Determine Compatibility

C53-47	Coil 20" Dia Sch 80 w/Aluminum Steel Wrap	<b>\$1,067.19</b>	Specify Model at Time of Order to Determine Compatibility
C56-10	Hotsy Coil fits 900,1000, 1400 series	<b>\$1,428.82</b>	Specify Model at Time of Order to Determine Compatibility
C56-15	Coil Dura 14.5" Dia. Sch 80	<b>\$976.44</b>	Specify Model at Time of Order to Determine Compatibility
C56-20	Coil 18" Oil Fired	<b>\$1,537.60</b>	Specify Model at Time of Order to Determine Compatibility
C56-25	Coil Vertical	<b>\$665.94</b>	Specify Model at Time of Order to Determine Compatibility
C56-30	Coil Mi-T-M Downdraft	<b>\$817.86</b>	Specify Model at Time of Order to Determine Compatibility
C70-09	Cord- Black Rubber , jacket soow , per foot	<b>\$7.56</b>	Specify Model at Time of Order to Determine Compatibility
C70-10	Seal Cuda per Foot	<b>\$6.74</b>	Specify Model at Time of Order to Determine Compatibility
C70-11	Parts Basket Small	<b>\$104.58</b>	Specify Model at Time of Order to Determine Compatibility
C70-12	Containment Ring 28"	<b>\$118.38</b>	Specify Model at Time of Order to Determine Compatibility
C70-14	Vinyl Sleeve for Door Latch Handle	<b>\$2.46</b>	Specify Model at Time of Order to Determine Compatibility
C70-15	Door Latch Assembly	<b>\$264.60</b>	Specify Model at Time of Order to Determine Compatibility
C70-16D	1/4" U-Bolt	<b>\$3.72</b>	Specify Model at Time of Order to Determine Compatibility
C70-17	Float 2-3/4" Dia x 1-3/4"	<b>\$16.32</b>	Specify Model at Time of Order to Determine Compatibility
C70-18	16oz Detergent Scoop	<b>\$4.98</b>	Specify Model at Time of Order to Determine Compatibility
C70-20	Oil Container	<b>\$71.76</b>	Specify Model at Time of Order to Determine Compatibility
C70-22	Gas Strut 60lbs	<b>\$79.63</b>	Specify Model at Time of Order to Determine Compatibility
C70-23	Gas Strut 90lbs	<b>\$46.56</b>	Specify Model at Time of Order to Determine Compatibility
C70-24	Gas Strut 70lbs	<b>\$89.40</b>	Specify Model at Time of Order to Determine Compatibility
C70-25	Gas Strut 75lbs	<b>\$27.66</b>	Specify Model at Time of Order to Determine Compatibility
C70-26	Hose 1-1/2" Per Foot	<b>\$23.94</b>	Specify Model at Time of Order to Determine Compatibility
C70-47	12 Hour Timer	<b>\$84.36</b>	Specify Model at Time of Order to Determine Compatibility
C70-48	30 Minute Timer	<b>\$67.98</b>	Specify Model at Time of Order to Determine Compatibility
C70-49	60 Minute Timer	<b>\$61.68</b>	Specify Model at Time of Order to Determine Compatibility
CANISTER	Parts Canister	<b>\$13.14</b>	Specify Model at Time of Order to Determine Compatibility
COIL-1100A-005206S	Coil 1100A-005206S	<b>\$3,478.80</b>	Specify Model at Time of Order to Determine Compatibility
COIL-20-200-2-3S	Coil 20-200-2-3S	<b>\$1,627.82</b>	Specify Model at Time of Order to Determine Compatibility
COIL-20-200-2S	Coil	<b>\$1,306.80</b>	Specify Model at Time of Order to Determine Compatibility
COIL-2142A-00207S	Coil 2142A-00207	<b>\$851.99</b>	Specify Model at Time of Order to Determine Compatibility
COIL-240-00200	240 Coil	<b>\$1,446.12</b>	Specify Model at Time of Order to Determine Compatibility
COIL-4122-00200S	Coil Sch 40 18" With Wrapper	<b>\$1,615.25</b>	Specify Model at Time of Order to Determine Compatibility
COIL-4205A-00111S	Coil 5355-HNL w/o Wrapper	<b>\$1,838.04</b>	Specify Model at Time of Order to Determine Compatibility
COIL-4302G-05206	Coil w/Wrapper	<b>\$2,758.80</b>	Specify Model at Time of Order to Determine Compatibility
COIL-48-00200-G3	Coil 5301	<b>\$1,996.14</b>	Specify Model at Time of Order to Determine Compatibility
COIL-9278-AALADIN	24" Coil and Wrapper	<b>\$3,331.05</b>	Specify Model at Time of Order to Determine Compatibility
COIL-BC480	Coil for Hydrotek SK30005VH	<b>\$1,254.00</b>	Specify Model at Time of Order to Determine Compatibility
COIL-ENG-LG	Coil ENG Large	<b>\$2,869.99</b>	Specify Model at Time of Order to Determine Compatibility
COIL-NS-4202-05204S	Coil	<b>\$2,218.80</b>	Specify Model at Time of Order to Determine Compatibility
COIL-NS-4405F-05105S	Coil - 4405F-05105S	<b>\$1,291.60</b>	Specify Model at Time of Order to Determine Compatibility
COIL-NS-795SS	Coil - Hotsy	<b>\$878.64</b>	Specify Model at Time of Order to Determine Compatibility
COIL-NS-DYNABLAST	Coil 23" x 42"	<b>\$3,699.35</b>	Specify Model at Time of Order to Determine Compatibility
COIL-NS-GF600	GF600 Coil Assembly	<b>\$1,181.58</b>	Specify Model at Time of Order to Determine Compatibility
COIL-NS-LWASH	Coil	<b>\$1,426.70</b>	Specify Model at Time of Order to Determine Compatibility
COIL-NS-SLX-LG	Coil SLX Large	<b>\$3,460.76</b>	Specify Model at Time of Order to Determine Compatibility
COIL-SLT	Coil SLT	<b>\$2,042.63</b>	Specify Model at Time of Order to Determine Compatibility
COIL-VHG-LARGE	Coil VHG/VNG for 6, 8 or 10 GPM	<b>\$3,390.00</b>	Specify Model at Time of Order to Determine Compatibility
CS40-07	2 Gal Sprayer w/SS Tank & Adjustable Nozzle	<b>\$139.86</b>	Specify Model at Time of Order to Determine Compatibility

CS40-09	3 Gal Duraspray Sprayer	<b>\$50.34</b>	Specify Model at Time of Order to Determine Compatibility
CS40-10	2 Gal Acid Sprayer	<b>\$217.20</b>	Specify Model at Time of Order to Determine Compatibility
CS40-11	Tag Sprayer	<b>\$119.99</b>	Specify Model at Time of Order to Determine Compatibility
CUSTOMHOSE<50	Custom Hose Assembly < 50 Feet	<b>\$25.20</b>	Specify Model at Time of Order to Determine Compatibility
D36-23	Engine Control Throttle	<b>\$102.00</b>	Specify Model at Time of Order to Determine Compatibility
D42-04	Kerosene Decal	<b>\$2.34</b>	Specify Model at Time of Order to Determine Compatibility
D42-05	Kerosene Decal Clear	<b>\$1.91</b>	Specify Model at Time of Order to Determine Compatibility
DC45-63484130	Belt 10 PJ 914	<b>\$134.57</b>	Specify Model at Time of Order to Determine Compatibility
DC45-A35	Belt A35	<b>\$12.39</b>	Specify Model at Time of Order to Determine Compatibility
DC45-A47	Belt A47	<b>\$12.39</b>	Specify Model at Time of Order to Determine Compatibility
DC45-AP38	Belt AP38	<b>\$12.39</b>	Specify Model at Time of Order to Determine Compatibility
DC45-AP39	Belt AP39	<b>\$12.39</b>	Specify Model at Time of Order to Determine Compatibility
DC45-AX27	Belt AX27	<b>\$18.53</b>	Specify Model at Time of Order to Determine Compatibility
DC45-AX28	Belt AX28	<b>\$19.79</b>	Specify Model at Time of Order to Determine Compatibility
DC45-AX29	Belt AX29	<b>\$19.79</b>	Specify Model at Time of Order to Determine Compatibility
DC45-AX30	Belt AX30	<b>\$19.79</b>	Specify Model at Time of Order to Determine Compatibility
DC45-AX31	Belt AX31	<b>\$19.79</b>	Specify Model at Time of Order to Determine Compatibility
DC45-AX34	Belt AX34	<b>\$19.79</b>	Specify Model at Time of Order to Determine Compatibility
DC45-AX35	Belt AX35	<b>\$19.79</b>	Specify Model at Time of Order to Determine Compatibility
DC45-AX36	Belt AX36	<b>\$19.79</b>	Specify Model at Time of Order to Determine Compatibility
DC45-AX37	Belt AX37	<b>\$19.79</b>	Specify Model at Time of Order to Determine Compatibility
DC45-AX38	Belt AX38	<b>\$19.79</b>	Specify Model at Time of Order to Determine Compatibility
DC45-AX39	Belt AX39	<b>\$19.79</b>	Specify Model at Time of Order to Determine Compatibility
DC45-AX40	Belt AX40	<b>\$19.79</b>	Specify Model at Time of Order to Determine Compatibility
DC45-AX42	Belt AX42	<b>\$19.79</b>	Specify Model at Time of Order to Determine Compatibility
DC45-AX43	AX43 Belt	<b>\$18.53</b>	Specify Model at Time of Order to Determine Compatibility
DC45-AX47	Belt AX47	<b>\$19.79</b>	Specify Model at Time of Order to Determine Compatibility
DC45-B23	Belt B23	<b>\$17.15</b>	Specify Model at Time of Order to Determine Compatibility
DC45-B46	Belt B46	<b>\$17.15</b>	Specify Model at Time of Order to Determine Compatibility
DC45-B47	Belt B47	<b>\$17.15</b>	Specify Model at Time of Order to Determine Compatibility
DC45-BX22	Belt BX22	<b>\$17.81</b>	Specify Model at Time of Order to Determine Compatibility
DC45-BX32	Belt BX32	<b>\$23.75</b>	Specify Model at Time of Order to Determine Compatibility
DC45-BX33	Belt BX33	<b>\$23.75</b>	Specify Model at Time of Order to Determine Compatibility
DC45-BX34	Belt BX34	<b>\$23.75</b>	Specify Model at Time of Order to Determine Compatibility
DC45-BX35	Belt BX35	<b>\$23.75</b>	Specify Model at Time of Order to Determine Compatibility
DC45-BX36	Belt BX36	<b>\$23.75</b>	Specify Model at Time of Order to Determine Compatibility
DC45-BX37	Belt BX37	<b>\$23.75</b>	Specify Model at Time of Order to Determine Compatibility
DC45-BX38	Belt BX38	<b>\$23.75</b>	Specify Model at Time of Order to Determine Compatibility
DC45-BX40	Belt BX40	<b>\$23.75</b>	Specify Model at Time of Order to Determine Compatibility
DC45-BX41	Belt BX41	<b>\$23.75</b>	Specify Model at Time of Order to Determine Compatibility
DC45-BX42	Belt BX42	<b>\$23.75</b>	Specify Model at Time of Order to Determine Compatibility
DC45-BX43	Belt BX43	<b>\$26.39</b>	Specify Model at Time of Order to Determine Compatibility
DC45-BX44	Belt BX44	<b>\$26.39</b>	Specify Model at Time of Order to Determine Compatibility
DC45-BX46	Belt BX46	<b>\$26.39</b>	Specify Model at Time of Order to Determine Compatibility
DC45-BX47	BX47 Belt	<b>\$24.71</b>	Specify Model at Time of Order to Determine Compatibility
DC45-BX48	Belt BX48	<b>\$26.39</b>	Specify Model at Time of Order to Determine Compatibility
DC45-BX49	Belt BX49	<b>\$26.39</b>	Specify Model at Time of Order to Determine Compatibility

DC45-BX50	BX50 Belt	<b>\$23.99</b>	Specify Model at Time of Order to Determine Compatibility
DC45-BX51	Belt BX51	<b>\$26.39</b>	Specify Model at Time of Order to Determine Compatibility
DC45-BX58	Belt BX58	<b>\$39.53</b>	Specify Model at Time of Order to Determine Compatibility
DC45-NS-3/BX	3/BX42 Belt	<b>\$197.01</b>	Specify Model at Time of Order to Determine Compatibility
DC45-R3VX400	Belt R3VX400	<b>\$96.76</b>	Specify Model at Time of Order to Determine Compatibility
DC45-R3VX450	Belt R3VX450	<b>\$94.86</b>	Specify Model at Time of Order to Determine Compatibility
DC55-2AK104H	Pulley 2AK104H	<b>\$50.34</b>	Specify Model at Time of Order to Determine Compatibility
DC55-2AK30H	Pulley 2AK30H	<b>\$41.94</b>	Specify Model at Time of Order to Determine Compatibility
DC55-2AK44H	Pulley 2AK44H	<b>\$23.94</b>	Specify Model at Time of Order to Determine Compatibility
DC55-2AK51H	Pulley 2AK51H	<b>\$79.14</b>	Specify Model at Time of Order to Determine Compatibility
DC55-2AK84H	2AK84H Pulley	<b>\$35.94</b>	Specify Model at Time of Order to Determine Compatibility
DC55-2B36SH	Pulley 2B36SH	<b>\$47.94</b>	Specify Model at Time of Order to Determine Compatibility
DC55-2BK90H	Pulley 2BK90H	<b>\$107.94</b>	Specify Model at Time of Order to Determine Compatibility
DC55-AK26-5/8	Pulley AK 26 X 5/8	<b>\$17.94</b>	Specify Model at Time of Order to Determine Compatibility
DC55-AK28-5/8	Pulley AK28 - 5/8"	<b>\$11.99</b>	Specify Model at Time of Order to Determine Compatibility
DC55-AK84H	Pulley AK84H	<b>\$58.20</b>	Specify Model at Time of Order to Determine Compatibility
DC55-BK32H	Pulley BK32H	<b>\$33.54</b>	Specify Model at Time of Order to Determine Compatibility
DC55-BK34H	Pulley BK34H	<b>\$35.94</b>	Specify Model at Time of Order to Determine Compatibility
DC55-BK90H	Pulley BK90H	<b>\$47.40</b>	Specify Model at Time of Order to Determine Compatibility
DC56-13	Pulley Bushing H x 5/8"	<b>\$15.54</b>	Specify Model at Time of Order to Determine Compatibility
DC56-14	Pulley Bushing H x 3/4"	<b>\$15.54</b>	Specify Model at Time of Order to Determine Compatibility
DC56-16	Pulley Bushing H x 7/8"	<b>\$15.54</b>	Specify Model at Time of Order to Determine Compatibility
DC56-17	H x 1" Bushing	<b>\$15.54</b>	Specify Model at Time of Order to Determine Compatibility
DC56-18	Pulley Bushing H x 1-3/8" 6B Spline	<b>\$29.94</b>	Specify Model at Time of Order to Determine Compatibility
DC56-19	Pulley Bushing H x 1-1/8"	<b>\$16.74</b>	Specify Model at Time of Order to Determine Compatibility
DC56-20	Pulley Bushing H x 1-3/8"	<b>\$16.74</b>	Specify Model at Time of Order to Determine Compatibility
DC56-22	Pulley Hub Key Assy	<b>\$29.94</b>	Specify Model at Time of Order to Determine Compatibility
DC56-24	Pulley Hub H M16.5	<b>\$29.94</b>	Specify Model at Time of Order to Determine Compatibility
DC56-26	Pulley Key M5 x 5 x 24	<b>\$2.64</b>	Specify Model at Time of Order to Determine Compatibility
DC56-27	Pulley BK34 x 1-1/8"	<b>\$19.14</b>	Specify Model at Time of Order to Determine Compatibility
DC56-28	Pulley Bushing H x 24mm	<b>\$16.74</b>	Specify Model at Time of Order to Determine Compatibility
DC56-30	Pulley Bushing H x 25mm	<b>\$16.74</b>	Specify Model at Time of Order to Determine Compatibility
DC56-31	Bushing Idler Tension ENG	<b>\$201.54</b>	Specify Model at Time of Order to Determine Compatibility
DC56-32	Torsion Arm for Belt Tensioner ENG	<b>\$232.20</b>	Specify Model at Time of Order to Determine Compatibility
DE-721-5	DE-721 5 Gallons (SDS Given)	<b>\$113.16</b>	Specify Model at Time of Order to Determine Compatibility
DP40-40	Drum Pump 55 Gal	<b>\$39.00</b>	Specify Model at Time of Order to Determine Compatibility
DP40-41	Pail Pump 5 Gal	<b>\$11.70</b>	Specify Model at Time of Order to Determine Compatibility
E05-30	Timer 24V-120/240V Multi Function	<b>\$113.51</b>	Specify Model at Time of Order to Determine Compatibility
E05-31	Timer 11 Pin Octal Socket	<b>\$17.41</b>	Specify Model at Time of Order to Determine Compatibility
E05-32	Timer 24-240V 11 Pin Socket	<b>\$257.03</b>	Specify Model at Time of Order to Determine Compatibility
E05-33	Timer 24-240V 5-60 Min w/Adj. Lock out	<b>\$141.60</b>	Specify Model at Time of Order to Determine Compatibility
E05-34	Timer 120V 60 Sec	<b>\$106.02</b>	Specify Model at Time of Order to Determine Compatibility
E05-35	Time Delay Relay 230V 30 Sec	<b>\$99.54</b>	Specify Model at Time of Order to Determine Compatibility
E05-36	Time Delay Relay 24V 30 Sec	<b>\$82.99</b>	Specify Model at Time of Order to Determine Compatibility
E05-37	Time Delay Relay 19-265V 1-1023 Sec	<b>\$94.79</b>	Specify Model at Time of Order to Determine Compatibility
E05-39	Timer 120V 7 Day Pin	<b>\$79.81</b>	Specify Model at Time of Order to Determine Compatibility
E05-40	Smart Relay	<b>\$249.55</b>	Specify Model at Time of Order to Determine Compatibility

E05-41	Relay 24V DPST	<b>\$69.83</b>	Specify Model at Time of Order to Determine Compatibility
E05-41.1	Relay 120V SPST	<b>\$69.83</b>	Specify Model at Time of Order to Determine Compatibility
E05-42	Relay 12V	<b>\$32.39</b>	Specify Model at Time of Order to Determine Compatibility
E05-43	Relay 24V IDEC CLP	<b>\$28.64</b>	Specify Model at Time of Order to Determine Compatibility
E05-43.1	Relay 24V	<b>\$19.91</b>	Specify Model at Time of Order to Determine Compatibility
E05-44	Relay 120V RH2B-UI-A120	<b>\$29.89</b>	Specify Model at Time of Order to Determine Compatibility
E05-45	Relay 240V RH2B-UI-A240	<b>\$36.13</b>	Specify Model at Time of Order to Determine Compatibility
E05-46	Relay Base SH2B-05 IDEC	<b>\$24.90</b>	Specify Model at Time of Order to Determine Compatibility
E05-47	Relay 12V 700-HG45Z12-6	<b>\$161.62</b>	Specify Model at Time of Order to Determine Compatibility
E05-48	Voltmeter 120V	<b>\$58.59</b>	Specify Model at Time of Order to Determine Compatibility
E05-48.1	Latching Relay Base	<b>\$12.42</b>	Specify Model at Time of Order to Determine Compatibility
E05-48.1A	Relay Latching DPDT 16 Amp	<b>\$76.07</b>	Specify Model at Time of Order to Determine Compatibility
E05-49	Tach/Hour Meter 12V	<b>\$112.26</b>	Specify Model at Time of Order to Determine Compatibility
E05-50	Hour Meter 115/240V	<b>\$58.59</b>	Specify Model at Time of Order to Determine Compatibility
E05-51	Indicator Light 24V Red	<b>\$7.43</b>	Specify Model at Time of Order to Determine Compatibility
E05-52	Indicator Light 24V Green	<b>\$7.43</b>	Specify Model at Time of Order to Determine Compatibility
E05-53	Indicator Light 24V Amber	<b>\$7.43</b>	Specify Model at Time of Order to Determine Compatibility
E05-54A	Indicator Light 12V Red	<b>\$14.91</b>	Specify Model at Time of Order to Determine Compatibility
E05-54B	Indicator Light 24V Red	<b>\$14.91</b>	Specify Model at Time of Order to Determine Compatibility
E05-54C	Indicator Light 125V Red	<b>\$14.91</b>	Specify Model at Time of Order to Determine Compatibility
E05-55A	Indicator Light 12V Green	<b>\$14.91</b>	Specify Model at Time of Order to Determine Compatibility
E05-55B	Indicator Light 24V Green	<b>\$14.91</b>	Specify Model at Time of Order to Determine Compatibility
E05-55C	Indicator Light 125V Green	<b>\$14.91</b>	Specify Model at Time of Order to Determine Compatibility
E05-57	Indicator Light 24V Clear	<b>\$9.92</b>	Specify Model at Time of Order to Determine Compatibility
E05-58	Indicator Light 125V Amber	<b>\$7.43</b>	Specify Model at Time of Order to Determine Compatibility
E05-59	Indicator Light 250V Blue	<b>\$7.43</b>	Specify Model at Time of Order to Determine Compatibility
E05-59B	Indicator Light Blue 125V	<b>\$12.42</b>	Specify Model at Time of Order to Determine Compatibility
E05-60	Low Voltage Inhibitor	<b>\$87.30</b>	Specify Model at Time of Order to Determine Compatibility
E05-61	600V Bridge Rectifier	<b>\$13.67</b>	Specify Model at Time of Order to Determine Compatibility
E05-62	15V Voltage Regulator	<b>\$269.51</b>	Specify Model at Time of Order to Determine Compatibility
E05-63	Capacitor Blue	<b>\$49.80</b>	Specify Model at Time of Order to Determine Compatibility
E05-64	Indicator Light 28V Green LED	<b>\$27.39</b>	Specify Model at Time of Order to Determine Compatibility
E05-65	Indicator Light 28V Amber LED	<b>\$27.39</b>	Specify Model at Time of Order to Determine Compatibility
E06-00	Conduit Flex 1/2"	<b>\$2.70</b>	Specify Model at Time of Order to Determine Compatibility
E06-01	Electrical Junction Box w/o Lid	<b>\$21.15</b>	Specify Model at Time of Order to Determine Compatibility
E06-01A	Electrical Junction Box Lid	<b>\$11.17</b>	Specify Model at Time of Order to Determine Compatibility
E06-02	Electrical Junction Box w/ Lid	<b>\$54.85</b>	Specify Model at Time of Order to Determine Compatibility
E06-03	Terminal Block 4 Pole	<b>\$13.67</b>	Specify Model at Time of Order to Determine Compatibility
E06-04	Strain Relief Connector 1/2"	<b>\$6.18</b>	Specify Model at Time of Order to Determine Compatibility
E06-05	Strain Relief Connector 3/4"	<b>\$11.17</b>	Specify Model at Time of Order to Determine Compatibility
E06-05A	Connector Nut 3/4"	<b>\$2.18</b>	Specify Model at Time of Order to Determine Compatibility
E06-06.1A	Cable Connector w/ 1/2" Knockout 3/8"	<b>\$1.81</b>	Specify Model at Time of Order to Determine Compatibility
E06-06.1B	Cable Connector 3/4"	<b>\$1.81</b>	Specify Model at Time of Order to Determine Compatibility
E06-06A	Strain Relief Connector 1"	<b>\$26.15</b>	Specify Model at Time of Order to Determine Compatibility
E06-06B	Strain Relief Connector 1/2"	<b>\$8.67</b>	Specify Model at Time of Order to Determine Compatibility
E06-07	Conduit Fitting 1/2"	<b>\$9.92</b>	Specify Model at Time of Order to Determine Compatibility
E06-08A	Connector Elbow 1/2" Flex x 1/2"	<b>\$4.93</b>	Specify Model at Time of Order to Determine Compatibility

E06-08B	Strain Relief Bushing for Conduit	<b>\$3.68</b>	Specify Model at Time of Order to Determine Compatibility
E06-09	1/2" Coupling Plastic	<b>\$2.43</b>	Specify Model at Time of Order to Determine Compatibility
E06-09.1	Circuit Breaker .5 Amp	<b>\$18.66</b>	Specify Model at Time of Order to Determine Compatibility
E06-10	Circuit Breaker 1.5 Amp	<b>\$18.66</b>	Specify Model at Time of Order to Determine Compatibility
E06-10.1	Circuit Breaker 3 Amp	<b>\$44.87</b>	Specify Model at Time of Order to Determine Compatibility
E06-10.2	Circuit Breaker 8 Amp	<b>\$52.35</b>	Specify Model at Time of Order to Determine Compatibility
E06-11	Circuit Breaker 25 Amp w/ Push Button Switch	<b>\$12.42</b>	Specify Model at Time of Order to Determine Compatibility
E06-11.1	Circuit Breaker 30 Amp	<b>\$111.01</b>	Specify Model at Time of Order to Determine Compatibility
E06-11.3	Circuit Breaker 45 Amp	<b>\$65.02</b>	Specify Model at Time of Order to Determine Compatibility
E06-11.4	Circuit Breaker 60 Amp	<b>\$71.29</b>	Specify Model at Time of Order to Determine Compatibility
E06-12A	Fuse 600V KTK-R-1/2	<b>\$8.11</b>	Specify Model at Time of Order to Determine Compatibility
E06-12B	Fuse 250V FNM-1/2	<b>\$5.62</b>	Specify Model at Time of Order to Determine Compatibility
E06-13A	Fuse 250V FNM-8/10	<b>\$5.62</b>	Specify Model at Time of Order to Determine Compatibility
E06-13B	Fuse 600V KTK-R1	<b>\$8.11</b>	Specify Model at Time of Order to Determine Compatibility
E06-13C	Fuse 600V KTK-R2	<b>\$8.67</b>	Specify Model at Time of Order to Determine Compatibility
E06-14A	Fuse 250V FNM-2-1/2	<b>\$5.62</b>	Specify Model at Time of Order to Determine Compatibility
E06-14B	Fuse 250V MDL-2-1/2 Small Dim	<b>\$4.37</b>	Specify Model at Time of Order to Determine Compatibility
E06-14C	Fuse 2.5 Amp KTK-R	<b>\$8.67</b>	Specify Model at Time of Order to Determine Compatibility
E06-15A	Fuse 600V FNQ-R3	<b>\$9.36</b>	Specify Model at Time of Order to Determine Compatibility
E06-15B	Fuse 600V KTK-R4	<b>\$9.36</b>	Specify Model at Time of Order to Determine Compatibility
E06-15C	Fuse 250V FNM-8	<b>\$5.62</b>	Specify Model at Time of Order to Determine Compatibility
E06-16.1	30 Amp Fuse Holder	<b>\$8.67</b>	Specify Model at Time of Order to Determine Compatibility
E06-16A	Fuse 250V MDL-1/2 Small Dim	<b>\$5.62</b>	Specify Model at Time of Order to Determine Compatibility
E06-16B	Fuse 250V FRN-R-1/2	<b>\$17.41</b>	Specify Model at Time of Order to Determine Compatibility
E06-16C	Fuse - 250V - 25 Amp	<b>\$9.30</b>	Specify Model at Time of Order to Determine Compatibility
E06-17A	Toggle Switch 1-1/2HP 1 Pole	<b>\$8.67</b>	Specify Model at Time of Order to Determine Compatibility
E06-17C	Toggle Switch Protector	<b>\$8.67</b>	Specify Model at Time of Order to Determine Compatibility
E06-17D	Toggle Switch 2HP	<b>\$28.64</b>	Specify Model at Time of Order to Determine Compatibility
E06-18	Baldor Switch Assembly	<b>\$28.64</b>	Specify Model at Time of Order to Determine Compatibility
E06-19	Rocker Switch 230V 20 Amp	<b>\$17.41</b>	Specify Model at Time of Order to Determine Compatibility
E06-20A	Rocker Switch Corvette V Carling	<b>\$5.62</b>	Specify Model at Time of Order to Determine Compatibility
E06-20B	Rocker Switch Corvette 2-Pos	<b>\$13.67</b>	Specify Model at Time of Order to Determine Compatibility
E06-20C	Rocker Switch WB2	<b>\$24.90</b>	Specify Model at Time of Order to Determine Compatibility
E06-21	Rocker Switch 12V 20 Amp V Series	<b>\$13.67</b>	Specify Model at Time of Order to Determine Compatibility
E06-21A	Rocker Switch 24V 15 Amp V Series w/Light	<b>\$24.90</b>	Specify Model at Time of Order to Determine Compatibility
E06-22	Rocker Switch 2-Pos w/Green Light	<b>\$19.91</b>	Specify Model at Time of Order to Determine Compatibility
E06-23	Rocker Switch 3-Pos w/Cover	<b>\$29.89</b>	Specify Model at Time of Order to Determine Compatibility
E06-24	Rocker Switch	<b>\$37.38</b>	Specify Model at Time of Order to Determine Compatibility
E06-25	Rocker Switch 24V 15 Amp	<b>\$48.36</b>	Specify Model at Time of Order to Determine Compatibility
E06-26	On/Off Switch	<b>\$42.43</b>	Specify Model at Time of Order to Determine Compatibility
E06-27	On/Off Switch Mounting Latch	<b>\$53.60</b>	Specify Model at Time of Order to Determine Compatibility
E06-28	Rotary Selector Switch	<b>\$48.61</b>	Specify Model at Time of Order to Determine Compatibility
E06-29	Contact Block N-Closed	<b>\$17.41</b>	Specify Model at Time of Order to Determine Compatibility
E06-30	Contact Block N-Open	<b>\$17.41</b>	Specify Model at Time of Order to Determine Compatibility
E06-300	Cam Switch 110V 1 Phase	<b>\$135.89</b>	Specify Model at Time of Order to Determine Compatibility
E06-31	Push Button Switch Red	<b>\$24.90</b>	Specify Model at Time of Order to Determine Compatibility
E06-31A	Push Button Switch Green	<b>\$22.40</b>	Specify Model at Time of Order to Determine Compatibility

E06-32	Rotary Selector Switch 2-Pos	<b>\$28.64</b>	Specify Model at Time of Order to Determine Compatibility
E06-33	Rotary Switch 2-Pos 1-3 Phase	<b>\$76.07</b>	Specify Model at Time of Order to Determine Compatibility
E06-34	Rotary Switch 3-Pos 3 Phase	<b>\$149.70</b>	Specify Model at Time of Order to Determine Compatibility
E06-35	Rotary Switch 3-Pos 1 Phase	<b>\$74.82</b>	Specify Model at Time of Order to Determine Compatibility
E06-36	Rotary Switch 8-Pos	<b>\$89.79</b>	Specify Model at Time of Order to Determine Compatibility
E06-37	Rotary Switch Rings	<b>\$5.62</b>	Specify Model at Time of Order to Determine Compatibility
E06-37A	Rotary Switch Knob	<b>\$10.92</b>	Specify Model at Time of Order to Determine Compatibility
E06-37B	Rotary Switch Parts Kit	<b>\$31.14</b>	Specify Model at Time of Order to Determine Compatibility
E06-38	Rotary Switch Knob Repair Kit	<b>\$23.40</b>	Specify Model at Time of Order to Determine Compatibility
E06-39	Rotary Switch 2-Pos	<b>\$76.07</b>	Specify Model at Time of Order to Determine Compatibility
E06-40	Rotary Switch 3-Pos 1 Pole	<b>\$56.10</b>	Specify Model at Time of Order to Determine Compatibility
E06-41	Rotary Switch 3-Pos 2 Poles	<b>\$63.59</b>	Specify Model at Time of Order to Determine Compatibility
E06-42	Rotary Switch 3-Pos 2 Poles Panel Mount	<b>\$158.43</b>	Specify Model at Time of Order to Determine Compatibility
E06-43	Rotary Switch 3-Pos 3 Poles	<b>\$69.83</b>	Specify Model at Time of Order to Determine Compatibility
E06-43.1	Rotary Switch 4-Pos	<b>\$123.49</b>	Specify Model at Time of Order to Determine Compatibility
E06-43.2	Rotary Switch 2-Pos 2 Poles	<b>\$185.89</b>	Specify Model at Time of Order to Determine Compatibility
E06-44	Transformer 120/208/240V 24V .050KvA	<b>\$39.87</b>	Specify Model at Time of Order to Determine Compatibility
E06-44.1	Transformer 120/280V-240/480V	<b>\$124.74</b>	Specify Model at Time of Order to Determine Compatibility
E06-45	Transformer 240/480V 120V .050KvA	<b>\$87.30</b>	Specify Model at Time of Order to Determine Compatibility
E06-46	Transformer 120/240V 24V .050KvA	<b>\$92.29</b>	Specify Model at Time of Order to Determine Compatibility
E06-47	Transformer 208/277V 120V .050KvA	<b>\$86.05</b>	Specify Model at Time of Order to Determine Compatibility
E06-48	Transformer 240/480V 120V .075KvA	<b>\$109.76</b>	Specify Model at Time of Order to Determine Compatibility
E06-49	Transformer 208V 120V .050KvA	<b>\$204.61</b>	Specify Model at Time of Order to Determine Compatibility
E06-50	Transformer 208/230/460 - 24/120 .100 KvA	<b>\$131.94</b>	Specify Model at Time of Order to Determine Compatibility
E07-01	Contactactor 24V 30 Amp	<b>\$112.26</b>	Specify Model at Time of Order to Determine Compatibility
E07-02	Contactactor 115V 30 Amp	<b>\$112.26</b>	Specify Model at Time of Order to Determine Compatibility
E07-03	Contactactor 230V 30 Amp	<b>\$112.26</b>	Specify Model at Time of Order to Determine Compatibility
E07-03.1	Contactactor 115V 25 Amp	<b>\$112.26</b>	Specify Model at Time of Order to Determine Compatibility
E07-04	Contactactor 24V 50 Amp	<b>\$112.26</b>	Specify Model at Time of Order to Determine Compatibility
E07-05	Contactactor 115V 50 Amp	<b>\$112.26</b>	Specify Model at Time of Order to Determine Compatibility
E07-06	Contactactor 230V 50 Amp	<b>\$112.26</b>	Specify Model at Time of Order to Determine Compatibility
E07-06.1	Contactactor Auxilary Block	<b>\$37.38</b>	Specify Model at Time of Order to Determine Compatibility
E07-07	Overload Relay 2.4-4 Amp	<b>\$72.32</b>	Specify Model at Time of Order to Determine Compatibility
E07-08	Overload Relay 3.8-6 Amp	<b>\$108.51</b>	Specify Model at Time of Order to Determine Compatibility
E07-09	Overload Relay 4-6 Amp	<b>\$72.32</b>	Specify Model at Time of Order to Determine Compatibility
E07-10	Overload Relay 6-10 Amp	<b>\$72.32</b>	Specify Model at Time of Order to Determine Compatibility
E07-11	Overload Relay 10-16 Amp	<b>\$72.32</b>	Specify Model at Time of Order to Determine Compatibility
E07-12	Overload Relay 16-24 Amp	<b>\$72.32</b>	Specify Model at Time of Order to Determine Compatibility
E07-13	Overload Relay 24-32 Amp	<b>\$74.82</b>	Specify Model at Time of Order to Determine Compatibility
E07-14	Overload Relay 24-40 Amp	<b>\$123.49</b>	Specify Model at Time of Order to Determine Compatibility
E07-15	Overload Relay 40-57 Amp	<b>\$124.74</b>	Specify Model at Time of Order to Determine Compatibility
E07-300	Contactactor 115Volt Coil 93Amp	<b>\$401.73</b>	Specify Model at Time of Order to Determine Compatibility
E07-NS-301	Contactactor 60 Amp	<b>\$273.84</b>	Specify Model at Time of Order to Determine Compatibility
E07-NS-302	Overload Relay 20 - 100 AMP	<b>\$241.20</b>	Specify Model at Time of Order to Determine Compatibility
E15-01	GFCI Cord 115V 15 Amp 35'	<b>\$148.45</b>	Specify Model at Time of Order to Determine Compatibility
E15-02	GFCI Cord 120V 20 Amp 36'	<b>\$137.22</b>	Specify Model at Time of Order to Determine Compatibility
E15-03	GFCI Cord 120V 15 Amp 36'	<b>\$122.24</b>	Specify Model at Time of Order to Determine Compatibility

E15-05	GFCI Cord 240V 30 Amp 36'	<b>\$326.91</b>	Specify Model at Time of Order to Determine Compatibility
E15-10.1	Electrical Tape 3/4"	<b>\$3.36</b>	Specify Model at Time of Order to Determine Compatibility
E15-11	Double Connection Female Spade	<b>\$1.61</b>	Specify Model at Time of Order to Determine Compatibility
E15-15	GFCI Cord 240V 40 Amp 36'	<b>\$992.16</b>	Specify Model at Time of Order to Determine Compatibility
E15-16	10 Gauge Electrical Cord Per Foot	<b>\$3.76</b>	Specify Model at Time of Order to Determine Compatibility
E15-17	9 Wire Cord - Per Foot	<b>\$7.43</b>	Specify Model at Time of Order to Determine Compatibility
E15-18	Metal conduit with 4 Wires per Foot	<b>\$1.80</b>	Specify Model at Time of Order to Determine Compatibility
E15-18.1	Clamp Connector for E15-18	<b>\$1.80</b>	Specify Model at Time of Order to Determine Compatibility
E15-19	12 Gauge Electrical Cord Per Foot	<b>\$3.30</b>	Specify Model at Time of Order to Determine Compatibility
E35-11	Electrical Box Channel .96 x 23 x 7	<b>\$7.14</b>	Specify Model at Time of Order to Determine Compatibility
E35-12	Electrical Box 8 x 5.6	<b>\$11.94</b>	Specify Model at Time of Order to Determine Compatibility
E43-05	Extension Cord 100'	<b>\$224.58</b>	Specify Model at Time of Order to Determine Compatibility
E43-06	Extension Cord 50'	<b>\$112.26</b>	Specify Model at Time of Order to Determine Compatibility
EB26-37	Briggs Key Switch	<b>\$33.64</b>	Specify Model at Time of Order to Determine Compatibility
EB26-39	Oil Filter Briggs	<b>\$18.72</b>	Specify Model at Time of Order to Determine Compatibility
EB26-40	spark plug ngk for 23 hp vanguard/briggs	<b>\$6.18</b>	Specify Model at Time of Order to Determine Compatibility
EB26-41	Spark Plug	<b>\$11.70</b>	Specify Model at Time of Order to Determine Compatibility
EB26-42	Regulator Briggs	<b>\$192.13</b>	Specify Model at Time of Order to Determine Compatibility
EB26-43	rocker switch	<b>\$17.41</b>	Specify Model at Time of Order to Determine Compatibility
EB26-44	electric starter	<b>\$81.06</b>	Specify Model at Time of Order to Determine Compatibility
EB26-44.1	Briggs Ignition Key	<b>\$9.92</b>	Specify Model at Time of Order to Determine Compatibility
EB26-45	35 hp briggs inner air filter	<b>\$68.59</b>	Specify Model at Time of Order to Determine Compatibility
EB26-46	35 hp briggs outer air filter	<b>\$45.68</b>	Specify Model at Time of Order to Determine Compatibility
EB26-47A	float carburetor	<b>\$11.08</b>	Specify Model at Time of Order to Determine Compatibility
EB26-47B	oil pressure switch	<b>\$19.78</b>	Specify Model at Time of Order to Determine Compatibility
EB26-47C	Muffler Bolt-11HP/256422/	<b>\$3.24</b>	Specify Model at Time of Order to Determine Compatibility
EB26-47D	muffler	<b>\$8.67</b>	Specify Model at Time of Order to Determine Compatibility
EB26-47E	carburetor kit	<b>\$23.34</b>	Specify Model at Time of Order to Determine Compatibility
EB26-47F	hub starter	<b>\$12.42</b>	Specify Model at Time of Order to Determine Compatibility
EB26-47G	ignition switch	<b>\$44.29</b>	Specify Model at Time of Order to Determine Compatibility
EB26-47H	Oil Pressure Switch NO	<b>\$43.62</b>	Specify Model at Time of Order to Determine Compatibility
EB26-48	alternator	<b>\$73.57</b>	Specify Model at Time of Order to Determine Compatibility
EB26-48B	rocker switch	<b>\$12.42</b>	Specify Model at Time of Order to Determine Compatibility
EB26-48C	gasket set engine 16 hp	<b>\$87.06</b>	Specify Model at Time of Order to Determine Compatibility
EB26-48D	gasket exhaust	<b>\$12.42</b>	Specify Model at Time of Order to Determine Compatibility
EB26-48E	gasket exhaust	<b>\$6.73</b>	Specify Model at Time of Order to Determine Compatibility
EB26-48F	screw set for muffler goosneck	<b>\$4.41</b>	Specify Model at Time of Order to Determine Compatibility
EB26-48G	spring like mech gov	<b>\$4.98</b>	Specify Model at Time of Order to Determine Compatibility
EB26-48H	key set	<b>\$11.23</b>	Specify Model at Time of Order to Determine Compatibility
EB26-49	Oil Filter	<b>\$18.66</b>	Specify Model at Time of Order to Determine Compatibility
EB26-51	Briggs Air Filter Cartridge 9HP	<b>\$27.39</b>	Specify Model at Time of Order to Determine Compatibility
EB26-52	Briggs air filter for 7 to 18 hp engines	<b>\$23.71</b>	Specify Model at Time of Order to Determine Compatibility
EB26-52A	pre filter wrap for 393957S	<b>\$7.43</b>	Specify Model at Time of Order to Determine Compatibility
EB26-53	Air Filter Cartridge 16/18HP	<b>\$24.90</b>	Specify Model at Time of Order to Determine Compatibility
EB26-53A	Pre Filter for EB26-53	<b>\$9.30</b>	Specify Model at Time of Order to Determine Compatibility
EB26-54	filter pre cleaner for 23 hp vanguard	<b>\$8.67</b>	Specify Model at Time of Order to Determine Compatibility
EB26-54A	Filter Air Cartridge 23 HP Briggs	<b>\$24.90</b>	Specify Model at Time of Order to Determine Compatibility

EB58-15	Battery Small	<b>\$62.34</b>	Specify Model at Time of Order to Determine Compatibility
EB58-16	Battery Large	<b>\$129.17</b>	Specify Model at Time of Order to Determine Compatibility
EB58-17	Battery 12V	<b>\$83.94</b>	Specify Model at Time of Order to Determine Compatibility
EB58-17.1	Battery Charger 12V	<b>\$85.22</b>	Specify Model at Time of Order to Determine Compatibility
EC+-5	EC Plus, 5 Gal, SDS Given	<b>\$105.60</b>	Specify Model at Time of Order to Determine Compatibility
EG26-64	Choke Cable/ 42/40 9/16" Mounting Hole	<b>\$37.38</b>	Specify Model at Time of Order to Determine Compatibility
EH26-01	Air Element Cleaner 5 hp honda	<b>\$8.05</b>	Specify Model at Time of Order to Determine Compatibility
EH26-02	Air Filter GX160 GX200	<b>\$24.90</b>	Specify Model at Time of Order to Determine Compatibility
EH26-03	Air Filter GX240 GX270	<b>\$30.58</b>	Specify Model at Time of Order to Determine Compatibility
EH26-04	Air Filter GX340 GX390	<b>\$31.14</b>	Specify Model at Time of Order to Determine Compatibility
EH26-04.1	Pre Filter GX340 & GX390	<b>\$2.18</b>	Specify Model at Time of Order to Determine Compatibility
EH26-05	Air Filter Outer	<b>\$8.67</b>	Specify Model at Time of Order to Determine Compatibility
EH26-06	Air Filter	<b>\$39.87</b>	Specify Model at Time of Order to Determine Compatibility
EH26-07	Air Filter Outer	<b>\$11.17</b>	Specify Model at Time of Order to Determine Compatibility
EH26-08	Air Filter	<b>\$54.85</b>	Specify Model at Time of Order to Determine Compatibility
EH26-09	Air Filter GX630 GX660 GX670	<b>\$49.86</b>	Specify Model at Time of Order to Determine Compatibility
EH26-10	muffler	<b>\$99.82</b>	Specify Model at Time of Order to Determine Compatibility
EH26-11	Muffler Protector	<b>\$52.35</b>	Specify Model at Time of Order to Determine Compatibility
EH26-12	Starter Motor Assembly	<b>\$485.47</b>	Specify Model at Time of Order to Determine Compatibility
EH26-13A	Cylinder Head	<b>\$101.41</b>	Specify Model at Time of Order to Determine Compatibility
EH26-13B	Cylinder Head Gasket	<b>\$17.41</b>	Specify Model at Time of Order to Determine Compatibility
EH26-14A	Bolt	<b>\$1.87</b>	Specify Model at Time of Order to Determine Compatibility
EH26-14B	Bolt	<b>\$6.23</b>	Specify Model at Time of Order to Determine Compatibility
EH26-14C	Bolt	<b>\$2.36</b>	Specify Model at Time of Order to Determine Compatibility
EH26-14D	Pin Spring	<b>\$2.48</b>	Specify Model at Time of Order to Determine Compatibility
EH26-15A	Nut	<b>\$4.37</b>	Specify Model at Time of Order to Determine Compatibility
EH26-15B	Nut	<b>\$2.12</b>	Specify Model at Time of Order to Determine Compatibility
EH26-15C	Wingnut	<b>\$4.37</b>	Specify Model at Time of Order to Determine Compatibility
EH26-16A	Screw	<b>\$7.49</b>	Specify Model at Time of Order to Determine Compatibility
EH26-16B	Screw	<b>\$2.50</b>	Specify Model at Time of Order to Determine Compatibility
EH26-16C	Nut	<b>\$2.50</b>	Specify Model at Time of Order to Determine Compatibility
EH26-16D	Screw	<b>\$2.50</b>	Specify Model at Time of Order to Determine Compatibility
EH26-16E	Screw	<b>\$4.93</b>	Specify Model at Time of Order to Determine Compatibility
EH26-19	Carburetor GX390	<b>\$48.73</b>	Specify Model at Time of Order to Determine Compatibility
EH26-19.1	Carburetor GX670	<b>\$232.07</b>	Specify Model at Time of Order to Determine Compatibility
EH26-19.2	Carburetor GX660	<b>\$242.52</b>	Specify Model at Time of Order to Determine Compatibility
EH26-19.2A	Air Cleaner Gasket	<b>\$3.49</b>	Specify Model at Time of Order to Determine Compatibility
EH26-19.2B	Solenoid Valve Assembly	<b>\$50.52</b>	Specify Model at Time of Order to Determine Compatibility
EH26-19.2C	Carburetor Gasket	<b>\$3.54</b>	Specify Model at Time of Order to Determine Compatibility
EH26-19.3	Coil Ignition Assembly	<b>\$81.06</b>	Specify Model at Time of Order to Determine Compatibility
EH26-19.4	Carburetor GX270	<b>\$56.10</b>	Specify Model at Time of Order to Determine Compatibility
EH26-19.5	Carburetor GX160	<b>\$43.62</b>	Specify Model at Time of Order to Determine Compatibility
EH26-19.6	Carburetor GX200	<b>\$47.36</b>	Specify Model at Time of Order to Determine Compatibility
EH26-20	Control Assembly	<b>\$58.59</b>	Specify Model at Time of Order to Determine Compatibility
EH26-21	Spark Plug	<b>\$7.43</b>	Specify Model at Time of Order to Determine Compatibility
EH26-22	Spark Plug	<b>\$7.43</b>	Specify Model at Time of Order to Determine Compatibility
EH26-23	Fuel Pump	<b>\$32.39</b>	Specify Model at Time of Order to Determine Compatibility

EH26-23.1	Fuel Pump	<b>\$43.62</b>	Specify Model at Time of Order to Determine Compatibility
EH26-24	Fuel Filter	<b>\$19.91</b>	Specify Model at Time of Order to Determine Compatibility
EH26-25	Fuel Filter	<b>\$12.47</b>	Specify Model at Time of Order to Determine Compatibility
EH26-26	Oil Filter	<b>\$12.42</b>	Specify Model at Time of Order to Determine Compatibility
EH26-27	Gas Hose	<b>\$6.24</b>	Specify Model at Time of Order to Determine Compatibility
EH26-28	Vacuum Line	<b>\$3.12</b>	Specify Model at Time of Order to Determine Compatibility
EH26-29	Recoil Starter Assembly	<b>\$62.34</b>	Specify Model at Time of Order to Determine Compatibility
EH26-29.2	Recoil Handle	<b>\$11.22</b>	Specify Model at Time of Order to Determine Compatibility
EH26-29A	Recoil Starter Assembly	<b>\$112.26</b>	Specify Model at Time of Order to Determine Compatibility
EH26-29B	Recoil Starter Assembly	<b>\$74.82</b>	Specify Model at Time of Order to Determine Compatibility
EH26-30	Fuel Line Nipple	<b>\$13.67</b>	Specify Model at Time of Order to Determine Compatibility
EH26-30A	Fuel Line Coupler	<b>\$27.39</b>	Specify Model at Time of Order to Determine Compatibility
EH26-31	Oil Drain Kit GX630,660,690	<b>\$33.63</b>	Specify Model at Time of Order to Determine Compatibility
EH26-31A	Barb and Plug	<b>\$6.18</b>	Specify Model at Time of Order to Determine Compatibility
EH26-31B	Oil Drain Push On	<b>\$24.90</b>	Specify Model at Time of Order to Determine Compatibility
EH26-32	Engine Switch	<b>\$19.91</b>	Specify Model at Time of Order to Determine Compatibility
EH26-32A	Combination Switch	<b>\$99.78</b>	Specify Model at Time of Order to Determine Compatibility
EH26-33	Spark Plug Wrench	<b>\$6.18</b>	Specify Model at Time of Order to Determine Compatibility
EH26-34	Muffler Guard	<b>\$9.92</b>	Specify Model at Time of Order to Determine Compatibility
EH26-35A	Exhaust Pipe Protector	<b>\$23.65</b>	Specify Model at Time of Order to Determine Compatibility
EH26-35B	Exhaust Pipe	<b>\$58.59</b>	Specify Model at Time of Order to Determine Compatibility
EH26-35C	Gasket Set	<b>\$23.65</b>	Specify Model at Time of Order to Determine Compatibility
EH26-35D	Engine Stop Diode	<b>\$51.11</b>	Specify Model at Time of Order to Determine Compatibility
EH26-36.1	Rectifier Assembly 20 Amp	<b>\$174.66</b>	Specify Model at Time of Order to Determine Compatibility
EH26-36.1A	Rectifier Regulator 10 Amp	<b>\$188.39</b>	Specify Model at Time of Order to Determine Compatibility
EH26-36.1B	Rectifier Regulator 20 Amp	<b>\$148.16</b>	Specify Model at Time of Order to Determine Compatibility
EH26-36.2	Coil Assembly Charge	<b>\$169.70</b>	Specify Model at Time of Order to Determine Compatibility
EH26-36.3	Coil Assembly Charge	<b>\$212.10</b>	Specify Model at Time of Order to Determine Compatibility
EH26-36A	Oil Cap O-Ring	<b>\$4.14</b>	Specify Model at Time of Order to Determine Compatibility
EH26-36B	Screw	<b>\$3.68</b>	Specify Model at Time of Order to Determine Compatibility
EH26-36C	Wingnut	<b>\$3.68</b>	Specify Model at Time of Order to Determine Compatibility
EH26-36D	Oil Cap Yellow	<b>\$11.26</b>	Specify Model at Time of Order to Determine Compatibility
EH26-36E	Spark Plug Cap Assembly	<b>\$19.91</b>	Specify Model at Time of Order to Determine Compatibility
EH26-36F	Oil Level Switch Assembly	<b>\$80.82</b>	Specify Model at Time of Order to Determine Compatibility
EH26-36G	Ignition Coil Assembly	<b>\$87.54</b>	Specify Model at Time of Order to Determine Compatibility
EH26-36H	Engine Wire Harness	<b>\$56.34</b>	Specify Model at Time of Order to Determine Compatibility
EH26-37.1	Honda Ignition Key	<b>\$7.48</b>	Specify Model at Time of Order to Determine Compatibility
EH26-37A	Ignition Key	<b>\$2.43</b>	Specify Model at Time of Order to Determine Compatibility
EH26-37B	Ignition Key	<b>\$3.68</b>	Specify Model at Time of Order to Determine Compatibility
EK26-55	Airfilter Lombardini/Kohler	<b>\$50.44</b>	Specify Model at Time of Order to Determine Compatibility
EK26-56	Oil filter Lombardini/Kohler	<b>\$46.36</b>	Specify Model at Time of Order to Determine Compatibility
EK26-57	Lombardini air filter	<b>\$67.42</b>	Specify Model at Time of Order to Determine Compatibility
EK26-58	Lombardini oil filter	<b>\$34.13</b>	Specify Model at Time of Order to Determine Compatibility
EK26-59	Lombardini Fuel Filter	<b>\$45.36</b>	Specify Model at Time of Order to Determine Compatibility
EK26-61	Oil Filter Kawasaki 27HP	<b>\$18.66</b>	Specify Model at Time of Order to Determine Compatibility
EK26-62	Kawaski spark plug for 27 hp	<b>\$4.73</b>	Specify Model at Time of Order to Determine Compatibility
EK26-63	Kawaski air filter combo 27 hp	<b>\$51.11</b>	Specify Model at Time of Order to Determine Compatibility

EK26-79	Kohler Spark plugs	<b>\$10.55</b>	Specify Model at Time of Order to Determine Compatibility
EK26-80	Kohler oil filter (short)	<b>\$22.40</b>	Specify Model at Time of Order to Determine Compatibility
EK26-81	Kohler 18 HP Air Filter Set - Element	<b>\$22.40</b>	Specify Model at Time of Order to Determine Compatibility
EK26-81A	Kohler Pre-Cleaner	<b>\$6.18</b>	Specify Model at Time of Order to Determine Compatibility
EK26-81B	Kohler oring valve cover	<b>\$4.98</b>	Specify Model at Time of Order to Determine Compatibility
EK26-82	Carburetor Kit	<b>\$101.94</b>	Specify Model at Time of Order to Determine Compatibility
EO26-78A	Adapter for exhaust muffler	<b>\$27.46</b>	Specify Model at Time of Order to Determine Compatibility
EQ-210-HEAT	210 Water Heater	<b>\$4,311.60</b>	Specify Model at Time of Order to Determine Compatibility
EQ-210-HEAT-SPCL	210 Heater No Fuel Tank w/ Modified Cover	<b>\$4,366.80</b>	Specify Model at Time of Order to Determine Compatibility
EQ-8-VFS-1	Vacuum Filtration System 120V 5 GPM	<b>\$4,578.24</b>	Specify Model at Time of Order to Determine Compatibility
EQ-AAS-23105-80V	80 Gallon Vertical Air Compressor 230V 1 Phase	<b>\$2,398.80</b>	Specify Model at Time of Order to Determine Compatibility
EQ-AM1-HE15-03M	3 Gallon 1.5 HP Electric Air Compressor	<b>\$298.80</b>	Specify Model at Time of Order to Determine Compatibility
EQ-AR630-TSS-HOT	AR630 TSS HOT 115V	<b>\$934.80</b>	Specify Model at Time of Order to Determine Compatibility
EQ-ARS-E	Arctic Steamer Ice Dam Steamer - Owners Manual Given	<b>\$5,518.80</b>	Specify Model at Time of Order to Determine Compatibility
EQ-ARS-EB	Arctic Steamer Ice Dam Steamer - Owners Manual Given	<b>\$5,518.80</b>	Specify Model at Time of Order to Determine Compatibility
EQ-CA-1502-0E1G	2.0 GPM 1500 PSI 120V DD	<b>\$1,554.00</b>	Specify Model at Time of Order to Determine Compatibility
EQ-CHEMSPRAY-12V	Chemical Sprayer 12V Battery - Portable	<b>\$740.36</b>	Specify Model at Time of Order to Determine Compatibility
EQ-DW2004-WSE3G	CW 3.9 GPM 2000 PSI 460V 3 Phase BD	<b>\$5,280.00</b>	Specify Model at Time of Order to Determine Compatibility
EQ-HBS12V40	Hot Box Heater 12V	<b>\$3,594.00</b>	Specify Model at Time of Order to Determine Compatibility
EQ-HDS-1.7/12UED	HDS 1.7/12 U Ed 120V 1 Phase Hot Water DD	<b>\$3,822.00</b>	Specify Model at Time of Order to Determine Compatibility
EQ-HOT2-15024D	HOT2-1500 120V 1 Phase DD	<b>\$5,190.00</b>	Specify Model at Time of Order to Determine Compatibility
EQ-HR5030D	HR5030 Water Heater	<b>\$4,200.00</b>	Specify Model at Time of Order to Determine Compatibility
EQ-JARVIS-SCW-2.4/25G	SCW 2.4 GPM 2500 PSI Washer/Surface Cleaner Combo	<b>\$3,118.80</b>	Specify Model at Time of Order to Determine Compatibility
EQ-MWP-30E	MWP 30 GPM Water Recovery System	<b>\$2,370.00</b>	Specify Model at Time of Order to Determine Compatibility
EQ-PG4-20324	PG4-2000 Gas Engine BD	<b>\$3,504.00</b>	Specify Model at Time of Order to Determine Compatibility
EQ-PG4-35324	PG4-3500 Gas Engine BD	<b>\$2,458.80</b>	Specify Model at Time of Order to Determine Compatibility
EQ-RPV30E1	RPV30E1 Recovery Vacuum 120V 30GPM	<b>\$2,211.60</b>	Specify Model at Time of Order to Determine Compatibility
EQ-SC-ANTV5	30" Surface Cleaner w/Recovery	<b>\$4,536.00</b>	Specify Model at Time of Order to Determine Compatibility
EQ-SC-ASE-0006I	24" Surface Cleaner In-Line	<b>\$1,440.56</b>	Specify Model at Time of Order to Determine Compatibility
EQ-SC-ASE-0007I	30" Surface Cleaner In-Line	<b>\$1,183.14</b>	Specify Model at Time of Order to Determine Compatibility
EQ-SC-DCFSCP24GZ	24" Surface Cleaner	<b>\$628.74</b>	Specify Model at Time of Order to Determine Compatibility
EQ-SC-DFSCP12E	12" Surface Cleaner	<b>\$86.94</b>	Specify Model at Time of Order to Determine Compatibility
EQ-SC-FL-AHB-KAU520	21" Surface Cleaner W/Gum Remover	<b>\$2,583.00</b>	Specify Model at Time of Order to Determine Compatibility
EQ-SC-FL-EG300	12" Surface Cleaner	<b>\$718.80</b>	Specify Model at Time of Order to Determine Compatibility
EQ-SC-FL-ER300	12" Surface Cleaner	<b>\$1,001.70</b>	Specify Model at Time of Order to Determine Compatibility
EQ-SC-NS-ANT4C	28" Surface Cleaner w/Spray Bar	<b>\$1,984.50</b>	Specify Model at Time of Order to Determine Compatibility
EQ-SC-NS-FLOR520	Surface Cleaner 21" SS	<b>\$1,258.74</b>	Specify Model at Time of Order to Determine Compatibility
EQ-SC-SC21	Surface Cleaner 21"	<b>\$858.00</b>	Specify Model at Time of Order to Determine Compatibility
EQ-SC-SC24	Surface Cleaner 24"	<b>\$930.00</b>	Specify Model at Time of Order to Determine Compatibility
EQ-SC-WJ	Water Jet Surface Cleaner	<b>\$2,040.00</b>	Specify Model at Time of Order to Determine Compatibility
EQ-SC-WP-MONDO49	49" Surface Cleaner	<b>\$3,148.74</b>	Specify Model at Time of Order to Determine Compatibility
EQ-UC-ASE-0019	Undercarriage Cleaner 4" Wheels	<b>\$1,219.93</b>	Specify Model at Time of Order to Determine Compatibility
EQ-UC-ASE-0019-15SS	Undercarriage Cleaner SS w/Front Wheels	<b>\$1,258.74</b>	Specify Model at Time of Order to Determine Compatibility

EQ-UC-ASE-0019-7	Undercarriage Cleaner 10" Wheels	<b>\$1,323.00</b>	Specify Model at Time of Order to Determine Compatibility
EQ-UC-ASE-0019-7SS	Undercarriage Cleaner SS 10" Wheels	<b>\$1,258.74</b>	Specify Model at Time of Order to Determine Compatibility
EQ-UC-HUR-520	Undercarriage Cleaner w/Stabalizer Nozzle	<b>\$1,764.00</b>	Specify Model at Time of Order to Determine Compatibility
EQ-UC-HUR-520P	Undercarriage Cleaner 520 Pro	<b>\$2,880.00</b>	Specify Model at Time of Order to Determine Compatibility
EQ-V770A-12V	Vactron Heater 12V 686,000 BTU 3/4" Coil	<b>#####</b>	Specify Model at Time of Order to Determine Compatibility
EQ-VAC-24	Vacuum 24 Gallon, 2 Motor, W/Discharge	<b>\$1,430.86</b>	Specify Model at Time of Order to Determine Compatibility
EQ-WH20	Honda Water Transfer Pump	<b>\$912.00</b>	Specify Model at Time of Order to Determine Compatibility
EQ-ZEF2-14024D	ZEF2-1400 120V 1 Phase Cold Water	<b>\$2,238.00</b>	Specify Model at Time of Order to Determine Compatibility
ES26-69	Fuel filter, Robin series ex series	<b>\$9.92</b>	Specify Model at Time of Order to Determine Compatibility
ES26-70	Air filter Robin engines ex 17.21 series	<b>\$41.12</b>	Specify Model at Time of Order to Determine Compatibility
ES26-71	Robin Subaru carburetor assy for ex21 engines	<b>\$154.69</b>	Specify Model at Time of Order to Determine Compatibility
ES26-72	Switch Sets-Robin Engines	<b>\$21.15</b>	Specify Model at Time of Order to Determine Compatibility
ES26-73	Robin spark plugs	<b>\$8.67</b>	Specify Model at Time of Order to Determine Compatibility
ES26-74	Fuel strainer	<b>\$32.45</b>	Specify Model at Time of Order to Determine Compatibility
ES26-76	Recoil Starter assy	<b>\$189.63</b>	Specify Model at Time of Order to Determine Compatibility
ES26-76A	Spiral spring,recoil, Robin engine, ex series	<b>\$32.39</b>	Specify Model at Time of Order to Determine Compatibility
EV26-300	Vanguard Fuel Pump	<b>\$42.18</b>	Specify Model at Time of Order to Determine Compatibility
F11-01	Quick Coupler 1/4" Female SS	<b>\$11.94</b>	Specify Model at Time of Order to Determine Compatibility
F11-02	Quick Coupler 1/4" Male SS	<b>\$11.94</b>	Specify Model at Time of Order to Determine Compatibility
F11-03	Quick Coupler 3/8" Female SS	<b>\$13.14</b>	Specify Model at Time of Order to Determine Compatibility
F11-04	Quick Coupler 3/8" Male SS	<b>\$13.14</b>	Specify Model at Time of Order to Determine Compatibility
F11-05	Quick Coupler Plug 1/4" Female SS	<b>\$7.26</b>	Specify Model at Time of Order to Determine Compatibility
F11-06	Quick Coupler Plug 1/4" Male SS	<b>\$7.26</b>	Specify Model at Time of Order to Determine Compatibility
F11-07	Quick Coupler Plug 3/8" Female SS	<b>\$8.46</b>	Specify Model at Time of Order to Determine Compatibility
F11-08	Quick Coupler Plug 3/8" Male SS	<b>\$8.46</b>	Specify Model at Time of Order to Determine Compatibility
F11-08.1	Coupler Plug 3/8" x 1/2" MPT	<b>\$9.59</b>	Specify Model at Time of Order to Determine Compatibility
F11-09A	O'Ring Bag of 50 1/4"	<b>\$29.40</b>	Specify Model at Time of Order to Determine Compatibility
F11-10A	O'Ring Bag of 50 3/8"	<b>\$35.40</b>	Specify Model at Time of Order to Determine Compatibility
F11-10B	O-Ring 3/8" Bag of 25	<b>\$23.47</b>	Specify Model at Time of Order to Determine Compatibility
F11-10-PICK	O-Ring Pick	<b>\$7.14</b>	Specify Model at Time of Order to Determine Compatibility
F11-10V	O-Ring 3/8" Viton	<b>\$1.67</b>	Specify Model at Time of Order to Determine Compatibility
F11-10VA	O-Ring Bag of 50 3/8" Viton	<b>\$46.20</b>	Specify Model at Time of Order to Determine Compatibility
F11-11	Quick Coupler Female 1/4" Brass	<b>\$9.00</b>	Specify Model at Time of Order to Determine Compatibility
F11-12	Quick Coupler Male 1/4" Brass	<b>\$9.00</b>	Specify Model at Time of Order to Determine Compatibility
F11-13	Quick Coupler Female 3/8" Brass	<b>\$10.20</b>	Specify Model at Time of Order to Determine Compatibility
F11-14	Quick Coupler Male 3/8" Brass	<b>\$10.20</b>	Specify Model at Time of Order to Determine Compatibility
F11-14.1	Quick Coupler Female 3/8" w/Lock	<b>\$21.54</b>	Specify Model at Time of Order to Determine Compatibility
F11-14.2	Quick Coupler Female SS 3/8" w/Lock	<b>\$24.60</b>	Specify Model at Time of Order to Determine Compatibility
F11-15	Quick Coupler 3/8"F x 1/2" MPT	<b>\$9.90</b>	Specify Model at Time of Order to Determine Compatibility
F11-16	Quick Coupler Plug 1/4" Female	<b>\$2.70</b>	Specify Model at Time of Order to Determine Compatibility
F11-17	Quick Coupler Plug 1/4" Male	<b>\$2.70</b>	Specify Model at Time of Order to Determine Compatibility
F11-18	Quick Coupler Plug 3/8" Female	<b>\$3.00</b>	Specify Model at Time of Order to Determine Compatibility
F11-19	Quick Coupler Plug 3/8" Male	<b>\$3.00</b>	Specify Model at Time of Order to Determine Compatibility
F11-20	Coupler 22mm x 1/4" Female	<b>\$9.00</b>	Specify Model at Time of Order to Determine Compatibility
F11-21	Coupler 22mm x 1/4" Male	<b>\$9.00</b>	Specify Model at Time of Order to Determine Compatibility
F11-22	Coupler 22mm x 3/8" Female	<b>\$9.00</b>	Specify Model at Time of Order to Determine Compatibility
F11-23	Coupler 22mm x 3/8" Male	<b>\$9.00</b>	Specify Model at Time of Order to Determine Compatibility

F11-24	Coupler Plug 22mm x 1/4" Female	<b>\$5.94</b>	Specify Model at Time of Order to Determine Compatibility
F11-25	Coupler Plug 22mm x 1/4" Male	<b>\$5.94</b>	Specify Model at Time of Order to Determine Compatibility
F11-26	Coupler Plug 22mm x 3/8" Female	<b>\$5.94</b>	Specify Model at Time of Order to Determine Compatibility
F11-27	Coupler Plug 22mm x 3/8" Male	<b>\$5.94</b>	Specify Model at Time of Order to Determine Compatibility
F11-27.1	Adapter Easy!lock to 3/8" FPT	<b>\$15.54</b>	Specify Model at Time of Order to Determine Compatibility
F11-27A	Back Ring 13.9 x 10.2	<b>\$1.50</b>	Specify Model at Time of Order to Determine Compatibility
F11-27C	22mm O-Ring 100 Pack	<b>\$30.84</b>	Specify Model at Time of Order to Determine Compatibility
F11-28A	Quick Coupler 3/8" x 22mm	<b>\$9.54</b>	Specify Model at Time of Order to Determine Compatibility
F11-28B	Quick Coupler Plug 3/8" x 22mm	<b>\$9.00</b>	Specify Model at Time of Order to Determine Compatibility
F11-29A	Coupler 22mm Female x 22mm Female	<b>\$9.00</b>	Specify Model at Time of Order to Determine Compatibility
F11-29B	Quick Coupler Plug 22mm x 22mm	<b>\$5.46</b>	Specify Model at Time of Order to Determine Compatibility
F11-30	Screw Couplings 3/8" x 22 mm w/15mm Stem	<b>\$9.00</b>	Specify Model at Time of Order to Determine Compatibility
F11-30B	Nipple 1/4" Female x 15mm	<b>\$5.46</b>	Specify Model at Time of Order to Determine Compatibility
F11-30C	Nipple 3/8" Female x 15mm	<b>\$5.94</b>	Specify Model at Time of Order to Determine Compatibility
F11-31	Quick Coupler 1/2" Female SS	<b>\$23.70</b>	Specify Model at Time of Order to Determine Compatibility
F11-31.1	Quick Coupler 1/2" Male SS	<b>\$23.70</b>	Specify Model at Time of Order to Determine Compatibility
F11-32	Quick Coupler Plug FPT 1/2" SS	<b>\$9.12</b>	Specify Model at Time of Order to Determine Compatibility
F11-32.1	Quick Coupler Plug MPT 1/2" SS	<b>\$9.12</b>	Specify Model at Time of Order to Determine Compatibility
F11-32.1D	Quick Coupler Plug MPT 1/2" SS Dixon	<b>\$31.14</b>	Specify Model at Time of Order to Determine Compatibility
F11-32.2	Quick Coupler 1/2" Female SS W/ Lock Collar	<b>\$32.34</b>	Specify Model at Time of Order to Determine Compatibility
F11-32.2D	Quick Coupler 1/2" Female SS W/ Lock Collar	<b>\$53.94</b>	Specify Model at Time of Order to Determine Compatibility
F11-32.3	Quick Coupler 1/2" Male SS W/ Lock Collar	<b>\$32.34</b>	Specify Model at Time of Order to Determine Compatibility
F11-32D	Quick Coupler Plug FPT 1/2" SS Dixon	<b>\$31.14</b>	Specify Model at Time of Order to Determine Compatibility
F11-33	Quick Coupler 1/2" Female Brass	<b>\$16.74</b>	Specify Model at Time of Order to Determine Compatibility
F11-34	Quick Coupler 1/2" Male Brass	<b>\$16.74</b>	Specify Model at Time of Order to Determine Compatibility
F11-35	Quick Coupler Plug 1/2" Female Steel Zinc-Plated	<b>\$8.34</b>	Specify Model at Time of Order to Determine Compatibility
F11-36	Quick Coupler Plug 1/2" Male Steel Zinc-Plated	<b>\$8.34</b>	Specify Model at Time of Order to Determine Compatibility
F11-36.1	1/2" Waterblast Set	<b>\$163.20</b>	Specify Model at Time of Order to Determine Compatibility
F11-36.2	Quick Coupler Plug 1/2" Female Water-Blast Steel	<b>\$47.94</b>	Specify Model at Time of Order to Determine Compatibility
F11-37	Quick Coupler 3/8" Female 11,000 PSI	<b>\$31.14</b>	Specify Model at Time of Order to Determine Compatibility
F11-37A	Snaptite Seal Kit 3/8"	<b>\$11.94</b>	Specify Model at Time of Order to Determine Compatibility
F11-38	Quick Coupler Plug 3/8" Female 11,000 PSI	<b>\$10.74</b>	Specify Model at Time of Order to Determine Compatibility
F11-39	Quick Coupler Plug 3/8" Male 11,000 PSI	<b>\$10.74</b>	Specify Model at Time of Order to Determine Compatibility
F11-40	Quick Coupler 1/4" Female 11,000 PSI	<b>\$27.00</b>	Specify Model at Time of Order to Determine Compatibility
F11-40A	Quick Coupler 1/4" Male 11,000 PSI	<b>\$27.00</b>	Specify Model at Time of Order to Determine Compatibility
F11-40B	Snaptite Seal Kit 1/4"	<b>\$13.14</b>	Specify Model at Time of Order to Determine Compatibility
F11-41	Quick Coupler Plug 1/4" Female 11,000 PSI	<b>\$9.54</b>	Specify Model at Time of Order to Determine Compatibility
F11-42	Quick Coupler Plug 1/4" Male 11,000 PSI	<b>\$9.54</b>	Specify Model at Time of Order to Determine Compatibility
F11-43	Bushing 1/4"M x 1/8"F Steel	<b>\$3.54</b>	Specify Model at Time of Order to Determine Compatibility
F11-44	Bushing 3/8"M x 1/4"F Steel	<b>\$2.34</b>	Specify Model at Time of Order to Determine Compatibility
F11-44A	Bushing 3/8"M x 1/4"M	<b>\$1.80</b>	Specify Model at Time of Order to Determine Compatibility
F11-45	Bushing 1/2"M x 3/8"F Steel	<b>\$2.70</b>	Specify Model at Time of Order to Determine Compatibility
F11-45A	Bushing 1/2"M x 3/8"F	<b>\$2.34</b>	Specify Model at Time of Order to Determine Compatibility
F11-46	Bushing 1/2"M x 1/4"F Steel	<b>\$3.54</b>	Specify Model at Time of Order to Determine Compatibility
F11-47	Bushing 3/4"M x 1/2"F Steel	<b>\$3.78</b>	Specify Model at Time of Order to Determine Compatibility

F11-48	Bushing 1"M x 3/4"F	<b>\$10.74</b>	Specify Model at Time of Order to Determine Compatibility
F11-49A	Street Tee 1/8"	<b>\$5.94</b>	Specify Model at Time of Order to Determine Compatibility
F11-49B	Branch Tee 1/8"	<b>\$5.94</b>	Specify Model at Time of Order to Determine Compatibility
F11-50	Tee 3-Way Female 1/4" Steel	<b>\$8.34</b>	Specify Model at Time of Order to Determine Compatibility
F11-50A	1/4" tee fpt brass	<b>\$5.94</b>	Specify Model at Time of Order to Determine Compatibility
F11-50C	Street Tee 1/4" Steel	<b>\$5.94</b>	Specify Model at Time of Order to Determine Compatibility
F11-50D	Branch Tee 1/4" Steel	<b>\$13.14</b>	Specify Model at Time of Order to Determine Compatibility
F11-51	Tee 3-Way Female 3/8" Steel	<b>\$9.54</b>	Specify Model at Time of Order to Determine Compatibility
F11-51A	Tee 3Way 3/8"F x 3/8"F x 3/8"F	<b>\$8.34</b>	Specify Model at Time of Order to Determine Compatibility
F11-52	Street Tee 3/8" Steel	<b>\$10.74</b>	Specify Model at Time of Order to Determine Compatibility
F11-52A	Branch Tee 3/8" Steel	<b>\$10.74</b>	Specify Model at Time of Order to Determine Compatibility
F11-53	Tee 3-Way Female 1/2" Steel	<b>\$13.14</b>	Specify Model at Time of Order to Determine Compatibility
F11-53A	1/2" steel tee	<b>\$13.14</b>	Specify Model at Time of Order to Determine Compatibility
F11-54	Street Tee 1/2"	<b>\$14.34</b>	Specify Model at Time of Order to Determine Compatibility
F11-54A	Branch Tee 1/2"	<b>\$19.14</b>	Specify Model at Time of Order to Determine Compatibility
F11-55	Street Tee 1/2" w/One Hole	<b>\$31.14</b>	Specify Model at Time of Order to Determine Compatibility
F11-55A	Street Tee 1/2" w/Two Holes	<b>\$31.14</b>	Specify Model at Time of Order to Determine Compatibility
F11-56	Tee 3-Way Female 3/4"	<b>\$22.74</b>	Specify Model at Time of Order to Determine Compatibility
F11-57	Cross 4-Way Female 1/4" Steel	<b>\$14.94</b>	Specify Model at Time of Order to Determine Compatibility
F11-58	Cross 4-Way Female 3/8" Steel	<b>\$16.74</b>	Specify Model at Time of Order to Determine Compatibility
F11-58A	CROSS 4WAY BRASS 3/8" FPT	<b>\$14.34</b>	Specify Model at Time of Order to Determine Compatibility
F11-59	Cross 4-Way Female 1/2"	<b>\$19.14</b>	Specify Model at Time of Order to Determine Compatibility
F11-59A	Cross 1/2" Female - Inactive	<b>\$25.14</b>	Specify Model at Time of Order to Determine Compatibility
F11-60	Cross 4-Way Female 3/4"	<b>\$65.94</b>	Specify Model at Time of Order to Determine Compatibility
F11-62	Hex Nipple 1/4" Steel	<b>\$2.34</b>	Specify Model at Time of Order to Determine Compatibility
F11-62A	1/4 x 1/4 hex brass double nipples	<b>\$1.80</b>	Specify Model at Time of Order to Determine Compatibility
F11-62B	1/4" Nipple 4" long	<b>\$5.99</b>	Specify Model at Time of Order to Determine Compatibility
F11-63	Hex Nipple 3/8" Steel	<b>\$4.74</b>	Specify Model at Time of Order to Determine Compatibility
F11-63A	Close Nipple 3/8"	<b>\$2.34</b>	Specify Model at Time of Order to Determine Compatibility
F11-63B	3/8" hex double nipple	<b>\$3.54</b>	Specify Model at Time of Order to Determine Compatibility
F11-64	Hex Nipple 1/2" Steel	<b>\$4.74</b>	Specify Model at Time of Order to Determine Compatibility
F11-64A	1/2" hex nipple	<b>\$4.74</b>	Specify Model at Time of Order to Determine Compatibility
F11-65	Hex Nipple 3/4" Steel	<b>\$7.14</b>	Specify Model at Time of Order to Determine Compatibility
F11-65A	Close Nipple 3/4"	<b>\$2.34</b>	Specify Model at Time of Order to Determine Compatibility
F11-65B	3/4" hex double nipples	<b>\$8.34</b>	Specify Model at Time of Order to Determine Compatibility
F11-66	Street Elbow 1/8"	<b>\$2.34</b>	Specify Model at Time of Order to Determine Compatibility
F11-67	Elbow Female 1/4" Steel	<b>\$5.94</b>	Specify Model at Time of Order to Determine Compatibility
F11-67A	Street Elbow 1/4" Steel	<b>\$5.94</b>	Specify Model at Time of Order to Determine Compatibility
F11-67B	street elbow 1/4"MPT x 1/4"FPT/90DEGREE	<b>\$3.54</b>	Specify Model at Time of Order to Determine Compatibility
F11-67C	1/4" brass elbow 90 deg fxf	<b>\$4.74</b>	Specify Model at Time of Order to Determine Compatibility
F11-68	Elbow Female 3/8" Steel	<b>\$7.14</b>	Specify Model at Time of Order to Determine Compatibility
F11-69	Street Elbow 3/8" Steel	<b>\$7.14</b>	Specify Model at Time of Order to Determine Compatibility
F11-69A	Elbow Male 3/8" Steel	<b>\$7.14</b>	Specify Model at Time of Order to Determine Compatibility
F11-69B	STREET ELBOW, 3/8"MPT x 3/8"FPT/90DEGREE	<b>\$4.74</b>	Specify Model at Time of Order to Determine Compatibility
F11-70	Elbow Female 1/2" Steel	<b>\$11.94</b>	Specify Model at Time of Order to Determine Compatibility
F11-70A	elbow 1/2" fpt 90 degree brass	<b>\$10.74</b>	Specify Model at Time of Order to Determine Compatibility
F11-71	Street Elbow 1/2" Steel	<b>\$8.34</b>	Specify Model at Time of Order to Determine Compatibility

F11-71A	Elbow Male 1/2"	<b>\$11.94</b>	Specify Model at Time of Order to Determine Compatibility
F11-72	Street Elbow 3/4"	<b>\$14.34</b>	Specify Model at Time of Order to Determine Compatibility
F11-73	Elbow Female 3/8" x 1/2" Steel	<b>\$15.54</b>	Specify Model at Time of Order to Determine Compatibility
F11-73A	Street Elbow 3/8" x 1/2" Steel	<b>\$11.94</b>	Specify Model at Time of Order to Determine Compatibility
F11-73B	Street Elbow 1/4" X 3/8" Steel	<b>\$8.34</b>	Specify Model at Time of Order to Determine Compatibility
F11-74	Street Elbow 45° 1/4"	<b>\$4.74</b>	Specify Model at Time of Order to Determine Compatibility
F11-74A	Street Elbow 45° 3/8"	<b>\$4.74</b>	Specify Model at Time of Order to Determine Compatibility
F11-75	Street Elbow 45° 1/2"	<b>\$7.14</b>	Specify Model at Time of Order to Determine Compatibility
F11-75A	Street Elbow 45° 3/4"	<b>\$31.14</b>	Specify Model at Time of Order to Determine Compatibility
F11-76	Elbow Female 45° 3/8"	<b>\$7.80</b>	Specify Model at Time of Order to Determine Compatibility
F11-77	Quick Coupler 1/4" Female Double Shut Off	<b>\$22.74</b>	Specify Model at Time of Order to Determine Compatibility
F11-77A	Quick Coupler 3/8" Female Double Shut Off Steel	<b>\$31.80</b>	Specify Model at Time of Order to Determine Compatibility
F11-77B	Quick Coupler Plug 3/8" Female Double S/O Steel	<b>\$14.34</b>	Specify Model at Time of Order to Determine Compatibility
F11-77C	Quick Coupler Plug 1/4" Female Double Shut Off	<b>\$10.74</b>	Specify Model at Time of Order to Determine Compatibility
F11-78A	Quick Coupler Plug 1/8" Female Steel	<b>\$14.34</b>	Specify Model at Time of Order to Determine Compatibility
F11-78B	Quick Coupler Plug 1/8" Male Steel	<b>\$7.14</b>	Specify Model at Time of Order to Determine Compatibility
F11-78C	Quick Coupler 1/8" Male	<b>\$13.14</b>	Specify Model at Time of Order to Determine Compatibility
F11-79	Quick Coupler 3/8" Female Double Shut Off Steel	<b>\$31.80</b>	Specify Model at Time of Order to Determine Compatibility
F11-79A	Quick Coupler Plug 3/8" Female Double S/O Steel	<b>\$14.34</b>	Specify Model at Time of Order to Determine Compatibility
F11-NS-300	3/4" F Quick Coupler	<b>\$28.80</b>	Specify Model at Time of Order to Determine Compatibility
F11-NS-301	3/4" M Quick Coupler Plug	<b>\$10.63</b>	Specify Model at Time of Order to Determine Compatibility
F11-NS-302	3/4" F Quick Coupler Plug	<b>\$12.11</b>	Specify Model at Time of Order to Determine Compatibility
F11-NS-303	Tee Galvanized Steel 1"	<b>\$4.92</b>	Specify Model at Time of Order to Determine Compatibility
F11-NS-304	Swivel M22 (F) x 3/8"	<b>\$19.14</b>	Specify Model at Time of Order to Determine Compatibility
F12-01	Tank Lid 8" w/Rim	<b>\$58.80</b>	Specify Model at Time of Order to Determine Compatibility
F12-02	Tank Lid	<b>\$34.74</b>	Specify Model at Time of Order to Determine Compatibility
F12-03	Tank Lid 10"	<b>\$43.14</b>	Specify Model at Time of Order to Determine Compatibility
F12-04	Gate Valve 1-1/2" Male	<b>\$21.60</b>	Specify Model at Time of Order to Determine Compatibility
F12-05	Bulkhead Fitting 1/2" Poly	<b>\$11.94</b>	Specify Model at Time of Order to Determine Compatibility
F12-06	Bulkhead Fitting 3/4" Female x 1-3/4" Hole Poly	<b>\$9.54</b>	Specify Model at Time of Order to Determine Compatibility
F12-07	Bulkhead Fitting 1" Female x 1-3/4" Hole Poly	<b>\$10.14</b>	Specify Model at Time of Order to Determine Compatibility
F12-08	Bulkhead Fitting 2" Female x 3" Hole Poly	<b>\$19.14</b>	Specify Model at Time of Order to Determine Compatibility
F12-09	Washer Steel & Rubber 1-3/16" x 2-1/4"	<b>\$4.74</b>	Specify Model at Time of Order to Determine Compatibility
F12-10	Bulkhead Fitting 1/4" Female	<b>\$10.74</b>	Specify Model at Time of Order to Determine Compatibility
F12-11	Bulkhead Fitting 3/8" Female x 1" Hole	<b>\$11.94</b>	Specify Model at Time of Order to Determine Compatibility
F12-11.1	Bulkhead Fitting 3/8" Female x 1" Hole	<b>\$23.88</b>	Specify Model at Time of Order to Determine Compatibility
F12-12	Bulkhead Fitting 1/2" Female x 1-1/8" Hole	<b>\$15.54</b>	Specify Model at Time of Order to Determine Compatibility
F12-14	Hex Plug 3/8" Steel	<b>\$2.34</b>	Specify Model at Time of Order to Determine Compatibility
F12-14A	Pump Plug Washer 3/8"	<b>\$1.50</b>	Specify Model at Time of Order to Determine Compatibility
F12-15	Hex Plug 1/2" Steel	<b>\$3.54</b>	Specify Model at Time of Order to Determine Compatibility
F12-15A	Pump Plug Washer 1/2"	<b>\$1.50</b>	Specify Model at Time of Order to Determine Compatibility
F12-16	Hex Plug 3/4" Steel	<b>\$4.74</b>	Specify Model at Time of Order to Determine Compatibility

F12-17B	Countersunk Plug 1/4"	<b>\$1.50</b>	Specify Model at Time of Order to Determine Compatibility
F12-17C	Countersunk Plug 3/8"	<b>\$2.34</b>	Specify Model at Time of Order to Determine Compatibility
F12-17D	Countersunk Plug 1/2"	<b>\$3.54</b>	Specify Model at Time of Order to Determine Compatibility
F12-18	Hex Nipple 1/2" JIC x 1/4" Male	<b>\$5.94</b>	Specify Model at Time of Order to Determine Compatibility
F12-19	Elbow 1/2" JIC x 1/4" Male Steel	<b>\$10.74</b>	Specify Model at Time of Order to Determine Compatibility
F12-20	NIPPLE, "1/2" JIC x 3/8" MPT, BRASS	<b>\$3.54</b>	Specify Model at Time of Order to Determine Compatibility
F12-21	Hex Nipple 1/2" JIC x 3/8" Male Steel	<b>\$3.54</b>	Specify Model at Time of Order to Determine Compatibility
F12-22	Elbow 1/2" JIC x 3/8" Male	<b>\$7.14</b>	Specify Model at Time of Order to Determine Compatibility
F12-23	Hex Nipple 1/2" JIC x 3/8" Female Steel	<b>\$4.74</b>	Specify Model at Time of Order to Determine Compatibility
F12-24	Elbow 1/2" JIC x 3/8" Female	<b>\$9.54</b>	Specify Model at Time of Order to Determine Compatibility
F12-25	Elbow 1/2" JIC x 3/8" Female Steel	<b>\$11.94</b>	Specify Model at Time of Order to Determine Compatibility
F12-26	nipple"1/2" JIC x 1/2" MPT PIPE BRASS	<b>\$4.74</b>	Specify Model at Time of Order to Determine Compatibility
F12-27	Hex Nipple 1/2" JIC x 1/2" Male Steel	<b>\$4.74</b>	Specify Model at Time of Order to Determine Compatibility
F12-28	Elbow 1/2" JIC x 1/2" Male	<b>\$8.34</b>	Specify Model at Time of Order to Determine Compatibility
F12-29	Elbow 1/2" JIC x 1/2" Female	<b>\$13.14</b>	Specify Model at Time of Order to Determine Compatibility
F12-30	Elbow 1/2" JIC x 3/4" Female	<b>\$16.74</b>	Specify Model at Time of Order to Determine Compatibility
F12-30A	Hex Nipple 1/2" JIC x 3/4" Female	<b>\$8.34</b>	Specify Model at Time of Order to Determine Compatibility
F12-31	Swivel 1/2" JIC Female x 3/8" Male Steel	<b>\$7.14</b>	Specify Model at Time of Order to Determine Compatibility
F12-32	Swivel 1/2" JIC Female x 1/2" Male Steel	<b>\$8.34</b>	Specify Model at Time of Order to Determine Compatibility
F12-33	Elbow 3/4" JIC x 3/8" Male	<b>\$26.34</b>	Specify Model at Time of Order to Determine Compatibility
F12-33.1	Elbow 3/4" JIC x 1/2"	<b>\$11.39</b>	Specify Model at Time of Order to Determine Compatibility
F12-33.2	Elbow 3/4" JIC x 1/2" MPT w/ 1/8" Tap	<b>\$47.94</b>	Specify Model at Time of Order to Determine Compatibility
F12-34	Elbow 3/4" JIC x 3/4" Male	<b>\$14.34</b>	Specify Model at Time of Order to Determine Compatibility
F12-34.1	Hex Nipple 3/4" JIC x 1/2" MPT	<b>\$33.54</b>	Specify Model at Time of Order to Determine Compatibility
F12-35	Hex Coupling 1/8"	<b>\$2.34</b>	Specify Model at Time of Order to Determine Compatibility
F12-36	Hex Coupling 1/4" Steel	<b>\$3.54</b>	Specify Model at Time of Order to Determine Compatibility
F12-36A	hex coupling, 1/4" / BRASS	<b>\$2.34</b>	Specify Model at Time of Order to Determine Compatibility
F12-37	Wand Cover 1/4" Female Steel	<b>\$5.10</b>	Specify Model at Time of Order to Determine Compatibility
F12-38	hex coupling,3/8" / BRASS	<b>\$3.54</b>	Specify Model at Time of Order to Determine Compatibility
F12-39	Hex Coupling 3/8" Steel	<b>\$4.74</b>	Specify Model at Time of Order to Determine Compatibility
F12-40	Hex Coupling 1/2" Steel	<b>\$5.94</b>	Specify Model at Time of Order to Determine Compatibility
F12-40A	hex coupling 1/2"FPT/ BRASS	<b>\$3.54</b>	Specify Model at Time of Order to Determine Compatibility
F12-41	Hex Coupling 3/4"	<b>\$7.14</b>	Specify Model at Time of Order to Determine Compatibility
F12-42	Hex Coupling 1/4" x 1/8"	<b>\$2.34</b>	Specify Model at Time of Order to Determine Compatibility
F12-43	Hex Coupling 3/8" x 1/8"	<b>\$5.94</b>	Specify Model at Time of Order to Determine Compatibility
F12-44	Hex Coupling 3/8" x 1/4" Steel	<b>\$7.14</b>	Specify Model at Time of Order to Determine Compatibility
F12-45	Hex Coupling 1/2" x 3/8" Steel	<b>\$9.54</b>	Specify Model at Time of Order to Determine Compatibility
F12-45.1	Adapter 1/4F" x 1/4M" Steel	<b>\$3.54</b>	Specify Model at Time of Order to Determine Compatibility
F12-46	Adapter Steel 1/4" M x 3/8" F	<b>\$5.94</b>	Specify Model at Time of Order to Determine Compatibility
F12-46.1	Adapter Steel 3/8" BSPP Male x 3/8" NPT Female	<b>\$105.60</b>	Specify Model at Time of Order to Determine Compatibility
F12-46.1A	BSPP Seal Washer for F12-46.1	<b>\$9.00</b>	Specify Model at Time of Order to Determine Compatibility
F12-46A	adaptor, 3/8"FPT x 1/4"MPT/BRASS	<b>\$3.54</b>	Specify Model at Time of Order to Determine Compatibility
F12-47	Adapter 1/2" Female x 3/8" Male Steel	<b>\$7.68</b>	Specify Model at Time of Order to Determine Compatibility
F12-48	Adapter 1/2" Female x 1/4" Male	<b>\$10.74</b>	Specify Model at Time of Order to Determine Compatibility
F12-49	Hex Double Nipple 1/4" x 1/8"	<b>\$2.34</b>	Specify Model at Time of Order to Determine Compatibility
F12-50	Hex Nipple 3/8" x 1/4"	<b>\$3.54</b>	Specify Model at Time of Order to Determine Compatibility

F12-50A	Hex Nipple 3/8" x 1/4" Steel	<b>\$5.94</b>	Specify Model at Time of Order to Determine Compatibility
F12-51	Hex Nipple 1/2" x 3/8" Steel	<b>\$4.74</b>	Specify Model at Time of Order to Determine Compatibility
F12-52	Hex Nipple 3/4" x 1/2" Steel	<b>\$7.14</b>	Specify Model at Time of Order to Determine Compatibility
F12-53	Swivel 3/8' Female x 1/4" Male Steel	<b>\$4.74</b>	Specify Model at Time of Order to Determine Compatibility
F12-54	Swivel 3/8' Female x 3/8" Male Steel	<b>\$4.74</b>	Specify Model at Time of Order to Determine Compatibility
F12-55	Sandblast Mixing Head	<b>\$70.74</b>	Specify Model at Time of Order to Determine Compatibility
F12-NS-300	16" Tank Lid	<b>\$39.55</b>	Specify Model at Time of Order to Determine Compatibility
F12-NS-301	Float Tank Lid HT	<b>\$13.14</b>	Specify Model at Time of Order to Determine Compatibility
F13-01	Cover 6" w/Rim	<b>\$69.54</b>	Specify Model at Time of Order to Determine Compatibility
F13-01B	Lanyard 18" w/Loop	<b>\$27.54</b>	Specify Model at Time of Order to Determine Compatibility
F13-15	Quick Coupler Garden Hose Female 3/4"	<b>\$16.74</b>	Specify Model at Time of Order to Determine Compatibility
F13-16	Quick Coupler Plug Garden Hose Male 3/4"	<b>\$7.14</b>	Specify Model at Time of Order to Determine Compatibility
F13-17	Swivel 1/4" Barb x 1/4" JIC Female	<b>\$3.54</b>	Specify Model at Time of Order to Determine Compatibility
F13-18	Hose Barb Push-On 3/8" Barb x 3/8" Male	<b>\$4.74</b>	Specify Model at Time of Order to Determine Compatibility
F13-19	Hose Barb Push-On 1/2" Barb x 3/8" Male	<b>\$4.74</b>	Specify Model at Time of Order to Determine Compatibility
F13-20	Swivel 1/2" Barb x 1/2" JIC Female	<b>\$7.14</b>	Specify Model at Time of Order to Determine Compatibility
F13-21	Hose Barb Push-On 1/2" Barb x 1/2" Male	<b>\$4.74</b>	Specify Model at Time of Order to Determine Compatibility
F13-22	Swivel 3/4" Barb x 3/4" JIC Female	<b>\$11.94</b>	Specify Model at Time of Order to Determine Compatibility
F13-23A	Hose Barb Push-On 3/4" Barb x 3/4" Male	<b>\$9.54</b>	Specify Model at Time of Order to Determine Compatibility
F13-23B	Hose Barb 1/8" Barb x 1/4" Male	<b>\$3.54</b>	Specify Model at Time of Order to Determine Compatibility
F13-24	Hose Barb 1/4" Barb x 1/8" Male	<b>\$1.50</b>	Specify Model at Time of Order to Determine Compatibility
F13-24A	Hose Barb 1/4" Barb x 1/4" Male	<b>\$2.34</b>	Specify Model at Time of Order to Determine Compatibility
F13-24B	Hose Barb 1/4" Barb x 3/8" Male	<b>\$3.54</b>	Specify Model at Time of Order to Determine Compatibility
F13-24C	Hose Barb 1/4" Barb x 1/2" Male	<b>\$4.74</b>	Specify Model at Time of Order to Determine Compatibility
F13-25	Hose Barb 3/8" Barb x 1/4" Male	<b>\$2.34</b>	Specify Model at Time of Order to Determine Compatibility
F13-25A	Hose Barb 3/8" Barb x 3/8" Male	<b>\$3.54</b>	Specify Model at Time of Order to Determine Compatibility
F13-25C	Hose Barb 3/8" Barb x 3/4" Male	<b>\$9.54</b>	Specify Model at Time of Order to Determine Compatibility
F13-26	Hose Barb 3/8" Barb x 1/2" Male	<b>\$5.94</b>	Specify Model at Time of Order to Determine Compatibility
F13-27	Hose Barb 1/2" Barb x 1/4" Male	<b>\$2.34</b>	Specify Model at Time of Order to Determine Compatibility
F13-27B	Hose Barb 1/2" Barb x 3/8" Male	<b>\$2.94</b>	Specify Model at Time of Order to Determine Compatibility
F13-27C	Hose Barb 1/2" Barb x 1/2" Male	<b>\$3.78</b>	Specify Model at Time of Order to Determine Compatibility
F13-27D	Hose Barb 1/2" Barb x 3/4" Male	<b>\$5.94</b>	Specify Model at Time of Order to Determine Compatibility
F13-28	Hose Barb 5/8" Barb x 3/8" Male	<b>\$3.54</b>	Specify Model at Time of Order to Determine Compatibility
F13-28A	Hose Barb 5/8" Barb x 1/2" Male	<b>\$4.74</b>	Specify Model at Time of Order to Determine Compatibility
F13-28B	Hose Barb 5/8" Barb x 3/4" Male	<b>\$9.54</b>	Specify Model at Time of Order to Determine Compatibility
F13-29	Hose Barb 3/4" Barb x 1/2" Male	<b>\$5.94</b>	Specify Model at Time of Order to Determine Compatibility
F13-30	Hose Barb 3/4" Barb x 3/4" Male	<b>\$7.14</b>	Specify Model at Time of Order to Determine Compatibility
F13-300	1/2 Tubing x 3/8" Male - 3/16" SS	<b>\$77.63</b>	Specify Model at Time of Order to Determine Compatibility
F13-31	Hose Barb Elbow 1/4" Barb x 1/8" Male	<b>\$4.74</b>	Specify Model at Time of Order to Determine Compatibility
F13-31A	Hose Barb Elbow 1/4" Barb x 1/4" Male	<b>\$4.74</b>	Specify Model at Time of Order to Determine Compatibility
F13-31B	Hose Barb Tee 1/4" Barb x 1/4" Barb x 1/4" Male	<b>\$14.34</b>	Specify Model at Time of Order to Determine Compatibility
F13-32	Hose Barb Elbow 3/8" Barb x 1/4" Male	<b>\$4.74</b>	Specify Model at Time of Order to Determine Compatibility
F13-32A	Hose Barb Elbow 3/8" Barb x 3/8" Male	<b>\$5.94</b>	Specify Model at Time of Order to Determine Compatibility
F13-32B	Hose Barb Elbow 3/8" Barb x 1/2" Male	<b>\$9.54</b>	Specify Model at Time of Order to Determine Compatibility
F13-33	Hose Barb Elbow 1/2" Barb x 1/4" Male	<b>\$7.14</b>	Specify Model at Time of Order to Determine Compatibility
F13-33A	Hose Barb Elbow 1/2" Barb x 3/8" Male	<b>\$8.34</b>	Specify Model at Time of Order to Determine Compatibility

F13-33B	Hose Barb Elbow 1/2" Barb x 1/2" Male	<b>\$13.14</b>	Specify Model at Time of Order to Determine Compatibility
F13-34	Hose Barb Elbow 5/8" Barb x 3/8" Male	<b>\$7.14</b>	Specify Model at Time of Order to Determine Compatibility
F13-34A	Hose Barb Elbow 5/8" Barb x 1/2" Male	<b>\$8.34</b>	Specify Model at Time of Order to Determine Compatibility
F13-35	Garden Hose Assembly 3/4" x 3/8" Female	<b>\$8.34</b>	Specify Model at Time of Order to Determine Compatibility
F13-36	Swivel Garden Hose 3/4" x 1/2" Female	<b>\$5.94</b>	Specify Model at Time of Order to Determine Compatibility
F13-37	Swivel Garden Hose 3/4" x 3/8" Male w/Screen	<b>\$8.34</b>	Specify Model at Time of Order to Determine Compatibility
F13-38	Swivel Garden Hose 3/4" x 1/2" Male w/Screen	<b>\$9.54</b>	Specify Model at Time of Order to Determine Compatibility
F13-39	Garden Hose Fitting 3/4" Male x 3/8" Male	<b>\$7.14</b>	Specify Model at Time of Order to Determine Compatibility
F13-40	Garden Hose Fitting 3/4" Male x 1/2" Male	<b>\$8.34</b>	Specify Model at Time of Order to Determine Compatibility
F13-41	Garden Hose Fitting 3/4" Male x 3/4" Male	<b>\$5.94</b>	Specify Model at Time of Order to Determine Compatibility
F13-41A	Garden Hose Fitting 3/4" Female x 3/4" Female	<b>\$5.94</b>	Specify Model at Time of Order to Determine Compatibility
F13-42	Pump Inlet Adapter Kit	<b>\$9.54</b>	Specify Model at Time of Order to Determine Compatibility
F13-42A	Male Adapter	<b>\$2.34</b>	Specify Model at Time of Order to Determine Compatibility
F13-42B	Gasket 15.6 x 1.78	<b>\$2.40</b>	Specify Model at Time of Order to Determine Compatibility
F13-42C	Female Hose Connector	<b>\$3.54</b>	Specify Model at Time of Order to Determine Compatibility
F13-42D	Unloader Assembly Spill Valve	<b>\$20.34</b>	Specify Model at Time of Order to Determine Compatibility
F13-43	Swivel Garden Hose 3/4" x 3/4" Female	<b>\$7.14</b>	Specify Model at Time of Order to Determine Compatibility
F13-43A	Swivel Garden Hose 3/4" x 3/4" Female (Karcher)	<b>\$6.54</b>	Specify Model at Time of Order to Determine Compatibility
F13-44	Swivel Garden Hose 3/4" x 3/4" Garden Hose	<b>\$7.14</b>	Specify Model at Time of Order to Determine Compatibility
F13-45	Swivel Garden Hose 3/4" x 1/2" Barb	<b>\$5.94</b>	Specify Model at Time of Order to Determine Compatibility
F13-45A	Swivel Garden Hose 3/4" x 5/8" Barb	<b>\$5.94</b>	Specify Model at Time of Order to Determine Compatibility
F13-46	Garden Hose Fitting 3/4" Female x 3/4" Barb	<b>\$5.94</b>	Specify Model at Time of Order to Determine Compatibility
F13-47	Garden Hose Fitting 3/4" Male x 3/8" Barb	<b>\$5.94</b>	Specify Model at Time of Order to Determine Compatibility
F13-47A	Garden Hose Fitting 3/4" Male x 1/2" Barb	<b>\$5.94</b>	Specify Model at Time of Order to Determine Compatibility
F13-48	Garden Hose Fitting 3/4" Male x 5/8" Barb	<b>\$5.94</b>	Specify Model at Time of Order to Determine Compatibility
F13-49	Garden Hose Fitting 3/4" Male x 3/4" Barb	<b>\$5.94</b>	Specify Model at Time of Order to Determine Compatibility
F13-50	Metal Pipe Coupler 1/2"	<b>\$4.79</b>	Specify Model at Time of Order to Determine Compatibility
F13-51	Metal Pipe Union 1/2"	<b>\$22.74</b>	Specify Model at Time of Order to Determine Compatibility
F13-52	Metal Pipe Tee 1/2"	<b>\$19.14</b>	Specify Model at Time of Order to Determine Compatibility
F13-53	Galvanized Pipe 3/8"	<b>\$2.40</b>	Specify Model at Time of Order to Determine Compatibility
F13-54	1/2" Sch 80 1" Black Pipe Nipple	<b>\$3.90</b>	Specify Model at Time of Order to Determine Compatibility
F13-55	1/2" Sch 80 1-1/2" Black Pipe Nipple	<b>\$4.19</b>	Specify Model at Time of Order to Determine Compatibility
F13-56	1/2" Sch 80 2" Black Pipe Nipple	<b>\$4.55</b>	Specify Model at Time of Order to Determine Compatibility
F13-57	1/2" Sch 80 2-1/2" Black Pipe Nipple	<b>\$4.79</b>	Specify Model at Time of Order to Determine Compatibility
F13-58	1/2" Sch 80 3" Black Pipe Nipple	<b>\$5.39</b>	Specify Model at Time of Order to Determine Compatibility
F13-59	1/2" Sch 80 3-1/2" Black Pipe Nipple	<b>\$5.99</b>	Specify Model at Time of Order to Determine Compatibility
F13-60	1/2" Sch 80 4" Black Pipe Nipple	<b>\$6.59</b>	Specify Model at Time of Order to Determine Compatibility
F13-61	1/2" Sch 80 4-1/2" Black Pipe Nipple	<b>\$7.19</b>	Specify Model at Time of Order to Determine Compatibility
F13-62	1/2" Sch 80 5" Black Pipe Nipple	<b>\$7.79</b>	Specify Model at Time of Order to Determine Compatibility
F13-63	1/2" Sch 80 5-1/2" Black Pipe Nipple	<b>\$8.39</b>	Specify Model at Time of Order to Determine Compatibility
F13-64	1/2" Sch 80 6" Black Pipe Nipple	<b>\$8.99</b>	Specify Model at Time of Order to Determine Compatibility
F13-70	1/2" Female Elbow 90°	<b>\$9.14</b>	Specify Model at Time of Order to Determine Compatibility
F13-NS-1/2CAP	1/2" 3000 PSI Cap	<b>\$4.74</b>	Specify Model at Time of Order to Determine Compatibility
F13-NS-1/2ELBOW	1/2" 3000 PSI Elbow	<b>\$5.94</b>	Specify Model at Time of Order to Determine Compatibility
F13-NS-12X38BUSH	1/2" x 3/8" Forged Steel Bushing	<b>\$2.34</b>	Specify Model at Time of Order to Determine Compatibility
F13-NS-34COUP	3/4" Coupler Forged Steel 3000#	<b>\$4.68</b>	Specify Model at Time of Order to Determine Compatibility

F13-NS-34CROSS	3/4" 3000# Forged Steel Cross	<b>\$27.54</b>	Specify Model at Time of Order to Determine Compatibility
F13-NS-34ELB	3/4" Elbow Forged Steel 3000#	<b>\$10.78</b>	Specify Model at Time of Order to Determine Compatibility
F13-NS-34TEE	3/4" Tee Forged Steel 3000#	<b>\$16.57</b>	Specify Model at Time of Order to Determine Compatibility
F13-NS-34UNION	3/4" Union Forged Steel 3000#	<b>\$23.31</b>	Specify Model at Time of Order to Determine Compatibility
F13-NS-34X12BUSH	3/4" x 1/2" Bushing Forged Steel 3000#	<b>\$3.24</b>	Specify Model at Time of Order to Determine Compatibility
F14-01	Plastic Nipple 1/2" Poly	<b>\$2.39</b>	Specify Model at Time of Order to Determine Compatibility
F14-02	Plastic Nipple 3/4" Poly	<b>\$2.39</b>	Specify Model at Time of Order to Determine Compatibility
F14-03	Plastic Nipple 1" Poly	<b>\$3.59</b>	Specify Model at Time of Order to Determine Compatibility
F14-04	Plastic Nipple 1-1/4" Poly	<b>\$4.38</b>	Specify Model at Time of Order to Determine Compatibility
F14-05	Plastic Nipple 1-1/2" Poly	<b>\$5.34</b>	Specify Model at Time of Order to Determine Compatibility
F14-06	Plastic Nipple 2" Poly	<b>\$5.94</b>	Specify Model at Time of Order to Determine Compatibility
F14-07	Plastic Fitting 1/2" Barb x 1/2" Male	<b>\$2.03</b>	Specify Model at Time of Order to Determine Compatibility
F14-08	Plastic Fitting 3/4" Barb x 1/2" Male	<b>\$2.39</b>	Specify Model at Time of Order to Determine Compatibility
F14-09	Plastic Fitting 1/2" Barb x 3/4" Male	<b>\$2.39</b>	Specify Model at Time of Order to Determine Compatibility
F14-10	Plastic Fitting 3/4" Barb x 3/4" Male	<b>\$2.39</b>	Specify Model at Time of Order to Determine Compatibility
F14-11	Plastic Fitting 1" Barb x 3/4" Male	<b>\$2.39</b>	Specify Model at Time of Order to Determine Compatibility
F14-12	Plastic Fitting 3/4" Barb x 1" Male	<b>\$2.39</b>	Specify Model at Time of Order to Determine Compatibility
F14-13	Plastic Fitting 1" Barb x 1" Male	<b>\$2.39</b>	Specify Model at Time of Order to Determine Compatibility
F14-14	Plastic Fitting 1" Barb x 1-1/4" Male	<b>\$3.59</b>	Specify Model at Time of Order to Determine Compatibility
F14-14.1	Plastic Fitting 1-1/4" Barb x 1" Male	<b>\$3.59</b>	Specify Model at Time of Order to Determine Compatibility
F14-15	Plastic Fitting 1-1/2" Barb x 1-1/4" Male	<b>\$4.79</b>	Specify Model at Time of Order to Determine Compatibility
F14-16	Plastic Fitting 1-1/2" Barb x 1-1/2" Male	<b>\$4.79</b>	Specify Model at Time of Order to Determine Compatibility
F14-17	Plastic Elbow 1/2" Barb x 3/4" Male	<b>\$3.59</b>	Specify Model at Time of Order to Determine Compatibility
F14-17.1	Plastic Elbow 3/4" Barb x 1/2" Male	<b>\$3.59</b>	Specify Model at Time of Order to Determine Compatibility
F14-18	Plastic Elbow 3/4" Barb x 3/4" Male	<b>\$3.59</b>	Specify Model at Time of Order to Determine Compatibility
F14-18.1	Plastic Elbow 3/4" Barb x 1" Male	<b>\$3.59</b>	Specify Model at Time of Order to Determine Compatibility
F14-19	Plastic Elbow 1" Barb x 3/4" Male	<b>\$3.59</b>	Specify Model at Time of Order to Determine Compatibility
F14-19.1	Plastic Elbow 1" Barb x 1" Male	<b>\$3.59</b>	Specify Model at Time of Order to Determine Compatibility
F14-20	Plastic Elbow 2" MPT x 1-1/2" Barb	<b>\$13.80</b>	Specify Model at Time of Order to Determine Compatibility
F14-21	Plastic Bushing 2" Male x 3/4" Female	<b>\$8.40</b>	Specify Model at Time of Order to Determine Compatibility
F14-22	Plastic Bushing 2" Male x 1" Female	<b>\$8.40</b>	Specify Model at Time of Order to Determine Compatibility
F14-23	Plastic Bushing 2" Male x 1-1/2" Female	<b>\$8.40</b>	Specify Model at Time of Order to Determine Compatibility
F14-23.1	Plastic Bushing 1-1/2" Male x 1" Female	<b>\$5.40</b>	Specify Model at Time of Order to Determine Compatibility
F14-24	Plastic Cross 3/4"	<b>\$23.94</b>	Specify Model at Time of Order to Determine Compatibility
F14-26	Plastic Union 3/4"	<b>\$4.80</b>	Specify Model at Time of Order to Determine Compatibility
F14-27	1" Tee (F x F x F) Plastic	<b>\$11.94</b>	Specify Model at Time of Order to Determine Compatibility
F14-29	Coupling Body 3/8" x 3/8" Hose Barb	<b>\$26.34</b>	Specify Model at Time of Order to Determine Compatibility
F14-30	Coupling Insert 3/8" x 3/8" Hose Barb	<b>\$17.94</b>	Specify Model at Time of Order to Determine Compatibility
F14-31	Sillcox Key	<b>\$14.34</b>	Specify Model at Time of Order to Determine Compatibility
F14-32	1/4" FPT Quick Coupler Air Industrial Interchange	<b>\$8.34</b>	Specify Model at Time of Order to Determine Compatibility
F14-33	1/4" FPT Plug Air Industrial Interchange	<b>\$2.34</b>	Specify Model at Time of Order to Determine Compatibility
F14-34	Hydrant Wrench	<b>\$39.54</b>	Specify Model at Time of Order to Determine Compatibility
F14-38	Air Chuck Dual	<b>\$11.94</b>	Specify Model at Time of Order to Determine Compatibility
F14-39	Air Gun	<b>\$14.34</b>	Specify Model at Time of Order to Determine Compatibility
F14-40	Universal Coupling 3/4" x 3/4" MPT	<b>\$15.54</b>	Specify Model at Time of Order to Determine Compatibility
F14-41	Cam Lock 3/4" Type D (Fx F)	<b>\$28.74</b>	Specify Model at Time of Order to Determine Compatibility

F14-42	Cam Lock 3/4" Type F (M x M)	<b>\$8.75</b>	Specify Model at Time of Order to Determine Compatibility
F14-43	Cam Lock 2" Type B (F x M)	<b>\$22.79</b>	Specify Model at Time of Order to Determine Compatibility
F14-44	Cam Lock 2" Type A (M x F)	<b>\$15.59</b>	Specify Model at Time of Order to Determine Compatibility
F14-45	Cam Lock 2" Type F (M x M) Aluminum	<b>\$22.74</b>	Specify Model at Time of Order to Determine Compatibility
F20-10	Coupler 1/8" SS	<b>\$7.02</b>	Specify Model at Time of Order to Determine Compatibility
F20-11A	Pipe 1/8" x 2" SS	<b>\$7.08</b>	Specify Model at Time of Order to Determine Compatibility
F20-11B	Pipe 1/8" x 4" SS	<b>\$12.48</b>	Specify Model at Time of Order to Determine Compatibility
F20-12	Coupler 1/4" SS	<b>\$7.44</b>	Specify Model at Time of Order to Determine Compatibility
F20-13	Close Hex Nipple 1/4" SS	<b>\$11.35</b>	Specify Model at Time of Order to Determine Compatibility
F20-14	Close Hex Nipple 3/8" SS	<b>\$19.20</b>	Specify Model at Time of Order to Determine Compatibility
F20-15	Coupler 3/8" SS	<b>\$8.46</b>	Specify Model at Time of Order to Determine Compatibility
F20-16	Close Nipple 1/2" SS	<b>\$4.68</b>	Specify Model at Time of Order to Determine Compatibility
F20-17	Coupler 1/2" SS	<b>\$11.94</b>	Specify Model at Time of Order to Determine Compatibility
F20-18	Hose Barb 1/4" Barb x 1/4" Male SS	<b>\$5.76</b>	Specify Model at Time of Order to Determine Compatibility
F20-19	Hose Barb 3/8" Barb x 3/8" Male SS	<b>\$6.84</b>	Specify Model at Time of Order to Determine Compatibility
F20-20	Hose Barb 1/2" Barb x 1/2" Male SS	<b>\$9.90</b>	Specify Model at Time of Order to Determine Compatibility
F20-21	Plug 1/4" SS	<b>\$4.92</b>	Specify Model at Time of Order to Determine Compatibility
F20-22	Bushing 1/4" Male x 1/8" Female SS	<b>\$4.74</b>	Specify Model at Time of Order to Determine Compatibility
F20-23	Bushing 3/8" Male x 1/4" Female SS	<b>\$8.82</b>	Specify Model at Time of Order to Determine Compatibility
F20-24	Plug 3/8" SS	<b>\$6.12</b>	Specify Model at Time of Order to Determine Compatibility
F20-25	Bushing 1/2" Male x 3/8" Female SS	<b>\$9.42</b>	Specify Model at Time of Order to Determine Compatibility
F20-26	Plug 1/2" SS	<b>\$6.96</b>	Specify Model at Time of Order to Determine Compatibility
F20-27	Elbow 1/4" Male SS	<b>\$9.54</b>	Specify Model at Time of Order to Determine Compatibility
F20-28	Elbow 3/8" Male SS	<b>\$4.74</b>	Specify Model at Time of Order to Determine Compatibility
F20-29	Street Elbow 3/8" SS	<b>\$37.20</b>	Specify Model at Time of Order to Determine Compatibility
F20-30	Cross 4-Way 3/8" Female SS	<b>\$47.40</b>	Specify Model at Time of Order to Determine Compatibility
F20-31	Street Elbow 1/2" SS	<b>\$32.34</b>	Specify Model at Time of Order to Determine Compatibility
F20-32	Elbow 1/2" Female SS	<b>\$26.34</b>	Specify Model at Time of Order to Determine Compatibility
F20-33	Block 3/8" SS	<b>\$47.94</b>	Specify Model at Time of Order to Determine Compatibility
F20-34	Tee 1/2" SS	<b>\$31.14</b>	Specify Model at Time of Order to Determine Compatibility
F20-35	Compression Nipple 1/2"	<b>\$47.94</b>	Specify Model at Time of Order to Determine Compatibility
F38-24	Bung Cap 2" Adapter Course Thread X Fine Thread	<b>\$50.34</b>	Specify Model at Time of Order to Determine Compatibility
F42-11	Reusable Coupler 1/4" Male x 3/8" Female	<b>\$10.74</b>	Specify Model at Time of Order to Determine Compatibility
F42-12	Reusable Coupler 1/4" SO	<b>\$10.74</b>	Specify Model at Time of Order to Determine Compatibility
F42-13	Reusable Coupler 3/8" SO	<b>\$11.94</b>	Specify Model at Time of Order to Determine Compatibility
F42-14	Reusable Coupler 1/2" SO	<b>\$16.74</b>	Specify Model at Time of Order to Determine Compatibility
F42-15	Reusable Coupler 3/8" SW	<b>\$20.34</b>	Specify Model at Time of Order to Determine Compatibility
F42-16	Reusable Coupler 1/2" SW	<b>\$27.54</b>	Specify Model at Time of Order to Determine Compatibility
F42-17	Reusable Coupler 3/8" SO-R2	<b>\$14.34</b>	Specify Model at Time of Order to Determine Compatibility
F42-18	Reusable Coupler 3/8" SW-R2	<b>\$23.94</b>	Specify Model at Time of Order to Determine Compatibility
F42-19	Reusable Coupler 3/4" SO	<b>\$65.94</b>	Specify Model at Time of Order to Determine Compatibility
F42-20	3/8" Solid 1 Piece Coupling	<b>\$4.20</b>	Specify Model at Time of Order to Determine Compatibility
F42-21	3/8" Swivel 1 Piece Coupling	<b>\$4.79</b>	Specify Model at Time of Order to Determine Compatibility
F42-22	3/8" Solid Female 1 Piece Coupling	<b>\$4.74</b>	Specify Model at Time of Order to Determine Compatibility
F42-30A	Collar 1/4"	<b>\$1.66</b>	Specify Model at Time of Order to Determine Compatibility
F42-30B	1/4" Barb x 1/4" MP	<b>\$2.54</b>	Specify Model at Time of Order to Determine Compatibility

F42-30C	1/4" Barb x 1/4" MP Swivel	<b>\$7.60</b>	Specify Model at Time of Order to Determine Compatibility
F42-30D	1/4" Barb x 1/4" FP Swivel	<b>\$6.05</b>	Specify Model at Time of Order to Determine Compatibility
F42-31A	Ferrell 3/8"	<b>\$2.94</b>	Specify Model at Time of Order to Determine Compatibility
F42-31B	3/8" Barb x 3/8" MP	<b>\$2.54</b>	Specify Model at Time of Order to Determine Compatibility
F42-32A	3/8" Barb x 3/8" MP Swivel	<b>\$6.06</b>	Specify Model at Time of Order to Determine Compatibility
F42-32B	3/8" Barb x 3/8" FP Swivel	<b>\$7.60</b>	Specify Model at Time of Order to Determine Compatibility
F42-32C	3/8" Barb x 1/4" MP	<b>\$3.50</b>	Specify Model at Time of Order to Determine Compatibility
F42-32D	3/8" Barb x 1/4" MP Swivel	<b>\$6.06</b>	Specify Model at Time of Order to Determine Compatibility
F42-33A	Ferrell 1/2"	<b>\$2.70</b>	Specify Model at Time of Order to Determine Compatibility
F42-33B	1/2" Barb x 1/2" MP	<b>\$3.59</b>	Specify Model at Time of Order to Determine Compatibility
F42-34A	1/2" Barb x 1/2" MP Swivel	<b>\$8.34</b>	Specify Model at Time of Order to Determine Compatibility
F42-34B	1/2" Barb x 1/2" FP Swivel	<b>\$8.53</b>	Specify Model at Time of Order to Determine Compatibility
F42-34C	1/2" Barb x 1/2" F JIC Swivel	<b>\$10.51</b>	Specify Model at Time of Order to Determine Compatibility
F42-35A	1/2" Barb x 3/8" MP	<b>\$3.92</b>	Specify Model at Time of Order to Determine Compatibility
F42-35B	1/2" Barb x 3/8" MP Swivel	<b>\$6.06</b>	Specify Model at Time of Order to Determine Compatibility
F42-36	3/8" Barb x 1/2" MP Swivel	<b>\$10.51</b>	Specify Model at Time of Order to Determine Compatibility
F42-37	3/8" Barb x 1/2" F JIC Swivel	<b>\$8.53</b>	Specify Model at Time of Order to Determine Compatibility
F42-38	Handle Repair End	<b>\$7.14</b>	Specify Model at Time of Order to Determine Compatibility
F42-40	Bend Restrictor 8" Yellow	<b>\$4.74</b>	Specify Model at Time of Order to Determine Compatibility
F42-41	Bend Restrictor 24" Yellow	<b>\$5.94</b>	Specify Model at Time of Order to Determine Compatibility
F42-42	Bend Restrictor 10" Red	<b>\$5.99</b>	Specify Model at Time of Order to Determine Compatibility
F42-43	Bend Restrictor 1/2" Hose Black	<b>\$2.39</b>	Specify Model at Time of Order to Determine Compatibility
FN20-0.60D80A	Fuel Nozzle .6 x 80A	<b>\$13.19</b>	Specify Model at Time of Order to Determine Compatibility
FN20-0.60D80B	Fuel Nozzle .6 x 80B	<b>\$13.19</b>	Specify Model at Time of Order to Determine Compatibility
FN20-0.75D80B	Fuel Nozzle .75 x 80B	<b>\$13.19</b>	Specify Model at Time of Order to Determine Compatibility
FN20-0.75D90A	Fuel Nozzle .75 x 90A	<b>\$13.19</b>	Specify Model at Time of Order to Determine Compatibility
FN20-0.85D60B	Fuel Nozzle .85 x 60B	<b>\$13.19</b>	Specify Model at Time of Order to Determine Compatibility
FN20-1.00D90A	Fuel Nozzle 1.0 x 90A	<b>\$13.19</b>	Specify Model at Time of Order to Determine Compatibility
FN20-1.00D90B	Fuel Nozzle 1.0 x 90B	<b>\$13.19</b>	Specify Model at Time of Order to Determine Compatibility
FN20-1.10D60B	Fuel Nozzle 1.10 x 60B	<b>\$13.19</b>	Specify Model at Time of Order to Determine Compatibility
FN20-1.10D80A	Fuel Nozzle 1.10 x 80A	<b>\$13.19</b>	Specify Model at Time of Order to Determine Compatibility
FN20-1.10D90A	Fuel Nozzle 1.10 x 90A	<b>\$13.19</b>	Specify Model at Time of Order to Determine Compatibility
FN20-1.20D45A	Fuel Nozzle 1.20 x 45A	<b>\$13.19</b>	Specify Model at Time of Order to Determine Compatibility
FN20-1.20D80A	Fuel Nozzle 1.20 x 80A	<b>\$13.19</b>	Specify Model at Time of Order to Determine Compatibility
FN20-1.20D80B	Fuel Nozzle 1.20 x 80B	<b>\$13.19</b>	Specify Model at Time of Order to Determine Compatibility
FN20-1.20D90B	Fuel Nozzle 1.20 x 90B	<b>\$13.19</b>	Specify Model at Time of Order to Determine Compatibility
FN20-1.25D60B	Fuel Nozzle 1.25 x 60B	<b>\$13.19</b>	Specify Model at Time of Order to Determine Compatibility
FN20-1.25D80A	Fuel Nozzle 1.25 x 80A	<b>\$13.19</b>	Specify Model at Time of Order to Determine Compatibility
FN20-1.25D80B	Fuel Nozzle 1.25 x 80B	<b>\$13.19</b>	Specify Model at Time of Order to Determine Compatibility
FN20-1.25D90A	Fuel Nozzle 1.25 x 90A	<b>\$13.19</b>	Specify Model at Time of Order to Determine Compatibility
FN20-1.25D90B	Fuel Nozzle 1.25 x 90B	<b>\$13.19</b>	Specify Model at Time of Order to Determine Compatibility
FN20-1.35D80A	Fuel Nozzle 1.35 x 80A	<b>\$13.19</b>	Specify Model at Time of Order to Determine Compatibility
FN20-1.35D90A	Fuel Nozzle 1.35 x 90A	<b>\$13.19</b>	Specify Model at Time of Order to Determine Compatibility
FN20-1.50D60A	Fuel Nozzle 1.50 x 60A	<b>\$13.19</b>	Specify Model at Time of Order to Determine Compatibility
FN20-1.50D60B	Fuel Nozzle 1.50 x 60B	<b>\$13.19</b>	Specify Model at Time of Order to Determine Compatibility
FN20-1.50D80A	Fuel Nozzle 1.50 x 80A	<b>\$13.19</b>	Specify Model at Time of Order to Determine Compatibility
FN20-1.50D90A	Fuel Nozzle 1.50 x 90A	<b>\$13.19</b>	Specify Model at Time of Order to Determine Compatibility

[illegible]

FT55-16	Float Tank Lid Landa	<b>\$57.60</b>	Specify Model at Time of Order to Determine Compatibility
FT55-17	Float Tank Bracket Landa	<b>\$56.40</b>	Specify Model at Time of Order to Determine Compatibility
FT55-300	Fuel Tank 9 Gallon Black	<b>\$253.38</b>	Specify Model at Time of Order to Determine Compatibility
G19-08	Pressure Transducer	<b>\$238.80</b>	Specify Model at Time of Order to Determine Compatibility
G19-09	Thermometer 50-500° 3" Dial w/1/2" Male	<b>\$59.94</b>	Specify Model at Time of Order to Determine Compatibility
G19-09.1	Thermometer 0-250° Bottom Mount Adjustable	<b>\$137.94</b>	Specify Model at Time of Order to Determine Compatibility
G19-10	Vacuum Gauge 0-30 PSI	<b>\$49.80</b>	Specify Model at Time of Order to Determine Compatibility
G19-11	Pressure Gauge 0-300 PSI SS Bottom Mount	<b>\$35.94</b>	Specify Model at Time of Order to Determine Compatibility
G19-12	Pressure Gauge 0-600 PSI SS Bottom Mount	<b>\$35.94</b>	Specify Model at Time of Order to Determine Compatibility
G19-13	Pressure Gauge 0-1000 PSI SS Bottom Mount	<b>\$35.94</b>	Specify Model at Time of Order to Determine Compatibility
G19-14	Pressure Gauge 0-2000 PSI SS Bottom Mount	<b>\$35.94</b>	Specify Model at Time of Order to Determine Compatibility
G19-14.1	0-2000 PSI Back Mount Gauge SS	<b>\$35.94</b>	Specify Model at Time of Order to Determine Compatibility
G19-15	Pressure Gauge 0-3000 PSI SS Bottom Mount	<b>\$35.94</b>	Specify Model at Time of Order to Determine Compatibility
G19-16	Pressure Gauge 0-5000 PSI SS Bottom Mount	<b>\$35.94</b>	Specify Model at Time of Order to Determine Compatibility
G19-17	Pressure Gauge 0-5000 PSI SS Panel Mount	<b>\$35.94</b>	Specify Model at Time of Order to Determine Compatibility
G19-18	Pressure Gauge 0-6000 PSI SS Panel Mount	<b>\$35.94</b>	Specify Model at Time of Order to Determine Compatibility
G19-19	Pressure Gauge 0-6000 PSI SS Bottom Mount	<b>\$35.94</b>	Specify Model at Time of Order to Determine Compatibility
G19-20	Pressure Gauge 0-10,000 PSI SS Bottom Mount	<b>\$35.94</b>	Specify Model at Time of Order to Determine Compatibility
G19-21	Quick Disconnect Gauge Fitting	<b>\$11.94</b>	Specify Model at Time of Order to Determine Compatibility
G19-21.1	Gauge Hose 1/4" x 1/8"	<b>\$11.94</b>	Specify Model at Time of Order to Determine Compatibility
G19-24	Clear Sleeve for Arctic Steamer Handle	<b>\$3.54</b>	Specify Model at Time of Order to Determine Compatibility
G19-300	Pressure Gauge 0-160 PSI SS Bottom Mount	<b>\$35.94</b>	Specify Model at Time of Order to Determine Compatibility
G19-NS-300	0-500 PSI Panel Mount Pressure Gauge SS	<b>\$29.94</b>	Specify Model at Time of Order to Determine Compatibility
G19-NS-301	Gauge Mounting Bracket Panel/Back	<b>\$7.14</b>	Specify Model at Time of Order to Determine Compatibility
G52-16	Capacitor 25MF	<b>\$131.94</b>	Specify Model at Time of Order to Determine Compatibility
G52-18	Bridge Rectifier	<b>\$23.94</b>	Specify Model at Time of Order to Determine Compatibility
G52-20	Brush kit fpr AB30/AB40 for Ecos Generator	<b>\$161.94</b>	Specify Model at Time of Order to Determine Compatibility
G53-42	Generator AB40	<b>\$1,453.92</b>	Specify Model at Time of Order to Determine Compatibility
G53-43	Generator 3000 Watt 115V	<b>\$1,121.33</b>	Specify Model at Time of Order to Determine Compatibility
G53-44	Generator 2500 Watt 115V	<b>\$880.84</b>	Specify Model at Time of Order to Determine Compatibility
G53-NS-300	Generator 5000W	<b>\$1,858.31</b>	Specify Model at Time of Order to Determine Compatibility
G53-NS-301	Generator 2900W	<b>\$900.00</b>	Specify Model at Time of Order to Determine Compatibility
GORILLA-5	Gorilla Wash 5 Gallons - SDS Given	<b>\$83.94</b>	Specify Model at Time of Order to Determine Compatibility
GORILLA-55	Gorilla Wash 55 Gallons - SDS Given	<b>\$527.34</b>	Specify Model at Time of Order to Determine Compatibility
GREASEB-5	Grease Bite 5 Gallons - SDS Given	<b>\$83.94</b>	Specify Model at Time of Order to Determine Compatibility
GREASEB-55	Grease Bite 55 Gallons - SDS Given	<b>\$527.34</b>	Specify Model at Time of Order to Determine Compatibility
H08-19	Mat Holders	<b>\$21.54</b>	Specify Model at Time of Order to Determine Compatibility
H08-20	Isolator 5/16" Female x 1"	<b>\$5.56</b>	Specify Model at Time of Order to Determine Compatibility
H08-21	Vibration Mount 5/16"	<b>\$6.12</b>	Specify Model at Time of Order to Determine Compatibility
H08-22	Bumper Rubber w/Bolt 5/16" x 1-1/4"	<b>\$9.83</b>	Specify Model at Time of Order to Determine Compatibility
H08-23	Rubber Vibration Mount 5/16"	<b>\$13.53</b>	Specify Model at Time of Order to Determine Compatibility
H08-24	Rubber Vibration Mount 3/8"	<b>\$12.30</b>	Specify Model at Time of Order to Determine Compatibility
H08-25	Soft Rubber Pad	<b>\$4.88</b>	Specify Model at Time of Order to Determine Compatibility
H08-26	Rubber Dampener 5/16"	<b>\$2.41</b>	Specify Model at Time of Order to Determine Compatibility
H08-27	Pump Support Rail Kit	<b>\$29.60</b>	Specify Model at Time of Order to Determine Compatibility
H08-28	Foot Assembly w/o Bracket	<b>\$22.19</b>	Specify Model at Time of Order to Determine Compatibility

H08-29	Knob 5/16" Black	<b>\$6.12</b>	Specify Model at Time of Order to Determine Compatibility
H08-30	Knob Screw 10-32 x 1/2"	<b>\$4.33</b>	Specify Model at Time of Order to Determine Compatibility
H08-300	Sillcocks Tool	<b>\$17.94</b>	Specify Model at Time of Order to Determine Compatibility
H08-31	Thumb Screw 1/4" - 20 x 1/2"	<b>\$3.40</b>	Specify Model at Time of Order to Determine Compatibility
H08-32	Rubber T Handle w/Keeper	<b>\$16.01</b>	Specify Model at Time of Order to Determine Compatibility
H08-33	Flush Locking Latch	<b>\$44.43</b>	Specify Model at Time of Order to Determine Compatibility
H08-34	Skid Mount Bracket Each	<b>\$15.54</b>	Specify Model at Time of Order to Determine Compatibility
H08-36	Insulation Retainer Plate	<b>\$8.59</b>	Specify Model at Time of Order to Determine Compatibility
H08-37	Handle Grip 1"	<b>\$4.88</b>	Specify Model at Time of Order to Determine Compatibility
H08-38	Switch Cover	<b>\$13.53</b>	Specify Model at Time of Order to Determine Compatibility
H08-39	Skid Mount Feet - HD Series	<b>\$35.99</b>	Specify Model at Time of Order to Determine Compatibility
H08-40	Grate Skid Kit for Undercarriage Cleaner	<b>\$47.99</b>	Specify Model at Time of Order to Determine Compatibility
H09-02	Float Tank Cover	<b>\$38.93</b>	Specify Model at Time of Order to Determine Compatibility
H09-03	Metal Float Tank ? Alkota	<b>\$197.75</b>	Specify Model at Time of Order to Determine Compatibility
H09-04	Burner Cover	<b>\$92.69</b>	Specify Model at Time of Order to Determine Compatibility
H09-05	Edging for Burner Cover	<b>\$1.67</b>	Specify Model at Time of Order to Determine Compatibility
H09-06	Manifold Block	<b>\$29.60</b>	Specify Model at Time of Order to Determine Compatibility
H09-07	Unloader Block Assembly 3/8" x 3/8"	<b>\$51.85</b>	Specify Model at Time of Order to Determine Compatibility
H09-08	Unloader Block Assembly 1/2" x 1/2"	<b>\$51.85</b>	Specify Model at Time of Order to Determine Compatibility
H09-09	Discharge Block 1/2" x 1/2" Steel	<b>\$53.09</b>	Specify Model at Time of Order to Determine Compatibility
H09-10	Unloader Valve Bracket	<b>\$27.18</b>	Specify Model at Time of Order to Determine Compatibility
H09-12	Electrical Box Cover Arctic Steamer	<b>\$7.43</b>	Specify Model at Time of Order to Determine Compatibility
H09-13	Din Rail	<b>\$2.40</b>	Specify Model at Time of Order to Determine Compatibility
H09-14	Arctic Steamer Handle Cap	<b>\$5.94</b>	Specify Model at Time of Order to Determine Compatibility
H09-30B	Cover Screw Nut 1/2" Square	<b>\$1.85</b>	Specify Model at Time of Order to Determine Compatibility
H09-34A	Screw 3/8" x 3/4"	<b>\$1.55</b>	Specify Model at Time of Order to Determine Compatibility
H09-34B	Screw 3/8" x 1-3/4"	<b>\$1.67</b>	Specify Model at Time of Order to Determine Compatibility
H09-34D	Bolt 3/8" x 3/8" Recessed Landa Brake	<b>\$3.65</b>	Specify Model at Time of Order to Determine Compatibility
H09-42B	Cage Nut 1/4-12	<b>\$2.16</b>	Specify Model at Time of Order to Determine Compatibility
H09-42C	Cage Nut 5/16-12	<b>\$2.16</b>	Specify Model at Time of Order to Determine Compatibility
H09-42D	Cage Nut 3/8-12	<b>\$2.16</b>	Specify Model at Time of Order to Determine Compatibility
H09-48	1/2" Split Ring Hanger	<b>\$2.60</b>	Specify Model at Time of Order to Determine Compatibility
H09-49	3/8" Beam Clamp	<b>\$2.60</b>	Specify Model at Time of Order to Determine Compatibility
H09-50	Crimp Clamp 1/4" Hose	<b>\$1.50</b>	Specify Model at Time of Order to Determine Compatibility
H09-50.1	Crimp Clamp 3/8" Hose	<b>\$1.50</b>	Specify Model at Time of Order to Determine Compatibility
H09-51	Crimp Clamp 1/2" Hose	<b>\$1.50</b>	Specify Model at Time of Order to Determine Compatibility
H09-52	Crimp Clamp 5/8" Hose	<b>\$1.50</b>	Specify Model at Time of Order to Determine Compatibility
H09-53	Crimp Clamp 3/4" Hose	<b>\$1.50</b>	Specify Model at Time of Order to Determine Compatibility
H09-56	Hose Clamp 5/8" ID or less	<b>\$1.67</b>	Specify Model at Time of Order to Determine Compatibility
H09-57	Hose Clamp 1" ID or Less	<b>\$1.80</b>	Specify Model at Time of Order to Determine Compatibility
H35-16	Hinge Alkota Lid	<b>\$11.94</b>	Specify Model at Time of Order to Determine Compatibility
H35-17	Fusible Link	<b>\$13.14</b>	Specify Model at Time of Order to Determine Compatibility
H40-15	Wall Mount Bracket Bolt Kit for H40-16	<b>\$41.96</b>	Specify Model at Time of Order to Determine Compatibility
H40-16	Wall Mount Bracket SS SEA	<b>\$419.94</b>	Specify Model at Time of Order to Determine Compatibility
H40-18	Hose Trolley Assembly	<b>\$1,198.80</b>	Specify Model at Time of Order to Determine Compatibility
H40-19	Hose Trolley Bracket	<b>\$240.00</b>	Specify Model at Time of Order to Determine Compatibility
H40-20	Hose Trolley	<b>\$130.80</b>	Specify Model at Time of Order to Determine Compatibility

H40-21	Wall Hook SS	<b>\$19.19</b>	Specify Model at Time of Order to Determine Compatibility
H40-22	Swivel Eye Blocks	<b>\$8.34</b>	Specify Model at Time of Order to Determine Compatibility
H40-23	Cable Clamp 3/16"	<b>\$4.78</b>	Specify Model at Time of Order to Determine Compatibility
H40-24	Eyebolt 13" Long	<b>\$22.74</b>	Specify Model at Time of Order to Determine Compatibility
H40-25	Eyebolt w/Expansion Shield & 2 Locknuts	<b>\$14.40</b>	Specify Model at Time of Order to Determine Compatibility
H40-26	Double Clevis	<b>\$9.54</b>	Specify Model at Time of Order to Determine Compatibility
H40-27	Turnbuckle Jaw & Eye	<b>\$57.54</b>	Specify Model at Time of Order to Determine Compatibility
H40-28	Turnbuckle 3/8" x 6"	<b>\$39.60</b>	Specify Model at Time of Order to Determine Compatibility
H40-30	Steel Cable 3/16" x 100'	<b>\$150.00</b>	Specify Model at Time of Order to Determine Compatibility
H40-300	Wall Mount Assembly SEA MS	<b>\$179.22</b>	Specify Model at Time of Order to Determine Compatibility
H40-31	Steel Cable 3/16" x 220'	<b>\$330.00</b>	Specify Model at Time of Order to Determine Compatibility
H43-03	Battery Box	<b>\$32.01</b>	Specify Model at Time of Order to Determine Compatibility
H54-10	Sea Floor Stand 36"	<b>\$346.20</b>	Specify Model at Time of Order to Determine Compatibility
H56-01	Hinge 2" x 6"	<b>\$101.94</b>	Specify Model at Time of Order to Determine Compatibility
H58-08	Tow Handle	<b>\$42.00</b>	Specify Model at Time of Order to Determine Compatibility
H58-09	Bottom Wrap SS	<b>\$634.79</b>	Specify Model at Time of Order to Determine Compatibility
H58-10	Top Wrap SS	<b>\$328.08</b>	Specify Model at Time of Order to Determine Compatibility
H59-15	Wall Mount Bracket ZEF/ZE	<b>\$277.14</b>	Specify Model at Time of Order to Determine Compatibility
HOSERPAIR-1END	Hose End Repair 1 End	<b>\$25.20</b>	Specify Model at Time of Order to Determine Compatibility
HOSERPAIR-2ENDS	Hose Repair 2 Ends	<b>\$37.20</b>	Specify Model at Time of Order to Determine Compatibility
HR38-30	Stackable Power Hose Reel 12V 3/8" 350'	<b>\$954.00</b>	Specify Model at Time of Order to Determine Compatibility
HR38-300	Hose Reel Power Rewind	<b>\$1,523.62</b>	Specify Model at Time of Order to Determine Compatibility
HR38-301	Hose Reel Low Pressure 1/2" 40' w/Guide	<b>\$369.56</b>	Specify Model at Time of Order to Determine Compatibility
HR38-31	Hose Reel Spring Retractable 3/8" 50'	<b>\$540.00</b>	Specify Model at Time of Order to Determine Compatibility
HR38-32	Stackable Hose Reel High Pressure 3/8" 250'	<b>\$399.60</b>	Specify Model at Time of Order to Determine Compatibility
HR38-33	Hose Reel Spring Retractable 3/8" 100' w/Guide	<b>\$1,140.00</b>	Specify Model at Time of Order to Determine Compatibility
HR38-33.1	Hose Reel Spring Retractable 3/8" 100'	<b>\$1,186.80</b>	Specify Model at Time of Order to Determine Compatibility
HR38-34	Hose Reel 12V 3/8" 450'	<b>\$1,018.80</b>	Specify Model at Time of Order to Determine Compatibility
HR38-34A	HR38-34 Switch Box Kit	<b>\$166.80</b>	Specify Model at Time of Order to Determine Compatibility
HR38-34B	HR38-34 Stacking Kit	<b>\$118.80</b>	Specify Model at Time of Order to Determine Compatibility
HR39-05	Hose Reel 3/8" x 100' w/Lock Pin	<b>\$174.00</b>	Specify Model at Time of Order to Determine Compatibility
HR39-06	Hose Reel 3/8" x 150'	<b>\$307.76</b>	Specify Model at Time of Order to Determine Compatibility
HR39-07	Hose Reel 3/8" x 100' Hand Carry	<b>\$358.80</b>	Specify Model at Time of Order to Determine Compatibility
HR40-60	Air Hose Reel 50' w/Hose	<b>\$308.94</b>	Specify Model at Time of Order to Determine Compatibility
HR43-07	Hose Reel Platform HOT/MHC	<b>\$150.00</b>	Specify Model at Time of Order to Determine Compatibility
HR44-01	Hose Reel Platform PHW	<b>\$150.00</b>	Specify Model at Time of Order to Determine Compatibility
HR44-08	Mounting Kit HDS	<b>\$275.94</b>	Specify Model at Time of Order to Determine Compatibility
HR47-05	Momentary Switch	<b>\$37.02</b>	Specify Model at Time of Order to Determine Compatibility
HR47-06	Pivot Bushing	<b>\$8.59</b>	Specify Model at Time of Order to Determine Compatibility
HR47-07	Hose Reel Stand	<b>\$102.00</b>	Specify Model at Time of Order to Determine Compatibility
HR47-09	Hose Reel Bracket - Swivel	<b>\$55.56</b>	Specify Model at Time of Order to Determine Compatibility
HR47-10	Roller Bracket	<b>\$48.14</b>	Specify Model at Time of Order to Determine Compatibility
HR47-11	Ball Stop	<b>\$24.60</b>	Specify Model at Time of Order to Determine Compatibility
HR47-12	Large Hose Stop Orange	<b>\$45.00</b>	Specify Model at Time of Order to Determine Compatibility
HR47-13	Small Hose Stop Orange	<b>\$35.40</b>	Specify Model at Time of Order to Determine Compatibility
HR47-14	Wall Mount Bracket Painted	<b>\$47.40</b>	Specify Model at Time of Order to Determine Compatibility

HR47-15	Base Mount Bracket Painted	<b>\$47.40</b>	Specify Model at Time of Order to Determine Compatibility
HR47-16	Hose Reel Quick Mount Universal Bracket	<b>\$61.80</b>	Specify Model at Time of Order to Determine Compatibility
HR47-17	Hose Reel Handle	<b>\$17.00</b>	Specify Model at Time of Order to Determine Compatibility
HR47-18	Handle Assembly	<b>\$30.60</b>	Specify Model at Time of Order to Determine Compatibility
HR47-19	Hose Reel Locking Pin	<b>\$40.91</b>	Specify Model at Time of Order to Determine Compatibility
HR47-20	Hose Reel Spare Part Kit	<b>\$32.07</b>	Specify Model at Time of Order to Determine Compatibility
HR47-21A	Hose Reel Plate	<b>\$27.13</b>	Specify Model at Time of Order to Determine Compatibility
HR47-21B	Lock Pin Assembly	<b>\$23.42</b>	Specify Model at Time of Order to Determine Compatibility
HR47-NS-300	Roller Guide Fluted Rollers	<b>\$56.79</b>	Specify Model at Time of Order to Determine Compatibility
HR47-NS-HDSMOUNT	Hose Reel Mount HDS	<b>\$169.33</b>	Specify Model at Time of Order to Determine Compatibility
HR48-01	100' Stackable Hose Reel MS 6000 PSI	<b>\$358.66</b>	Specify Model at Time of Order to Determine Compatibility
HR48-02	200' Stackable Hose Reel MS 6000 PSI	<b>\$394.66</b>	Specify Model at Time of Order to Determine Compatibility
HR48-03	Stackable Hose Reel Cart	<b>\$190.66</b>	Specify Model at Time of Order to Determine Compatibility
HR58-51	Hose Reel 1/2" x 175'	<b>\$406.80</b>	Specify Model at Time of Order to Determine Compatibility
HR58-52	Hose Reel 1/2" x 200'	<b>\$478.80</b>	Specify Model at Time of Order to Determine Compatibility
HR58-52A	Stacking Bracket for HR58-52	<b>\$118.80</b>	Specify Model at Time of Order to Determine Compatibility
HR58-53	Hose Reel 3/8" 100' Manual	<b>\$274.80</b>	Specify Model at Time of Order to Determine Compatibility
HR-K01-0106-3/4	Hose Reel 3/4" - 12" Painted	<b>\$508.00</b>	Specify Model at Time of Order to Determine Compatibility
HR-MG300	Spring Retractable Hose Reel 3/8" 75' 4000 PSI	<b>\$740.36</b>	Specify Model at Time of Order to Determine Compatibility
HR-NS-300	Victor 350' 3/8" Hose Reel	<b>\$333.66</b>	Specify Model at Time of Order to Determine Compatibility
HR-NS-K01-0106	Hose Reel -300' 3/8"	<b>\$468.49</b>	Specify Model at Time of Order to Determine Compatibility
HR-NS-K01-0107-1-SS	Hose Reel 1/2" 325' SS	<b>\$638.40</b>	Specify Model at Time of Order to Determine Compatibility
HR-NS-K01-0108	22" Painted Hose Reel	<b>\$521.96</b>	Specify Model at Time of Order to Determine Compatibility
HR-NS-K01-0160	Hose Reel Cart for 12" Reels	<b>\$300.45</b>	Specify Model at Time of Order to Determine Compatibility
HR-NS-K01-0164	Hose Reel Cart 22"	<b>\$300.45</b>	Specify Model at Time of Order to Determine Compatibility
HR-NS-K01-0169	Hose Reel Cart for 12" Reels W/ Flat Free Tires	<b>\$369.56</b>	Specify Model at Time of Order to Determine Compatibility
HR-NS-MCS300	Hose Reel 3/8" 70' 4000 PSI Stainless Steel	<b>\$1,205.10</b>	Specify Model at Time of Order to Determine Compatibility
HR-NS-MP-REELKIT	MP Hose Reel Kit	<b>\$601.31</b>	Specify Model at Time of Order to Determine Compatibility
HR-NS-P18-18E	Hose Reel 1/2" 325' Power Rewind 12V	<b>\$1,691.64</b>	Specify Model at Time of Order to Determine Compatibility
HR-NS-P18-22E	Hose Reel 1/2" 400' Power Rewind 12V	<b>\$1,725.06</b>	Specify Model at Time of Order to Determine Compatibility
HR-REEL100F	Fixed Hose Reel 100'	<b>\$321.32</b>	Specify Model at Time of Order to Determine Compatibility
HR-REEL100R	Pivoting Hose Reel 100'	<b>\$405.32</b>	Specify Model at Time of Order to Determine Compatibility
HR-REEL200F	Fixed Hose Reel 200'	<b>\$333.32</b>	Specify Model at Time of Order to Determine Compatibility
HR-REEL200R	Pivoting Hose Reel 200'	<b>\$453.32</b>	Specify Model at Time of Order to Determine Compatibility
I03-00	Sock Filter	<b>\$11.13</b>	Specify Model at Time of Order to Determine Compatibility
I03-01	Float Tank Valve Vertical	<b>\$28.37</b>	Specify Model at Time of Order to Determine Compatibility
I03-02	Float Ball Black Plastic	<b>\$6.12</b>	Specify Model at Time of Order to Determine Compatibility
I03-03	Float Ball Orange Plastic	<b>\$6.12</b>	Specify Model at Time of Order to Determine Compatibility
I03-04	Float Valve Kit 3/8" Male Inlet w/Gray Float	<b>\$47.94</b>	Specify Model at Time of Order to Determine Compatibility
I03-04.1	Float Valve Repair Kits	<b>\$12.54</b>	Specify Model at Time of Order to Determine Compatibility
I03-04.2	Float Valve Kit 3/8" VHG	<b>\$90.60</b>	Specify Model at Time of Order to Determine Compatibility
I03-05	Float Valve Kit 1/2" Male Inlet w/Orange Float	<b>\$123.54</b>	Specify Model at Time of Order to Determine Compatibility
I03-06	Float Valve 1/2" Male Inlet Brass	<b>\$74.10</b>	Specify Model at Time of Order to Determine Compatibility
I03-07	Float Valve Plunger Kit	<b>\$17.24</b>	Specify Model at Time of Order to Determine Compatibility
I03-08	Float Valve 1/2" Male Inlet PVC	<b>\$22.19</b>	Specify Model at Time of Order to Determine Compatibility
I03-09	Diaphragm Float Valve Kit 1/2" Male	<b>\$51.85</b>	Specify Model at Time of Order to Determine Compatibility
I03-09A	Float Valve Diaphragm	<b>\$6.12</b>	Specify Model at Time of Order to Determine Compatibility

I03-10	Float Valve 1/2" Male Inlet & 1/2" Male Outlet	<b>\$66.68</b>	Specify Model at Time of Order to Determine Compatibility
I03-11	Float Valve 3/4" Male Inlet & 3/4" Male Outlet	<b>\$86.46</b>	Specify Model at Time of Order to Determine Compatibility
I03-12	Diaphragm Float Valve Kit 3/4" Male	<b>\$23.42</b>	Specify Model at Time of Order to Determine Compatibility
I03-13	Float Valve 1" Male Inlet Brass	<b>\$66.68</b>	Specify Model at Time of Order to Determine Compatibility
I03-14	Float Valve 1" 90°	<b>\$65.51</b>	Specify Model at Time of Order to Determine Compatibility
I03-14.1	Float Valve 1/2" Hudson	<b>\$62.99</b>	Specify Model at Time of Order to Determine Compatibility
I03-15	Float Valve Kit 1/2" M Inlet x 3/8" Barb w/Float	<b>\$50.61</b>	Specify Model at Time of Order to Determine Compatibility
I03-16	Float Valve Stem 1/4" x 8" Brass	<b>\$7.35</b>	Specify Model at Time of Order to Determine Compatibility
I03-17	Float Valve Stem 1/4" x 10" Brass	<b>\$4.88</b>	Specify Model at Time of Order to Determine Compatibility
I03-18	Float Rod 1/4" x 1-1/2" 20°	<b>\$3.65</b>	Specify Model at Time of Order to Determine Compatibility
I03-19	Inlet Hose 8"	<b>\$20.34</b>	Specify Model at Time of Order to Determine Compatibility
I03-20	Inlet Hose 11"	<b>\$20.34</b>	Specify Model at Time of Order to Determine Compatibility
I03-21	Inlet Hose 13"	<b>\$20.34</b>	Specify Model at Time of Order to Determine Compatibility
I03-22	Inlet Hose 30"	<b>\$23.94</b>	Specify Model at Time of Order to Determine Compatibility
I03-23	Float Tank Plug	<b>\$13.53</b>	Specify Model at Time of Order to Determine Compatibility
I03-24	Float Tank Overflow Plug	<b>\$6.12</b>	Specify Model at Time of Order to Determine Compatibility
I03-25	Float Tank Plug 1/4"	<b>\$1.85</b>	Specify Model at Time of Order to Determine Compatibility
I03-25A	Plastic Restrictor 1/2" w/ 9/32" Orifice	<b>\$7.35</b>	Specify Model at Time of Order to Determine Compatibility
I03-25B	Plastic Restrictor 1/2" w/Orifice	<b>\$7.35</b>	Specify Model at Time of Order to Determine Compatibility
I03-26	Close Nipple Modified 1/2" x 5/16" Orifice	<b>\$29.60</b>	Specify Model at Time of Order to Determine Compatibility
I03-26A	Close Nipple Modified 1/2" x 3/16" Orifice	<b>\$14.77</b>	Specify Model at Time of Order to Determine Compatibility
I03-26B	Close Nipple Modified 1/2" x 1/4" Orifice	<b>\$22.19</b>	Specify Model at Time of Order to Determine Compatibility
I03-27	Plastic Elbow 1/2" M x 5/8" Barb w/ 1/4" Orifice	<b>\$6.12</b>	Specify Model at Time of Order to Determine Compatibility
I03-28	Strainer 3/8" Female w/SS Screen	<b>\$8.76</b>	Specify Model at Time of Order to Determine Compatibility
I03-29	Strainer 1/2" Female w/SS Screen	<b>\$9.59</b>	Specify Model at Time of Order to Determine Compatibility
I03-30	Strainer 1-1/2" Female w/SS Screen	<b>\$20.10</b>	Specify Model at Time of Order to Determine Compatibility
I03-31	In-Line Filter 3/8" Male x 3/4" GH w/ 1/4" Bypass	<b>\$52.86</b>	Specify Model at Time of Order to Determine Compatibility
I03-32	In-Line Filter 3/8" Male x 3/4" GH	<b>\$50.34</b>	Specify Model at Time of Order to Determine Compatibility
I03-33	In-Line Filter 1/2" Male x 3/4" GH w/ 1/4" Bypass	<b>\$52.86</b>	Specify Model at Time of Order to Determine Compatibility
I03-34	In-Line Filter 1/2" Male x 3/4" GH	<b>\$50.34</b>	Specify Model at Time of Order to Determine Compatibility
I03-35	In-Line Filter Repair Kit	<b>\$8.76</b>	Specify Model at Time of Order to Determine Compatibility
I03-35A	In-Line Filter Plastic Cover	<b>\$4.98</b>	Specify Model at Time of Order to Determine Compatibility
I03-37	Garden Hose Washer w/Screen	<b>\$1.89</b>	Specify Model at Time of Order to Determine Compatibility
I03-38	In-Line Can Filter 3/4" w/Clear Bowl	<b>\$37.74</b>	Specify Model at Time of Order to Determine Compatibility
I03-39	In-Line Can Filter 3/4" w/Gray Bowl	<b>\$30.18</b>	Specify Model at Time of Order to Determine Compatibility
I03-40	In-Line Can Filter Replacement Screen	<b>\$11.28</b>	Specify Model at Time of Order to Determine Compatibility
I03-41	In-Line Can Filter Replacement Bowl Gray	<b>\$13.80</b>	Specify Model at Time of Order to Determine Compatibility
I03-41.1	In-Line Can Filter Replacement Bowl Clear	<b>\$13.80</b>	Specify Model at Time of Order to Determine Compatibility
I03-42	In-Line Can Filter Replacement Gasket	<b>\$7.50</b>	Specify Model at Time of Order to Determine Compatibility
I03-43	In-Line Filter 1/2" Male x 1/2" Female	<b>\$31.44</b>	Specify Model at Time of Order to Determine Compatibility
I03-43.1	In-Line Filter 1/2"	<b>\$30.18</b>	Specify Model at Time of Order to Determine Compatibility
I03-43.2A	In-Line Filter 3/8" w/Viton Seal	<b>\$137.28</b>	Specify Model at Time of Order to Determine Compatibility
I03-43.2B	In-Line Filter 1/2" w/Viton Seal	<b>\$192.72</b>	Specify Model at Time of Order to Determine Compatibility
I03-43A	In-Line Filter Replacement Screen	<b>\$11.28</b>	Specify Model at Time of Order to Determine Compatibility

I03-43B	In-Line Filter Gasket	<b>\$1.89</b>	Specify Model at Time of Order to Determine Compatibility
I03-44	Y-Trap Strainer 3/4"	<b>\$25.14</b>	Specify Model at Time of Order to Determine Compatibility
I03-45	Y-Trap Strainer 1"	<b>\$32.70</b>	Specify Model at Time of Order to Determine Compatibility
I03-46	T Line Strainer 1"	<b>\$40.26</b>	Specify Model at Time of Order to Determine Compatibility
I03-46.1	Inline Filter Screen	<b>\$28.74</b>	Specify Model at Time of Order to Determine Compatibility
I03-46A	T Line Strainer Gasket	<b>\$4.73</b>	Specify Model at Time of Order to Determine Compatibility
I03-48	Anti Siphon Valve	<b>\$11.06</b>	Specify Model at Time of Order to Determine Compatibility
I03-49	Pressure Reducer Valve	<b>\$45.67</b>	Specify Model at Time of Order to Determine Compatibility
I03-NS-301	Float Tank Assembly 1/2"	<b>\$70.20</b>	Specify Model at Time of Order to Determine Compatibility
I04-02	Sludge Bag	<b>\$6.94</b>	Specify Model at Time of Order to Determine Compatibility
I04-05	Filter Inline 1 1/4" Black with 40 Mesh	<b>\$50.34</b>	Specify Model at Time of Order to Determine Compatibility
I04-06	Filter Housing Mounting Bracket	<b>\$24.66</b>	Specify Model at Time of Order to Determine Compatibility
I04-07	Plastic Filter Housing	<b>\$60.50</b>	Specify Model at Time of Order to Determine Compatibility
I04-08	Ultra Fine Filter Element (50 milion)	<b>\$17.58</b>	Specify Model at Time of Order to Determine Compatibility
I36-14	Sock Filter 5 Micron Poly Felt	<b>\$13.14</b>	Specify Model at Time of Order to Determine Compatibility
I46-01	Insulation Blanket 24" x 57"	<b>\$64.04</b>	Specify Model at Time of Order to Determine Compatibility
I46-02	Insulation Blanket 29" x 70" Foil Backed ENG	<b>\$100.50</b>	Specify Model at Time of Order to Determine Compatibility
I52-02	Insulation Can	<b>\$215.88</b>	Specify Model at Time of Order to Determine Compatibility
I52-04	Insulation Blanket w/Foil	<b>\$138.21</b>	Specify Model at Time of Order to Determine Compatibility
I52-06	Insulation Top 30" x 10" Fiberglass	<b>\$35.13</b>	Specify Model at Time of Order to Determine Compatibility
I52-08	Insulation 30.75" x 59" Fiberglass	<b>\$43.93</b>	Specify Model at Time of Order to Determine Compatibility
I52-10	Insulation 26" x 60"	<b>\$109.30</b>	Specify Model at Time of Order to Determine Compatibility
I52-12	Coil Top with Insulation	<b>\$81.64</b>	Specify Model at Time of Order to Determine Compatibility
I53-05	MHC/HOT Burner Head Insulation w/Hole	<b>\$28.85</b>	Specify Model at Time of Order to Determine Compatibility
I53-06	MHC/HOT Burner Head Insulation w/o Hole	<b>\$27.59</b>	Specify Model at Time of Order to Determine Compatibility
I53-08	Insulation Burner Head w/ Hole	<b>\$41.42</b>	Specify Model at Time of Order to Determine Compatibility
I53-10	Insulation Front Head No Hole	<b>\$26.33</b>	Specify Model at Time of Order to Determine Compatibility
I53-11	Insulation Bottom	<b>\$58.74</b>	Specify Model at Time of Order to Determine Compatibility
I53-NS-ENG	Insulation ENG Small - 29" x 70" Foil	<b>\$102.78</b>	Specify Model at Time of Order to Determine Compatibility
IN99-02	10" Chimney Top Class B	<b>\$138.58</b>	Specify Model at Time of Order to Determine Compatibility
IN99-03	10" Storm Collar	<b>\$45.71</b>	Specify Model at Time of Order to Determine Compatibility
IN99-04	10" x 5' Pipe Class C	<b>\$39.17</b>	Specify Model at Time of Order to Determine Compatibility
IN99-05	8" x 6" Reducer	<b>\$14.32</b>	Specify Model at Time of Order to Determine Compatibility
IN99-06	8" x 2' Pipe Class C	<b>\$15.63</b>	Specify Model at Time of Order to Determine Compatibility
IN99-07	8" Elbow Class C	<b>\$13.01</b>	Specify Model at Time of Order to Determine Compatibility
IN99-09	10" Elbow Class C	<b>\$23.48</b>	Specify Model at Time of Order to Determine Compatibility
IN99-10	10" Tee Class C	<b>\$78.41</b>	Specify Model at Time of Order to Determine Compatibility
IN99-11	Strut per Foot	<b>\$4.56</b>	Specify Model at Time of Order to Determine Compatibility
IN99-11.1	Strut Clamp 1/2"	<b>\$2.34</b>	Specify Model at Time of Order to Determine Compatibility
IN99-12	10 QC x 30" Pipe	<b>\$143.81</b>	Specify Model at Time of Order to Determine Compatibility
IN99-13	10 QC x 18" Pipe	<b>\$130.73</b>	Specify Model at Time of Order to Determine Compatibility
IN99-14	6" x 5' Pipe Class C	<b>\$23.53</b>	Specify Model at Time of Order to Determine Compatibility
IN99-15	6" Elbow Class C	<b>\$9.14</b>	Specify Model at Time of Order to Determine Compatibility
IN99-16	6" Clevis Hanger	<b>\$13.07</b>	Specify Model at Time of Order to Determine Compatibility
IN99-17	10" Clean Out Cap	<b>\$16.94</b>	Specify Model at Time of Order to Determine Compatibility
IN99-18	10" Roof Flashing	<b>\$91.49</b>	Specify Model at Time of Order to Determine Compatibility
IN99-19	1" Ward Flex per Foot	<b>\$13.01</b>	Specify Model at Time of Order to Determine Compatibility

IN99-19.1	3/4" Ward Flex per Foot	<b>\$9.48</b>	Specify Model at Time of Order to Determine Compatibility
IN99-20	1" Ward Flex Fitting Female	<b>\$65.33</b>	Specify Model at Time of Order to Determine Compatibility
IN99-20.1	3/4" Ward Flex Fitting Female	<b>\$47.94</b>	Specify Model at Time of Order to Determine Compatibility
IN99-21	1" Ward Flex Fitting Male	<b>\$65.33</b>	Specify Model at Time of Order to Determine Compatibility
IN99-21.1	3/4" Ward Flex Fitting Male	<b>\$47.94</b>	Specify Model at Time of Order to Determine Compatibility
IN99-22	8" x 5' Pipe Class C	<b>\$39.17</b>	Specify Model at Time of Order to Determine Compatibility
IN99-23	12" Elbow Class C	<b>\$26.09</b>	Specify Model at Time of Order to Determine Compatibility
IN99-24	12" Clean Out Cap	<b>\$18.25</b>	Specify Model at Time of Order to Determine Compatibility
IN99-25	12" x 5' Pipe Class C	<b>\$44.41</b>	Specify Model at Time of Order to Determine Compatibility
IN99-26	10" x 3' Pipe Class B	<b>\$193.52</b>	Specify Model at Time of Order to Determine Compatibility
IN99-27	12" Tee Class C	<b>\$52.25</b>	Specify Model at Time of Order to Determine Compatibility
IP99-01	Pipe 1/2" Sch 80 Black per Ft	<b>\$5.10</b>	Specify Model at Time of Order to Determine Compatibility
M57-300	Motor 10HP 230 Volt 1Phase	<b>\$1,540.83</b>	Specify Model at Time of Order to Determine Compatibility
M57-39	Motor 2 HP 115V 1 Phase 1725 RPM 5/8" Shaft	<b>\$682.66</b>	Specify Model at Time of Order to Determine Compatibility
M57-40	Motor 2.3 HP 115/230V 1 Phase 3450 RPM 5/8" Shaft C Face	<b>\$522.91</b>	Specify Model at Time of Order to Determine Compatibility
M57-41	Motor 2.3 HP 115/208/230V 1 Phase 3450 RPM 5/8"	<b>\$535.39</b>	Specify Model at Time of Order to Determine Compatibility
M57-42	Motor 4 HP 208/230V 1 Phase 3450 RPM 5/8" Shaft	<b>\$697.63</b>	Specify Model at Time of Order to Determine Compatibility
M57-43	Motor 5 HP 208/230V 1 Phase 3450 RPM 7/8" Shaft	<b>\$735.07</b>	Specify Model at Time of Order to Determine Compatibility
M57-NS-3/4	3/4 HP Electric Motor 1725 RPM	<b>\$536.58</b>	Specify Model at Time of Order to Determine Compatibility
M57-NS-300	4 HP 208/230/460 3 Phase - 5/8" Shaft 56	<b>\$526.80</b>	Specify Model at Time of Order to Determine Compatibility
M58-40	Motor 5 HP 230V 1 Phase 3450 RPM 56C 3/4"	<b>\$685.15</b>	Specify Model at Time of Order to Determine Compatibility
M58-41	Motor 6.2 HP 230V 1 Phase 1725 RPM 1-1/8" Shaft	<b>\$948.48</b>	Specify Model at Time of Order to Determine Compatibility
M58-41.1	6.2 HP 200V 3 Phase Motor	<b>\$740.36</b>	Specify Model at Time of Order to Determine Compatibility
M58-42	Motor 7.5 HP 208/230V 1 Phase 1725 RPM 1-3/8"	<b>\$1,246.75</b>	Specify Model at Time of Order to Determine Compatibility
M58-43	Motor 8.2 HP 208V 1 Phase 1725 RPM 1-3/8" Shaft	<b>\$1,745.95</b>	Specify Model at Time of Order to Determine Compatibility
M58-43.1	Motor 8.2 HP 230 Volt 1 Phase 1725 RPM	<b>\$1,359.07</b>	Specify Model at Time of Order to Determine Compatibility
M58-44	Motor 8.2 HP 230V 1 Phase 3450 RPM	<b>\$1,371.55</b>	Specify Model at Time of Order to Determine Compatibility
N07-15	Pilot Igniter	<b>\$48.96</b>	Specify Model at Time of Order to Determine Compatibility
N07-16	Pilot Igniter	<b>\$53.99</b>	Specify Model at Time of Order to Determine Compatibility
N07-17	L Pilot Burner B Type Mounting Bracket/L Tip-HW	<b>\$67.82</b>	Specify Model at Time of Order to Determine Compatibility
N07-18	M Pilot Burner B Type Mounting Bracket/F Tip	<b>\$62.79</b>	Specify Model at Time of Order to Determine Compatibility
N07-19	R Pilot Burner B Type Mounting Bracket/K Tip	<b>\$62.79</b>	Specify Model at Time of Order to Determine Compatibility
N07-20	Universal Pilot Couple	<b>\$77.40</b>	Specify Model at Time of Order to Determine Compatibility
N07-21	Pilot Kit Replacement	<b>\$48.96</b>	Specify Model at Time of Order to Determine Compatibility
N07-22	Sensor/Igniter S-1	<b>\$21.31</b>	Specify Model at Time of Order to Determine Compatibility
N07-23	M Pilot Burner Target Type	<b>\$62.79</b>	Specify Model at Time of Order to Determine Compatibility
N07-24	L Pilot Burner Target Type	<b>\$64.04</b>	Specify Model at Time of Order to Determine Compatibility
N07-25	R Pilot Burner Target Type	<b>\$64.04</b>	Specify Model at Time of Order to Determine Compatibility
N07-26	Pilot Natural Gas	<b>\$85.41</b>	Specify Model at Time of Order to Determine Compatibility
N07-26.1	Pilot Electric with Flame Ignition	<b>\$106.78</b>	Specify Model at Time of Order to Determine Compatibility

N07-27	Thermopile 44"	<b>\$59.02</b>	Specify Model at Time of Order to Determine Compatibility
N07-28	Thermopile 47"	<b>\$105.53</b>	Specify Model at Time of Order to Determine Compatibility
N07-29	Thermopile 36"	<b>\$74.10</b>	Specify Model at Time of Order to Determine Compatibility
N07-30	Thermocouple 36"	<b>\$26.38</b>	Specify Model at Time of Order to Determine Compatibility
N07-31	Pilot Relight Kit	<b>\$104.27</b>	Specify Model at Time of Order to Determine Compatibility
N07-32	Ignition Cable 36" Honeywell	<b>\$32.62</b>	Specify Model at Time of Order to Determine Compatibility
N07-33	Ignition Cable 48" Honeywell	<b>\$37.65</b>	Specify Model at Time of Order to Determine Compatibility
N07-33.1	Ignition Cable 60 for Syntek	<b>\$42.68</b>	Specify Model at Time of Order to Determine Compatibility
N07-34	Ignition Control Module	<b>\$125.07</b>	Specify Model at Time of Order to Determine Compatibility
N07-34A	Ignition Control Module Wiring Harness	<b>\$17.54</b>	Specify Model at Time of Order to Determine Compatibility
N07-35	Electronic Ignition Control	<b>\$149.52</b>	Specify Model at Time of Order to Determine Compatibility
N07-36	Electronic Ignition Control	<b>\$172.15</b>	Specify Model at Time of Order to Determine Compatibility
N07-36.1	Electronic Ignition Control 120V	<b>\$188.49</b>	Specify Model at Time of Order to Determine Compatibility
N07-36.2	Pilot Assembly for N07-36.1	<b>\$42.00</b>	Specify Model at Time of Order to Determine Compatibility
N07-36.3	Alt Pilot Assembly for N07-36.1	<b>\$107.94</b>	Specify Model at Time of Order to Determine Compatibility
N07-37	Pilot Bracket	<b>\$8.74</b>	Specify Model at Time of Order to Determine Compatibility
N07-38	Burner Ring LP X-44 w/# 63 Nozzles	<b>\$431.09</b>	Specify Model at Time of Order to Determine Compatibility
N07-39	Burner Ring NG X-44 w/# 54 Nozzles	<b>\$370.82</b>	Specify Model at Time of Order to Determine Compatibility
N07-40	Burner Ring X-44 #60 LP	<b>\$431.09</b>	Specify Model at Time of Order to Determine Compatibility
N08-01	Gas Valve NG 24V 1" Large	<b>\$447.49</b>	Specify Model at Time of Order to Determine Compatibility
N08-02	Gas Valve LP 24V 1" Large	<b>\$485.20</b>	Specify Model at Time of Order to Determine Compatibility
N08-03	Gas Valve NG MV 3/4"	<b>\$296.59</b>	Specify Model at Time of Order to Determine Compatibility
N08-04	Gas Valve NG 24V 3/4"	<b>\$201.06</b>	Specify Model at Time of Order to Determine Compatibility
N08-05	Gas Valve NG MV 3/4"	<b>\$492.68</b>	Specify Model at Time of Order to Determine Compatibility
N08-06	Gas Valve NG 24V 1"	<b>\$422.29</b>	Specify Model at Time of Order to Determine Compatibility
N08-07	Gas Valve NG or LP 120V 3/4"	<b>\$329.27</b>	Specify Model at Time of Order to Determine Compatibility
N08-08	LP Conversion Kit	<b>\$56.50</b>	Specify Model at Time of Order to Determine Compatibility
N08-08.1	LP Conversion Kit for N08-09	<b>\$12.51</b>	Specify Model at Time of Order to Determine Compatibility
N08-09	Gas Valve NG 208/230V 1"	<b>\$351.90</b>	Specify Model at Time of Order to Determine Compatibility
N08-10	Actuator NG 115V for N08-09	<b>\$103.01</b>	Specify Model at Time of Order to Determine Compatibility
N08-11	Actuator NG 12/24V for N08-09	<b>\$103.01</b>	Specify Model at Time of Order to Determine Compatibility
N08-11.1	Actuator NG 230V for N08-09	<b>\$103.01</b>	Specify Model at Time of Order to Determine Compatibility
N08-12	Aluminum Tubing Pack	<b>\$50.22</b>	Specify Model at Time of Order to Determine Compatibility
N08-12A	Aluminum Tubing Fitting 1/4"	<b>\$4.89</b>	Specify Model at Time of Order to Determine Compatibility
N08-13	Solenoid Pilot Valve for N08-01 & N08-02	<b>\$187.23</b>	Specify Model at Time of Order to Determine Compatibility
N08-14	LP Conversion Kit for N08-04	<b>\$17.54</b>	Specify Model at Time of Order to Determine Compatibility
N08-15	Regulator	<b>\$138.21</b>	Specify Model at Time of Order to Determine Compatibility
N08-16	Regulator 2 PSI 1"	<b>\$123.19</b>	Specify Model at Time of Order to Determine Compatibility
N08-17	Regulator 2 PSI 1-1/4" x 1-1/2"	<b>\$293.48</b>	Specify Model at Time of Order to Determine Compatibility
N08-17A	Vent Limiter	<b>\$150.00</b>	Specify Model at Time of Order to Determine Compatibility
N08-18	Ignitor Push Button	<b>\$11.25</b>	Specify Model at Time of Order to Determine Compatibility
OP40-42	Oil Extractor 6.5L	<b>\$143.94</b>	Specify Model at Time of Order to Determine Compatibility
P35-18	Descale Pump 110V	<b>\$319.20</b>	Specify Model at Time of Order to Determine Compatibility
P50-10	310 Pump	<b>\$780.00</b>	Specify Model at Time of Order to Determine Compatibility
P50-11	310S Pump	<b>\$837.60</b>	Specify Model at Time of Order to Determine Compatibility
P50-12	340 Pump	<b>\$1,140.00</b>	Specify Model at Time of Order to Determine Compatibility
P50-13	530 Pump	<b>\$1,198.80</b>	Specify Model at Time of Order to Determine Compatibility

P50-14	5CP3120 Pump	<b>\$768.00</b>	Specify Model at Time of Order to Determine Compatibility
P50-14.1	5CP3120CSS	<b>\$1,078.80</b>	Specify Model at Time of Order to Determine Compatibility
P50-27	XWL41.20 Pump	<b>\$838.80</b>	Specify Model at Time of Order to Determine Compatibility
P50-2SF22ELS	2SF22ELS Pump	<b>\$876.00</b>	Specify Model at Time of Order to Determine Compatibility
P50-300	Hotsy HH406R Pump	<b>\$1,025.68</b>	Specify Model at Time of Order to Determine Compatibility
P50-302	820 Pump	<b>\$2,880.00</b>	Specify Model at Time of Order to Determine Compatibility
P50-303	650 Pump	<b>\$4,599.60</b>	Specify Model at Time of Order to Determine Compatibility
P50-39	Pump	<b>\$990.00</b>	Specify Model at Time of Order to Determine Compatibility
P50-40	T1011 Pump	<b>\$990.00</b>	Specify Model at Time of Order to Determine Compatibility
P50-41	TS2021 Pump	<b>\$1,078.80</b>	Specify Model at Time of Order to Determine Compatibility
P50-42	TS2021L Pump	<b>\$1,078.80</b>	Specify Model at Time of Order to Determine Compatibility
P50-42-CLUTCH	Pump Clutch Combo	<b>\$844.80</b>	Specify Model at Time of Order to Determine Compatibility
P50-43	TSS1511 Pump	<b>\$930.00</b>	Specify Model at Time of Order to Determine Compatibility
P50-44	TX1512S17 Pump	<b>\$598.80</b>	Specify Model at Time of Order to Determine Compatibility
P50-45	T991 Pump	<b>\$660.00</b>	Specify Model at Time of Order to Determine Compatibility
P50-46	TT941 Pump	<b>\$582.84</b>	Specify Model at Time of Order to Determine Compatibility
P50-46.1	Pump (150-5252)	<b>\$618.00</b>	Specify Model at Time of Order to Determine Compatibility
P50-47	TSP1621 Pump	<b>\$1,798.80</b>	Specify Model at Time of Order to Determine Compatibility
P50-48	TSF2021 Pump	<b>\$1,558.80</b>	Specify Model at Time of Order to Determine Compatibility
P50-56W	P56W Pump	<b>\$1,440.00</b>	Specify Model at Time of Order to Determine Compatibility
P50-TS1011	TS1011 Pump	<b>\$1,379.88</b>	Specify Model at Time of Order to Determine Compatibility
P50-TSF2221	TSF2221 Pump	<b>\$1,450.08</b>	Specify Model at Time of Order to Determine Compatibility
P50-TX1812S17SS	TX1812S17SS	<b>\$1,714.80</b>	Specify Model at Time of Order to Determine Compatibility
P51-07	430 Pump	<b>\$1,014.00</b>	Specify Model at Time of Order to Determine Compatibility
P51-08	FW2 5030 S Pump	<b>\$838.80</b>	Specify Model at Time of Order to Determine Compatibility
P51-09	RWS 6040 S Pump	<b>\$1,062.00</b>	Specify Model at Time of Order to Determine Compatibility
P51-11	TC1511S17 Pump	<b>\$534.00</b>	Specify Model at Time of Order to Determine Compatibility
P51-11.1	LT4540L Pump	<b>\$1,110.00</b>	Specify Model at Time of Order to Determine Compatibility
P51-12	LX5450R Pump	<b>\$1,686.00</b>	Specify Model at Time of Order to Determine Compatibility
P51-13	LT6036R Pump	<b>\$1,438.80</b>	Specify Model at Time of Order to Determine Compatibility
P51-14	XW26.23	<b>\$1,198.80</b>	Specify Model at Time of Order to Determine Compatibility
P51-15	RKA4G40HNL Pump	<b>\$886.80</b>	Specify Model at Time of Order to Determine Compatibility
P51-17	Pump	<b>\$958.80</b>	Specify Model at Time of Order to Determine Compatibility
P51-18	LM 3540L Pump	<b>\$870.00</b>	Specify Model at Time of Order to Determine Compatibility
P51-20	RKA4G40HN Pump	<b>\$886.80</b>	Specify Model at Time of Order to Determine Compatibility
P51-22	LX9536L Pump	<b>\$1,794.00</b>	Specify Model at Time of Order to Determine Compatibility
P51-23	TX1810S17 Pump	<b>\$598.80</b>	Specify Model at Time of Order to Determine Compatibility
P51-24	56 Pump	<b>\$1,680.00</b>	Specify Model at Time of Order to Determine Compatibility
P51-25	Pump LM4035R	<b>\$946.80</b>	Specify Model at Time of Order to Determine Compatibility
P51-26	TT9111 Pump	<b>\$560.40</b>	Specify Model at Time of Order to Determine Compatibility
P51-28	T9281 Pump	<b>\$1,378.80</b>	Specify Model at Time of Order to Determine Compatibility
P51-30	Pump	<b>\$955.20</b>	Specify Model at Time of Order to Determine Compatibility
P51-300	Pump 3HP 208/230V 1 Phase Vertical	<b>\$1,554.00</b>	Specify Model at Time of Order to Determine Compatibility
P51-31	Pump (150-2658)	<b>\$948.00</b>	Specify Model at Time of Order to Determine Compatibility
P51-32	Pump	<b>\$786.00</b>	Specify Model at Time of Order to Determine Compatibility
P51-SXW21.350	SXW21.350	<b>\$1,946.44</b>	Specify Model at Time of Order to Determine Compatibility
P51-XW3025N	XW3025N Pump	<b>\$1,626.00</b>	Specify Model at Time of Order to Determine Compatibility

P52-14	SXMV4G40 Pump	<b>\$598.80</b>	Specify Model at Time of Order to Determine Compatibility
P52-15	5CP5120 Pump	<b>\$838.80</b>	Specify Model at Time of Order to Determine Compatibility
P52-25	EF1000 Pump	<b>\$59.94</b>	Specify Model at Time of Order to Determine Compatibility
P53-20	RMW22G24-EZ Pump	<b>\$166.80</b>	Specify Model at Time of Order to Determine Compatibility
P53-22	RMW25G28-EZ Pump	<b>\$202.80</b>	Specify Model at Time of Order to Determine Compatibility
P53-23	RMW25G28D-F7-EZ Pump	<b>\$202.80</b>	Specify Model at Time of Order to Determine Compatibility
P53-26	RMW22G24-EZ-SX Pump	<b>\$166.80</b>	Specify Model at Time of Order to Determine Compatibility
P53-28	RMV25G30D-EZ Pump	<b>\$202.80</b>	Specify Model at Time of Order to Determine Compatibility
P53-29	Pump Assembly 7/8" Shaft	<b>\$213.54</b>	Specify Model at Time of Order to Determine Compatibility
P53-30	Pump Assembly 3/4" Shaft	<b>\$213.54</b>	Specify Model at Time of Order to Determine Compatibility
P53-31	Pump Assembly	<b>\$202.80</b>	Specify Model at Time of Order to Determine Compatibility
P53-32	RCV25G27D-F7 Pump	<b>\$358.80</b>	Specify Model at Time of Order to Determine Compatibility
P53-34	Ready Pump	<b>\$502.80</b>	Specify Model at Time of Order to Determine Compatibility
P53-36	LS3040G Pump	<b>\$778.80</b>	Specify Model at Time of Order to Determine Compatibility
P53-37	LS3540G Pump	<b>\$778.80</b>	Specify Model at Time of Order to Determine Compatibility
P53-38	LS4040G Pump	<b>\$778.80</b>	Specify Model at Time of Order to Determine Compatibility
P53-39	LS5030G Pump	<b>\$778.80</b>	Specify Model at Time of Order to Determine Compatibility
P53-40	Pump	<b>\$538.80</b>	Specify Model at Time of Order to Determine Compatibility
P53-41	LP3035G Ready Pump	<b>\$564.00</b>	Specify Model at Time of Order to Determine Compatibility
P53-42	Pump 4DNX25GSI	<b>\$454.80</b>	Specify Model at Time of Order to Determine Compatibility
P53-45	LF2030S Pump	<b>\$673.20</b>	Specify Model at Time of Order to Determine Compatibility
P53-46	LF2030F pump	<b>\$673.20</b>	Specify Model at Time of Order to Determine Compatibility
P53-47	TT9061EBF Pump	<b>\$510.00</b>	Specify Model at Time of Order to Determine Compatibility
P53-49	5320C-HRX Pump	<b>\$538.80</b>	Specify Model at Time of Order to Determine Compatibility
PA32-1828	Valve Kit	<b>\$63.54</b>	Specify Model at Time of Order to Determine Compatibility
PA32-1842	Piston Kit	<b>\$263.94</b>	Specify Model at Time of Order to Determine Compatibility
PA32-1847	Valve Kit w/O-Rings	<b>\$151.14</b>	Specify Model at Time of Order to Determine Compatibility
PA32-1849	Piston Kit	<b>\$453.54</b>	Specify Model at Time of Order to Determine Compatibility
PA32-1853	Packing Kit	<b>\$328.74</b>	Specify Model at Time of Order to Determine Compatibility
PA32-1854	Packing Kit	<b>\$451.14</b>	Specify Model at Time of Order to Determine Compatibility
PA32-1855	Oil Seal Kit	<b>\$71.94</b>	Specify Model at Time of Order to Determine Compatibility
PA32-1856	Oil Seal Kit	<b>\$68.34</b>	Specify Model at Time of Order to Determine Compatibility
PA32-1857	Packing Kit	<b>\$122.34</b>	Specify Model at Time of Order to Determine Compatibility
PA32-1860	Oil Seal Kit	<b>\$51.54</b>	Specify Model at Time of Order to Determine Compatibility
PA32-1864	Valve Kit	<b>\$52.74</b>	Specify Model at Time of Order to Determine Compatibility
PA32-1866	Packing Kit	<b>\$94.74</b>	Specify Model at Time of Order to Determine Compatibility
PA32-1887	Packing Kit	<b>\$146.34</b>	Specify Model at Time of Order to Determine Compatibility
PA32-1891	Piston Kit	<b>\$395.94</b>	Specify Model at Time of Order to Determine Compatibility
PA32-2125	Valve Kit	<b>\$67.14</b>	Specify Model at Time of Order to Determine Compatibility
PA32-2186	Valve Kit	<b>\$53.94</b>	Specify Model at Time of Order to Determine Compatibility
PA32-2189	Packing Kit	<b>\$79.14</b>	Specify Model at Time of Order to Determine Compatibility
PA32-2233	Valve Kit	<b>\$15.54</b>	Specify Model at Time of Order to Determine Compatibility
PA32-2235	Packing Kit	<b>\$23.94</b>	Specify Model at Time of Order to Determine Compatibility
PA32-2278	Packing Kit	<b>\$191.94</b>	Specify Model at Time of Order to Determine Compatibility
PA32-2279	Piston Guide Kit	<b>\$77.94</b>	Specify Model at Time of Order to Determine Compatibility
PA32-2288	Piston Kit	<b>\$202.80</b>	Specify Model at Time of Order to Determine Compatibility
PA32-2507	Piston Kit	<b>\$154.74</b>	Specify Model at Time of Order to Determine Compatibility

PA32-2542	Piston Kit	<b>\$226.20</b>	Specify Model at Time of Order to Determine Compatibility
PA32-2544	Piston Kit	<b>\$176.34</b>	Specify Model at Time of Order to Determine Compatibility
PA32-2546	Piston Kit	<b>\$224.34</b>	Specify Model at Time of Order to Determine Compatibility
PA32-2547	Piston Kit	<b>\$237.54</b>	Specify Model at Time of Order to Determine Compatibility
PA32-2548	Piston Kit	<b>\$279.54</b>	Specify Model at Time of Order to Determine Compatibility
PA32-2581	Valve Kit	<b>\$31.14</b>	Specify Model at Time of Order to Determine Compatibility
PA32-2628	Piston Kit	<b>\$200.34</b>	Specify Model at Time of Order to Determine Compatibility
PA32-2739	AR KIT 2739	<b>\$176.34</b>	Specify Model at Time of Order to Determine Compatibility
PA32-2741	Packing Kit	<b>\$98.34</b>	Specify Model at Time of Order to Determine Compatibility
PA32-2778	Hot Packing Kit	<b>\$301.14</b>	Specify Model at Time of Order to Determine Compatibility
PA32-2780	Valve Kit	<b>\$139.14</b>	Specify Model at Time of Order to Determine Compatibility
PA32-2781	Oil Seal Kit	<b>\$75.54</b>	Specify Model at Time of Order to Determine Compatibility
PA32-2782	Packing Kit	<b>\$141.54</b>	Specify Model at Time of Order to Determine Compatibility
PA32-2783	Packing Kit	<b>\$179.94</b>	Specify Model at Time of Order to Determine Compatibility
PA32-2784	Piston Guide Kit	<b>\$128.34</b>	Specify Model at Time of Order to Determine Compatibility
PA32-2786	Oil Seal Kit	<b>\$45.54</b>	Specify Model at Time of Order to Determine Compatibility
PA32-2787	Oil Seal Kit	<b>\$61.14</b>	Specify Model at Time of Order to Determine Compatibility
PA32-2809	Packing Kit Viton	<b>\$322.74</b>	Specify Model at Time of Order to Determine Compatibility
PA32-2812	Unloader Mini-Matic O Ring Kit	<b>\$8.34</b>	Specify Model at Time of Order to Determine Compatibility
PA32-2819	Hot Packing Kit w/Brass	<b>\$685.14</b>	Specify Model at Time of Order to Determine Compatibility
PA32-2864	Valve Kit	<b>\$74.34</b>	Specify Model at Time of Order to Determine Compatibility
PA32-2869	Valve Kit	<b>\$67.14</b>	Specify Model at Time of Order to Determine Compatibility
PA32-2871	Valve Kit	<b>\$221.94</b>	Specify Model at Time of Order to Determine Compatibility
PA32-2872	not current replaced by PA32-2548	<b>\$272.40</b>	Specify Model at Time of Order to Determine Compatibility
PA32-2874	Packing Kit	<b>\$203.94</b>	Specify Model at Time of Order to Determine Compatibility
PA32-300	Outlet Extension	<b>\$17.94</b>	Specify Model at Time of Order to Determine Compatibility
PA32-301	Inlet Kit	<b>\$23.94</b>	Specify Model at Time of Order to Determine Compatibility
PA32-42120	Piston Guide Kit	<b>\$179.40</b>	Specify Model at Time of Order to Determine Compatibility
PA32-42122	Packing Kit	<b>\$13.14</b>	Specify Model at Time of Order to Determine Compatibility
PA32-42123	Valve Kit	<b>\$23.94</b>	Specify Model at Time of Order to Determine Compatibility
PA32-42476	Water Seals	<b>\$47.94</b>	Specify Model at Time of Order to Determine Compatibility
PA32-42707	Piston Guide Kit	<b>\$107.94</b>	Specify Model at Time of Order to Determine Compatibility
PA32-42708	Water Seal Kit	<b>\$227.94</b>	Specify Model at Time of Order to Determine Compatibility
PA32-621170	Oil Seal Kit	<b>\$22.48</b>	Specify Model at Time of Order to Determine Compatibility
PA32-960850	Stainless Steel Pump Plug	<b>\$29.99</b>	Specify Model at Time of Order to Determine Compatibility
PG32-100	Piston	<b>\$83.94</b>	Specify Model at Time of Order to Determine Compatibility
PG32-101	Piston	<b>\$79.14</b>	Specify Model at Time of Order to Determine Compatibility
PG32-102	Piston	<b>\$158.16</b>	Specify Model at Time of Order to Determine Compatibility
PG32-103	Piston	<b>\$88.74</b>	Specify Model at Time of Order to Determine Compatibility
PG32-104	Piston	<b>\$147.54</b>	Specify Model at Time of Order to Determine Compatibility
PG32-105	Piston	<b>\$89.94</b>	Specify Model at Time of Order to Determine Compatibility
PG32-106	Piston	<b>\$53.94</b>	Specify Model at Time of Order to Determine Compatibility
PG32-107	Piston	<b>\$85.14</b>	Specify Model at Time of Order to Determine Compatibility
PG32-108	Piston	<b>\$80.34</b>	Specify Model at Time of Order to Determine Compatibility
PG32-109	Piston	<b>\$83.94</b>	Specify Model at Time of Order to Determine Compatibility
PG32-110	Piston	<b>\$107.94</b>	Specify Model at Time of Order to Determine Compatibility
PG32-111	Packing Insertion Tool	<b>\$43.14</b>	Specify Model at Time of Order to Determine Compatibility

PG32-111.1A	TSF Insertion Tool	<b>\$28.74</b>	Specify Model at Time of Order to Determine Compatibility
PG32-111.1B	TX Insertion Tool	<b>\$20.34</b>	Specify Model at Time of Order to Determine Compatibility
PG32-112	Oil Level Indicator	<b>\$13.14</b>	Specify Model at Time of Order to Determine Compatibility
PG32-113	Sight Glass	<b>\$19.14</b>	Specify Model at Time of Order to Determine Compatibility
PG32-114	Oil Dipstick Long Yellow	<b>\$13.14</b>	Specify Model at Time of Order to Determine Compatibility
PG32-115	Oil Dipstick Short Yellow	<b>\$13.14</b>	Specify Model at Time of Order to Determine Compatibility
PG32-116	Oil Level Indicator	<b>\$13.14</b>	Specify Model at Time of Order to Determine Compatibility
PG34-01	Valve Kit	<b>\$79.14</b>	Specify Model at Time of Order to Determine Compatibility
PG34-02	Oil Seal Kit	<b>\$20.34</b>	Specify Model at Time of Order to Determine Compatibility
PG34-03	Oil Seal Kit	<b>\$28.74</b>	Specify Model at Time of Order to Determine Compatibility
PG34-04	Valve Cap Kit	<b>\$135.54</b>	Specify Model at Time of Order to Determine Compatibility
PG34-04F	Valve Cap Kit Fine Thread	<b>\$107.94</b>	Specify Model at Time of Order to Determine Compatibility
PG34-05	Valve Cap Kit	<b>\$221.94</b>	Specify Model at Time of Order to Determine Compatibility
PG34-06	Piston Bolt Kit	<b>\$47.94</b>	Specify Model at Time of Order to Determine Compatibility
PG34-06A	Piston Bolt Washer/O-Ring	<b>\$15.54</b>	Specify Model at Time of Order to Determine Compatibility
PG34-07	Male Adapter	<b>\$22.74</b>	Specify Model at Time of Order to Determine Compatibility
PG34-10	Packing Kit	<b>\$40.74</b>	Specify Model at Time of Order to Determine Compatibility
PG34-100	Hot Kit	<b>\$239.40</b>	Specify Model at Time of Order to Determine Compatibility
PG34-102	Unloader Kit	<b>\$166.80</b>	Specify Model at Time of Order to Determine Compatibility
PG34-106	Valve Cap Kit	<b>\$242.34</b>	Specify Model at Time of Order to Determine Compatibility
PG34-107	Piston Bolt Kit	<b>\$91.14</b>	Specify Model at Time of Order to Determine Compatibility
PG34-109	Packing Kit	<b>\$182.40</b>	Specify Model at Time of Order to Determine Compatibility
PG34-11	Male Adapter	<b>\$20.34</b>	Specify Model at Time of Order to Determine Compatibility
PG34-112	Packing Kit	<b>\$152.40</b>	Specify Model at Time of Order to Determine Compatibility
PG34-118	Packing Kit	<b>\$26.34</b>	Specify Model at Time of Order to Determine Compatibility
PG34-119	Packing Kit	<b>\$25.14</b>	Specify Model at Time of Order to Determine Compatibility
PG34-12	Packing Kit	<b>\$101.94</b>	Specify Model at Time of Order to Determine Compatibility
PG34-120	Unloader Kit	<b>\$58.74</b>	Specify Model at Time of Order to Determine Compatibility
PG34-123	Valve Kit	<b>\$98.34</b>	Specify Model at Time of Order to Determine Compatibility
PG34-124	Valve Cap Kit	<b>\$135.60</b>	Specify Model at Time of Order to Determine Compatibility
PG34-125	Packing Retainer Kit	<b>\$68.34</b>	Specify Model at Time of Order to Determine Compatibility
PG34-126	Flange Adapter	<b>\$71.94</b>	Specify Model at Time of Order to Determine Compatibility
PG34-127	Packing Kit	<b>\$130.74</b>	Specify Model at Time of Order to Determine Compatibility
PG34-129	Male Adapter	<b>\$14.34</b>	Specify Model at Time of Order to Determine Compatibility
PG34-130	Packing Kit	<b>\$77.94</b>	Specify Model at Time of Order to Determine Compatibility
PG34-131	Packing Kit	<b>\$97.14</b>	Specify Model at Time of Order to Determine Compatibility
PG34-133	Valve Cap Kit	<b>\$39.54</b>	Specify Model at Time of Order to Determine Compatibility
PG34-134	Valve Kit	<b>\$55.14</b>	Specify Model at Time of Order to Determine Compatibility
PG34-136	Piston Rod Oil Kit	<b>\$39.54</b>	Specify Model at Time of Order to Determine Compatibility
PG34-140	Packing Kit	<b>\$44.34</b>	Specify Model at Time of Order to Determine Compatibility
PG34-141	Packing Kit	<b>\$67.14</b>	Specify Model at Time of Order to Determine Compatibility
PG34-150	Valve Kit	<b>\$397.20</b>	Specify Model at Time of Order to Determine Compatibility
PG34-159	Oil Seal Kit	<b>\$37.14</b>	Specify Model at Time of Order to Determine Compatibility
PG34-160	Packing Kit	<b>\$172.74</b>	Specify Model at Time of Order to Determine Compatibility
PG34-166	Packing Kit	<b>\$83.94</b>	Specify Model at Time of Order to Determine Compatibility
PG34-167	Packing Kit	<b>\$71.94</b>	Specify Model at Time of Order to Determine Compatibility
PG34-169	Valve Kit	<b>\$285.54</b>	Specify Model at Time of Order to Determine Compatibility

PG34-170	Packing Kit	<b>\$193.14</b>	Specify Model at Time of Order to Determine Compatibility
PG34-171	Packing Kit	<b>\$151.14</b>	Specify Model at Time of Order to Determine Compatibility
PG34-173	Packing Kit	<b>\$151.14</b>	Specify Model at Time of Order to Determine Compatibility
PG34-182	Packing Kit	<b>\$123.54</b>	Specify Model at Time of Order to Determine Compatibility
PG34-19	Packing Kit	<b>\$79.14</b>	Specify Model at Time of Order to Determine Compatibility
PG34-196	Packing Kit	<b>\$101.94</b>	Specify Model at Time of Order to Determine Compatibility
PG34-206	Packing Kit	<b>\$661.32</b>	Specify Model at Time of Order to Determine Compatibility
PG34-207	Packing Kit	<b>\$310.92</b>	Specify Model at Time of Order to Determine Compatibility
PG34-21	Head Ring Kit	<b>\$17.94</b>	Specify Model at Time of Order to Determine Compatibility
PG34-226	Packing Kit	<b>\$77.94</b>	Specify Model at Time of Order to Determine Compatibility
PG34-23	Oil Seal Kit	<b>\$33.54</b>	Specify Model at Time of Order to Determine Compatibility
PG34-24	Oil Seal Kit	<b>\$38.34</b>	Specify Model at Time of Order to Determine Compatibility
PG34-27	Packing Kit	<b>\$49.14</b>	Specify Model at Time of Order to Determine Compatibility
PG34-28	Packing Kit	<b>\$57.54</b>	Specify Model at Time of Order to Determine Compatibility
PG34-29	Packing Kit	<b>\$69.54</b>	Specify Model at Time of Order to Determine Compatibility
PG34-32	Oil Seal Kit	<b>\$37.14</b>	Specify Model at Time of Order to Determine Compatibility
PG34-59	Kit 3 Maintenance Kit	<b>\$118.74</b>	Specify Model at Time of Order to Determine Compatibility
PG34-60	Kit 5 Rebuild Kit	<b>\$169.14</b>	Specify Model at Time of Order to Determine Compatibility
PG34-61	Kit 3 Rebuild Kit	<b>\$131.94</b>	Specify Model at Time of Order to Determine Compatibility
PG34-69	Packing Kit	<b>\$125.94</b>	Specify Model at Time of Order to Determine Compatibility
PG34-69A	High Temp Seal	<b>\$12.96</b>	Specify Model at Time of Order to Determine Compatibility
PG34-6A.1	Washer	<b>\$1.62</b>	Specify Model at Time of Order to Determine Compatibility
PG34-71	Intermediate Ring Kit	<b>\$122.34</b>	Specify Model at Time of Order to Determine Compatibility
PG34-74	Piston Bolt Kit	<b>\$187.14</b>	Specify Model at Time of Order to Determine Compatibility
PG34-83	Oil Seal Kit	<b>\$33.54</b>	Specify Model at Time of Order to Determine Compatibility
PG34-84	Valve Cap Kit	<b>\$112.74</b>	Specify Model at Time of Order to Determine Compatibility
PG34-85	Packing Kit	<b>\$33.54</b>	Specify Model at Time of Order to Determine Compatibility
PG34-90	Head Ring Kit	<b>\$11.94</b>	Specify Model at Time of Order to Determine Compatibility
PG34-95	Unloader Kit	<b>\$125.94</b>	Specify Model at Time of Order to Determine Compatibility
PG34-96	Packing Kit	<b>\$25.14</b>	Specify Model at Time of Order to Determine Compatibility
PG34-97	Packing Kit	<b>\$35.94</b>	Specify Model at Time of Order to Determine Compatibility
PG34-F2023	Delivery Valve Kit	<b>\$534.00</b>	Specify Model at Time of Order to Determine Compatibility
PG34-F2024	Packing Kit	<b>\$394.80</b>	Specify Model at Time of Order to Determine Compatibility
PG34-F2031	Suction Valve Kit	<b>\$486.00</b>	Specify Model at Time of Order to Determine Compatibility
PG34-F2052	Seal Kit	<b>\$357.60</b>	Specify Model at Time of Order to Determine Compatibility
PG34-F2055	Valve Kit	<b>\$2,280.00</b>	Specify Model at Time of Order to Determine Compatibility
PG35-15	Packing Tool	<b>\$129.54</b>	Specify Model at Time of Order to Determine Compatibility
PL30-100	Valve Kit	<b>\$15.54</b>	Specify Model at Time of Order to Determine Compatibility
PL30-101	Valve Kit	<b>\$93.54</b>	Specify Model at Time of Order to Determine Compatibility
PL30-102	Packing Kit	<b>\$71.94</b>	Specify Model at Time of Order to Determine Compatibility
PL30-103	Packing Kit	<b>\$59.94</b>	Specify Model at Time of Order to Determine Compatibility
PL30-104	Valve Kit	<b>\$11.94</b>	Specify Model at Time of Order to Determine Compatibility
PL30-106	Piston	<b>\$56.34</b>	Specify Model at Time of Order to Determine Compatibility
PL30-107	Manifold Plug	<b>\$8.34</b>	Specify Model at Time of Order to Determine Compatibility
PL30-108	Plunger Rod	<b>\$69.54</b>	Specify Model at Time of Order to Determine Compatibility
PL30-109	Connecting Rod	<b>\$35.94</b>	Specify Model at Time of Order to Determine Compatibility
PL30-110	Connecting Rod Pin	<b>\$4.74</b>	Specify Model at Time of Order to Determine Compatibility

PL30-112A	Oil Dipstick Blue	<b>\$5.94</b>	Specify Model at Time of Order to Determine Compatibility
PL30-112B	Oil Dipstick Yellow	<b>\$14.34</b>	Specify Model at Time of Order to Determine Compatibility
PL30-112C	Oil Dipstick Red	<b>\$14.34</b>	Specify Model at Time of Order to Determine Compatibility
PL30-112D	Oil Dipstick	<b>\$7.14</b>	Specify Model at Time of Order to Determine Compatibility
PL30-115	LG/LE/LD Manifold	<b>\$233.94</b>	Specify Model at Time of Order to Determine Compatibility
PL30-116A	Manifold Bolt	<b>\$4.74</b>	Specify Model at Time of Order to Determine Compatibility
PL30-116C	Head Bolt	<b>\$3.54</b>	Specify Model at Time of Order to Determine Compatibility
PL30-116D	Screw	<b>\$3.54</b>	Specify Model at Time of Order to Determine Compatibility
PL30-116E	Manifold Stud	<b>\$4.74</b>	Specify Model at Time of Order to Determine Compatibility
PL30-117	LM.1,LM.2 & LS.1 Manifold	<b>\$483.60</b>	Specify Model at Time of Order to Determine Compatibility
PL30-118	LM.3 & LS.3 Manifold	<b>\$229.20</b>	Specify Model at Time of Order to Determine Compatibility
PL30-119	LX5450 Manifold	<b>\$473.21</b>	Specify Model at Time of Order to Determine Compatibility
PL30-120	LT Manifold	<b>\$314.23</b>	Specify Model at Time of Order to Determine Compatibility
PL30-38	Piston	<b>\$64.74</b>	Specify Model at Time of Order to Determine Compatibility
PL30-39	Piston	<b>\$40.74</b>	Specify Model at Time of Order to Determine Compatibility
PL30-40	Piston	<b>\$20.34</b>	Specify Model at Time of Order to Determine Compatibility
PL30-41	Valve Kit	<b>\$69.54</b>	Specify Model at Time of Order to Determine Compatibility
PL30-42	Packing Kit	<b>\$62.34</b>	Specify Model at Time of Order to Determine Compatibility
PL30-43	Packing Kit	<b>\$59.94</b>	Specify Model at Time of Order to Determine Compatibility
PL30-44	Roller Bearing	<b>\$41.94</b>	Specify Model at Time of Order to Determine Compatibility
PL30-45	O-Ring	<b>\$2.34</b>	Specify Model at Time of Order to Determine Compatibility
PL30-45B	O-Ring	<b>\$4.74</b>	Specify Model at Time of Order to Determine Compatibility
PL30-46A	Crankshaft Seal	<b>\$8.34</b>	Specify Model at Time of Order to Determine Compatibility
PL30-46B	Crankshaft Seal	<b>\$15.54</b>	Specify Model at Time of Order to Determine Compatibility
PL30-46C	Bearing Protector	<b>\$8.00</b>	Specify Model at Time of Order to Determine Compatibility
PL30-47	Sight Glass 3/8"	<b>\$10.74</b>	Specify Model at Time of Order to Determine Compatibility
PL30-48	Sight Glass 3/4" w/Gasket	<b>\$10.74</b>	Specify Model at Time of Order to Determine Compatibility
PL30-49A	Valve Cap	<b>\$11.94</b>	Specify Model at Time of Order to Determine Compatibility
PL30-49B	Manifold Plug	<b>\$14.34</b>	Specify Model at Time of Order to Determine Compatibility
PL30-50.1	Manifold Plug	<b>\$9.54</b>	Specify Model at Time of Order to Determine Compatibility
PL30-50A	Valve Cap W/Gauge Port LM,LS, LT	<b>\$17.94</b>	Specify Model at Time of Order to Determine Compatibility
PL30-50B	Valve Cap	<b>\$8.34</b>	Specify Model at Time of Order to Determine Compatibility
PL30-50C	Valve Cap W/Gauge Port LD,LG,LP,LB,LF	<b>\$13.14</b>	Specify Model at Time of Order to Determine Compatibility
PL30-52	Drain Plug Gasket	<b>\$3.54</b>	Specify Model at Time of Order to Determine Compatibility
PL30-53	Valve Cap LX1036 & LX9536	<b>\$14.34</b>	Specify Model at Time of Order to Determine Compatibility
PL30-59	LX5450 Valve Cap	<b>\$15.54</b>	Specify Model at Time of Order to Determine Compatibility
PL30-59A	LX5450 Back Ring	<b>\$2.34</b>	Specify Model at Time of Order to Determine Compatibility
PL30-60	Oil Seal Kit	<b>\$13.14</b>	Specify Model at Time of Order to Determine Compatibility
PL30-61	Valve Kit	<b>\$71.94</b>	Specify Model at Time of Order to Determine Compatibility
PL30-62	Valve Kit	<b>\$91.14</b>	Specify Model at Time of Order to Determine Compatibility
PL30-62.1	Valve Kit	<b>\$176.40</b>	Specify Model at Time of Order to Determine Compatibility
PL30-63	Oil Seal Kit	<b>\$20.34</b>	Specify Model at Time of Order to Determine Compatibility
PL30-64	Piston Kit	<b>\$81.54</b>	Specify Model at Time of Order to Determine Compatibility
PL30-65	Valve Kit	<b>\$89.94</b>	Specify Model at Time of Order to Determine Compatibility
PL30-66	Oil Seal Kit	<b>\$20.34</b>	Specify Model at Time of Order to Determine Compatibility
PL30-67	Valve Kit	<b>\$69.54</b>	Specify Model at Time of Order to Determine Compatibility
PL30-68	Packing Kit	<b>\$68.34</b>	Specify Model at Time of Order to Determine Compatibility

PL30-69	Packing Kit	<b>\$68.34</b>	Specify Model at Time of Order to Determine Compatibility
PL30-72	Packing Kit	<b>\$103.14</b>	Specify Model at Time of Order to Determine Compatibility
PL30-73	Packing Kit	<b>\$55.14</b>	Specify Model at Time of Order to Determine Compatibility
PL30-74	Packing Kit	<b>\$51.54</b>	Specify Model at Time of Order to Determine Compatibility
PL30-75	Packing Kit	<b>\$52.74</b>	Specify Model at Time of Order to Determine Compatibility
PL30-76	Packing Kit	<b>\$71.94</b>	Specify Model at Time of Order to Determine Compatibility
PL30-77	Packing Kit	<b>\$74.34</b>	Specify Model at Time of Order to Determine Compatibility
PL30-78	Packing Kit	<b>\$143.94</b>	Specify Model at Time of Order to Determine Compatibility
PL30-79	Packing Kit	<b>\$59.94</b>	Specify Model at Time of Order to Determine Compatibility
PL30-80	Packing Kit	<b>\$47.94</b>	Specify Model at Time of Order to Determine Compatibility
PL30-81	Packing Kit	<b>\$89.94</b>	Specify Model at Time of Order to Determine Compatibility
PL30-81.1	Packing Kit	<b>\$59.94</b>	Specify Model at Time of Order to Determine Compatibility
PL30-82	Packing Kit	<b>\$67.14</b>	Specify Model at Time of Order to Determine Compatibility
PL30-85	Packing Kit	<b>\$71.94</b>	Specify Model at Time of Order to Determine Compatibility
PL30-86	Piston 22 mm	<b>\$77.94</b>	Specify Model at Time of Order to Determine Compatibility
PL30-87	Packing Kit	<b>\$77.94</b>	Specify Model at Time of Order to Determine Compatibility
PL30-88	Packing Kit	<b>\$59.94</b>	Specify Model at Time of Order to Determine Compatibility
PL30-89	Piston Kit	<b>\$71.94</b>	Specify Model at Time of Order to Determine Compatibility
PL30-90	Valve Kit	<b>\$87.54</b>	Specify Model at Time of Order to Determine Compatibility
PL30-90.1	Packing Kit	<b>\$57.54</b>	Specify Model at Time of Order to Determine Compatibility
PL30-90.2	Piston Kit	<b>\$77.94</b>	Specify Model at Time of Order to Determine Compatibility
PL30-90.3	Valve Kit	<b>\$70.74</b>	Specify Model at Time of Order to Determine Compatibility
PL30-91	Piston Kit	<b>\$83.94</b>	Specify Model at Time of Order to Determine Compatibility
PL30-92	Packing Kit	<b>\$71.94</b>	Specify Model at Time of Order to Determine Compatibility
PL30-92.1	Packing Kit	<b>\$47.94</b>	Specify Model at Time of Order to Determine Compatibility
PL30-93	Oil Seal Kit	<b>\$13.14</b>	Specify Model at Time of Order to Determine Compatibility
PL30-94	Piston Kit	<b>\$69.54</b>	Specify Model at Time of Order to Determine Compatibility
PL30-95	Piston Kit	<b>\$44.34</b>	Specify Model at Time of Order to Determine Compatibility
PL30-96	Oil Seal Kit	<b>\$9.54</b>	Specify Model at Time of Order to Determine Compatibility
PL30-96.1	Piston Kit	<b>\$71.94</b>	Specify Model at Time of Order to Determine Compatibility
PL30-97	Piston Kit	<b>\$69.54</b>	Specify Model at Time of Order to Determine Compatibility
PL30-98	Piston Kit	<b>\$49.14</b>	Specify Model at Time of Order to Determine Compatibility
PL30-99	Piston Kit	<b>\$55.14</b>	Specify Model at Time of Order to Determine Compatibility
R04-09	Pump Protector 1/4" 145°	<b>\$27.54</b>	Specify Model at Time of Order to Determine Compatibility
R04-09.1	Pump Protector 1/4" 145°	<b>\$14.34</b>	Specify Model at Time of Order to Determine Compatibility
R04-10	Pump Protector 3/8" 145°	<b>\$14.34</b>	Specify Model at Time of Order to Determine Compatibility
R04-11	Pump Protector 1/2" 145°	<b>\$14.34</b>	Specify Model at Time of Order to Determine Compatibility
R04-12	Pump Protector 1/2" 190°	<b>\$21.54</b>	Specify Model at Time of Order to Determine Compatibility
R04-12.1	Relief Valve	<b>\$59.94</b>	Specify Model at Time of Order to Determine Compatibility
R04-12A	1/2" Pump Protector 190° w/Barb	<b>\$23.94</b>	Specify Model at Time of Order to Determine Compatibility
R04-13	Easy Start Valve 3/8" Male x 1/4" Hose Barb	<b>\$23.94</b>	Specify Model at Time of Order to Determine Compatibility
R04-14	Easy Start Valve 3/8" Male x 1/8" Female	<b>\$26.34</b>	Specify Model at Time of Order to Determine Compatibility
R04-15	Air Valve 1/8" Male	<b>\$5.94</b>	Specify Model at Time of Order to Determine Compatibility
R04-16	Relief Valve	<b>\$76.80</b>	Specify Model at Time of Order to Determine Compatibility
R04-17	Pop Off Valve 1/4" Silver Spring 1200 PSI	<b>\$32.34</b>	Specify Model at Time of Order to Determine Compatibility
R04-18	Pop Off Valve 1/4" Red Spring 2400 PSI	<b>\$32.34</b>	Specify Model at Time of Order to Determine Compatibility
R04-19	Pop Off Valve 1/4" Orange Spring 3600 PSI	<b>\$32.34</b>	Specify Model at Time of Order to Determine Compatibility

R04-20	Pop Off Valve 3/8" Blue Spring 5000 PSI	<b>\$32.34</b>	Specify Model at Time of Order to Determine Compatibility
R04-20.1	Relief Valve	<b>\$28.74</b>	Specify Model at Time of Order to Determine Compatibility
R04-21	Relief Valve	<b>\$41.94</b>	Specify Model at Time of Order to Determine Compatibility
R04-22	Relief Valve	<b>\$40.74</b>	Specify Model at Time of Order to Determine Compatibility
R04-23.1	Relief Valve	<b>\$34.74</b>	Specify Model at Time of Order to Determine Compatibility
R04-23A	Relief Valve	<b>\$29.94</b>	Specify Model at Time of Order to Determine Compatibility
R04-23B	Relief Valve Assembly	<b>\$37.14</b>	Specify Model at Time of Order to Determine Compatibility
R04-23C	Relief Valve Seat	<b>\$10.74</b>	Specify Model at Time of Order to Determine Compatibility
R04-23D	Elbow 1/4" x 3/8" Push On 90°	<b>\$7.14</b>	Specify Model at Time of Order to Determine Compatibility
R04-24	Relief Valve Open 3500 PSI	<b>\$77.94</b>	Specify Model at Time of Order to Determine Compatibility
R04-24.1	Relief Valve 3/4" Male 1000-4000 PSI	<b>\$189.60</b>	Specify Model at Time of Order to Determine Compatibility
R04-24.2	Relief Valve 3/4" Male 260-2600 PSI	<b>\$346.80</b>	Specify Model at Time of Order to Determine Compatibility
R04-24A	Relief Valve Open 2500 PSI	<b>\$79.14</b>	Specify Model at Time of Order to Determine Compatibility
R04-24B	Relief Valve Open 1500 PSI	<b>\$82.74</b>	Specify Model at Time of Order to Determine Compatibility
R04-25	Rupture Disk Assembly 7000 PSI	<b>\$64.74</b>	Specify Model at Time of Order to Determine Compatibility
R04-25.1	Rupture Disk Assembly 8500 PSI	<b>\$71.94</b>	Specify Model at Time of Order to Determine Compatibility
R04-27	Manifold Coil Outlet Discharge	<b>\$71.94</b>	Specify Model at Time of Order to Determine Compatibility
R04-27-KIT	Rupture Disk & Housing Assembly	<b>\$95.94</b>	Specify Model at Time of Order to Determine Compatibility
R04-28	Red Rupture Disk 8000 PSI	<b>\$10.74</b>	Specify Model at Time of Order to Determine Compatibility
R04-29	Blue Rupture Disk 5000 PSI	<b>\$10.74</b>	Specify Model at Time of Order to Determine Compatibility
R04-30	Rupture Disk Spacer	<b>\$5.94</b>	Specify Model at Time of Order to Determine Compatibility
RINSEAWAY-5	Rinse Away - 5 Gallon (SDS Given)	<b>\$138.00</b>	Specify Model at Time of Order to Determine Compatibility
RM110-1	RM110 Scale Inhibitor 1 Gallon, SDS Given	<b>\$22.74</b>	Specify Model at Time of Order to Determine Compatibility
RM110-5	RM110 Scale Inhibitor 5 Gallons, SDS Given	<b>\$71.94</b>	Specify Model at Time of Order to Determine Compatibility
S01-02	Swivel 1/4" Male x 1/4" Female 4000 PSI SS	<b>\$59.94</b>	Specify Model at Time of Order to Determine Compatibility
S01-03	Swivel 3/8" Male x 3/8" Female 4000 PSI SS	<b>\$59.94</b>	Specify Model at Time of Order to Determine Compatibility
S01-04	Swivel 1/4" Male x 1/4" Female 5600 PSI SS	<b>\$63.00</b>	Specify Model at Time of Order to Determine Compatibility
S01-04A	Swivel O-Ring	<b>\$2.64</b>	Specify Model at Time of Order to Determine Compatibility
S01-05	Swivel 3/8" Male x 3/8" Female 5600 PSI SS	<b>\$63.00</b>	Specify Model at Time of Order to Determine Compatibility
S01-05A	S01-05 Swivel Repair Kit	<b>\$15.00</b>	Specify Model at Time of Order to Determine Compatibility
S01-06	Swivel 1/4" Male x 1/4" Female 3500 PSI	<b>\$56.34</b>	Specify Model at Time of Order to Determine Compatibility
S01-06A	S01-06 Swivel Repair Kit	<b>\$17.24</b>	Specify Model at Time of Order to Determine Compatibility
S01-07	Swivel 3/8" Male x 3/8" Female 3500 PSI	<b>\$56.34</b>	Specify Model at Time of Order to Determine Compatibility
S01-08	Swivel 1/4" Male x 1/4" Female 3000 PSI SS	<b>\$46.20</b>	Specify Model at Time of Order to Determine Compatibility
S01-08.1	Swivel 1/2" Male x 1/2" Female 3000 PSI SS	<b>\$62.34</b>	Specify Model at Time of Order to Determine Compatibility
S01-08A	Swivel 3/8" Male x 3/8" Female 5000 PSI SS	<b>\$35.94</b>	Specify Model at Time of Order to Determine Compatibility
S01-09	T-Swivel 3/8" Female Out x 3/8" Male In	<b>\$72.00</b>	Specify Model at Time of Order to Determine Compatibility
S01-10	T-Swivel 3/8" Female Out x 3/8" Female In	<b>\$72.00</b>	Specify Model at Time of Order to Determine Compatibility
S01-11	T-Swivel 3/8" Female Out x 1/2" Female In	<b>\$72.00</b>	Specify Model at Time of Order to Determine Compatibility
S01-11A	Swivel Clip Retaining Ring	<b>\$2.41</b>	Specify Model at Time of Order to Determine Compatibility
S01-12	T-Swivel 1/2" Female Out x 1/2" Male In	<b>\$72.00</b>	Specify Model at Time of Order to Determine Compatibility
S01-13	Extended Swivel 3/8" Female Out x 1/2" Male In	<b>\$75.00</b>	Specify Model at Time of Order to Determine Compatibility
S01-13.1	Swivel 3/8" Female Out x 1/2" Male In	<b>\$72.00</b>	Specify Model at Time of Order to Determine Compatibility
S01-14	T-Swivel 1/2" Female Out x 1/2" Female In	<b>\$72.00</b>	Specify Model at Time of Order to Determine Compatibility
S01-15	Universal Swivel Repair Kit	<b>\$22.19</b>	Specify Model at Time of Order to Determine Compatibility
S01-16	Swivel 3/8" Cox	<b>\$83.94</b>	Specify Model at Time of Order to Determine Compatibility
S01-16A	S01-16 Seal Kit	<b>\$25.14</b>	Specify Model at Time of Order to Determine Compatibility

S01-17	Swivel 1/2" 434	<b>\$140.34</b>	Specify Model at Time of Order to Determine Compatibility
S01-17.1	Swivel 521	<b>\$88.80</b>	Specify Model at Time of Order to Determine Compatibility
S01-17A	S01-17 Seal Kit	<b>\$20.34</b>	Specify Model at Time of Order to Determine Compatibility
S01-18	Super Swivel 1/2" F x 1/2" F	<b>\$77.94</b>	Specify Model at Time of Order to Determine Compatibility
S01-18.1	Super Swivel 3/8" F x 3/8" F	<b>\$80.28</b>	Specify Model at Time of Order to Determine Compatibility
S01-18.2	Super Swivel 1/2" M x 1/2" F	<b>\$80.28</b>	Specify Model at Time of Order to Determine Compatibility
S01-18.3	Super Swivel 3/4" M x 3/4" F	<b>\$154.80</b>	Specify Model at Time of Order to Determine Compatibility
S01-19	S01-18 Repair Kit	<b>\$33.00</b>	Specify Model at Time of Order to Determine Compatibility
S01-20	Swivel 3/8" 90° 5000 PSI SS	<b>\$77.94</b>	Specify Model at Time of Order to Determine Compatibility
S01-21	Swivel Repair Kit 421018	<b>\$31.14</b>	Specify Model at Time of Order to Determine Compatibility
S01-22	Swivel 1/2" 90° 3000 PSI	<b>\$72.00</b>	Specify Model at Time of Order to Determine Compatibility
S01-23A	Swivel Repair Kit 521	<b>\$26.34</b>	Specify Model at Time of Order to Determine Compatibility
S01-23B	Swivel Repair Kit Barco/Aeroquip	<b>\$71.94</b>	Specify Model at Time of Order to Determine Compatibility
S01-23C	Swivel Repair Kit 433	<b>\$8.34</b>	Specify Model at Time of Order to Determine Compatibility
S01-24	Swivel 1/2" 90° 4000 PSI	<b>\$46.80</b>	Specify Model at Time of Order to Determine Compatibility
S01-24A	S01-24 Repair Kit	<b>\$17.94</b>	Specify Model at Time of Order to Determine Compatibility
S04-31	Vacuum Switch 1.5 HG	<b>\$44.34</b>	Specify Model at Time of Order to Determine Compatibility
S04-32	Vacuum Switch 2.0 HG	<b>\$44.34</b>	Specify Model at Time of Order to Determine Compatibility
S04-33	Vacuum Switch 2.5 HG	<b>\$44.34</b>	Specify Model at Time of Order to Determine Compatibility
S04-34	Vacuum Switch 4.0 HG	<b>\$44.34</b>	Specify Model at Time of Order to Determine Compatibility
S04-35	Vacuum Switch 4.5 HG	<b>\$44.34</b>	Specify Model at Time of Order to Determine Compatibility
S04-36	Pressure Switch 3/8" Male 363 PSI Activation	<b>\$59.02</b>	Specify Model at Time of Order to Determine Compatibility
S04-37	Pressure Switch 1/4" Male 363 PSI Activation	<b>\$59.02</b>	Specify Model at Time of Order to Determine Compatibility
S04-37.1	Pressure Switch 1/4" Male 580 PSI Activation	<b>\$69.01</b>	Specify Model at Time of Order to Determine Compatibility
S04-38	Pressure Switch 3/8" Male 600 PSI Activation	<b>\$123.19</b>	Specify Model at Time of Order to Determine Compatibility
S04-39	Micro Switch 115/230V 15 Amp	<b>\$23.82</b>	Specify Model at Time of Order to Determine Compatibility
S04-40	Flow Switch	<b>\$155.87</b>	Specify Model at Time of Order to Determine Compatibility
S04-41	Flow Switch MV-60	<b>\$81.64</b>	Specify Model at Time of Order to Determine Compatibility
S04-42	Flow Switch ST-6	<b>\$80.39</b>	Specify Model at Time of Order to Determine Compatibility
S04-42A	Flow Switch Replacement Float	<b>\$18.79</b>	Specify Model at Time of Order to Determine Compatibility
S04-43	Reed Switch 2-Wire	<b>\$41.42</b>	Specify Model at Time of Order to Determine Compatibility
S04-44	Flow Switch Reedless	<b>\$87.93</b>	Specify Model at Time of Order to Determine Compatibility
S04-45	Flow Switch Phoenix w/Pilot	<b>\$346.87</b>	Specify Model at Time of Order to Determine Compatibility
S04-46	Flow Switch ST-505 SS	<b>\$223.75</b>	Specify Model at Time of Order to Determine Compatibility
S04-47	Flow Switch Reedless 12 GPM 4,000 PSI	<b>\$251.39</b>	Specify Model at Time of Order to Determine Compatibility
S05-10	Thermostat	<b>\$115.44</b>	Specify Model at Time of Order to Determine Compatibility
S05-10.1	Thermostat Switch	<b>\$81.06</b>	Specify Model at Time of Order to Determine Compatibility
S05-11	Thermostat Adjustable	<b>\$205.86</b>	Specify Model at Time of Order to Determine Compatibility
S05-12	Thermostat Solid State 275°	<b>\$184.64</b>	Specify Model at Time of Order to Determine Compatibility
S05-12A	Thermostat Knob	<b>\$13.67</b>	Specify Model at Time of Order to Determine Compatibility
S05-12B	Thermostat Knob	<b>\$11.17</b>	Specify Model at Time of Order to Determine Compatibility
S05-14	Thermostat 24V 100-300°	<b>\$219.59</b>	Specify Model at Time of Order to Determine Compatibility
S05-15	Thermostat Probe 1000 Ohm	<b>\$215.84</b>	Specify Model at Time of Order to Determine Compatibility
S05-15.1	Thermostat Probe 100 Ohm	<b>\$209.60</b>	Specify Model at Time of Order to Determine Compatibility
S05-15.2	Thermostat 110/240V	<b>\$257.94</b>	Specify Model at Time of Order to Determine Compatibility
S05-16	Thermostat 190° Adjustable	<b>\$77.31</b>	Specify Model at Time of Order to Determine Compatibility
S05-17	Thermostat Capillary 240° Adjustable	<b>\$53.60</b>	Specify Model at Time of Order to Determine Compatibility

S05-18	Thermostat 248° Adjustable	<b>\$71.07</b>	Specify Model at Time of Order to Determine Compatibility
S05-19	Thermostat Knob 248°	<b>\$2.43</b>	Specify Model at Time of Order to Determine Compatibility
S05-20	Thermostat Capillary 302° Adjustable	<b>\$53.60</b>	Specify Model at Time of Order to Determine Compatibility
S05-21	Thermostat Knob 302°	<b>\$2.43</b>	Specify Model at Time of Order to Determine Compatibility
S05-22	Thermostat 300° Adjustable	<b>\$56.10</b>	Specify Model at Time of Order to Determine Compatibility
S05-22.1	High Limit Control 225°	<b>\$172.16</b>	Specify Model at Time of Order to Determine Compatibility
S05-22.2	Thermostat Probe Style 100-325°	<b>\$61.09</b>	Specify Model at Time of Order to Determine Compatibility
S05-22.3	Thermostat 86-302° Adjustable	<b>\$89.94</b>	Specify Model at Time of Order to Determine Compatibility
S05-24	High Limit Control 225°	<b>\$118.56</b>	Specify Model at Time of Order to Determine Compatibility
S05-25	High Limit Switch 120°	<b>\$49.86</b>	Specify Model at Time of Order to Determine Compatibility
S05-25A	Switch TH HI 84C NC 1/2X1/2SP	<b>\$49.86</b>	Specify Model at Time of Order to Determine Compatibility
S05-26	High Limit Switch 225° w/Wire Lead	<b>\$68.64</b>	Specify Model at Time of Order to Determine Compatibility
S05-27	High Limit Switch 275°	<b>\$51.11</b>	Specify Model at Time of Order to Determine Compatibility
S05-28	High Limit Switch 340°	<b>\$69.83</b>	Specify Model at Time of Order to Determine Compatibility
S05-29	High Limit Switch 240°	<b>\$64.90</b>	Specify Model at Time of Order to Determine Compatibility
S05-NS-87122980	Snap Switch - High Limit 230° NC	<b>\$51.42</b>	Specify Model at Time of Order to Determine Compatibility
SCALEAWAY-BATCH	Scale Away - Complete Batch - SDS Given	<b>\$22.74</b>	Specify Model at Time of Order to Determine Compatibility
SERVICE-TOOL-KIT	Service Tool Kit	<b>\$666.00</b>	Specify Model at Time of Order to Determine Compatibility
SMP1000-40#	SMP 1000 40 Lbs, SDS Given	<b>\$123.00</b>	Specify Model at Time of Order to Determine Compatibility
T42-24	Trailer Break Away System	<b>\$83.94</b>	Specify Model at Time of Order to Determine Compatibility
TAGAWAY-1	Tagaway 1 Gallon - SDS Given	<b>\$74.39</b>	Specify Model at Time of Order to Determine Compatibility
TAGAWAY-QT	Tagaway 1 Quart - SDS Given	<b>\$26.34</b>	Specify Model at Time of Order to Determine Compatibility
TAGINATOR-1	Taginator 1 Gallon - SDS Given	<b>\$75.59</b>	Specify Model at Time of Order to Determine Compatibility
TAGINATOR-QT	Taginator 1 Quart - SDS Given	<b>\$26.99</b>	Specify Model at Time of Order to Determine Compatibility
TCPLUS-5	TC Plus 5 Gallons - SDS Given	<b>\$83.94</b>	Specify Model at Time of Order to Determine Compatibility
TCPLUS-55	TC Plus 55 Gallons - SDS Given	<b>\$527.34</b>	Specify Model at Time of Order to Determine Compatibility
TESTO-STANDARD	TESTO 330 G Standard Kit	<b>\$3,300.00</b>	Specify Model at Time of Order to Determine Compatibility
TESTO-DELUXE	TESTO 330 G Deluxe Test Kit	<b>\$3,480.00</b>	Specify Model at Time of Order to Determine Compatibility
U29-20	Unloader Pulsar 4 Blue Spring w/MS	<b>\$176.55</b>	Specify Model at Time of Order to Determine Compatibility
U29-21	Unloader VB8 w/MS	<b>\$154.63</b>	Specify Model at Time of Order to Determine Compatibility
U29-22	Unloader VB9 w/MS	<b>\$203.35</b>	Specify Model at Time of Order to Determine Compatibility
U29-23	Unloader ST-261 w/ Microswitch	<b>\$165.59</b>	Specify Model at Time of Order to Determine Compatibility
U29-24	ST-261 Microswitch	<b>\$99.82</b>	Specify Model at Time of Order to Determine Compatibility
U29-24.1	Unloader ST 261	<b>\$109.56</b>	Specify Model at Time of Order to Determine Compatibility
U29-25	VRT100 w/Switch	<b>\$205.78</b>	Specify Model at Time of Order to Determine Compatibility
U29-25.1	Unloader VRT3-310 Black Spring w/MS	<b>\$148.54</b>	Specify Model at Time of Order to Determine Compatibility
U29-25.2	Unloader VRC25 w/MS	<b>\$139.14</b>	Specify Model at Time of Order to Determine Compatibility
U29-25.3	Unloader VRT3-250 Blue Spring w/MS	<b>\$148.54</b>	Specify Model at Time of Order to Determine Compatibility
U29-26	Unloader	<b>\$92.51</b>	Specify Model at Time of Order to Determine Compatibility
U29-26A	SMC Model 003 Unloader Parts/Inlet Slip Fittings	<b>\$6.09</b>	Specify Model at Time of Order to Determine Compatibility
U29-27	Unloader 7500s	<b>\$149.81</b>	Specify Model at Time of Order to Determine Compatibility
U29-27.1	Handle for Unloader 7500S	<b>\$13.40</b>	Specify Model at Time of Order to Determine Compatibility
U29-28	Unloader VR54 Black	<b>\$65.71</b>	Specify Model at Time of Order to Determine Compatibility
U29-29	Unloader 7600s	<b>\$266.74</b>	Specify Model at Time of Order to Determine Compatibility
U29-30	Unloader VR56	<b>\$87.64</b>	Specify Model at Time of Order to Determine Compatibility
U29-300	VRT3 250 Unloader Repair Kit	<b>\$21.62</b>	Specify Model at Time of Order to Determine Compatibility

U29-301	YVS7250 Regulating Valve	<b>\$638.60</b>	Specify Model at Time of Order to Determine Compatibility
U29-304	VB8 w/MS Repair Kit	<b>\$57.49</b>	Specify Model at Time of Order to Determine Compatibility
U29-31	Pressure Regulator ST-230	<b>\$68.15</b>	Specify Model at Time of Order to Determine Compatibility
U29-31A	Pressure Regulator ST-230 Repair Kit	<b>\$30.39</b>	Specify Model at Time of Order to Determine Compatibility
U29-32	Pressure Regulator 300-600 PSI	<b>\$70.58</b>	Specify Model at Time of Order to Determine Compatibility
U29-33	VX3-250 Unloader Stainless Steel	<b>\$607.78</b>	Specify Model at Time of Order to Determine Compatibility
U29-34	Unloader Pulsar 4 Blue Spring	<b>\$119.97</b>	Specify Model at Time of Order to Determine Compatibility
U29-35	Unloader VRT3-250 Blue Spring	<b>\$103.47</b>	Specify Model at Time of Order to Determine Compatibility
U29-36	Unloader VRT3-310 Black Spring	<b>\$103.47</b>	Specify Model at Time of Order to Determine Compatibility
U29-36.1	Outlet fitting for VRT3	<b>\$19.14</b>	Specify Model at Time of Order to Determine Compatibility
U29-37	Unloader VBXL	<b>\$154.63</b>	Specify Model at Time of Order to Determine Compatibility
U29-38	Unloader VB10	<b>\$203.35</b>	Specify Model at Time of Order to Determine Compatibility
U29-39	Unloader VB350	<b>\$196.04</b>	Specify Model at Time of Order to Determine Compatibility
U29-40	Unloader Green Spring	<b>\$226.49</b>	Specify Model at Time of Order to Determine Compatibility
U29-41	Unloader 22913A	<b>\$265.46</b>	Specify Model at Time of Order to Determine Compatibility
U29-42	Unloader 22973C	<b>\$668.68</b>	Specify Model at Time of Order to Determine Compatibility
U29-42.1	Unloader VB80/400 SS	<b>\$667.46</b>	Specify Model at Time of Order to Determine Compatibility
U29-42.2	Unloader VRT100 Blue Spring	<b>\$231.36</b>	Specify Model at Time of Order to Determine Compatibility
U29-42.3	Unloader VB200/150	<b>\$658.80</b>	Specify Model at Time of Order to Determine Compatibility
U29-42A	Unloader Repair Kit 22973C	<b>\$234.00</b>	Specify Model at Time of Order to Determine Compatibility
U29-43	Unloader Universal	<b>\$142.45</b>	Specify Model at Time of Order to Determine Compatibility
U29-43.1	Unloader VB75	<b>\$127.83</b>	Specify Model at Time of Order to Determine Compatibility
U29-44	Unloader Plunger Housing	<b>\$10.90</b>	Specify Model at Time of Order to Determine Compatibility
U29-46	Unloader 4B Mini-Matic	<b>\$130.27</b>	Specify Model at Time of Order to Determine Compatibility
U29-48	Unloader VB35	<b>\$149.75</b>	Specify Model at Time of Order to Determine Compatibility
U29-48.1	Unloader VB135	<b>\$121.74</b>	Specify Model at Time of Order to Determine Compatibility
U29-49	Unloader 22648	<b>\$216.74</b>	Specify Model at Time of Order to Determine Compatibility
U29-50	Unloader 22656	<b>\$216.74</b>	Specify Model at Time of Order to Determine Compatibility
U29-51	Unloader 22655	<b>\$210.65</b>	Specify Model at Time of Order to Determine Compatibility
U29-52	Unloader K51	<b>\$168.02</b>	Specify Model at Time of Order to Determine Compatibility
U29-53	Unloader K52	<b>\$168.02</b>	Specify Model at Time of Order to Determine Compatibility
U29-54	Unloader K53	<b>\$168.02</b>	Specify Model at Time of Order to Determine Compatibility
U29-55	Unloader K71 w/ #0 Bypass Orifice	<b>\$231.36</b>	Specify Model at Time of Order to Determine Compatibility
U29-55.1	K7.0 & K7.1 Outlet Nipple	<b>\$19.43</b>	Specify Model at Time of Order to Determine Compatibility
U29-55.2	K7.1 Outlet Nozzle	<b>\$15.77</b>	Specify Model at Time of Order to Determine Compatibility
U29-56	Unloader K72 w/ #1 Bypass Orifice	<b>\$239.89</b>	Specify Model at Time of Order to Determine Compatibility
U29-56.1	Unloader K1	<b>\$177.77</b>	Specify Model at Time of Order to Determine Compatibility
U29-56.3	K7 #1 Bypass Nozzle	<b>\$19.43</b>	Specify Model at Time of Order to Determine Compatibility
U29-57	Unloader 240UC	<b>\$239.95</b>	Specify Model at Time of Order to Determine Compatibility
U29-63	Regulator R1/600A	<b>\$912.28</b>	Specify Model at Time of Order to Determine Compatibility
U29-64	Inlet Regulator	<b>\$183.90</b>	Specify Model at Time of Order to Determine Compatibility
V23-41	3/4" Garden Hose Shut Off Valve Y Split	<b>\$18.90</b>	Specify Model at Time of Order to Determine Compatibility
V23-42	Check Valve 3/8" F x F 6500 PSI SS	<b>\$52.09</b>	Specify Model at Time of Order to Determine Compatibility
V23-43A	Check Valve 3/8" F x F 4500 PSI	<b>\$38.43</b>	Specify Model at Time of Order to Determine Compatibility
V23-43B	Check Valve 3/8" F x F 6000 PSI SS	<b>\$68.69</b>	Specify Model at Time of Order to Determine Compatibility
V23-43C	Check Valve 1/2" F x F 5800 PSI SS	<b>\$76.26</b>	Specify Model at Time of Order to Determine Compatibility
V23-44	Check Valve 3/8" Barb x 3/8" Barb PVC	<b>\$17.74</b>	Specify Model at Time of Order to Determine Compatibility

V23-44.1	Check Valve 1/4" Barb x 1/4" Barb	<b>\$6.30</b>	Specify Model at Time of Order to Determine Compatibility
V23-45	1/2" F Swing Check Valve Hotsy	<b>\$21.36</b>	Specify Model at Time of Order to Determine Compatibility
V23-46	Solenoid Valve w/o Coil w/ 1/4" Female	<b>\$108.06</b>	Specify Model at Time of Order to Determine Compatibility
V23-47	Solenoid Coil 120V	<b>\$109.39</b>	Specify Model at Time of Order to Determine Compatibility
V23-48	Solenoid Valve w/o Coil w/ 1/4" Female	<b>\$103.73</b>	Specify Model at Time of Order to Determine Compatibility
V23-49	Solenoid Coil 24V	<b>\$107.67</b>	Specify Model at Time of Order to Determine Compatibility
V23-50	Solenoid Coil 120V w/ 7/8" Hole	<b>\$111.75</b>	Specify Model at Time of Order to Determine Compatibility
V23-51	Solenoid Valve 120V w/ 1/2" Female	<b>\$183.10</b>	Specify Model at Time of Order to Determine Compatibility
V23-52	Solenoid Valve 120V hit 310-100-1	<b>\$131.02</b>	Specify Model at Time of Order to Determine Compatibility
V23-52.1	Solenoid Valve 120V	<b>\$242.60</b>	Specify Model at Time of Order to Determine Compatibility
V23-52.2	Solenoid Valve 120V	<b>\$243.18</b>	Specify Model at Time of Order to Determine Compatibility
V23-53	Fuel Valve Shut Off 1/4" Barb	<b>\$16.32</b>	Specify Model at Time of Order to Determine Compatibility
V23-54	Ball Valve 1/4" Barb x Barb 125 PSI PVC	<b>\$17.58</b>	Specify Model at Time of Order to Determine Compatibility
V23-55	Ball Valve 1/4" M x Barb 500 PSI Brass	<b>\$21.36</b>	Specify Model at Time of Order to Determine Compatibility
V23-56	Ball Valve 1/4" M x F 500 PSI Brass	<b>\$15.06</b>	Specify Model at Time of Order to Determine Compatibility
V23-56.1	Ball Valve 1/4" F x F Carbon Steel	<b>\$50.34</b>	Specify Model at Time of Order to Determine Compatibility
V23-57	Flow Selector Valve 1/4" Low Pressure 3-Way	<b>\$56.64</b>	Specify Model at Time of Order to Determine Compatibility
V23-58	Ball Valve 3/8" Barb x Barb 125 PSI PVC	<b>\$17.58</b>	Specify Model at Time of Order to Determine Compatibility
V23-58.1	1/4" Ball Valve FxF SS 2000 PSI	<b>\$75.54</b>	Specify Model at Time of Order to Determine Compatibility
V23-58.2	3/8" FPT x FPT Ball Valve Brass 3000 PSI	<b>\$52.86</b>	Specify Model at Time of Order to Determine Compatibility
V23-59	Ball Valve 3/8" 800 PSI Stainless Steel	<b>\$46.56</b>	Specify Model at Time of Order to Determine Compatibility
V23-60	Ball Valve 3/8" 2000 PSI Stainless Steel	<b>\$76.80</b>	Specify Model at Time of Order to Determine Compatibility
V23-60.1	1/2" FPT x FPT Ball Valve Brass 3000 PSI	<b>\$56.64</b>	Specify Model at Time of Order to Determine Compatibility
V23-61	Ball Valve 1/2" M x F 600 PSI Brass	<b>\$15.06</b>	Specify Model at Time of Order to Determine Compatibility
V23-62	Ball Valve 1/2" 600 PSI Brass	<b>\$15.06</b>	Specify Model at Time of Order to Determine Compatibility
V23-63	Ball Valve 1/2" 800 PSI Stainless Steel	<b>\$55.38</b>	Specify Model at Time of Order to Determine Compatibility
V23-64	Ball Valve 1/2" 2000 PSI Stainless Steel	<b>\$81.84</b>	Specify Model at Time of Order to Determine Compatibility
V23-64.1	3/8" 3-Way Ball Valve 7000 PSI	<b>\$100.74</b>	Specify Model at Time of Order to Determine Compatibility
V23-64.2	1/2" 3-Way Ball Valve 400 PSI	<b>\$73.02</b>	Specify Model at Time of Order to Determine Compatibility
V23-65	Ball Valve 3/4" 200 PSI Brass 3-Way	<b>\$107.04</b>	Specify Model at Time of Order to Determine Compatibility
V23-66	Ball Valve 3/4" 150 PSI Poly 3-Way	<b>\$46.56</b>	Specify Model at Time of Order to Determine Compatibility
V23-67	Ball Valve 3/4" 600 PSI Brass	<b>\$21.36</b>	Specify Model at Time of Order to Determine Compatibility
V23-68	Ball Valve 3/4" 400 PSI Brass	<b>\$46.56</b>	Specify Model at Time of Order to Determine Compatibility
V23-69	Drum Faucet 3/4"	<b>\$6.24</b>	Specify Model at Time of Order to Determine Compatibility
V23-70	Ball Valve 3/4" 150 PSI Poly	<b>\$33.96</b>	Specify Model at Time of Order to Determine Compatibility
V23-71	Ball Valve 1" 150 PSI Poly	<b>\$41.52</b>	Specify Model at Time of Order to Determine Compatibility
V23-71.1	Ball Valve 1" Brass 600 PSI	<b>\$26.34</b>	Specify Model at Time of Order to Determine Compatibility
V23-72	Ball Valve Chemical Tote Plastic	<b>\$49.08</b>	Specify Model at Time of Order to Determine Compatibility
V23-73	Ball Valve 1/4" 6000 PSI Stainless Steel	<b>\$69.30</b>	Specify Model at Time of Order to Determine Compatibility
V23-73.1	Ball Valve Handle Zinc Plated	<b>\$10.02</b>	Specify Model at Time of Order to Determine Compatibility
V23-74	Ball Valve 1/4" 7000 PSI Plated Steel	<b>\$73.02</b>	Specify Model at Time of Order to Determine Compatibility
V23-75	Ball Valve 3/8" 6000 PSI Stainless Steel	<b>\$106.47</b>	Specify Model at Time of Order to Determine Compatibility
V23-76	Ball Valve 3/8" 7000 PSI Plated Steel	<b>\$86.88</b>	Specify Model at Time of Order to Determine Compatibility
V23-77	Ball Valve 1/2" 6000 PSI Stainless Steel	<b>\$112.14</b>	Specify Model at Time of Order to Determine Compatibility
V23-78	Ball Valve 1/2" 7000 PSI Plated Steel	<b>\$86.88</b>	Specify Model at Time of Order to Determine Compatibility
V23-79	Ball Valve 1/2" 2000 PSI Carbon Steel	<b>\$71.76</b>	Specify Model at Time of Order to Determine Compatibility
V23-80	Ball Valve 3/4" Carbon Steel	<b>\$132.24</b>	Specify Model at Time of Order to Determine Compatibility

V23-81	3/4" Ball Valve Zinc Plated 5000 PSI	<b>\$124.74</b>	Specify Model at Time of Order to Determine Compatibility
V23-82	Gate Valve 1/2"	<b>\$77.88</b>	Specify Model at Time of Order to Determine Compatibility
V23-83	Gate Valve 3/8" 10,000 PSI 450°	<b>\$264.00</b>	Specify Model at Time of Order to Determine Compatibility
V23-84	Gate Lever Valve 4" FPT x 4" FPT	<b>\$330.00</b>	Specify Model at Time of Order to Determine Compatibility
V23-85	Gate Lever Valve 4" FPT x 4 Bolt Flange	<b>\$334.80</b>	Specify Model at Time of Order to Determine Compatibility
V23-86	Gate Lever Valve 6" FPT x 6" FPT	<b>\$538.80</b>	Specify Model at Time of Order to Determine Compatibility
V23-87	Gate Lever Valve 6" FPT x 4 Bolt Flange	<b>\$538.80</b>	Specify Model at Time of Order to Determine Compatibility
V23-NS-300	Ball Valve 1" F x F Banjo	<b>\$88.14</b>	Specify Model at Time of Order to Determine Compatibility
V23-NS-301	Ball Valve 1" F x F Brass 600 PSI	<b>\$17.94</b>	Specify Model at Time of Order to Determine Compatibility
V24-17	Jetter Valve for 47 Series Pump	<b>\$134.76</b>	Specify Model at Time of Order to Determine Compatibility
V24-18	Foot Operated Jetter Valve	<b>\$163.74</b>	Specify Model at Time of Order to Determine Compatibility
V24-18A	Replacement Valve for Jetting Valve, Includes Pins	<b>\$49.08</b>	Specify Model at Time of Order to Determine Compatibility
V24-19	Foot Operated Valve	<b>\$163.74</b>	Specify Model at Time of Order to Determine Compatibility
V24-26	Foot Valve 1/2" Inlet x 1/2" Outlet	<b>\$870.00</b>	Specify Model at Time of Order to Determine Compatibility
V24-27	Jetter Valve Comet Over 3000 PSI	<b>\$173.75</b>	Specify Model at Time of Order to Determine Compatibility
V38-04	8" Power Damper	<b>\$288.70</b>	Specify Model at Time of Order to Determine Compatibility
V38-05	10" Power Damper	<b>\$432.88</b>	Specify Model at Time of Order to Determine Compatibility
V38-06	Power Damper Motor	<b>\$216.88</b>	Specify Model at Time of Order to Determine Compatibility
V38-07	Power Damper 4 Pin Harness	<b>\$38.81</b>	Specify Model at Time of Order to Determine Compatibility
V38-08	Power Damper Motor Cover Plastic	<b>\$18.75</b>	Specify Model at Time of Order to Determine Compatibility
V38-09	12" Power Damper	<b>\$459.47</b>	Specify Model at Time of Order to Determine Compatibility
V38-19	Smoke Tester Kit w/ Paper	<b>\$178.80</b>	Specify Model at Time of Order to Determine Compatibility
V38-20	Flue Adapter 10" SLT	<b>\$246.98</b>	Specify Model at Time of Order to Determine Compatibility
V38-21	Flue Adapter 8" HOT/MHC	<b>\$206.85</b>	Specify Model at Time of Order to Determine Compatibility
V38-22	Flue Adapter 8" PHW/PGHW	<b>\$146.66</b>	Specify Model at Time of Order to Determine Compatibility
V38-23	Flue Adapter	<b>\$119.13</b>	Specify Model at Time of Order to Determine Compatibility
V38-25	Stack Adapter Rectangle/Square To Round	<b>\$180.17</b>	Specify Model at Time of Order to Determine Compatibility
V38-26	12" x 8" Reducer	<b>\$37.56</b>	Specify Model at Time of Order to Determine Compatibility
V38-27	10" x 8" Reducer	<b>\$37.56</b>	Specify Model at Time of Order to Determine Compatibility
V38-28	12" x 10" Reducer	<b>\$52.25</b>	Specify Model at Time of Order to Determine Compatibility
V38-29	10" x 6" Reducer	<b>\$37.56</b>	Specify Model at Time of Order to Determine Compatibility
V38-NS-03	6" Power Damper	<b>\$235.14</b>	Specify Model at Time of Order to Determine Compatibility
V38-NS-302	8" Power Damper (Oil Fired)	<b>\$414.00</b>	Specify Model at Time of Order to Determine Compatibility
V40-05	Draft Diverter 10"	<b>\$171.80</b>	Specify Model at Time of Order to Determine Compatibility
V40-06	Draft Diverter 12"	<b>\$275.88</b>	Specify Model at Time of Order to Determine Compatibility
V40-07	Draft Diverter 10" x 6"	<b>\$171.80</b>	Specify Model at Time of Order to Determine Compatibility
V40-08	Draft Diverter 12" x 6"	<b>\$275.88</b>	Specify Model at Time of Order to Determine Compatibility
V40-14	Valve Assembly 24V 2-Pos, 2 Way SS	<b>\$405.91</b>	Specify Model at Time of Order to Determine Compatibility
V40-NS-300	Draft Diverter 8"	<b>\$141.70</b>	Specify Model at Time of Order to Determine Compatibility
V44-300	Draft Inducer D-3	<b>\$622.75</b>	Specify Model at Time of Order to Determine Compatibility
V44-NS-MAC1E	UC1 Accessory Addition	<b>\$339.60</b>	Specify Model at Time of Order to Determine Compatibility
V44-NS-PAI-4	Air Intake	<b>\$1,975.20</b>	Specify Model at Time of Order to Determine Compatibility
V44-NS-PAI-6	Air Intake	<b>\$3,259.20</b>	Specify Model at Time of Order to Determine Compatibility
V59-01	Power Venter	<b>\$1,056.00</b>	Specify Model at Time of Order to Determine Compatibility
V59-02	Vent Hood 6"	<b>\$284.40</b>	Specify Model at Time of Order to Determine Compatibility
V59-03	Draft Inducer	<b>\$588.13</b>	Specify Model at Time of Order to Determine Compatibility

V59-04	Power Venter w/Control	<b>\$1,222.65</b>	Specify Model at Time of Order to Determine Compatibility
V59-04.1	Vent Hood 8"	<b>\$470.25</b>	Specify Model at Time of Order to Determine Compatibility
V59-05	Fan Proving Switch	<b>\$118.50</b>	Specify Model at Time of Order to Determine Compatibility
V59-06	Interlock Control	<b>\$250.79</b>	Specify Model at Time of Order to Determine Compatibility
V59-NS-D3	Draft Inducer D3	<b>\$238.80</b>	Specify Model at Time of Order to Determine Compatibility
V59-NS-IL	Draft Inducer IL	<b>\$1,226.40</b>	Specify Model at Time of Order to Determine Compatibility
W51-300	12" Foam Filled Tire	<b>\$51.17</b>	Specify Model at Time of Order to Determine Compatibility
WASH&WAX-5	Wash & Wax 5 Gallons - SDS Given	<b>\$95.94</b>	Specify Model at Time of Order to Determine Compatibility
WASH&WAX-55	Wash & Wax 55 Gallon - SDS Given	<b>\$659.34</b>	Specify Model at Time of Order to Determine Compatibility
WR36-NS-BD500-118	Filter Pack for Hydrocart	<b>\$95.76</b>	Specify Model at Time of Order to Determine Compatibility
WR36-NS-GN8	8" Gooseneck Alum	<b>\$95.76</b>	Specify Model at Time of Order to Determine Compatibility
X-1558400300	Gun, Lance, Nozzle and Hose Kit, 50 Feet	<b>\$236.21</b>	Specify Model at Time of Order to Determine Compatibility
X-36-M407-1504.5F	36" Lance with 1504.5 F Nozzle	<b>\$90.00</b>	Specify Model at Time of Order to Determine Compatibility
X4-01212DLX	Trigger Gun with VP Wand Nozzle and Plug	<b>\$132.68</b>	Specify Model at Time of Order to Determine Compatibility
X-87392130QC	3/8" 50' 2-Wire Hose w/QC's	<b>\$87.90</b>	Specify Model at Time of Order to Determine Compatibility
X-87392150QC	3/8" 100' 2-Wire Hose w/QC's	<b>\$262.80</b>	Specify Model at Time of Order to Determine Compatibility
X-AP-60-INS-0004F	60" Lance with Insulation AP Gun 0004 F Nozzle	<b>\$216.00</b>	Specify Model at Time of Order to Determine Compatibility
X-BAR-K-90	ASSY, SPRAY BAR SYSTEM 90DEG SWIVEL	<b>\$756.00</b>	Specify Model at Time of Order to Determine Compatibility
XFO-714	XFO Defoamer 5 Gallons, SDS Given	<b>\$238.80</b>	Specify Model at Time of Order to Determine Compatibility
XLA-13-60N-TN72	Lance Asmbly. 60" w/TN ST601.25SS28000	<b>\$142.18</b>	Specify Model at Time of Order to Determine Compatibility
XLA-14-FLEX-2510	Flex Spray Wand Assembly	<b>\$105.79</b>	Specify Model at Time of Order to Determine Compatibility
XLA-16-36I-68	Lance Assembly with Turbo Nozzle	<b>\$119.82</b>	Specify Model at Time of Order to Determine Compatibility
XLA-23-36I-1505	10410 - 36" Wand w/gun and Nozzle	<b>\$95.45</b>	Specify Model at Time of Order to Determine Compatibility
XLA-24-12I-1507	Pressure Washer Lance Assembly	<b>\$83.00</b>	Specify Model at Time of Order to Determine Compatibility
XLA-24-28I-1503.5-S	Wand Assembly 28" with Swivel	<b>\$139.14</b>	Specify Model at Time of Order to Determine Compatibility
XLA-24-36I-1506	Lance Asmbly 36" Wash Wand Assmbly	<b>\$72.90</b>	Specify Model at Time of Order to Determine Compatibility
X-VP-K-WAND	VP Wand - KEW Bayonet - 2 Nozzles	<b>\$136.74</b>	Specify Model at Time of Order to Determine Compatibility
Z42-04	Auto Start/Stop Kit	<b>\$393.12</b>	Specify Model at Time of Order to Determine Compatibility
Z42-05	Time Delay Kit	<b>\$312.00</b>	Specify Model at Time of Order to Determine Compatibility
Z42-06	Remote Transmitter Bracket	<b>\$28.64</b>	Specify Model at Time of Order to Determine Compatibility
Z42-07	Remote VHG Wireless Spare Send Pre 2017	<b>\$336.96</b>	Specify Model at Time of Order to Determine Compatibility
Z42-08	Wireless Remote Kit PHW/ENG	<b>\$1,621.15</b>	Specify Model at Time of Order to Determine Compatibility
Z42-09	Time Delay Remote Control Assembly	<b>\$581.57</b>	Specify Model at Time of Order to Determine Compatibility
Z42-10	Remote Kit Pump/Burner NG/LP	<b>\$524.15</b>	Specify Model at Time of Order to Determine Compatibility
Z42-11	Wired VHG Remote 2017 and Newer	<b>\$456.00</b>	Specify Model at Time of Order to Determine Compatibility
Z42-12	Wireless Remote Kit (2 Remotes) VHG 2017 & Newer	<b>\$934.75</b>	Specify Model at Time of Order to Determine Compatibility
Z42-13	Wall Mount Kit for Remote Z42-12&14 per remote	<b>\$74.82</b>	Specify Model at Time of Order to Determine Compatibility
Z42-14	Wireless Remote Kit (1 Remotes) VHG 2017 & Newer	<b>\$672.00</b>	Specify Model at Time of Order to Determine Compatibility
Z42-300	Auto Start Stop Kit for Remote	<b>\$249.54</b>	Specify Model at Time of Order to Determine Compatibility
Z55-50	Wheel Kit SS SEA	<b>\$1,199.94</b>	Specify Model at Time of Order to Determine Compatibility
Z57-49	Wheel Kit (MHC)	<b>\$293.94</b>	Specify Model at Time of Order to Determine Compatibility
Z58-50	Wheel Kit (PGHW, PGDC)	<b>\$540.60</b>	Specify Model at Time of Order to Determine Compatibility
Z-ANTIFREEZE-BUCKET	5 Gallon Antifreeze Bucket	<b>\$77.94</b>	Specify Model at Time of Order to Determine Compatibility
ZFUELTANKASSM	Fuel Tank Assembly	<b>\$274.80</b>	Specify Model at Time of Order to Determine Compatibility

Z-HOSE-3KIT	3' ECOS Jump Hose Kit	<b>\$41.83</b>	Specify Model at Time of Order to Determine Compatibility
Z-JET-KIT	Jetter Kit - Hose Reel (carry) - Foot Valve	<b>\$418.80</b>	Specify Model at Time of Order to Determine Compatibility
Z-PARTSPACK-CW	Spare Parts Kit with Canister Cold Water	<b>\$414.00</b>	Specify Model at Time of Order to Determine Compatibility
Z-PARTSPACK-HW	Spare Parts In Canister Hot Water	<b>\$414.00</b>	Specify Model at Time of Order to Determine Compatibility
Z-PGHW-WHEEL	PGHW Wheel Kit	<b>\$667.14</b>	Specify Model at Time of Order to Determine Compatibility
Q-LowWater	Low Water Engine Shut-off All Models with Tank	<b>\$288.00</b>	Specify Model at Time of Order to Determine Compatibility
Q-Hitch	Substitute Standard Hitch (2" or 2 5/16") for Pintle Hitch on trailer models as available	<b>No Charge</b>	Specify Model at Time of Order to Determine Compatibility
Q-ColdRecirc	Add Cold Weather Water Recirculation Option to Skid, ATV or Trailer Models(Requires Q-Bypass)	<b>\$330.00</b>	Specify Model at Time of Order to Determine Compatibility
Q-Byass	Add Bypass to tank to allow unlimited bypass time without thermal danger to pump All Models with Tank	<b>\$216.00</b>	Specify Model at Time of Order to Determine Compatibility
Q-Gauges	Add Temperature and Pressure Guage to any Unit	<b>\$240.00</b>	Specify Model at Time of Order to Determine Compatibility
Q-Hose50to1001WB	Upgrade any 50' 1WB Hose to 100' 1WB Hose	<b>\$94.80</b>	Specify Model at Time of Order to Determine Compatibility
Q-Hose50to1501WB	Upgrade any 50' 1WB Hose to 150' 1WB Hose	<b>\$214.20</b>	Specify Model at Time of Order to Determine Compatibility
Q-Hose50to2001WB	Upgrade any 50' 1WB Hose to 200' 1WB Hose	<b>\$322.80</b>	Specify Model at Time of Order to Determine Compatibility
Q-Hose50to1002WB	Upgrade any 50' 1WB Hose to 100' 2WB Hose	<b>\$118.80</b>	Specify Model at Time of Order to Determine Compatibility
Q-Hose50to1502WB	Upgrade any 50' 1WB Hose to 150' 2WB Hose	<b>\$274.80</b>	Specify Model at Time of Order to Determine Compatibility
Q-Hose50to2002WB	Upgrade any 50' 1WB Hose to 200' 2WB Hose	<b>\$382.80</b>	Specify Model at Time of Order to Determine Compatibility
Q-Hose100to1501WB	Upgrade any 100' 1WB Hose to 150' 1WB Hose	<b>\$119.40</b>	Specify Model at Time of Order to Determine Compatibility
Q-Hose100to2001WB	Upgrade any 100' 1WB Hose to 200' 1WB Hose	<b>\$228.00</b>	Specify Model at Time of Order to Determine Compatibility
Q-Hose100to1502WB	Upgrade any 100' 1WB Hose to 150' 2WB Hose	<b>\$156.00</b>	Specify Model at Time of Order to Determine Compatibility
Q-Hose100to2002WB	Upgrade any 100' 1WB Hose to 200' 2WB Hose	<b>\$264.00</b>	Specify Model at Time of Order to Determine Compatibility
Q-CulvertKit	1/4" Leader Pipe, 1/4" Jetting Nozzle and 3/8" x 1/4" Adapter to attach to Standard Hose Any Model	<b>\$57.00</b>	Specify Model at Time of Order to Determine Compatibility
Q-CulvertKitDelux	1/4" Leader Pipe, 1/4" Jetting Nozzle Foot Valve and 50' High Pressure Hose Any Model	<b>\$390.00</b>	Specify Model at Time of Order to Determine Compatibility
Q-ToolBox	Tool Box Installed on Alkota Trailer Units	<b>\$870.00</b>	Specify Model at Time of Order to Determine Compatibility
Q-Misc	Misc Extra Materials Needed for various Options on Trailers or Tank Skids	<b>\$450.00</b>	Specify Model at Time of Order to Determine Compatibility
Q-HydranFill	Hydrant Fill Connection	<b>\$240.00</b>	Specify Model at Time of Order to Determine Compatibility
Q-Insulation	Insulation for Enclosed Trailer	<b>\$1,080.00</b>	Specify Model at Time of Order to Determine Compatibility
Q-Heat	Proprane Heat System for Enclosed Trailer	<b>\$2,610.00</b>	Specify Model at Time of Order to Determine Compatibility
Q-Generator	Add Generator to Trailer or Tank Skids, MiTM 6000 Watt, Honda GX390 With Battery and electric Start	<b>\$4,200.00</b>	Specify Model at Time of Order to Determine Compatibility
Q-GeneratorCompressor	Add Generator/Compressor to Trailer or Tank Skids, MITM 4000 Watt, 15.7 CFM with 30 Gallon Tank, Honda GX390 Electric Start with Battery	<b>\$5,280.00</b>	Specify Model at Time of Order to Determine Compatibility
Q-SteamOption	Steam Option Upgrade	<b>\$744.00</b>	Specify Model at Time of Order to Determine Compatibility
Q-Remote Option	Remote Option for Stationary Electric Machines	<b>\$840.00</b>	Specify Model at Time of Order to Determine Compatibility
Q-Decontamination	Deconamation Kit including berm, underlayment, muffs, etc.	<b>\$2,750.00</b>	Specify Model at Time of Order to Determine Compatibility

Q-LibertyPackage	Hose Reel, Turbo Nozzle, Swivel, hose upgrade, soap, etc.	<b>\$599.00</b>	Specify Model at Time of Order to Determine Compatibility
Q-PatriotPackage	Oscillating and Turbo Nozzle, Swivel, Hose Reel, undercarriage cleaner, etc.	<b>\$1,495.00</b>	Specify Model at Time of Order to Determine Compatibility
Q-SuckItUpPackage	Mississippi Recovery, Flat Surface Cleaner, Vaccum Hose, Wall Hook	<b>\$2,999.00</b>	Specify Model at Time of Order to Determine Compatibility
Q-GuardDogPackage	Common Spare Parts and Guage	<b>\$299.00</b>	Specify Model at Time of Order to Determine Compatibility
Q-ExhaustExtension	Exhaust Extension and Cap, for directing exhaust up	<b>\$250.00</b>	Specify Model at Time of Order to Determine Compatibility
Q-OilDrainExtension	Extends Oil drain lines for engine and pump	<b>\$75.00</b>	Specify Model at Time of Order to Determine Compatibility
Q-HoseReelMounting	Special Mounting and Brackets for Hose Reels	<b>\$200.00</b>	Specify Model at Time of Order to Determine Compatibility
EQ-SC-RC20	Roof Cleaner 20"	<b>\$776.25</b>	Specify Model at Time of Order to Determine Compatibility
EQ-UC-UC20	20" Under Carriage Cleaner	<b>\$803.85</b>	Specify Model at Time of Order to Determine Compatibility
MHC-STEAMKIT	MHC Steam Valve Kit w/Float Tank	<b>\$569.25</b>	Specify Model at Time of Order to Determine Compatibility
AI23-05HOSE	6' Hose and Screen for Chemical Injector	<b>\$13.85</b>	Specify Model at Time of Order to Determine Compatibility
AI23-05KIT	6' Hose, Screen and QC Set	<b>\$27.77</b>	Specify Model at Time of Order to Determine Compatibility
ZLMAP-PARTS	Parts Kit for Heaters	<b>\$575.00</b>	Specify Model at Time of Order to Determine Compatibility
EQ-SC-SC15	Surface Cleaner 15"	<b>\$293.25</b>	Specify Model at Time of Order to Determine Compatibility
EQ-SC-SC8	8" Surface Cleaner SS	<b>\$258.75</b>	Specify Model at Time of Order to Determine Compatibility
SB65-01	Spray Bar	<b>\$345.00</b>	Specify Model at Time of Order to Determine Compatibility
DS70-01	Water Probe Sensor	<b>\$28.29</b>	Specify Model at Time of Order to Determine Compatibility
DS70-02	Tank Float Level Switch	<b>\$57.29</b>	Specify Model at Time of Order to Determine Compatibility
DS70-03	Safety Relief Valve	<b>\$76.48</b>	Specify Model at Time of Order to Determine Compatibility
DS70-04	Flame Sensor	<b>\$15.25</b>	Specify Model at Time of Order to Determine Compatibility
DS70-05	Pressure Switch 8.5 NC	<b>\$47.78</b>	Specify Model at Time of Order to Determine Compatibility
DS70-06	Pressure Switch 9.5 NC	<b>\$47.78</b>	Specify Model at Time of Order to Determine Compatibility
DS70-07	Temperature Sensor	<b>\$26.91</b>	Specify Model at Time of Order to Determine Compatibility
DS70-08	Steam Outlet Valve Assembly	<b>\$39.41</b>	Specify Model at Time of Order to Determine Compatibility
DS70-09	Water Filter	<b>\$17.88</b>	Specify Model at Time of Order to Determine Compatibility
DS70-10	Fuel Filter	<b>\$14.05</b>	Specify Model at Time of Order to Determine Compatibility
DS70-11	Fuel Nozzle	<b>\$45.45</b>	Specify Model at Time of Order to Determine Compatibility
DS70-12	Trigger Shutter	<b>\$11.90</b>	Specify Model at Time of Order to Determine Compatibility
DS70-13	Air Purge Valve Assembly	<b>\$66.86</b>	Specify Model at Time of Order to Determine Compatibility
DS70-14	Fuse 5X20 4A	<b>\$0.60</b>	Specify Model at Time of Order to Determine Compatibility
DS70-15	Y Strainer Gasket	<b>\$2.09</b>	Specify Model at Time of Order to Determine Compatibility
DS70-16	Water Pump	<b>\$388.70</b>	Specify Model at Time of Order to Determine Compatibility
DS70-17	Control Card	<b>\$388.64</b>	Specify Model at Time of Order to Determine Compatibility
DS70-18	Premium Steam Hose 50'	<b>\$472.42</b>	Specify Model at Time of Order to Determine Compatibility
DS70-19	Steam Nozzle QC 3.5mm	<b>\$39.41</b>	Specify Model at Time of Order to Determine Compatibility
DS70-20	Steam Nozzle 2.5mm	<b>\$14.29</b>	Specify Model at Time of Order to Determine Compatibility
DS70-21	Steam Nozzle 3.5mm	<b>\$14.29</b>	Specify Model at Time of Order to Determine Compatibility
DS70-22	Steam Nozzle 5.5mm	<b>\$14.29</b>	Specify Model at Time of Order to Determine Compatibility
DS70-23	Steam Turbo Nozzle	<b>\$228.85</b>	Specify Model at Time of Order to Determine Compatibility
CS40-12	Spray Bottle 32 OZ	<b>\$5.00</b>	Specify Model at Time of Order to Determine Compatibility
CS40-13	Spray Bottle Trigger Harsh Chem	<b>\$6.26</b>	Specify Model at Time of Order to Determine Compatibility
CS40-14	32 OZ Spray Bottle w/ Trigger	<b>\$10.06</b>	Specify Model at Time of Order to Determine Compatibility
HR61-01	Hose Reel 3/8" 150' A-Frame	<b>\$376.34</b>	Specify Model at Time of Order to Determine Compatibility

HR61-02	Hose Reel 3/8" 300' A-Frame	<b>\$407.96</b>	Specify Model at Time of Order to Determine Compatibility
HR61-03	Hose Reel 3/8" 450' A-Frame	<b>\$439.59</b>	Specify Model at Time of Order to Determine Compatibility
HR61-04	Hose Reel 3/8" 150' A-Frame 12V	<b>\$757.74</b>	Specify Model at Time of Order to Determine Compatibility
HR61-05	Hose Reel 3/8" 300' A-Frame 12V	<b>\$808.34</b>	Specify Model at Time of Order to Determine Compatibility
HR61-06	Hose Reel 3/8" 450' A-Frame 12V	<b>\$846.29</b>	Specify Model at Time of Order to Determine Compatibility
HR61-12	12V Motor Control Kit	<b>\$392.15</b>	Specify Model at Time of Order to Determine Compatibility
HR61-14	Stacking Kit HR61-01,02,03	<b>\$82.23</b>	Specify Model at Time of Order to Determine Compatibility
HR61-15	A-Frame Cart	<b>\$226.44</b>	Specify Model at Time of Order to Determine Compatibility
HR61-16	Hose Guide HR61-01	<b>\$94.88</b>	Specify Model at Time of Order to Determine Compatibility
HR61-17	Hose Guide HR61-02	<b>\$94.88</b>	Specify Model at Time of Order to Determine Compatibility
HR61-18	Hose Guide HR61-03	<b>\$94.88</b>	Specify Model at Time of Order to Determine Compatibility
HR61-20	Hose Reel 12" 12V Aluminum	<b>\$1,265.00</b>	Specify Model at Time of Order to Determine Compatibility
HR61-21	Hose Reel 18" 12V Aluminum	<b>\$1,380.00</b>	Specify Model at Time of Order to Determine Compatibility
HR61-24	Hose Reel 12" Aluminum U-Channel	<b>\$460.00</b>	Specify Model at Time of Order to Determine Compatibility
HR61-28	Aluminum Stacking Kit	<b>\$166.75</b>	Specify Model at Time of Order to Determine Compatibility
HR61-29	18" Aluminum Hose Guide	<b>\$253.00</b>	Specify Model at Time of Order to Determine Compatibility
I03-47	T Line Strainer 1" Clear	<b>\$43.76</b>	Specify Model at Time of Order to Determine Compatibility
AN-MT*	Machette, specifiy size when ordering	<b>\$1,089.05</b>	Specify Model at Time of Order to Determine Compatibility
AN-MM*	Hydraflex Marksman, specify size when ordering	<b>\$1,059.15</b>	Specify Model at Time of Order to Determine Compatibility
AN25-83	HydroExcavating Nozzle	<b>\$142.60</b>	Specify Model at Time of Order to Determine Compatibility

Contract No. 203215 - Effective December 1, 2021  
Warranty Information



American Pressure Inc

Limited Warranty

This Warranty is limited to American Pressure Inc. 3810 West Broadway, Robbinsdale MN 55422, manufactured components and assemblies, sold by American Pressure Inc to the state of Minnesota or CPV members on the state of Minnesota Contract.

Products Covered by This Warranty:

API Series Products for a period of 12 months commencing on delivery date.

API installation and assembly work for a period of 12 months commencing on delivery date, including Q-Part numbers and options.

To Qualify for this Warranty:

The product must be purchased from American Pressure Inc.

What American Pressure Inc Will Repair or Replace Under Warranty:

American Pressure Inc will repair or replace, at its option, any part that is proven to be defective in material or workmanship under normal use during the applicable warranty time period. Warranty repairs and replacement will be made without charge for parts or labor. Anything replaced under warranty becomes the property of American Pressure Inc. All parts replaced under warranty will be considered as part of the original product and any warranty on those parts will expire at the same time as the original product warranty.

To Obtain Warranty Service:

American Pressure Inc must be contacted at 763-521-4442, [www.AmericanPressure.com](http://www.AmericanPressure.com), or 3810 West Broadway, Robbinsdale MN 55422 to coordinate repairs. Equipment in need of repair maybe brought to American Pressure Inc for warranty evaluation and repair.

Exclusions:

This warranty does not cover components or other devices not manufactured by American Pressure Inc including but not limited to gasoline/diesel engines, electric motors, generators, pumps, complete pressure washers, etc.

This warranty does not include/cover defects caused by any of the following:

- Improper or negligent operation or installation, accident, abuse, misuse, neglect, unauthorized modifications, including, but not limited to, the failure of the customer to comply with recommended product maintenance schedules
- Natural calamities or disasters including, but not limited to, floods, fires, wind, freezing\*, earthquakes, tornadoes, hurricanes and lightning strikes
- Use of non approved parts and detergents
- Improper repairs
- Neglected maintenance/incorrect operation (specified in the Owner's Manual)
- Unapproved devices or attachments
- Water sediments, rust corrosion, thermal expansion, scale deposits or a contaminated water supply or use of chemicals not approved or recommended by American Pressure Inc.
- Improper voltage, sudden voltage spikes or power transients in the electrical supply
- Usage which is contrary to the intended purpose of the equipment
- damage caused by collision or dropping, corrosive substances or chemicals including salt and bird droppings, damaged caused from storage in a corrosive environment.

*\*Includes damage done to components that come in contact with water as a result of freezing in a non-winterized machine*

**Disclaimer of Consequential Damage and Limitation of Implied Warranties:**

American Pressure Inc's liability for special, incidental, or consequential damages is expressly disclaimed. In no event shall American Pressure Inc's liability exceed the purchase price of the product in question. American Pressure Inc, makes every effort to ensure that all illustrations and specifications are correct, however, these do not imply a warranty that the product is merchantable or fit for a particular purpose, or that the product will actually conform to the illustrations and specifications. Our obligation under this warranty is expressly limited at our option to the replacement or repair, if such part or parts at inspection shall disclose to have been defective. American Pressure Inc does not authorize any other party, to make any representation or promise on behalf of American Pressure Inc, or to modify the terms, conditions, or limitations in any way. It is the buyer's responsibility to ensure that the installation and use of products conforms to local codes. While American Pressure Inc attempts to assure that its products meet national codes, it cannot be responsible for how the customer chooses to use or install the product. Some states do not allow limitation on how long an implied warranty lasts or the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This warranty gives you specific legal rights and you may also have other rights which vary from state-to-state. **THE WARRANTY CONTAINED HEREIN IS IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE ARE EXPRESSLY LIMITED TO THE DURATION OF THIS WRITTEN WARRANTY**



Warranty Document for American Pressure Inc.

State Contract

Updated October 19, 2021

American Pressure Inc is providing products from Alkota, Landa and others as both whole goods and components of complete products. The manufactures warranties are included in this file. They also reference their components suppliers, such as Honda, Briggs and Stratton, Kubota, Kohler and others. You will find those engine warranties attached or available on the following link:

<https://kohlerpower.com/en/engines/warranty>

Feel free to contact us for further warranty clarification beyond what is attached.



**OLD VALUES. NEW IDEAS.**

## **WARRANTY POLICY**

Machines are guaranteed to be free from defects in material or workmanship under normal use and service for period of one year after delivery from the factory. Any part (other than vendor items) that is determined to be warranty will be repaired or replaced at **NO CHARGE** provided the warranty return card is filled out in its entirety and the part is sent back freight prepaid. Any replacement parts accepted, as warranty will be returned to you freight prepaid.

Our heating coil will carry a seven year prorated warranty credit. The manufacturer will repair or replace the coil without charge for five years after delivery date from the factory for any defect in the coil that was caused by workmanship or defective steel. After the five years have expired, the credit will be prorated as follows:

First 5 years	100% Credit
Years 6 & 7	50% Credit
After 7 years	No Credit Allowed

All parts supplied to us by other manufacturers will be subject to their guarantee and warranty. Generators, motors, and engines are required by vendors to be repaired or replaced by authorized warranty repair stations. The manufacturer will assist you in locating warranty stations around the county in cases where that's necessary. Select items carry a six month warranty such as unloaders, triggers guns, etc.

The manufacturer, at its option, will repair or replace defective parts only, and does not allow for field labor charges for removal, installation, analysis, travel expense, or special freight expenses incurred for replacement parts.

Warranty does not apply to normal wear and tear including, but not limited to, freezing damage, freight damage, damage caused by misuse or misapplication, chemical related failures, contaminated filters and screens, moisture related fuel pump failures, stuck check valves, pump packings or seals, nozzles or orifices, paint, hoses, and gauges.

### **ALKOTA CLEANING SYSTEMS, INC.**

110 North Iowa Street, PO Box 288  
Alcester, South Dakota, USA 57001  
TEL: 800-255-6823 • 605-934-2222  
[www.alkotacleaningsystems.com](http://www.alkotacleaningsystems.com)

Revised November 2007



**ELECTRO-MAGIC.**

# Warranty

## Briggs & Stratton Engine Warranty

Effective January 2019

### Limited Warranty

Briggs & Stratton warrants that, during the warranty period specified below, it will repair or replace, free of charge, any part that is defective in material or workmanship or both. Transportation charges on product submitted for repair or replacement under this warranty must be borne by purchaser. This warranty is effective for and is subject to the time periods and conditions stated below. For warranty service, find the nearest Authorized Service Dealer in our dealer locator map at [BRIGGSandSTRATTON.COM](http://BRIGGSandSTRATTON.COM). The purchaser must contact the Authorized Service Dealer, and then make the product available to the Authorized Service Dealer for inspection and testing.

**There is no other express warranty. Implied warranties, including those of merchantability and fitness for a particular purpose, are limited to the warranty period listed below, or to the extent permitted by law.** Liability for incidental or consequential damages are excluded to the extent exclusion is permitted by law. Some states or countries do not allow limitations on how long an implied warranty lasts, and some states or countries do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation and exclusion may not apply to you. This warranty gives you specific legal rights and you may also have other rights which vary from state to state and country to country <sup>4</sup>.

### Standard Warranty Terms <sup>1, 2, 3</sup>

#### Vanguard™; Commercial Series <sup>3</sup>

Consumer Use - 36 months

Commercial Use - 36 months

#### XR Series

Consumer Use - 24 months

Commercial Use - 24 months

#### All Other Engines Featuring Dura-Bore™ Cast Iron Sleeve

Consumer Use - 24 months

Commercial Use - 12 months

#### All Other Engines

Consumer Use - 24 months

Commercial Use - 3 months

<sup>1</sup> These are our standard warranty terms, but occasionally there may be additional warranty coverage that was not determined at time of publication. For a listing of current warranty terms for your engine, go to [BRIGGSandSTRATTON.com](http://BRIGGSandSTRATTON.com) or contact your Briggs & Stratton Authorized Service Dealer.

<sup>2</sup> There is no warranty for engines on equipment used for prime power in place of a utility; standby generators used for commercial purposes, utility vehicles exceeding 25 MPH, or engines used in competitive racing or on commercial or rental tracks.

<sup>3</sup> Vanguard installed on standby generators: 24 months consumer use, no warranty commercial use. Commercial Series with manufacturing date before July 2017: 24 months consumer use, 24 months commercial use.

<sup>4</sup> In Australia - Our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure and for compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure. For warranty service, find the nearest Authorized Service Dealer in our dealer locator map at [BRIGGSandSTRATTON.COM](http://BRIGGSandSTRATTON.COM), or by calling 1300 274 447, or by emailing or writing to [salesenquiries@briggsandstratton.com.au](mailto:salesenquiries@briggsandstratton.com.au), Briggs & Stratton Australia Pty Ltd, 1 Moorebank Avenue, Moorebank, NSW, Australia, 2170.

The warranty period begins on the original date of purchase by the first retail or commercial consumer. "Consumer use" means personal residential household use by a retail consumer. "Commercial use" means all other uses, including use for commercial, income producing or rental purposes. Once an engine has experienced commercial use, it shall thereafter be considered as a commercial use engine for purposes of this warranty.

**Save your proof of purchase receipt. If you do not provide proof of the initial purchase date at the time warranty service is requested, the manufacturing date of the product will be used to determine the warranty period. Product registration is not required to obtain warranty service on Briggs & Stratton products.**

### About Your Warranty

This limited warranty covers engine-related material and/or workmanship issues only, and not replacement or refund of the equipment to which the engine may be mounted. Routine maintenance, tune-ups, adjustments, or normal wear and tear are not covered under this warranty. Similarly, warranty is not applicable if the engine has been altered

or modified or if the engine serial number has been defaced or removed. This warranty does not cover engine damage or performance problems caused by:

1. The use of parts that are not original Briggs & Stratton parts;
2. Operating the engine with insufficient, contaminated, or an incorrect grade of lubricating oil;
3. The use of contaminated or stale fuel, gasoline formulated with ethanol greater than 10%, or the use of alternative fuels such as liquefied petroleum or natural gas on engines not originally designed/manufactured by Briggs & Stratton to operate on such fuels;
4. Dirt which entered the engine because of improper air cleaner maintenance or re-assembly;
5. Striking an object with the cutter blade of a rotary lawn mower, loose or improperly installed blade adapters, impellers, or other crankshaft coupled devices, or excessive v-belt tightness;
6. Associated parts or assemblies such as clutches, transmissions, equipment controls, etc., which are not supplied by Briggs & Stratton;
7. Overheating due to grass clippings, dirt and debris, or rodent nests which plug or clog the cooling fins or flywheel area, or by operating the engine without sufficient ventilation;
8. Excessive vibration due to over-speeding, loose engine mounting, loose or unbalanced cutter blades or impellers, or improper coupling of equipment components to the crankshaft;
9. Misuse, lack of routine maintenance, shipping, handling, or warehousing of equipment, or improper engine installation.

**Warranty service is available only through Briggs & Stratton Authorized Service Dealers. Locate your nearest Authorized Service Dealer in our dealer locator map at [BRIGGSandSTRATTON.COM](http://BRIGGSandSTRATTON.COM) or by calling 1-800-233-3723 (in USA).**

80004537 (Rev. E)



**KUBOTA ENGINE AMERICA CORPORATION  
LIMITED WARRANTY ON INDUSTRIAL ENGINES  
AND REPLACEMENT PARTS EFFECTIVE JANUARY 1, 2009**

**OUR WARRANTY TO YOU**

We warrant to you, the original purchaser, that all parts (except those referred to below) of your new Kubota industrial engine and replacement parts purchased from an Authorized Kubota Industrial Engine Distributor or OEM Distributor in the United States and Canada will be free from defects in materials or workmanship during the following periods.

1. Industrial Engines for 2 years or 2,000 hours, whichever occurs first.
2. Industrial Engines Major Component Warranty (MCW), 3 years or 3000 hours, whichever occurs first, parts only.

**MCW covers** cylinder block, cylinder head, crankshaft, camshaft, gears, pistons, rods, flywheel, flywheel housing, oil pump, pulleys, governor, intake manifold, oil pan, ignition distributor.

**MCW does not cover** rings, bearings, water pump, any electrical component, valve train components, accessory parts, seals, gaskets, carburetors, exhaust manifold, hoses, all fuel system components, muffler, any filters, radiator, fan, belts, thermostat, spark plugs, fuel transfer pumps.

3. Replacement parts for 1 year.

**WHAT WE WILL DO**

We will, at our option, repair or replace any part covered by this warranty which becomes defective, malfunctions or otherwise fails to conform with this warranty under normal use and service during the term of the warranty at no charge for parts or labor. (Parts only for MCW)

**WHAT YOU MUST DO TO OBTAIN WARRANTY SERVICE**

In order to obtain warranty repairs, you must deliver the product, together with proof of purchase, to an Authorized Kubota Industrial Engine Distributor or Dealer at your expense. The names and addresses of such Authorized Kubota Industrial Engine Distributors can be found on the internet at [www.kubotaengine.com](http://www.kubotaengine.com), by calling 1-800-532-9808 or by contacting:

Kubota Engine America Corporation  
505 Schelter Road  
Lincolnshire, IL 60069

**WHAT THE WARRANTY DOES NOT COVER**

This warranty **does not** cover:

1. Damage, malfunctions or failures resulting from accidents, abuse, misuse, modifications, alteration, improper servicing, or lack of performance of required maintenance service.
2. Normal maintenance services or replacement of maintenance items such as light bulbs, preheater plugs, indicator and resistant coils, filter elements, lubricants, oils, spark plugs, coolant, or belts.
3. Installation of replacement parts, unless originally installed by an Authorized Kubota Industrial Engine Distributor or Dealer.
4. Non-genuine Kubota parts.
5. Any engines damaged by use of ether or any starting aid, or greater than a 50/50% solution of antifreeze and water.
6. Injection nozzle wear or any engine damage caused by injection nozzle wear or sticking.
7. Damage caused by water entering the engine due to any cause.
8. Used Products.
9. Any damage caused by overheating that is not a direct result of a defect in materials or workmanship.
10. Any Engine not application reviewed.

**APPLICATION REVIEW PROCESS:** The Kubota Engine America (KEA) application review process is intended to assist the OEM with engine installation to optimize functionality/performance within the OEM's equipment in order to maintain durability, customer satisfaction, and reduce warranty failures and expenses. Kubota cannot anticipate all potential failures and issues that may occur with the engine or product in the field during an application review. Therefore, machine durability testing by the OEM either in a test facility and/or in the field is critical to further reduce the potential for field failures.

The amount of time spent by KEA on an application review is significantly less than the amount of time spent by the OEM's design engineers on the application. Because of this, the KEA application review is intended to identify issues that are within the scope of the application review testing performed and in some cases recommend possible solutions. The KEA application review should never take the place of proper design and testing of the finished product by the OEM.

The KEA application review does not in any way express or imply any additional warranty coverage other than what is stated in Kubota's Limited Warranty Agreement. Kubota and its subsidiary companies are not responsible for (including, but not limited to): failures resulting from any components that are not manufactured by Kubota, misrepresented or incorrect information provided from an OEM, any changes made without KEA's knowledge, any decision by the OEM not to follow KEA's recommendations, or any application related problems or deficiencies that may arise that were not found by KEA's limited application review or the OEM's durability testing.

**THIS IS THE ONLY EXPRESS WARRANTY ON OUR PRODUCTS**

We neither assume nor authorize anyone to assume for us any other express warranty. The Kubota Distributor/ Dealer has no authority to make any representation or promise on behalf of Kubota Engine America Corporation or to modify the terms or limitations of this warranty in any way.

**LIMITATIONS ON OUR RESPONSIBILITY WITH RESPECT TO PRODUCTS PURCHASED AND USED FOR PERSONAL, FAMILY OR HOUSEHOLD USE.**

Our responsibility is to repair or replace defective parts as stated above. We will not be responsible for any other expenses, losses or inconvenience which you may sustain as a result of the purchase, use, malfunction or defective condition of our products. ANY IMPLIED WARRANTIES INCLUDING WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE SHALL BE LIMITED IN DURATION TO THE PERIOD SET FORTH ABOVE AND IN NO EVENT WILL WE BE LIABLE FOR ANY SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES WHATSOEVER. Some states do not allow limitations on how long an implied warranty lasts or the exclusion or limitation of incidental or consequential damages, so the above limitations or exclusions may not apply to you. This warranty gives you specific legal rights, and you may have other rights which vary from state to state.

**LIMITATIONS ON OUR RESPONSIBILITY WITH RESPECT TO PRODUCTS USED FOR RENTAL OR FOR COMMERCIAL, INDUSTRIAL OR AGRICULTURAL PURPOSES.**

This warranty is in lieu of all other warranties, express or implied, and of any other obligations or liability on our part. IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE EXCLUDED. Our responsibility for any and all losses and damages resulting from any cause whatsoever, including our negligence, alleged damage or defective goods, whether such defects are discoverable or latent, shall be limited to the repair or replacement of defective parts as stated above. IN NO EVENT WILL WE BE LIABLE FOR LOSS OF USE, LOSS OF PROFITS, LOSS OF OR DAMAGE TO OTHER PROPERTY, INCONVENIENCE, COMMERCIAL LOSS, OR OTHER SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES WHATSOEVER.



## *Distributor's Limited Warranty*

### Honda General Purpose Engines

This warranty is limited to Honda general purpose engines distributed by American Honda Motor Co., Inc., Power Equipment Division, 4900 Marconi Drive, Alpharetta, Georgia 30005. The following warranty applies to engines purchased at retail or placed into rental service on or after January 1, 2009.

PRODUCTS COVERED BY THIS WARRANTY:	LENGTH OF WARRANTY: (FROM DATE OF ORIGINAL PURCHASE)	
PRODUCT	PRIVATE RESIDENTIAL <sup>(3)</sup>	COMMERCIAL/RENTAL/INSTITUTIONAL
GX & GXV Series Engines (except models listed below)	36 months	36 months <sup>(1)</sup>
GXV140, GXV160	24 months	24 months
GX22, GX25, GX31, GX35, GXH50, GXV50, GXV57, GS & GSV Series Engines	24 months	12 months <sup>(2)</sup>
GC & GCV Series	24 months	3 months <sup>(2)</sup>

1. Honda GX and GXV general purpose engines installed in concession-type vehicles are covered by this warranty for a period of 12 months from the date of original retail purchase.
2. Honda GC/GS and GCV/GSV general purpose engines are not covered by this warranty when installed on concession type vehicles.
3. Private Residential: Used in maintaining owner's primary and/or secondary residence. Any other use, including but not limited to informal "for hire" use, is considered commercial/rental/institutional use.

#### To Qualify for this Warranty:

The Honda general purpose engine must be purchased from a Honda general purpose engine dealer authorized to sell that product in the United States, Puerto Rico, or the U.S. Virgin Islands. This limited warranty applies to the first retail purchaser and each subsequent owner during the applicable warranty time period.

#### What American Honda Will Repair or Replace Under Warranty:

American Honda will repair or replace, at its option, any part that is proven to be defective in material or workmanship under normal use during the applicable warranty time period. Warranty repairs and replacements will be made without charge for parts or labor. Anything replaced under warranty becomes the property of American Honda Motor Company, Inc. All parts replaced under warranty will be considered as part of the original product and any warranty on those parts will expire coincident with the original product warranty.

#### To Obtain Warranty Service:

You must take your Honda general purpose engine, or the equipment in which it is installed, together with proof of original retail purchase date, at your expense, to a Honda engine dealer authorized to sell that product in the United States, Puerto Rico, or the U.S. Virgin Islands, during their normal business hours. To locate a dealer near you, visit our web site at <http://engines.honda.com> and click on FIND A DEALER.

If you are unable to obtain warranty service, or are dissatisfied with the warranty service you receive, take the following steps: First, contact the owner of the dealership involved; normally this should resolve the problem. However, if you should require further assistance, write or call the Power Equipment Customer Relations Department of American Honda Motor Co., Inc.

American Honda Motor Co., Inc.  
Power Equipment Customer Relations Department  
4900 Marconi Drive  
Alpharetta, Georgia 30005-8847  
Telephone: (770) 497-6400

#### Exclusions:

This engine warranty does not include the following:

1. Any damage or deterioration resulting from the following:
  - Neglect of the periodic maintenance as specified in the engine owner's manual
  - Improper repair or maintenance
  - Operating methods other than those indicated in the engine owner's manual
  - Damage caused by the product on which the engine is installed
  - Damage caused by conversion to, or use of, fuel other than the fuel(s) that the engine was originally manufactured to use, as set forth in the engine owner's manual and/or warranty booklet
  - The use of non-genuine Honda parts and accessories, other than those approved by Honda (other than recommended lubricants and fluids) (does not apply to the emissions warranty unless non-genuine part used is not comparable to Honda part and was cause of the failure)
  - Exposure of the product to soot and smoke, chemical agents, bird droppings, sea water, salt, or other corrosive environments
  - Collision, fuel contamination or deterioration, neglect, unauthorized alteration, or misuse
  - Natural wear and tear (natural fading of painted or plated surfaces, sheet peeling and other natural deterioration)
2. Consumable parts: Honda does not warrant parts deterioration due to normal wear and tear. The parts listed below are not covered by warranty (unless they are needed as a part of another warranty repair):
  - Spark plug, fuel filter, air cleaner element, clutch disc, recoil starter rope
  - Lubricant: oil and grease
3. Cleaning, adjustment, and normal periodic maintenance work (carburetor cleaning and engine oil draining).
4. Use of the Honda general purpose engine for racing or competition.
5. Any engine that is part of a product that has ever been declared a total loss or sold for salvage by a financial institution or insurer.

#### Disclaimer of Consequential Damage and Limitation of Implied Warranties:

American Honda disclaims any responsibility for loss of time or use of the engine, or the equipment in which the engine is installed, transportation, commercial loss, or any other incidental or consequential damage. Any implied warranties are limited to the duration of this written limited warranty. Some states do not allow limitations on how long an implied warranty lasts and/or do not allow the exclusion or limitation of incidental or consequential damages, so the above exclusions and limitations may not apply to you.

This warranty gives you specific legal rights, and you may also have other rights, which vary from state to state.



## *Distributor's Limited Warranty*

### **Accessories, Replacement Parts, and Apparel**

This warranty is limited to Honda Power Equipment parts, accessories, and apparel when distributed by American Honda Motor Co., Inc., 4900 Marconi Drive, Alpharetta, Georgia 30005-8847.

PRODUCTS COVERED BY WARRANTY:	LENGTH OF WARRANTY: (FROM DATE OF ORIGINAL RETAIL PURCHASE)	
	PRIVATE RESIDENTIAL	COMMERCIAL/RENTAL/INSTITUTIONAL
Accessories	12 months	3 months
Replacement Parts	6 months	3 months
Apparel	6 months	3 months

#### **To Qualify for this Warranty:**

1. The accessories, replacement parts, or apparel must be purchased from American Honda or a dealer authorized by American Honda to sell those products in the United States, Puerto Rico, and the U.S. Virgin Islands. Parts and Accessories must be purchased for installation on original Honda equipment or engines to be eligible for warranty coverage. Installing Parts and Accessories on non-Honda products or engines voids this warranty.
2. You must be the first retail purchaser. This warranty is not transferable to subsequent owners.

#### **What American Honda Will Repair or Replace Under Warranty:**

American Honda will repair or replace, at its option, any Honda General Purpose Engine accessories, replacement parts, or apparel that are proven to be defective in material or workmanship under normal use during the applicable warranty time period. Anything replaced under warranty becomes the property of American Honda Motor Company, Inc. All parts replaced under warranty will be considered as part of the original product, and any warranty on those parts will expire coincident with the original product warranty.

Accessories and replacement parts installed by a dealer who is authorized by American Honda to sell them will be repaired or replaced under warranty without charge for parts or labor. If installed by anyone else, accessories and replacement parts will be repaired or replaced under warranty without charge for parts, but any labor charges will be the responsibility of the purchaser.

Apparel will be repaired or replaced under warranty without any charge.

#### **To Obtain Warranty Service:**

You must take the Honda General Purpose Engine accessory, replacement part, apparel, or the Honda general purpose engine on which the accessory or replacement part is installed, and proof of purchase, at your expense, to any Honda General Purpose Engine dealer in the United States, Puerto Rico, or the U.S. Virgin Islands who is authorized to sell that product, during the dealer's normal business hours. If you are unable to obtain warranty service, or are dissatisfied with the warranty service you receive, take the following steps: first, contact the owner of the dealership involved; normally this will resolve the problem. However, if you should require further assistance, write or call the Power Equipment Customer Relations Department of American Honda Motor Co., Inc.

American Honda Motor Co., Inc.  
Power Equipment Customer Relations Department  
4900 Marconi Drive  
Alpharetta, Georgia 30005-8847  
Telephone: (770) 497-6400

#### **Exclusions:**

This warranty does not extend to accessories, parts, or apparel affected or damaged by collision, normal wear, use in an application for which the product was not designed, or any other misuse, neglect, incorporation or use of unsuitable attachments or parts, unauthorized alteration, improper installation, or any causes other than defects in material or workmanship of the product. Installing Parts and Accessories on non-Honda products or engines voids this warranty.

#### **Disclaimer of Consequential Damage and Limitation of Implied Warranties:**

American Honda disclaims any responsibility for loss of time or use of the product, or the power equipment on which the product is installed, transportation, commercial loss, or any other incidental or consequential damage. Any implied warranties are limited to the duration of this written warranty. Some states do not allow limitations on how long an implied warranty lasts and/or do not allow the exclusion or limitation of incidental or consequential damages, so the above exclusions and limitations may not apply to you.

This warranty gives you specific legal rights, and you may also have other rights, which vary from state to state.

# **LANDA®**

Kärcher Group

# **Pressure Washer Warranty Policy**

LANDA Kärcher Group

*NORTH AMERICA'S LARGEST MANUFACTURER OF PRESSURE  
WASHERS*

Rev. **11/2018**  
**9.801-677.0**

# Table of Contents

- Introduction .....3
- What is a Limited Warranty?.....3
- Warranty Start Date .....3
- The Landa Limited Warranty .....3
- Landa’s Right to Inspect .....3
- Warranty Repairs.....4
- Limitation of Liability .....4
- Customer Responsibility .....4
- To Obtain Warranty Service .....5
- Transferability .....5
- Changes in this Policy .....5
- Length of Warranty Coverage.....5
  - Machine Warranty .....5
  - Service Parts Warranty .....5
- WHAT THIS WARRANTY COVERS: .....6
  - What This Warranty Does Not Cover: .....6
  - This Warranty Does Not Cover Defects Caused By: .....7
- Resolving Warranty Concerns .....8
- CALIFORNIA EVAPORATIVE EMISSIONS CONTROL
- WARRANTY STATEMENT .....8
  - Your Warranty Rights and Obligations.....8
  - Manufacturer’s Warranty Coverage: .....9
  - Evaporative Emissions Owner’s Responsibilities:.....9
  - General Emissions Warranty Coverage: .....9
  - Evaporative Emissions Warranted Parts:.....11
- Contact Us: .....12

## Introduction

Thank you for your purchase of a Landa pressure washer. We pride ourselves as being one of the largest manufacturers of pressure washers in North America, and we are dedicated to deliver the best and safest product available. Our products are certified to the national safety standards and our company has been registered to the international ISO 9001 standard for quality and ISO 14000 environmental standard which indicates our dedication for producing safe reliable products while at the same time taking responsibility for the environment.

Our pressure washers are warranted for a specific period and on the conditions set forth in the applicable warranty for each product, that the product is free from defects in materials and workmanship if used, maintained and managed in accordance with the instructions contained in the Operator's Manual provided with each product.

## What is a Limited Warranty?

Warranty is a written guarantee by the manufacturer of a product, promising to repair or replace parts which have a defect in material or workmanship. "Limited" means that the Warranty is for a specified period of time, and has certain other restrictions.

Parts will be warranted for the time periods specified in this published warranty. Any exceptions must be approved by Landa's Warranty Department.

## Warranty Start Date

The warranty coverage begins on the date of original purchase and applies to the original components only. Usually, the warranty period will be determined from the serial plate date code.

## The Landa Limited Warranty

Landa will, through its authorized service centers, repair or replace any originally installed parts which are found to be defective in material or workmanship. The defect must occur during normal use of the product and within the length of warranty coverage. The repair or replacement of that part will be provided according to the time limits of the warranty policy. Repairs must be completed using only Landa approved parts.

## Landa's Right to Inspect

Landa, and its service centers reserve the right to inspect the customer's Landa products to determine if a defect in materials or workmanship exists prior to the commencement of any covered repair. It is the customer's

responsibility to contact the Landa authorized service center and make the arrangements for inspection and/or repair.

## Warranty Repairs

Repairs covered under the conditions of this Warranty must be performed by an authorized Landa service center.

## Limitation of Liability

Landa's liability for special, incidental, or consequential damages is expressly disclaimed. In no event shall Landa's liability exceed the purchase price of the product in question. Landa makes every effort to ensure that all illustrations and specifications are correct, however, these do not imply a warranty that the product is merchantable or fit for a particular purpose, or that the product will actually conform to the illustrations and specifications. Our obligation under this warranty is expressly limited at our option to the replacement or repair at a service facility or factory designated by us, if such part or parts at inspection shall disclose to have been defective. Landa does not authorize any other party, including authorized Landa Dealers, to make any representation or promise on behalf of Landa, or to modify the terms, conditions, or limitations in any way. It is the buyer's responsibility to ensure that the installation and use of Landa products conforms to local codes. While Landa attempts to assure that its products meet national codes, it cannot be responsible for how the customer chooses to use or install the product. Some states do not allow limitation on how long an implied warranty lasts or the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This warranty gives you specific legal rights and you may also have other rights which vary from state-to-state. **THE WARRANTY CONTAINED HEREIN IS IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE ARE EXPRESSLY LIMITED TO THE DURATION OF THIS WRITTEN WARRANTY.**

## Customer Responsibility

It is the customer's responsibility to maintain the equipment in accordance with the instructions provided in the Operator's Manual. Landa recommends that you keep records and receipts; you may be asked to prove that the maintenance instructions have been followed.

It is also the customer's responsibility to operate the equipment in a safe manner, and for the use for which it was designed. If a defect in materials or workmanship occurs, it is the customer's responsibility to cease operating the equipment until repairs are made. **Damage which occurs from continued operation after a defect is identified may not be covered by this warranty.** An authorized service center should be contacted immediately so that repairs can be made in a timely manner.

## Repair at an Authorized Dealer

To obtain warranty service under the terms and conditions of the Landa Limited Warranty, you must deliver portable equipment to an authorized Landa service center. For stationary models or instances when delivery is not possible, the customer should make arrangements for a service call from the service center. At the time of repair, you must provide proof of purchase. Landa recommends that the service center from whom the machine was purchased be contacted for the warranty repair. If that is inconvenient, any authorized Landa service center may complete the repairs.

**If the service center is requested to complete repairs at the customer's location, please note that the service center may charge for pickup & delivery, or for travel time and mileage. These charges are not covered under the Landa Limited Warranty and are the customer's responsibility.**

## Transferability

If you decide to sell your Landa machine, any remaining warranty coverage may be transferred to the new owner. Contact your Landa service center for details.

## Changes in this Policy

Landa reserves the right to make any changes to a Landa product at any time without incurring any obligation with respect to any product previously, ordered, sold, or shipped.

## Length of Warranty Coverage

### Machine Warranty

The length of warranty coverage is not the same for all models. Some models coverage may be of shorter duration than others, based on model type. (see chart on the next page for details)

### Service Parts Warranty

Service parts are warranted for 90 days from date of purchase. However, if the part is installed on a unit which has more than 90 days remaining on the original warranty, the part is covered according to the chart on the next page.

## WHAT THIS WARRANTY COVERS:

COMPONENT(S)	LENGTH OF WARRANTY
<b>*Wear items:</b> check valves; chemical injectors; high pressure discharge hose; packings and seals on wet-end of pump; oil seals, lights, gaskets; trigger guns, & wands	90-day, Manufacturing Defect
<b>Burners:</b> fuel pumps, igniter, fuel solenoid coil, burner motor, gas valve	1 Year Parts 1 Year Labor
<b>Chemical valves</b>	1 Year Parts 1 Year Labor
<b>Heating Coils</b>	5 Year 1 Year Labor
<b>Electrical components:</b> switches, GFCI, thermostats, transformers, flow & pressure switch	1 Year Parts 1 Year Labor
<b>Fabricated items: <u>PD series</u></b>	3-year limited
<b>Fabricated items: All others</b> frames, handles, chassis, fuel tanks, float tanks, belt guards, etc.	7 Year Parts 1 Year Labor
<b>Pump:</b> crankshaft, manifold, crankcase, bearings, connecting rods	7 Year Parts 1 Year Labor
<b>Pump, Axial: <u>PD series</u></b> <b>Pump, Booster: 12v</b>	1 Year Parts 1 Year Labor
<b>Pulleys</b>	1 Year Parts 1 Year Labor
<b>Unloaders</b>	1 Year Parts 1 Year Labor

***\*Wear items not covered:** Quick couplers, drive belts, nozzle wear, gauges, clogged filters, O-rings, gaskets, soot removal, failures due to contaminated fuel or water, or chemical damage. See page 7 for further restrictions.*

**All parts replaced under warranty will assume the original equipment warranty time period.**

**NOTE:** Landa does not warranty electric motors, generators or engines. Contact the original manufacturers for warranty information on those products.

## What This Warranty Does Not Cover:

- Abnormal wear-and-tear: Our warranty covers material and manufacturing defects only
- Components or other devices not manufactured by Landa including, but not limited to gasoline/diesel engines, electric motors, generators, pumps, etc.
- Pickup and/or delivery of the equipment
- Rental of replacement equipment during the repair period
- Overtime labor charges
- Freight charges for replacement parts (customer responsibility)
- Travel time or mileage
- Service calls
- Transportation of equipment to service center from customer's home or other location
- Repairs performed by non-Landa service centers

## This Warranty Does Not Cover Defects Caused By:

- Improper or negligent operation or installation, accident, abuse, misuse, neglect, unauthorized modifications, including, but not limited to, the failure of the customer to comply with recommended product maintenance schedules
- Natural calamities or disasters including, but not limited to, floods, fires, wind, freezing\*, earthquakes, tornadoes, hurricanes and lightning strikes
- Use of non-Landa approved parts and detergents
- Improper repairs
- Neglected maintenance/incorrect operation (specified in the Owner's Manual)
- Unapproved devices or attachments
- Water sediments, rust corrosion, thermal expansion, scale deposits or a contaminated water supply or use of chemicals not approved or recommended by Landa
- Improper voltage, sudden voltage spikes or power transients in the electrical supply
- Usage which is contrary to the intended purpose of the equipment

*\*Includes damage done to components that come in contact with water as a result of freezing in a non-winterized machine*

# Resolving Warranty Concerns

Normally, warranty concerns can be resolved by your service center's service department. If the problem is not resolved to your satisfaction, you may want to speak with either the owner or general manager of the service center.

You may also contact the Landa office for assistance. The phone number and address are located on the back cover. Before calling or writing, please have the following information ready:

1. Your name, address and phone
2. Model number and serial number
3. Date of purchase
4. Name of company from where the machine was purchased
5. Estimated hours of operation
6. Detailed description of the problem



## CALIFORNIA EVAPORATIVE EMISSIONS CONTROL WARRANTY STATEMENT

### Your Warranty Rights and Obligations

The California Air Resources Board and Landa are pleased to explain the evaporative emission control system's warranty on your 2016 pressure washer. In California, new pressure washers that use small-off road engines must be designed, built, and equipped to meet the State's stringent anti-smog standards. Landa must warrant the evaporative emission control system on your pressure washer for the period listed below, provided there has been no abuse, neglect or improper maintenance of your pressure washer.

Your evaporative emission control system may include parts such as: carburetors, fuel tanks, fuel lines, fuel caps, valves, canisters, filters, vapor hoses, clamps, connectors, and other associated components. Where a warrantable condition exists, Landa will repair your pressure washer at no cost to you including diagnosis, parts and labor.

## **Manufacturer's Warranty Coverage:**

This evaporative emission control system is warranted for two years. If any evaporative emission-related part on your equipment is defective, the part will be repaired or replaced by Landa Corporation.

## **Evaporative Emissions Owner's Responsibilities:**

As the pressure washer owner, you are responsible for performance of the required maintenance listed in your owner's manual. Landa recommends that you retain all receipts covering maintenance on your pressure washer, but Landa cannot deny warranty solely for lack of receipts.

As the pressure washer owner, you should however be aware that Landa may deny you warranty coverage if your pressure washer or a part has failed due to abuse, neglect or improper maintenance or unapproved modifications.

You are responsible for presenting your pressure washer to Landa distribution center or service center as soon as the problem exists. The warranty repairs should be completed in a responsible amount of time, not to exceed 30 days. If you have a question regarding your warranty coverage, you should contact Landa at 1-800-547-8672.

## **General Emissions Warranty Coverage:**

Landa warrants to the ultimate purchaser and each subsequent purchaser that the pressure washer is:

Designed, built and equipped so as to conform to all applicable regulations; free from defects in material and workmanship that cause failure of a warranted part; and identical in all material respects to that part as described in Landa's application for certification.

The warranty period begins on the date the pressure washer is delivered to an ultimate purchaser or first placed into service. The warranty period is two years.

Subject to certain conditions and exclusions as stated below, the warranty on emission-related parts is as follows:

(1) Any warranted part that is not scheduled for replacement as required maintenance in the written instructions must be warranted for the warranty period stated above. If any such part fails during the period of warranty coverage, it must be repaired or replaced by the manufacturer issuing the warranty. Any such part repaired or replaced under the warranty must be warranted for a time not less than the remaining warranty period.

- (2) Any warranted part that is scheduled only for regular inspection in the written instructions must be warranted for the warranty period stated above. A statement in such written instructions to the effect of repair or replace as necessary will not reduce the period of warranty coverage. Any such part repaired or replaced under the warranty must be warranted for a time not less than the remaining warranty period.
- (3) Any warranted part that is scheduled for replacement as required maintenance in the written instructions must be warranted for the period before the first scheduled replacement date for that part. If the part fails before the first scheduled replacement, the part must be repaired or replaced by Landa according to subsection (4) below.. Any such part repaired or replaced under warranty will be warranted for the remainder of the period prior to the first scheduled replacement point for the part.
- (4) Repair or replacement of any warranted part under the warranty provisions herein must be performed at a warranty station at no charge to the owner.
- (5) Notwithstanding the provisions herein, warranty services or repairs will be provided at all of our distribution centers that service the subject equipment.
- (6) The pressure washer owner will not be charged for diagnostic labor that is directly associated with diagnosis of a defective, emission-related warranted part, provided that such diagnostic work is performed at a warranty station.
- (7) Landa is liable for damages to other engine or equipment components proximately caused by a failure under warranty of any warranted part.
- (8) Throughout the pressure washer warranty period stated above, Landa will maintain a supply of warranted parts sufficient to meet the expected demand for such parts.
- (9) Any replacement part may be used in the performance of any warranty maintenance or repairs and must be provided without charge to the owner. Such use will not reduce the warranty obligations of Landa Corporation.
- (10) Add-on or modified parts that are not exempted by the Air Resources Board may not be used. The use of any non-exempted add-on or modified parts by the ultimate purchaser will be grounds for disallowing a warranty claim. Landa will not be liable to warrant failures of warranted parts caused by the use of a non-exempted add-on or modified part.

## Evaporative Emissions Warranted Parts:

The repair or replacement of any warranted part otherwise eligible for warranty coverage may be excluded from such warranty coverage if Landa demonstrates that the pressure washer has been abused, neglected, or improperly maintained, and that such abuse, neglect, or improper maintenance was the direct cause of the need for repair or replacement of the part. That notwithstanding, any adjustment of a component that has a factory installed, and properly operating, adjustment limiting device is still eligible for warranty coverage. The following emission warranty parts list is covered for your pressure washer:

- 1) Fuel Line
- 2) Fuel Line Clamps
- 3) Fuel Line Fittings
- 4) Fuel Tank
- 5) Carbon Canister
- 6) Canister Mounting Brackets
- 7) Fuel Cap
- 8) Vapor Hoses





## Contact Us:

4275 NW Pacific Rim Blvd.

Camas, WA 98607

[www.landa.com](http://www.landa.com)

Main : 1-800-547-8672

Fax: 360-833-1990

# STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS

## BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.12

### Contract No. 203215 - Effective January 18, 2022

Customer should contact Contract Vendor for questions & assistance with quote

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

4.12	Information Requested	Answer
	Make & Model Number	API MHC4-353E-BD-12V
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Type (Portable or Stationary)	Portable
	Water Volume (GPM - Gallons per Minute)	3.5 GPM
	Pressure (In PSI)	3500 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	135°F +/- 5°
	Steam Capable? (Yes/No)	No
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Honda GX390
	Engine Fuel Type and Capacity (Gas, Diesel, Electric)	Gasoline 1.6 Gallons
	Engine Displacement (or HP, if electric)	389 cm3

Engine Air or Water Cooled	Air
Engine Location	Front Middle
Generator (to power burner)	No
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Burner, Thermostat, Hour/Tach Meter
Number of Nozzles	5
Hose diameter	3/8" ID
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire
Hose Length (In feet)	50'
High Pressure Hose Reel Included? (Yes/No)	No
Fill Hose Reel Included? (Yes/No)	No
Wand Type & Description	Variable Presssure 42"
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	52"L x 29"W x 44.5"H
What is the estimated weight of the unit with the tanks full and ready to spray?	570 lbs
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"
<b>BASE UNIT PRICE:</b>	<b>\$ 7,812.00</b>

# STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS

## OPTIONS -SPECIFICATION NO. 4.13

**Contract No. 203215 - Effective January 18, 2022**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

**Base Unit Price:** \$ 7,812.00

Spec No.	Description	Price
----------	-------------	-------

4.13.1	Date & Title/I.D. of Price List	10.14.21 API Price List
--------	---------------------------------	-------------------------

4.13.2	Discount to be applied to Price List <b>*Note:</b> The "Discount to be Applied to Price List" must be a numeric percentage, which may include 0%. Not listing a numeric percentage may result in your bid being rejected.	0%
--------	--	----

4.13.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 105.00
--------	---	-----------

4.13.4	<b><u>EXTENDED WARRANTY OPTIONS</u></b> Use this section to offer performance/extended warranty options and list cost. (Specify years, months, or days extended term covers.) Add as many lines as needed.	
		NA
		NA
		NA

4.13.5	<b><u>DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS</u></b>	<b><u>NO FLAT RATE ALLOWED</u></b>
--------	---	------------------------------------

**DELIVERY STARTING POINT - City, State, Zip** Robbinsdale, MN 55422

<b>PRICE PER LOADED MILE:</b>	\$2.75
<b>MINIMUM DELIVERY CHARGE (if applicable)</b>	\$45.00

4.13.6	<b><u>EQUIPMENT INSPECTION &amp; REPAIR RATES</u></b> <b><u>INSTALLATION FOR STATIONARY UNITS IS NOT PERMITTED</u></b>	
	Hourly Rate for Initial Inspection/Diagnostic :	\$ 129.00
	Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$ 129.00
	Hourly Rate for Body Work (including paint or welding labor) :	\$ 179.00

4.13.7	<b><u>NEW EQUIPMENT RENTAL PROGRAM</u></b> If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions.	
	Daily Rental Rate:	NA
	Weekly Rental Rate:	\$1,562
	Monthly Rental Rate:	\$3,124
	Percent (%) of Rental Fee applied to purchase price:	0%

If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_

# STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS

## BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.12

### Contract No. 203215 - Effective January 18, 2022

Customer should contact Contract Vendor for questions & assistance with quote

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

4.12	Information Requested	Answer
	Make & Model Number	API MHC3-303-12V
	UL-1776 or UL-60335-2-79 Certified? Yes/No	Yes
	Type (Portable or Stationary)	Portable
	Water Volume (GPM - Gallons per Minute)	3.0 GPM
	Pressure (In PSI)	3000 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	135°F +/- 5°
	Steam Capable? (Yes/No)	No
	Drive Type (Belt or Direct)	Direct
	Engine Make and Model	Honda GX270
	Engine Fuel Type and Capacity (Gas, Diesel, Electric)	Gasoline 1.5 Gallons
	Engine Displacement (or HP, if electric)	270 cm3

Engine Air or Water Cooled	Air
Engine Location	Front Middle
Generator (to power burner)	No
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Burner, Thermostat, Hour/Tach Meter
Number of Nozzles	5
Hose diameter	3/8" ID
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire
Hose Length (In feet)	50'
High Pressure Hose Reel Included? (Yes/No)	No
Fill Hose Reel Included? (Yes/No)	No
Wand Type & Description	Variable Presssure 42"
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	52"L x 29"W x 44.5"H
What is the estimated weight of the unit with the tanks full and ready to spray?	530 lbs
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"
<b>BASE UNIT PRICE:</b>	<b>\$ 6,455.00</b>

# STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS

## OPTIONS -SPECIFICATION NO. 4.13

**Contract No. 203215 - Effective January 18, 2022**

**Customer should contact Contract Vendor for questions & assistance with quote**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

**Base Unit Price:** \$ 6,455.00

Spec No.	Description	Price
----------	-------------	-------

4.13.1	Date & Title/I.D. of Price List	10.14.21 API Price List
--------	---------------------------------	-------------------------

4.13.2	Discount to be applied to Price List <b>*Note:</b> The "Discount to be Applied to Price List" must be a numeric percentage, which may include 0%. Not listing a numeric percentage may result in your bid being rejected.	0%
--------	--	----

4.13.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 105.00
--------	---	-----------

4.13.4	<b><u>EXTENDED WARRANTY OPTIONS</u></b> Use this section to offer performance/extended warranty options and list cost. (Specify years, months, or days extended term covers.) Add as many lines as needed.	
		NA
		NA
		NA

4.13.5	<b><u>DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS</u></b>	<b><u>NO FLAT RATE ALLOWED</u></b>
--------	---	------------------------------------

**DELIVERY STARTING POINT - City, State, Zip** Robbinsdale, MN 55422

<b>PRICE PER LOADED MILE:</b>	\$2.75
<b>MINIMUM DELIVERY CHARGE (if applicable)</b>	\$45.00

4.13.6	<b><u>EQUIPMENT INSPECTION &amp; REPAIR RATES</u></b> <b><u>INSTALLATION FOR STATIONARY UNITS IS NOT PERMITTED</u></b>	
	Hourly Rate for Initial Inspection/Diagnostic :	\$ 129.00
	Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$ 129.00
	Hourly Rate for Body Work (including paint or welding labor) :	\$ 179.00

4.13.7	<b><u>NEW EQUIPMENT RENTAL PROGRAM</u></b> If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions.	
	Daily Rental Rate:	NA
	Weekly Rental Rate:	\$1,291
	Monthly Rental Rate:	\$2,582
	Percent (%) of Rental Fee applied to purchase price:	0%

**If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here:** \_\_\_\_\_

**SKID-TYPE PRESSURE WASHERS**  
**BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.4**  
**Contract 203215**  
**Amendment No. 03, Exhibit D: Price Schedule**  
**Dated: November 21, 2023**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

4.4	Information Requested	Answer
	Make & Model Number	Tuf-CS64B24
	UL-1776 or UL-60335-2-79 Certified? Yes/No	No
	Skid Type (Pickup Truck, Ag/Farm Tractor, 3-Point, Class 2/3/4, etc)	Pickup Truck Class 2A, 2B, 3,4
	Water Tank Capacity (In gallons)	100
	Water Tank Construction (Plastic, Stainless, etc)	Plastic
	Water Volume (GPM - Gallons per Minute)	0-4 GPM
	Pressure (In PSI)	0-4000 PSI
	Hot Water Capable? (Yes/No)	Heat add on \$4950.00
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	150°F with Full Flow
	Steam Capable? (Yes/No)	Yes with Heat add on
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Tuffy Electric
	Engine Fuel Type and Capacity (In gallons)	Battery 24kw & 250Ah
	Engine Displacement	NA

Engine Air or Water Cooled	Air
Engine Location	Motor in Cabinet
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Flow, Pressure, Power, Heat (with add on)
Number of Nozzles	21
Hose Type (1 or 2 Wire-braided? Other?)	1 Wire Braid
Hose Length (In feet)	100
High Pressure Hose Reel Included? (Yes/No)	Yes
Fill Hose Reel Included? (Yes/No)	Yes w/100' Garden Hose
Wand Type	42" Straight Lance Molded Grip
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	64 x 48
How is Skid attached to Vehicle/Trailer?	Customer Decesion
What is the estimated weight of the unit with the tanks full and ready to spray?	1769 LBS
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"
<b>BASE UNIT PRICE:</b>	<b>\$ 45,000.00</b>

# SKID-TYPE PRESSURE WASHERS OPTIONS - SPECIFICATION NO. 4.5

Contract 203215

## Amendment No. 03, Exhibit D: Price Schedule

Dated: November 21, 2023

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

Base Unit Price: \$ 45,000.00

Spec No.	Description	Price
4.5.1	Date & Title/I.D. of Price List	10.14.21 API Price List
4.5.2	Discount to be applied to Price List <b>*Note:</b> The "Discount to be Applied to Price List" must be a numeric percentage,	0%
4.5.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 25.00

### 4.5.4 EXTENDED WARRANTY OPTIONS

Use this section to offer performance/extended warranty options and list cost.  
(Specify years, months, or days extended term covers.) Add as many lines as needed.

	NA
	NA
	NA

### 4.5.5 DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS

**NO FLAT RATE ALLOWED**

**DELIVERY STARTING POINT - City, State, Zip** Robbinsdale, MN 55422

PRICE PER LOADED MILE:	\$2.75
MINIMUM DELIVERY CHARGE (if applicable)	\$45

### 4.5.6 EQUIPMENT INSPECTION & REPAIR RATES

Hourly Rate for Initial Inspection/Diagnostic :	\$ 129.00
Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$ 129.00
Hourly Rate for Body Work (including paint or welding labor) :	\$ 179.00

### 4.5.7 NEW EQUIPMENT RENTAL PROGRAM

If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions.

Daily Rental Rate:	NA
Weekly Rental Rate:	8499
Monthly Rental Rate:	18995
Percent (%) of Rental Fee applied to purchase price:	0%

If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_

**SKID-TYPE PRESSURE WASHERS**  
**BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.4**  
**Contract 203215**  
**Amendment No. 03, Exhibit D: Price Schedule**  
**Dated: November 21, 2023**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

4.4	Information Requested	Answer
	Make & Model Number	Tuf-CS64B36
	UL-1776 or UL-60335-2-79 Certified? Yes/No	No
	Skid Type (Pickup Truck, Ag/Farm Tractor, 3-Point, Class 2/3/4, etc)	Pickup Truck Class 2A, 2B, 3,4
	Water Tank Capacity (In gallons)	100
	Water Tank Construction (Plastic, Stainless, etc)	Plastic
	Water Volume (GPM - Gallons per Minute)	0-4 GPM
	Pressure (In PSI)	0-4000 PSI
	Hot Water Capable? (Yes/No)	Heat add on \$4950.00
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	150°F with Full Flow
	Steam Capable? (Yes/No)	Yes with Heat add on
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Tuffy Electric
	Engine Fuel Type and Capacity (In gallons)	Battery 36kw & 375Ah
	Engine Displacement	NA

Engine Air or Water Cooled	Air
Engine Location	Motor in Cabinet
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Flow, Pressure, Power, Heat (with add on)
Number of Nozzles	21
Hose Type (1 or 2 Wire-braided? Other?)	1 Wire Braid
Hose Length (In feet)	100
High Pressure Hose Reel Included? (Yes/No)	Yes
Fill Hose Reel Included? (Yes/No)	Yes w/100' Garden Hose
Wand Type	42" Straight Lance Molded Grip
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	64 x 48
How is Skid attached to Vehicle/Trailer?	Customer Decesion
What is the estimated weight of the unit with the tanks full and ready to spray?	2034 LBS
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"
<b>BASE UNIT PRICE:</b>	<b>\$ 54,000.00</b>

# SKID-TYPE PRESSURE WASHERS OPTIONS - SPECIFICATION NO. 4.5

Contract 203215

## Amendment No. 03, Exhibit D: Price Schedule

Dated: November 21, 2023

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

Base Unit Price: \$ 54,000.00

Spec No.	Description	Price
----------	-------------	-------

4.5.1	Date & Title/I.D. of Price List	10.14.21 API Price List
-------	---------------------------------	-------------------------

4.5.2	Discount to be applied to Price List <b>*Note:</b> The "Discount to be Applied to Price List" must be a numeric percentage,	0%
-------	--	----

4.5.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 25.00
-------	--	----------

### 4.5.4 EXTENDED WARRANTY OPTIONS

Use this section to offer performance/extended warranty options and list cost.  
(Specify years, months, or days extended term covers.) Add as many lines as needed.

	NA
	NA
	NA

4.5.5	<b>DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS</b>	<b>NO FLAT RATE ALLOWED</b>
-------	--	-----------------------------

**DELIVERY STARTING POINT - City, State, Zip** Robbinsdale, MN 55422

PRICE PER LOADED MILE:	\$2.75
MINIMUM DELIVERY CHARGE (if applicable)	\$45

### 4.5.6 EQUIPMENT INSPECTION & REPAIR RATES

Hourly Rate for Initial Inspection/Diagnostic :	\$ 129.00
Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$ 129.00
Hourly Rate for Body Work (including paint or welding labor) :	\$ 179.00

### 4.5.7 NEW EQUIPMENT RENTAL PROGRAM

If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions.

Daily Rental Rate:	NA
Weekly Rental Rate:	\$10,500
Monthly Rental Rate:	\$21,000
Percent (%) of Rental Fee applied to purchase price:	0%

If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_

**SKID-TYPE PRESSURE WASHERS**  
**BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.4**  
**Contract 203215**  
**Amendment No. 03, Exhibit D: Price Schedule**  
**Dated: November 21, 2023**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

4.4	Information Requested	Answer
	Make & Model Number	Tuf-CS64B48
	UL-1776 or UL-60335-2-79 Certified? Yes/No	No
	Skid Type (Pickup Truck, Ag/Farm Tractor, 3-Point, Class 2/3/4, etc)	Pickup Truck Class 2A, 2B, 3,4
	Water Tank Capacity (In gallons)	100
	Water Tank Construction (Plastic, Stainless, etc)	Plastic
	Water Volume (GPM - Gallons per Minute)	0-4 GPM
	Pressure (In PSI)	0-4000 PSI
	Hot Water Capable? (Yes/No)	Heat add on \$4950.00
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	150°F with Full Flow
	Steam Capable? (Yes/No)	Yes with Heat add on
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Tuffy Electric
	Engine Fuel Type and Capacity (In gallons)	Battery 48kw & 500Ah
	Engine Displacement	NA

Engine Air or Water Cooled	Air
Engine Location	Motor in Cabinet
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Flow, Pressure, Power, Heat (with add on)
Number of Nozzles	21
Hose Type (1 or 2 Wire-braided? Other?)	1 Wire Braid
Hose Length (In feet)	100
High Pressure Hose Reel Included? (Yes/No)	Yes
Fill Hose Reel Included? (Yes/No)	Yes w/100' Garden Hose
Wand Type	42" Straight Lance Molded Grip
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	64 x 48
How is Skid attached to Vehicle/Trailer?	Customer Decesion
What is the estimated weight of the unit with the tanks full and ready to spray?	2034 LBS
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"
<b>BASE UNIT PRICE:</b>	<b>\$ 59,000.00</b>

# SKID-TYPE PRESSURE WASHERS OPTIONS - SPECIFICATION NO. 4.5

Contract 203215

## Amendment No. 03, Exhibit D: Price Schedule

Dated: November 21, 2023

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

Base Unit Price: \$ 59,000.00

Spec No.	Description	Price
4.5.1	Date & Title/I.D. of Price List	10.14.21 API Price List
4.5.2	Discount to be applied to Price List <b>*Note:</b> The "Discount to be Applied to Price List" must be a numeric percentage,	0%
4.5.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 25.00

### 4.5.4 EXTENDED WARRANTY OPTIONS

Use this section to offer performance/extended warranty options and list cost.  
(Specify years, months, or days extended term covers.) Add as many lines as needed.

	NA
	NA
	NA

### 4.5.5 DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS

**NO FLAT RATE ALLOWED**

**DELIVERY STARTING POINT - City, State, Zip** Robbinsdale, MN 55422

PRICE PER LOADED MILE:	\$2.75
MINIMUM DELIVERY CHARGE (if applicable)	\$45

### 4.5.6 EQUIPMENT INSPECTION & REPAIR RATES

Hourly Rate for Initial Inspection/Diagnostic :	\$ 129.00
Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$ 129.00
Hourly Rate for Body Work (including paint or welding labor) :	\$ 179.00

### 4.5.7 NEW EQUIPMENT RENTAL PROGRAM

If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions.

Daily Rental Rate:	NA
Weekly Rental Rate:	\$11,750
Monthly Rental Rate:	\$23,500
Percent (%) of Rental Fee applied to purchase price:	0%

If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_

**TRAILER-TYPE PRESSURE WASHERS**  
**BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.6**  
**Contract 203215**  
**Amendment No. 03, Exhibit D: Price Schedule**  
**Dated: November 21, 2023**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

4.6	Information Requested	Answer
	Make & Model Number	Tuf-CT150B24
	UL-1776 or UL-60335-2-79 Certified? Yes/No	No
	Trailer Type (Pickup Truck, Ag/Farm Tractor, 3-Point, Class 2/3/4, etc)	Pickup Truck Class 2A, 2B, 3,4
	Water Tank Capacity (In gallons)	200 Gallons
	Water Tank Construction (Plastic, Stainless, etc)	Plastic
	Water Volume (GPM - Gallons per Minute)	0 to 4 GPM
	Pressure (In PSI)	0 to 4000 PSI
	Hot Water Capable? (Yes/No)	Heat add on \$3950.00
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	150°F with Full Flow
	Steam Capable? (Yes/No)	Yes with Heat add on
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Tuffy Electric
	Engine Fuel Type and Capacity (In gallons)	Battery 24kw & 250Ah

Engine Displacement	NA
Engine Air or Water Cooled	Air
Engine Location	Motor in Cabinet
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Flow, Pressure, Power, Heat (with add on)
Number of Nozzles	21
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire
Hose Length (In feet)	100'
High Pressure Hose Reel Included? (Yes/No)	Yes
Fill Hose Reel Included? (Yes/No)	Yes (100')
Wand Type	42" Straight Lance Molded Grip
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	64 x 48
How is Skid attached to Vehicle/Trailer?	Integral
Trailer Type (deck-over, deck-under, open frame, enclosed)	Open Frame
Number of Axles & Weight Rating per Axle	2 Axles 3700 Lbs
Trailer Size/Length	141" x 71" x 61"
Trailer Hitch Type	2" Ball
Trailer Tire Size & Rating	ST205/75D/14 1760LBS per Tire
Does the Trailer have brakes?	Yes
If yes, what type of brakes?	Electric
Does the Trailer have lights? (i.e. stop/turn/tail)	Yes - LED DOT Approved
What is the estimated weight of the unit with the tanks full and ready to spray?	3514 LBS

Warranty Length (In days, months, or years)

See Warranty File "Warranty.PDF"

**BASE UNIT PRICE:** \$ 59,000.00

# TRAILER-TYPE PRESSURE WASHERS

## OPTIONS - SPECIFICATION NO. 4.7

Contract 203215

### Amendment No. 03, Exhibit D: Price Schedule

Dated: November 21, 2023

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

Base Unit Price: \$ 59,000.00

Spec No.	Description	Price
----------	-------------	-------

4.7.1	Date & Title/I.D. of Price List	10.14.21 API Price List
4.7.2	Discount to be applied to Price List <b>*Note:</b> The "Discount to be Applied to Price List" must be a numeric percentage,	0%
4.7.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 50.00

#### 4.7.4 EXTENDED WARRANTY OPTIONS

Use this section to offer performance/extended warranty options and list cost.  
(Specify years, months, or days extended term covers.) Add as many lines as needed.

NA

NA

NA

4.7.5	<u>DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS</u>	<u>NO FLAT RATE ALLOWED</u>
-------	--	-----------------------------

DELIVERY STARTING POINT - City, State, Zip Robbinsdale, MN 55422

PRICE PER LOADED MILE:	\$2.75
MINIMUM DELIVERY CHARGE (if applicable)	\$45

#### 4.7.6 EQUIPMENT INSPECTION & REPAIR RATES

Hourly Rate for Initial Inspection/Diagnostic :	\$ 129.00
Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$ 129.00
Hourly Rate for Body Work (including paint or welding labor) :	\$ 179.00

#### 4.7.7 NEW EQUIPMENT RENTAL PROGRAM

If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions.

Daily Rental Rate:	NA
Weekly Rental Rate:	\$18,000
Monthly Rental Rate:	\$36,000
Percent (%) of Rental Fee applied to purchase price:	0%

If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_

**TRAILER-TYPE PRESSURE WASHERS**  
**BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.6**  
**Contract 203215**  
**Amendment No. 03, Exhibit D: Price Schedule**  
**Dated: November 21, 2023**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

4.6	Information Requested	Answer
	Make & Model Number	Tuf-CT150B36
	UL-1776 or UL-60335-2-79 Certified? Yes/No	No
	Trailer Type (Pickup Truck, Ag/Farm Tractor, 3-Point, Class 2/3/4, etc)	Pickup Truck Class 2A, 2B, 3,4
	Water Tank Capacity (In gallons)	200 Gallons
	Water Tank Construction (Plastic, Stainless, etc)	Plastic
	Water Volume (GPM - Gallons per Minute)	0 to 4 GPM
	Pressure (In PSI)	0 to 4000 PSI
	Hot Water Capable? (Yes/No)	Heat add on \$3950.00
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	150°F with Full Flow
	Steam Capable? (Yes/No)	Yes with Heat add on
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Tuffy Electric
	Engine Fuel Type and Capacity (In gallons)	Battery 36kw & 375Ah

Engine Displacement	NA
Engine Air or Water Cooled	Air
Engine Location	Motor in Cabinet
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Flow, Pressure, Power, Heat (with add on)
Number of Nozzles	21
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire
Hose Length (In feet)	100'
High Pressure Hose Reel Included? (Yes/No)	Yes
Fill Hose Reel Included? (Yes/No)	Yes (100')
Wand Type	42" Straight Lance Molded Grip
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	64 x 48
How is Skid attached to Vehicle/Trailer?	Integral
Trailer Type (deck-over, deck-under, open frame, enclosed)	Open Frame
Number of Axles & Weight Rating per Axle	2 Axles 3700 Lbs
Trailer Size/Length	141" x 71" x 61"
Trailer Hitch Type	2" Ball
Trailer Tire Size & Rating	ST205/75D/14 1760LBS per Tire
Does the Trailer have brakes?	Yes
If yes, what type of brakes?	Electric
Does the Trailer have lights? (i.e. stop/turn/tail)	Yes - LED DOT Approved
What is the estimated weight of the unit with the tanks full and ready to spray?	3870 LBS

Warranty Length (In days, months, or years)

See Warranty File "Warranty.PDF"

**BASE UNIT PRICE:** \$ 68,000.00

# TRAILER-TYPE PRESSURE WASHERS

## OPTIONS - SPECIFICATION NO. 4.7

Contract 203215

### Amendment No. 03, Exhibit D: Price Schedule

Dated: November 21, 2023

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

Base Unit Price: \$ 68,000.00

Spec No.	Description	Price
----------	-------------	-------

4.7.1	Date & Title/I.D. of Price List	10.14.21 API Price List
4.7.2	Discount to be applied to Price List <b>*Note:</b> The "Discount to be Applied to Price List" must be a numeric percentage,	0%
4.7.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 50.00

#### 4.7.4 EXTENDED WARRANTY OPTIONS

Use this section to offer performance/extended warranty options and list cost.  
(Specify years, months, or days extended term covers.) Add as many lines as needed.

NA

NA

NA

#### 4.7.5 DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS NO FLAT RATE ALLOWED

DELIVERY STARTING POINT - City, State, Zip Robbinsdale, MN 55422

PRICE PER LOADED MILE:	\$2.75
MINIMUM DELIVERY CHARGE (if applicable)	\$45

#### 4.7.6 EQUIPMENT INSPECTION & REPAIR RATES

Hourly Rate for Initial Inspection/Diagnostic :	\$ 129.00
Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$ 129.00
Hourly Rate for Body Work (including paint or welding labor) :	\$ 179.00

#### 4.7.7 NEW EQUIPMENT RENTAL PROGRAM

If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions.

Daily Rental Rate:	NA
Weekly Rental Rate:	\$22,000
Monthly Rental Rate:	\$44,000
Percent (%) of Rental Fee applied to purchase price:	0%

If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_

**TRAILER-TYPE PRESSURE WASHERS**  
**BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.6**  
**Contract 203215**  
**Amendment No. 03, Exhibit D: Price Schedule**  
**Dated: November 21, 2023**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

4.6	Information Requested	Answer
	Make & Model Number	Tuf-CT150B48
	UL-1776 or UL-60335-2-79 Certified? Yes/No	No
	Trailer Type (Pickup Truck, Ag/Farm Tractor, 3-Point, Class 2/3/4, etc)	Pickup Truck Class 2A, 2B, 3,4
	Water Tank Capacity (In gallons)	200 Gallons
	Water Tank Construction (Plastic, Stainless, etc)	Plastic
	Water Volume (GPM - Gallons per Minute)	0 to 4 GPM
	Pressure (In PSI)	0 to 4000 PSI
	Hot Water Capable? (Yes/No)	Heat add on \$3950.00
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	150°F with Full Flow
	Steam Capable? (Yes/No)	Yes with Heat add on
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Tuffy Electric
	Engine Fuel Type and Capacity (In gallons)	Battery 48kw & 500Ah

Engine Displacement	NA
Engine Air or Water Cooled	Air
Engine Location	Motor in Cabinet
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Flow, Pressure, Power, Heat (with add on)
Number of Nozzles	21
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire
Hose Length (In feet)	100'
High Pressure Hose Reel Included? (Yes/No)	Yes
Fill Hose Reel Included? (Yes/No)	Yes (100')
Wand Type	42" Straight Lance Molded Grip
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	64 x 48
How is Skid attached to Vehicle/Trailer?	Integral
Trailer Type (deck-over, deck-under, open frame, enclosed)	Open Frame
Number of Axles & Weight Rating per Axle	2 Axles 3700 Lbs
Trailer Size/Length	141" x 71" x 61"
Trailer Hitch Type	2" Ball
Trailer Tire Size & Rating	ST205/75D/14 1760LBS per Tire
Does the Trailer have brakes?	Yes
If yes, what type of brakes?	Electric
Does the Trailer have lights? (i.e. stop/turn/tail)	Yes - LED DOT Approved
What is the estimated weight of the unit with the tanks full and ready to spray?	4033 LBS

Warranty Length (In days, months, or years)

See Warranty File "Warranty.PDF"

**BASE UNIT PRICE:** \$ 73,000.00

# TRAILER-TYPE PRESSURE WASHERS

## OPTIONS - SPECIFICATION NO. 4.7

Contract 203215

### Amendment No. 03, Exhibit D: Price Schedule

Dated: November 21, 2023

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

Base Unit Price: \$ 73,000.00

Spec No.	Description	Price
----------	-------------	-------

4.7.1	Date & Title/I.D. of Price List	10.14.21 API Price List
4.7.2	Discount to be applied to Price List <b>*Note:</b> The "Discount to be Applied to Price List" must be a numeric percentage,	0%
4.7.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 50.00

#### 4.7.4 EXTENDED WARRANTY OPTIONS

Use this section to offer performance/extended warranty options and list cost.  
(Specify years, months, or days extended term covers.) Add as many lines as needed.

NA

NA

NA

4.7.5	<u>DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS</u>	<u>NO FLAT RATE ALLOWED</u>
-------	--	-----------------------------

DELIVERY STARTING POINT - City, State, Zip Robbinsdale, MN 55422

PRICE PER LOADED MILE:	\$2.75
MINIMUM DELIVERY CHARGE (if applicable)	\$45

#### 4.7.6 EQUIPMENT INSPECTION & REPAIR RATES

Hourly Rate for Initial Inspection/Diagnostic :	\$ 129.00
Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$ 129.00
Hourly Rate for Body Work (including paint or welding labor) :	\$ 179.00

#### 4.7.7 NEW EQUIPMENT RENTAL PROGRAM

If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions.

Daily Rental Rate:	NA
Weekly Rental Rate:	\$24,000
Monthly Rental Rate:	\$48,000
Percent (%) of Rental Fee applied to purchase price:	0%

If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_

# CLASS 5 SKID-TYPE PRESSURE WASHERS BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.8

**Contract 203215**

**Amendment No. 03, Exhibit D: Price Schedule**

**Dated: November 21, 2023**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

4.8	Information Requested	Answer
	Make & Model Number	Tuf-CS64B24
	UL-1776 or UL-60335-2-79 Certified? Yes/No	No
	Skid Type (Pickup Truck, Ag/Farm Tractor, 3-Point, Class 2/3/4, etc)	Pickup Truck Class 2A, 2B, 3,4
	Water Tank Capacity (In gallons)	100
	Water Tank Construction (Plastic, Stainless, etc)	Plastic
	Water Volume (GPM - Gallons per Minute)	0-4 GPM
	Pressure (In PSI)	0-4000 PSI
	Hot Water Capable? (Yes/No)	Heat add on \$4950.00
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	150°F with Full Flow
	Steam Capable? (Yes/No)	Yes with Heat add on
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Tuffy Electric
	Engine Fuel Type and Capacity (In gallons)	Battery 24kw & 250Ah
	Engine Displacement	NA
	Engine Air or Water Cooled	Air

Engine Location	Motor in Cabinet
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Flow, Pressure, Power, Heat (with add on)
Number of Nozzles	21
Hose Type (1 or 2 Wire-braided? Other?)	1 Wire Braid
Hose Length (In feet)	100
High Pressure Hose Reel Included? (Yes/No)	Yes
Fill Hose Reel Included? (Yes/No)	Yes w/100' Garden Hose
Wand Type	42" Straight Lance Molded Grip
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	64 x 48
How is Skid attached to Vehicle/Trailer?	Customer Decesion
What is the estimated weight of the unit with the tanks full and ready to spray?	1769 LBS
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"
<b>BASE UNIT PRICE:</b>	<b>\$ 45,000.00</b>

# CLASS 5 SKID-TYPE PRESSURE WASHERS OPTIONS - SPECIFICATION NO. 4.9

Contract 203215

Amendment No. 03, Exhibit D: Price Schedule

Dated: November 21, 2023

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

Base Unit Price: \$ 45,000.00

Spec No.	Description	Price
----------	-------------	-------

4.9.1	Date & Title/I.D. of Price List	10.14.21 API Price List
4.9.2	Discount to be applied to Price List <b>*Note:</b> The "Discount to be Applied to Price List" must be a numeric percentage,	0%
4.9.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 25.00

## 4.9.4 EXTENDED WARRANTY OPTIONS

Use this section to offer performance/extended warranty options and list cost.  
(Specify years, months, or days extended term covers.) Add as many lines as needed.

NA

NA

NA

## 4.9.5 DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS NO FLAT RATE ALLOWED

DELIVERY STARTING POINT - City, State, Zip Robbinsdale, MN 55422

PRICE PER LOADED MILE:	\$2.75
MINIMUM DELIVERY CHARGE (if applicable)	\$45.00

## 4.9.6 EQUIPMENT INSPECTION & REPAIR RATES

Hourly Rate for Initial Inspection/Diagnostic :	\$ 129.00
Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$ 129.00
Hourly Rate for Body Work (including paint or welding labor) :	\$ 179.00

## 4.9.7 NEW EQUIPMENT RENTAL PROGRAM

If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions.

Daily Rental Rate:	NA
Weekly Rental Rate:	8499
Monthly Rental Rate:	18995
Percent (%) of Rental Fee applied to purchase price:	0%

If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_

# CLASS 5 SKID-TYPE PRESSURE WASHERS BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.8

**Contract 203215**

**Amendment No. 03, Exhibit D: Price Schedule**

**Dated: November 21, 2023**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

4.8	Information Requested	Answer
	Make & Model Number	Tuf-CS64B36
	UL-1776 or UL-60335-2-79 Certified? Yes/No	No
	Skid Type (Pickup Truck, Ag/Farm Tractor, 3-Point, Class 2/3/4, etc)	Pickup Truck Class 2A, 2B, 3,4
	Water Tank Capacity (In gallons)	100
	Water Tank Construction (Plastic, Stainless, etc)	Plastic
	Water Volume (GPM - Gallons per Minute)	0-4 GPM
	Pressure (In PSI)	0-4000 PSI
	Hot Water Capable? (Yes/No)	Heat add on \$4950.00
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	150°F with Full Flow
	Steam Capable? (Yes/No)	Yes with Heat add on
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Tuffy Electric
	Engine Fuel Type and Capacity (In gallons)	Battery 36kw & 375Ah
	Engine Displacement	NA
	Engine Air or Water Cooled	Air

Engine Location	Motor in Cabinet
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Flow, Pressure, Power, Heat (with add on)
Number of Nozzles	21
Hose Type (1 or 2 Wire-braided? Other?)	1 Wire Braid
Hose Length (In feet)	100
High Pressure Hose Reel Included? (Yes/No)	Yes
Fill Hose Reel Included? (Yes/No)	Yes w/100' Garden Hose
Wand Type	42" Straight Lance Molded Grip
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	64 x 48
How is Skid attached to Vehicle/Trailer?	Customer Decesion
What is the estimated weight of the unit with the tanks full and ready to spray?	2034 LBS
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"
<b>BASE UNIT PRICE:</b>	
	\$ 54,000.00

# CLASS 5 SKID-TYPE PRESSURE WASHERS OPTIONS - SPECIFICATION NO. 4.9

Contract 203215

Amendment No. 03, Exhibit D: Price Schedule

Dated: November 21, 2023

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

Base Unit Price: \$ 54,000.00

Spec No.	Description	Price
----------	-------------	-------

4.9.1	Date & Title/I.D. of Price List	10.14.21 API Price List
4.9.2	Discount to be applied to Price List <b>*Note:</b> The "Discount to be Applied to Price List" must be a numeric percentage,	0%
4.9.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 25.00

## 4.9.4 EXTENDED WARRANTY OPTIONS

Use this section to offer performance/extended warranty options and list cost.  
(Specify years, months, or days extended term covers.) Add as many lines as needed.

NA

NA

NA

4.9.5	<b><u>DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS</u></b>	<b><u>NO FLAT RATE ALLOWED</u></b>
-------	---	------------------------------------

**DELIVERY STARTING POINT - City, State, Zip** Robbinsdale, MN 55422

PRICE PER LOADED MILE:	\$2.75
MINIMUM DELIVERY CHARGE (if applicable)	\$45.00

## 4.9.6 EQUIPMENT INSPECTION & REPAIR RATES

Hourly Rate for Initial Inspection/Diagnostic :	\$ 129.00
Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$ 129.00
Hourly Rate for Body Work (including paint or welding labor) :	\$ 179.00

## 4.9.7 NEW EQUIPMENT RENTAL PROGRAM

If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions.

Daily Rental Rate:	NA
Weekly Rental Rate:	\$10,500
Monthly Rental Rate:	\$21,000
Percent (%) of Rental Fee applied to purchase price:	0%

If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_

# CLASS 5 SKID-TYPE PRESSURE WASHERS BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.8

**Contract 203215**

**Amendment No. 03, Exhibit D: Price Schedule**

**Dated: November 21, 2023**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

4.8	Information Requested	Answer
	Make & Model Number	Tuf-CS64B48
	UL-1776 or UL-60335-2-79 Certified? Yes/No	No
	Skid Type (Pickup Truck, Ag/Farm Tractor, 3-Point, Class 2/3/4, etc)	Pickup Truck Class 2A, 2B, 3,4
	Water Tank Capacity (In gallons)	100
	Water Tank Construction (Plastic, Stainless, etc)	Plastic
	Water Volume (GPM - Gallons per Minute)	0-4 GPM
	Pressure (In PSI)	0-4000 PSI
	Hot Water Capable? (Yes/No)	Heat add on \$4950.00
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	150°F with Full Flow
	Steam Capable? (Yes/No)	Yes with Heat add on
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Tuffy Electric
	Engine Fuel Type and Capacity (In gallons)	Battery 48kw & 500Ah
	Engine Displacement	NA
	Engine Air or Water Cooled	Air

Engine Location	Motor in Cabinet
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Flow, Pressure, Power, Heat (with add on)
Number of Nozzles	21
Hose Type (1 or 2 Wire-braided? Other?)	1 Wire Braid
Hose Length (In feet)	100
High Pressure Hose Reel Included? (Yes/No)	Yes
Fill Hose Reel Included? (Yes/No)	Yes w/100' Garden Hose
Wand Type	42" Straight Lance Molded Grip
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	64 x 48
How is Skid attached to Vehicle/Trailer?	Customer Decesion
What is the estimated weight of the unit with the tanks full and ready to spray?	2119 LBS
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"
<b>BASE UNIT PRICE:</b>	
	\$ 59,000.00

**CLASS 5 SKID-TYPE PRESSURE WASHERS  
OPTIONS - SPECIFICATION NO. 4.9**

**Contract 203215**

**Amendment No. 03, Exhibit D: Price Schedule**

**Dated: November 21, 2023**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

**Base Unit Price: \$ 59,000.00**

Spec No.	Description	Price
----------	-------------	-------

4.9.1	Date & Title/I.D. of Price List	10.14.21 API Price List
4.9.2	Discount to be applied to Price List <b>*Note:</b> The "Discount to be Applied to Price List" must be a numeric percentage,	0%
4.9.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 25.00

**4.9.4 EXTENDED WARRANTY OPTIONS**

Use this section to offer performance/extended warranty options and list cost.  
(Specify years, months, or days extended term covers.) Add as many lines as needed.

NA

NA

NA

**4.9.5 DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS NO FLAT RATE ALLOWED**

**DELIVERY STARTING POINT - City, State, Zip** Robbinsdale, MN 55422

PRICE PER LOADED MILE:	\$2.75
MINIMUM DELIVERY CHARGE (if applicable)	\$45.00

**4.9.6 EQUIPMENT INSPECTION & REPAIR RATES**

Hourly Rate for Initial Inspection/Diagnostic :	\$ 129.00
Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$ 129.00
Hourly Rate for Body Work (including paint or welding labor) :	\$ 179.00

**4.9.7 NEW EQUIPMENT RENTAL PROGRAM**

If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions.

Daily Rental Rate:	NA
Weekly Rental Rate:	\$11,750
Monthly Rental Rate:	\$23,500
Percent (%) of Rental Fee applied to purchase price:	0%

If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_

# CLASS 5 TRAILER PRESSURE WASHERS BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.10

**Contract 203215**

**Amendment No. 03, Exhibit D: Price Schedule**

**Dated: November 21, 2023**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

4.10	Information Requested	Answer
	Make & Model Number	Tuf-CT150B24
	UL-1776 or UL-60335-2-79 Certified? Yes/No	No
	Trailer Type (Pickup Truck, Ag/Farm Tractor, 3-Point, Class 2/3/4, etc)	Pickup Truck Class 2B, 3,4,5
	Water Tank Capacity (In gallons)	200 Gallons
	Water Tank Construction (Plastic, Stainless, etc)	Plastic
	Water Volume (GPM - Gallons per Minute)	0 to 4 GPM
	Pressure (In PSI)	0 to 4000 PSI
	Hot Water Capable? (Yes/No)	Heat add on \$3950.00
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	150°F with Full Flow
	Steam Capable? (Yes/No)	Yes with Heat add on
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Tuffy Electric
	Engine Fuel Type and Capacity (In gallons)	Battery 24kw & 250Ah
	Engine Displacement	NA
	Engine Air or Water Cooled	Air

Engine Location	Motor in Cabinet
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Flow, Pressure, Power, Heat (with add on)
Number of Nozzles	21
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire
Hose Length (In feet)	100'
High Pressure Hose Reel Included? (Yes/No)	Yes
Fill Hose Reel Included? (Yes/No)	Yes (100')
Wand Type	42" Straight Lance Molded Grip
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	64 x 48
How is Skid attached to Vehicle/Trailer?	Integral
Trailer Type (deck-over, deck-under, open frame, enclosed)	Open Frame
Number of Axles & Weight Rating per Axle	2 Axles 3700 Lbs
Trailer Size/Length	141" x 71" x 61"
Trailer Hitch Type	2" Ball
Trailer Tire Size & Rating	ST205/75D/14 1760LBS per Tire
Does the Trailer have brakes?	Yes
If yes, what type of brakes?	Electric
Does the Trailer have lights? (i.e. stop/turn/tail)	Yes - LED DOT Approved
What is the estimated weight of the unit with the tanks full and ready to spray?	3514 LBS
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"
<b>BASE UNIT PRICE:</b>	<b>\$ 59,000.00</b>

# CLASS 5 TRAILER PRESSURE WASHERS

## OPTIONS - SPECIFICATION NO. 4.11

Contract 203215

### Amendment No. 03, Exhibit D: Price Schedule

Dated: November 21, 2023

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

Base Unit Price: \$ 59,000.00

Spec No.	Description	Price
----------	-------------	-------

4.11.1	Date & Title/I.D. of Price List	10.14.21 API Price List
4.11.2	Discount to be applied to Price List <b>*Note:</b> The "Discount to be Applied to Price List" must be a numeric percentage,	0%
4.11.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 50.00

#### 4.11.4 EXTENDED WARRANTY OPTIONS

Use this section to offer performance/extended warranty options and list cost.  
(Specify years, months, or days extended term covers.) Add as many lines as needed.

NA

NA

NA

4.11.5	<u>DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS</u>	<u>NO FLAT RATE ALLOWED</u>
--------	--	-----------------------------

DELIVERY STARTING POINT - City, State, Zip Robbinsdale, MN 55422

PRICE PER LOADED MILE:	\$2.75
MINIMUM DELIVERY CHARGE (if applicable)	\$45

#### 4.11.6 EQUIPMENT INSPECTION & REPAIR RATES

Hourly Rate for Initial Inspection/Diagnostic :	\$ 129.00
Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$ 129.00
Hourly Rate for Body Work (including paint or welding labor) :	\$ 179.00

#### 4.11.7 NEW EQUIPMENT RENTAL PROGRAM

If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions.

Daily Rental Rate:	0
Weekly Rental Rate:	\$18,000
Monthly Rental Rate:	\$36,000
Percent (%) of Rental Fee applied to purchase price:	%

If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_

# CLASS 5 TRAILER PRESSURE WASHERS BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.10

**Contract 203215**

**Amendment No. 03, Exhibit D: Price Schedule**

**Dated: November 21, 2023**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

4.10	Information Requested	Answer
	Make & Model Number	Tuf-CT150B36
	UL-1776 or UL-60335-2-79 Certified? Yes/No	No
	Trailer Type (Pickup Truck, Ag/Farm Tractor, 3-Point, Class 2/3/4, etc)	Pickup Truck Class 2B, 3,4,5
	Water Tank Capacity (In gallons)	200 Gallons
	Water Tank Construction (Plastic, Stainless, etc)	Plastic
	Water Volume (GPM - Gallons per Minute)	0 to 4 GPM
	Pressure (In PSI)	0 to 4000 PSI
	Hot Water Capable? (Yes/No)	Heat add on \$3950.00
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	150°F with Full Flow
	Steam Capable? (Yes/No)	Yes with Heat add on
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Tuffy Electric
	Engine Fuel Type and Capacity (In gallons)	Battery 36kw & 375Ah
	Engine Displacement	NA
	Engine Air or Water Cooled	Air

Engine Location	Motor in Cabinet
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Flow, Pressure, Power, Heat (with add on)
Number of Nozzles	21
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire
Hose Length (In feet)	100'
High Pressure Hose Reel Included? (Yes/No)	Yes
Fill Hose Reel Included? (Yes/No)	Yes (100')
Wand Type	42" Straight Lance Molded Grip
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	64 x 48
How is Skid attached to Vehicle/Trailer?	Integral
Trailer Type (deck-over, deck-under, open frame, enclosed)	Open Frame
Number of Axles & Weight Rating per Axle	2 Axles 3700 Lbs
Trailer Size/Length	141" x 71" x 61"
Trailer Hitch Type	2" Ball
Trailer Tire Size & Rating	ST205/75D/14 1760LBS per Tire
Does the Trailer have brakes?	Yes
If yes, what type of brakes?	Electric
Does the Trailer have lights? (i.e. stop/turn/tail)	Yes - LED DOT Approved
What is the estimated weight of the unit with the tanks full and ready to spray?	3870 LBS
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"
<b>BASE UNIT PRICE:</b>	<b>\$ 68,000.00</b>

# CLASS 5 TRAILER PRESSURE WASHERS

## OPTIONS - SPECIFICATION NO. 4.11

Contract 203215

### Amendment No. 03, Exhibit D: Price Schedule

Dated: November 21, 2023

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

Base Unit Price: \$ 68,000.00

Spec No.	Description	Price
----------	-------------	-------

4.11.1	Date & Title/I.D. of Price List	10.14.21 API Price List
4.11.2	Discount to be applied to Price List <b>*Note:</b> The "Discount to be Applied to Price List" must be a numeric percentage,	0%
4.11.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 50.00

#### 4.11.4 EXTENDED WARRANTY OPTIONS

Use this section to offer performance/extended warranty options and list cost.  
(Specify years, months, or days extended term covers.) Add as many lines as needed.

NA

NA

NA

4.11.5	<u>DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS</u>	<u>NO FLAT RATE ALLOWED</u>
--------	--	-----------------------------

DELIVERY STARTING POINT - City, State, Zip Robbinsdale, MN 55422

PRICE PER LOADED MILE:	\$2.75
MINIMUM DELIVERY CHARGE (if applicable)	\$45

#### 4.11.6 EQUIPMENT INSPECTION & REPAIR RATES

Hourly Rate for Initial Inspection/Diagnostic :	\$ 129.00
Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$ 129.00
Hourly Rate for Body Work (including paint or welding labor) :	\$ 179.00

#### 4.11.7 NEW EQUIPMENT RENTAL PROGRAM

If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions.

Daily Rental Rate:	0
Weekly Rental Rate:	\$22,000
Monthly Rental Rate:	\$44,000
Percent (%) of Rental Fee applied to purchase price:	%

If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_

# CLASS 5 TRAILER PRESSURE WASHERS BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.10

**Contract 203215**

**Amendment No. 03, Exhibit D: Price Schedule**

**Dated: November 21, 2023**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

4.10	Information Requested	Answer
	Make & Model Number	Tuf-CT150B48
	UL-1776 or UL-60335-2-79 Certified? Yes/No	No
	Trailer Type (Pickup Truck, Ag/Farm Tractor, 3-Point, Class 2/3/4, etc)	Pickup Truck Class 2B, 3,4,5
	Water Tank Capacity (In gallons)	200 Gallons
	Water Tank Construction (Plastic, Stainless, etc)	Plastic
	Water Volume (GPM - Gallons per Minute)	0 to 4 GPM
	Pressure (In PSI)	0 to 4000 PSI
	Hot Water Capable? (Yes/No)	Heat add on \$3950.00
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	150°F with Full Flow
	Steam Capable? (Yes/No)	Yes with Heat add on
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Tuffy Electric
	Engine Fuel Type and Capacity (In gallons)	Battery 48kw & 500Ah
	Engine Displacement	NA
	Engine Air or Water Cooled	Air

Engine Location	Motor in Cabinet
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Flow, Pressure, Power, Heat (with add on)
Number of Nozzles	21
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire
Hose Length (In feet)	100'
High Pressure Hose Reel Included? (Yes/No)	Yes
Fill Hose Reel Included? (Yes/No)	Yes (100')
Wand Type	42" Straight Lance Molded Grip
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	64 x 48
How is Skid attached to Vehicle/Trailer?	Integral
Trailer Type (deck-over, deck-under, open frame, enclosed)	Open Frame
Number of Axles & Weight Rating per Axle	2 Axles 3700 Lbs
Trailer Size/Length	141" x 71" x 61"
Trailer Hitch Type	2" Ball
Trailer Tire Size & Rating	ST205/75D/14 1760LBS per Tire
Does the Trailer have brakes?	Yes
If yes, what type of brakes?	Electric
Does the Trailer have lights? (i.e. stop/turn/tail)	Yes - LED DOT Approved
What is the estimated weight of the unit with the tanks full and ready to spray?	4033 LBS
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"
<b>BASE UNIT PRICE:</b>	<b>\$ 73,000.00</b>

# CLASS 5 TRAILER PRESSURE WASHERS

## OPTIONS - SPECIFICATION NO. 4.11

Contract 203215

### Amendment No. 03, Exhibit D: Price Schedule

Dated: November 21, 2023

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

Base Unit Price: \$ 73,000.00

Spec No.	Description	Price
----------	-------------	-------

4.11.1	Date & Title/I.D. of Price List	10.14.21 API Price List
4.11.2	Discount to be applied to Price List <b>*Note:</b> The "Discount to be Applied to Price List" must be a numeric percentage,	0%
4.11.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 50.00

#### 4.11.4 EXTENDED WARRANTY OPTIONS

Use this section to offer performance/extended warranty options and list cost.  
(Specify years, months, or days extended term covers.) Add as many lines as needed.

NA

NA

NA

4.11.5	<u>DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS</u>	<u>NO FLAT RATE ALLOWED</u>
--------	--	-----------------------------

DELIVERY STARTING POINT - City, State, Zip Robbinsdale, MN 55422

PRICE PER LOADED MILE:	\$2.75
MINIMUM DELIVERY CHARGE (if applicable)	\$45

#### 4.11.6 EQUIPMENT INSPECTION & REPAIR RATES

Hourly Rate for Initial Inspection/Diagnostic :	\$ 129.00
Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$ 129.00
Hourly Rate for Body Work (including paint or welding labor) :	\$ 179.00

#### 4.11.7 NEW EQUIPMENT RENTAL PROGRAM

If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions.

Daily Rental Rate:	0
Weekly Rental Rate:	\$24,000
Monthly Rental Rate:	\$48,000
Percent (%) of Rental Fee applied to purchase price:	%

If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_

# STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.12

**Contract 203215**

**Amendment No. 03, Exhibit D: Price Schedule**

**Dated: November 21, 2023**

Vendor Name:	<b>American Pressure Inc</b>
Contact Person:	<b>Ben Hagemann</b>
Street Address:	<b>3810 W Broadway</b>
P.O. Box:	
City, State, Zip	<b>Robbinsdale, MN 55422</b>
Phone #:	<b>763-521-4442</b>
Toll Free #:	<b>800-544-0836</b>
Fax #:	<b>763-521-4447</b>
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

<b>4.12</b>	<b>Information Requested</b>	<b>Answer</b>
	Make & Model Number	API-HW4013HC
	UL-1776 or UL-60335-2-79 Certified? Yes/No	No
	Type (Portable or Stationary)	Portable
	Water Volume (GPM - Gallons per Minute)	4 GPM
	Pressure (In PSI)	4000 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	135°F +/- 5°
	Steam Capable? (Yes/No)	No
	Drive Type (Belt or Direct)	Direct
	Engine Make and Model	Honda GX390
	Engine Fuel Type and Capacity (Gas, Diesel, Electric)	Gasoline 1.6 Gallons
	Engine Displacement (or HP, if electric)	389 cm3
	Engine Air or Water Cooled	Air
	Engine Location	Back Middle

Control Panel (Yes/No)	Yes
What does the Control Panel control?	Burner, Thermostat, Hour/Tach Meter
Number of Nozzles	5
Hose diameter	3/8" ID
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire
Hose Length (In feet)	50'
High Pressure Hose Reel Included? (Yes/No)	No
Fill Hose Reel Included? (Yes/No)	No
Wand Type & Description	36" Straight Lance Molded Grip
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	45" x 33" x 52"
What is the estimated weight of the unit with the tanks full and ready to spray?	630 LBS
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"
<b>BASE UNIT PRICE:</b>	<b>\$ 6,199.00</b>

# STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS

## OPTIONS -SPECIFICATION NO. 4.13

**Contract 203215**

**Amendment No. 03, Exhibit D: Price Schedule**

**Dated: November 21, 2023**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

**Base Unit Price: \$ 6,199.00**

Spec No.	Description	Price
----------	-------------	-------

4.13.1	Date & Title/I.D. of Price List	10.14.21 API Price List
--------	---------------------------------	-------------------------

4.13.2	Discount to be applied to Price List <b>*Note:</b> The "Discount to be Applied to Price List" must be a numeric percentage, which may include 0%. Not listing a numeric percentage may result in your bid being rejected.	0%
--------	--	----

4.13.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 105.00
--------	---	-----------

4.13.4	<b><u>EXTENDED WARRANTY OPTIONS</u></b> Use this section to offer performance/extended warranty options and list cost. (Specify years, months, or days extended term covers.) Add as many lines as needed.	
		NA
		NA
		NA

4.13.5	<b><u>DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS</u></b>	<b><u>NO FLAT RATE ALLOWED</u></b>
--------	---	------------------------------------

**DELIVERY STARTING POINT - City, State, Zip** Robbinsdale, MN 55422

<b>PRICE PER LOADED MILE:</b>	\$2.75
<b>MINIMUM DELIVERY CHARGE (if applicable)</b>	\$45.00

4.13.6	<b><u>EQUIPMENT INSPECTION &amp; REPAIR RATES</u></b> <b><u>INSTALLATION FOR STATIONARY UNITS IS NOT PERMITTED</u></b>	
	Hourly Rate for Initial Inspection/Diagnostic :	\$ 129.00
	Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$ 129.00
	Hourly Rate for Body Work (including paint or welding labor) :	\$ 179.00

4.13.7	<b><u>NEW EQUIPMENT RENTAL PROGRAM</u></b> If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions.	
	Daily Rental Rate:	0
	Weekly Rental Rate:	\$1,200
	Monthly Rental Rate:	\$2,400
	Percent (%) of Rental Fee applied to purchase price:	%

**If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_**

# STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS BASE UNIT REQUIREMENTS - SPECIFICATION NO. 4.12

**Contract 203215**

**Amendment No. 03, Exhibit D: Price Schedule**

**Dated: November 21, 2023**

Vendor Name:	<b>American Pressure Inc</b>
Contact Person:	<b>Ben Hagemann</b>
Street Address:	<b>3810 W Broadway</b>
P.O. Box:	
City, State, Zip	<b>Robbinsdale, MN 55422</b>
Phone #:	<b>763-521-4442</b>
Toll Free #:	<b>800-544-0836</b>
Fax #:	<b>763-521-4447</b>
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

<b>4.12</b>	<b>Information Requested</b>	<b>Answer</b>
	Make & Model Number	API-HW4013HB
	UL-1776 or UL-60335-2-79 Certified? Yes/No	No
	Type (Portable or Stationary)	Portable
	Water Volume (GPM - Gallons per Minute)	4 GPM
	Pressure (In PSI)	4000 PSI
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	135°F +/- 5°
	Steam Capable? (Yes/No)	No
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Honda GX390
	Engine Fuel Type and Capacity (Gas, Diesel, Electric)	Gasoline 1.6 Gallons
	Engine Displacement (or HP, if electric)	389 cm3
	Engine Air or Water Cooled	Air
	Engine Location	Back Middle

Control Panel (Yes/No)	Yes
What does the Control Panel control?	Burner, Thermostat, Hour/Tach Meter
Number of Nozzles	5
Hose diameter	3/8" ID
Hose Type (1 or 2 Wire-braided? Other?)	2 Wire
Hose Length (In feet)	50'
High Pressure Hose Reel Included? (Yes/No)	No
Fill Hose Reel Included? (Yes/No)	No
Wand Type & Description	36" Straight Lance Molded Grip
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	45" x 33" x 52"
What is the estimated weight of the unit with the tanks full and ready to spray?	630 LBS
Warranty Length (In days, months, or years)	See Warranty File "Warranty.PDF"
<b>BASE UNIT PRICE:</b>	<b>\$ 6,699.00</b>

# STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS

## OPTIONS -SPECIFICATION NO. 4.13

**Contract 203215**

**Amendment No. 03, Exhibit D: Price Schedule**

**Dated: November 21, 2023**

Vendor Name:	American Pressure Inc
Contact Person:	Ben Hagemann
Street Address:	3810 W Broadway
P.O. Box:	
City, State, Zip	Robbinsdale, MN 55422
Phone #:	763-521-4442
Toll Free #:	800-544-0836
Fax #:	763-521-4447
Email Address:	<a href="mailto:Ben@AmericanPressureInc.com">Ben@AmericanPressureInc.com</a>

**Base Unit Price: \$ 6,699.00**

Spec No.	Description	Price
----------	-------------	-------

4.13.1	Date & Title/I.D. of Price List	10.14.21 API Price List
--------	---------------------------------	-------------------------

4.13.2	Discount to be applied to Price List <b>*Note:</b> The "Discount to be Applied to Price List" must be a numeric percentage, which may include 0%. Not listing a numeric percentage may result in your bid being rejected.	0%
--------	--	----

4.13.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 105.00
--------	---	-----------

4.13.4	<b><u>EXTENDED WARRANTY OPTIONS</u></b> Use this section to offer performance/extended warranty options and list cost. (Specify years, months, or days extended term covers.) Add as many lines as needed.	
		NA
		NA
		NA

4.13.5	<b><u>DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS</u></b>	<b><u>NO FLAT RATE ALLOWED</u></b>
--------	---	------------------------------------

**DELIVERY STARTING POINT - City, State, Zip** Robbinsdale, MN 55422

<b>PRICE PER LOADED MILE:</b>	\$2.75
<b>MINIMUM DELIVERY CHARGE (if applicable)</b>	\$45.00

4.13.6	<b><u>EQUIPMENT INSPECTION &amp; REPAIR RATES</u></b> <b><u>INSTALLATION FOR STATIONARY UNITS IS NOT PERMITTED</u></b>	
	Hourly Rate for Initial Inspection/Diagnostic :	\$ 129.00
	Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$ 129.00
	Hourly Rate for Body Work (including paint or welding labor) :	\$ 179.00

4.13.7	<b><u>NEW EQUIPMENT RENTAL PROGRAM</u></b> If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions.	
	Daily Rental Rate:	0
	Weekly Rental Rate:	\$1,350
	Monthly Rental Rate:	\$2,700
	Percent (%) of Rental Fee applied to purchase price:	%

**If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_**